

Wissam El-Hage

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9037278/wissam-el-hage-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168
papers

3,452
citations

27
h-index

54
g-index

223
ext. papers

4,632
ext. citations

3.9
avg, IF

5.42
L-index

#	Paper	IF	Citations
168	A new meta-analytic method for neuroimaging studies that combines reported peak coordinates and statistical parametric maps. <i>European Psychiatry</i> , 2012 , 27, 605-11	6	396
167	Psychometric Validation of the English and French Versions of the Posttraumatic Stress Disorder Checklist for DSM-5 (PCL-5). <i>PLoS ONE</i> , 2016 , 11, e0161645	3.7	182
166	Olfaction: a potential cognitive marker of psychiatric disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2008 , 32, 1315-25	9	167
165	Cognitive inhibition and working memory in unipolar depression. <i>Journal of Affective Disorders</i> , 2009 , 116, 100-5	6.6	160
164	Neural response to specific components of fearful faces in healthy and schizophrenic adults. <i>NeuroImage</i> , 2010 , 49, 939-46	7.9	149
163	Neuroinflammation and depression: A review. <i>European Journal of Neuroscience</i> , 2021 , 53, 151-171	3.5	131
162	Behavioral and neurochemical changes following predatory stress in mice. <i>Neuropharmacology</i> , 2001 , 41, 400-8	5.5	122
161	Differences between effects of psychological versus pharmacological treatments on functional and morphological brain alterations in anxiety disorders and major depressive disorder: a systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2012 , 36, 626-44	9	101
160	Depression is associated with increased sensitivity to signals of disgust: a functional magnetic resonance imaging study. <i>Journal of Psychiatric Research</i> , 2010 , 44, 894-902	5.2	79
159	Risk factors for treatment resistance in unipolar depression: a systematic review. <i>Journal of Affective Disorders</i> , 2015 , 171, 137-41	6.6	74
158	Mechanisms of antidepressant resistance. <i>Frontiers in Pharmacology</i> , 2013 , 4, 146	5.6	71
157	Access to diagnostic and therapeutic facilities for psychogenic nonepileptic seizures: An international survey by the ILAE PNES Task Force. <i>Epilepsia</i> , 2018 , 59, 203-214	6.4	61
156	State and trait olfactory markers of major depression. <i>PLoS ONE</i> , 2012 , 7, e46938	3.7	55
155	Safety and efficacy of repetitive transcranial magnetic stimulation in the treatment of obsessive-compulsive disorder: a review. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 164-77	3.8	54
154	Preserved subcortical volumes and cortical thickness in women with sexual abuse-related PTSD. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 183, 181-6	2.9	50
153	Olfactory anhedonia and negative olfactory alliesthesia in depressed patients. <i>Psychiatry Research</i> , 2010 , 176, 190-6	9.9	43
152	COVID-19: urgency for distancing from domestic violence. <i>Högre Utbildning</i> , 2020 , 11, 1800245	5	42

151	Vie psychologique des femmes receveuses en attente d'un don d'ovocytes en procréation médicalement assistée. <i>European Psychiatry</i> , 2013 , 28, 30-30	6	37
150	Depression, Olfaction, and Quality of Life: A Mutual Relationship. <i>Brain Sciences</i> , 2018 , 8,	3.4	34
149	Interaction of catechol O-methyltransferase and serotonin transporter genes modulates effective connectivity in a facial emotion-processing circuitry. <i>Translational Psychiatry</i> , 2012 , 2, e70	8.6	34
148	Hypnosis for Awake Surgery of Low-grade Gliomas: Description of the Method and Psychological Assessment. <i>Neurosurgery</i> , 2016 , 78, 53-61	3.2	33
147	Trauma-related deficits in working memory. <i>Cognitive Neuropsychiatry</i> , 2006 , 11, 33-46	2	32
146	Clinical guidelines for the management of treatment-resistant depression: French recommendations from experts, the French Association for Biological Psychiatry and Neuropsychopharmacology and the fondation FondaMental. <i>BMC Psychiatry</i> , 2019 , 19, 262	4.2	31
145	e-PTSD: an overview on how new technologies can improve prediction and assessment of Posttraumatic Stress Disorder (PTSD). <i>Högre Utbildning</i> , 2018 , 9, 1424448	5	30
144	Episodic memory and organizational strategy in free recall in unipolar depression: the role of cognitive support and executive functions. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2010 , 32, 719-27	2.1	29
143	Gender differences in the sensitivity to negative stimuli: cross-modal affective priming study. <i>European Psychiatry</i> , 2013 , 28, 74-80	6	27
142	Long-term impaired memory following predatory stress in mice. <i>Physiology and Behavior</i> , 2006 , 87, 45-50	3.5	27
141	Residual symptoms and functional performance in a large sample of euthymic bipolar patients in France (the OPTHYUM study). <i>Journal of Affective Disorders</i> , 2014 , 159, 94-102	6.6	25
140	Posttraumatic Somatoform Dissociation in French Psychiatric Outpatients. <i>Journal of Trauma and Dissociation</i> , 2002 , 3, 59-74	2.8	25
139	Psychogenic non-epileptic seizures (PNES). <i>Revue Neurologique</i> , 2016 , 172, 263-9	3	25
138	Genetic modulation of the response bias towards facial displays of anger and happiness. <i>European Psychiatry</i> , 2014 , 29, 197-202	6	24
137	Perceptive biases in major depressive episode. <i>PLoS ONE</i> , 2014 , 9, e86832	3.7	24
136	Genetic modulation of neural response during working memory in healthy individuals: interaction of glucocorticoid receptor and dopaminergic genes. <i>Molecular Psychiatry</i> , 2013 , 18, 174-82	15.1	21
135	Working memory processing of traumatic material in women with posttraumatic stress disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2012 , 37, 87-94	4.5	21
134	Understanding the link between childhood trauma and schizophrenia: A systematic review of neuroimaging studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 107, 492-504	9	19

133	Brain Tissue Pulsatility is Increased in Midlife Depression: a Comparative Study Using Ultrasound Tissue Pulsatility Imaging. <i>Neuropsychopharmacology</i> , 2017 , 42, 2575-2582	8.7	18
132	The BDNF Val(66)Met polymorphism is associated with escitalopram response in depressed patients. <i>Psychopharmacology</i> , 2015 , 232, 575-81	4.7	18
131	Long-term odor recognition memory in unipolar major depression and Alzheimer's disease. <i>Psychiatry Research</i> , 2014 , 220, 861-6	9.9	18
130	PTSD psychiatric patients exhibit a deficit in remembering. <i>Memory</i> , 2007 , 15, 145-53	1.8	18
129	Impaired memory following predatory stress in mice is improved by fluoxetine. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2004 , 28, 123-8	5.5	18
128	Recollection of negative information in posttraumatic stress disorder. <i>Journal of Traumatic Stress</i> , 2012 , 25, 120-3	3.8	17
127	Functional morphological imaging of autism spectrum disorders: current position and theories proposed. <i>Diagnostic and Interventional Imaging</i> , 2012 , 93, 139-47	5.4	16
126	The relationship between insight and uncertainty in obsessive-compulsive disorder. <i>Psychopathology</i> , 2011 , 44, 272-6	3.4	16
125	A cross-sectional survey on French psychiatrists' knowledge and perceptions of psychogenic nonepileptic seizures. <i>Epilepsy and Behavior</i> , 2016 , 60, 21-26	3.2	16
124	Using the Script Concordance Test to Evaluate Clinical Reasoning Skills in Psychiatry. <i>Academic Psychiatry</i> , 2017 , 41, 86-90	1.1	15
123	Olfactory and gustatory functions in bipolar disorders: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 80, 69-79	9	15
122	Translational Identification of Transcriptional Signatures of Major Depression and Antidepressant Response. <i>Frontiers in Molecular Neuroscience</i> , 2017 , 10, 248	6.1	15
121	The Dutch Eating Behavior Questionnaire: Further psychometric validation and clinical implications of the French version in normal weight and obese persons. <i>Presse Medicale</i> , 2015 , 44, e363-72	2.2	15
120	Patients' perspectives on residual symptoms in bipolar disorder: a focus group study. <i>Journal of Nervous and Mental Disease</i> , 2014 , 202, 550-5	1.8	15
119	Clinical guidelines for the management of depression with specific comorbid psychiatric conditions French recommendations from experts (the French Association for Biological Psychiatry and Neuropsychopharmacology and the fondation FondaMental). <i>BMC Psychiatry</i> , 2019 , 19, 50	4.2	13
118	COMT Val158Met \times ILC6A4 5-HTTLPR interaction impacts on gray matter volume of regions supporting emotion processing. <i>Social Cognitive and Affective Neuroscience</i> , 2014 , 9, 1232-8	4	13
117	Resting-state cerebral blood flow in amygdala is modulated by sex and serotonin transporter genotype. <i>NeuroImage</i> , 2013 , 76, 90-7	7.9	13
116	Increased affective reactivity to neutral stimuli and decreased maintenance of affective responses in bipolar disorder. <i>European Psychiatry</i> , 2015 , 30, 852-60	6	12

115	Serotonin transporter gene expression predicts the worsening of suicidal ideation and suicide attempts along a long-term follow-up of a Major Depressive Episode. <i>European Neuropsychopharmacology</i> , 2018 , 28, 401-414	1.2	12
114	Towards a pharmacochemical hypothesis of the prophylaxis of SARS-CoV-2 by psychoactive substances. <i>Medical Hypotheses</i> , 2020 , 144, 110025	3.8	12
113	Mental health responses to COVID-19 around the world. <i>Högre Utbildning</i> , 2021 , 12, 1929754	5	12
112	Trauma and trauma care in Europe. <i>Högre Utbildning</i> , 2018 , 9, 1556553	5	12
111	COVID-19 and (hydroxy)chloroquine-azithromycin combination: Should we take the risk for our patients?. <i>British Journal of Clinical Pharmacology</i> , 2020 , 86, 1176-1177	3.8	11
110	Prevalence of Metabolic Syndrome and Associated Factors in a Cohort of Individuals With Treatment-Resistant Depression: Results From the FACE-DR Study. <i>Journal of Clinical Psychiatry</i> , 2019 , 80,	4.6	11
109	Assessment of Translocator Protein Density, as Marker of Neuroinflammation, in Major Depressive Disorder: A Pilot, Multicenter, Comparative, Controlled, Brain PET Study (INFLADEP Study). <i>Frontiers in Psychiatry</i> , 2018 , 9, 326	5	10
108	Subjective and physiological emotional response in euthymic bipolar patients: a pilot study. <i>Psychiatry Research</i> , 2014 , 220, 294-301	9.9	10
107	From depersonalization to hallucination. <i>Psychopathology</i> , 2012 , 45, 42-52	3.4	10
106	Are the clinical classifications for psychogenic nonepileptic seizures reliable?. <i>Epilepsy and Behavior</i> , 2017 , 77, 53-57	3.2	9
105	Obsessive compulsive disorder in a patient with twiddler's syndrome. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009 , 32, 399-402	1.6	9
104	Les troubles cognitifs dans le Post-Traumatic Stress Disorder (PTSD) : une revue de la littérature. <i>Annee Psychologique</i> , 2007 , 107, 489	1.5	9
103	Prefrontal cortex rTMS reverses behavioral impairments and differentially activates c-Fos in a mouse model of post-traumatic stress disorder. <i>Brain Stimulation</i> , 2019 , 12, 87-95	5.1	9
102	Validation of the Arabic version of the MADRS scale among Lebanese patients with depression. <i>LiEncephale</i> , 2019 , 45, 195-199	2.9	9
101	Smaller hippocampal volume following sexual assault in women is associated with post-traumatic stress disorder. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 312-324	6.5	8
100	Significant Need for a French Network of Expert Centers Enabling a Better Characterization and Management of Treatment-Resistant Depression (Fondation FondaMental). <i>Frontiers in Psychiatry</i> , 2017 , 8, 244	5	8
99	Do transactive memory and participative teamwork improve nurses' quality of work life?. <i>Western Journal of Nursing Research</i> , 2014 , 36, 329-45	2	8
98	Hashimoto encephalopathy diagnosis after 40 years of a schizophrenia-like disorder. <i>Schizophrenia Research</i> , 2012 , 139, 269-70	3.6	8

97	Neurocognitive, emotional and neuroendocrine correlates of exposure to sexual assault in women. <i>Journal of Psychiatry and Neuroscience</i> , 2018 , 43, 318-326	4.5	8
96	Post-traumatic stress disorder following childbirth. <i>BMC Psychiatry</i> , 2021 , 21, 155	4.2	8
95	Association between anhedonia and suicidal events in patients with mood disorders: A 3-year prospective study. <i>Depression and Anxiety</i> , 2021 , 38, 17-27	8.4	8
94	Traumatic memory reactivation with or without propranolol for PTSD and comorbid MD symptoms: a randomised clinical trial. <i>Neuropsychopharmacology</i> , 2021 , 46, 1643-1649	8.7	8
93	Childhood maltreatment and clinical severity of treatment-resistant depression in a French cohort of outpatients (FACE-DR): One-year follow-up. <i>Depression and Anxiety</i> , 2020 , 37, 365-374	8.4	8
92	Taste identification used as a potential discriminative test among depression and Alzheimer's disease in elderly: A pilot study. <i>Psychiatry Research</i> , 2015 , 228, 228-32	9.9	7
91	Internet-Based Intervention for Posttraumatic Stress Disorder: Using Remote Imagery Rehearsal Therapy to Treat Nightmares. <i>Psychotherapy and Psychosomatics</i> , 2019 , 88, 315-316	9.4	7
90	Neural correlates of delusional infestation responding to aripiprazole monotherapy: a case report. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 257-61	3.1	7
89	Peut-on objectiver et limiter les erreurs diagnostiques en situation transculturelle ?. <i>Annales Medico-Psychologiques</i> , 2012 , 170, 591-595	0.2	7
88	Comorbidity between personality disorders and depressive symptomatology in women: A cross-sectional study of three different transitional life stages. <i>Personality and Mental Health</i> , 2013 , 7, 233-41	3.1	7
87	Prevalence of alcohol, drug use and psychoactive substance consumption in samples of French and Congolese high school students. <i>Tropical Doctor</i> , 2004 , 34, 15-7	0.9	7
86	Investigating biological traces of traumatic stress in changing societies: challenges and directions from the ESTSS Task Force on Neurobiology. <i>Høre Utbildning</i> , 2016 , 7, 29453	5	7
85	Exploring venlafaxine pharmacokinetic variability with a phenotyping approach, a multicentric french-swiss study (MARVEL study). <i>BMC Pharmacology & Toxicology</i> , 2017 , 18, 70	2.6	6
84	Reappraising suppression: subjective and physiological correlates of experiential suppression in healthy adults. <i>Frontiers in Psychology</i> , 2014 , 5, 571	3.4	6
83	Emerging treatments in the management of bipolar disorder - focus on risperidone long acting injection. <i>Neuropsychiatric Disease and Treatment</i> , 2010 , 6, 455-64	3.1	6
82	Ketamine for the acute treatment of severe suicidal ideation: double blind, randomised placebo controlled trial.. <i>BMJ, The</i> , 2022 , 376, e067194	5.9	6
81	Hedonic Olfactory Perception in Depression: Relationship between Self-Evaluation and Autonomic Response. <i>Psychology</i> , 2012 , 03, 959-965	0.5	6
80	Treatment-Resistant Depression in a Real-World Setting: First Interim Analysis of Characteristics, Healthcare Resource Use, and Utility Values of the FondaMental Cohort. <i>Brain Sciences</i> , 2020 , 10,	3.4	6

79	2015 Paris terrorist attacks: Care guidance for the massive influx of psychologically traumatized civilian casualties. Helping victims to develop their capacity to create a safe and protective environment by leveraging social resources like family, and inner resources like mindfulness should optimize global resilience. <i>European Journal of Trauma and Dissociation</i> , 2020 , 4, 100079	1	6
78	Cerebral blood flow velocity positively correlates with brain volumes in long-term remitted depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 81, 243-249	5.5	5
77	Ultrasound Measures of Brain Pulsatility Correlate with Subcortical Brain Volumes in Healthy Young Adults. <i>Ultrasound in Medicine and Biology</i> , 2018 , 44, 2307-2313	3.5	5
76	Exploratory study toward development of the French version of the questionnaire on personality traits (QPT/VKP-4) in an elderly population in comparison to young adults. <i>Psychological Reports</i> , 2014 , 115, 115-32	1.6	5
75	Mémoire et émotion dans le trouble de stress post-traumatique (TSPT).. <i>Canadian Psychology</i> , 2007 , 48, 106-119	3.2	5
74	Amniocentesis, maternal psychopathology and prenatal representations of attachment: a prospective comparative study. <i>PLoS ONE</i> , 2012 , 7, e41777	3.7	5
73	Inhibitory control of threat remembering in PTSD. <i>Memory</i> , 2019 , 27, 1404-1414	1.8	4
72	Benzodiazepine use and brain amyloid load in nondemented older individuals: a florbetapir PET study in the Multidomain Alzheimer Preventive Trial cohort. <i>Neurobiology of Aging</i> , 2019 , 84, 61-69	5.6	4
71	Posttraumatic Stress Disorder Is a Risk Factor for Multiple Addictions in Police Officers Hospitalized for Alcohol. <i>European Addiction Research</i> , 2019 , 25, 198-206	4.6	4
70	Severe recurrent vasovagal syncope and multidisciplinary rehabilitation: A prospective randomized pilot study. <i>International Journal of Cardiology</i> , 2015 , 187, 658-9	3.2	4
69	Trauma exposure and PTSD prevalence among Yazidi, Christian and Muslim asylum seekers and refugees displaced to Iraqi Kurdistan. <i>PLoS ONE</i> , 2020 , 15, e0233681	3.7	4
68	When classical music relaxes the brain: An experimental study using Ultrasound Brain Tissue Pulsatility Imaging. <i>International Journal of Psychophysiology</i> , 2020 , 150, 29-36	2.9	4
67	Sex-specific effects of Val158Met polymorphism on corpus callosum structure: A whole-brain diffusion-weighted imaging study. <i>Brain and Behavior</i> , 2017 , 7, e00786	3.4	4
66	Skin conductance response and emotional response in women with psychogenic non-epileptic seizures. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020 , 81, 123-131	3.2	4
65	Completeness of Descriptions of Repetitive Transcranial Magnetic Stimulation Intervention: A Systematic Review of Randomized Controlled Trials of rTMS in Depression. <i>Journal of ECT</i> , 2019 , 35, 7-13 ²		4
64	Explanatory factors of quality of life in psychogenic non-epileptic seizure. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021 , 84, 6-13	3.2	4
63	Psychoactive compounds as multifactorial protection factors against COVID-19. <i>Irish Journal of Medical Science</i> , 2021 , 190, 849-850	1.9	4
62	Anticipatory anxiety of epileptic seizures: An overlooked dimension linked to trauma history. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021 , 85, 64-69	3.2	4

61	Improving the mental health system for trauma victims in France. <i>Högre Utbildning</i> , 2019 , 10, 1617610	5	3
60	A systematic review of ultrasound imaging and therapy in mental disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 101, 109919	5.5	3
59	Differentiating PNES from epileptic seizures using conversational analysis on French patients: A prospective blinded study. <i>Epilepsy and Behavior</i> , 2020 , 111, 107239	3.2	3
58	Beyond Clinical Outcomes: Posttraumatic Stress Symptoms Favor Attentional and Memory Control Abilities for Trauma-Related Words. <i>Journal of Traumatic Stress</i> , 2020 , 33, 783-793	3.8	3
57	"Stop playing ping-pong! Epi-Psy, an effective discipline to promote" Comment on "Psychiatric comorbidities go unrecognized in patients with epilepsy: 'You see what you know'". <i>Epilepsy and Behavior</i> , 2020 , 104, 106937	3.2	3
56	Relationship between the big five personality traits and PTSD among French police officers. <i>European Journal of Trauma and Dissociation</i> , 2018 , 2, 83-89	1	3
55	Relationships between hardiness, exposure to traumatic events and PTSD symptoms among French police officers. <i>European Journal of Trauma and Dissociation</i> , 2018 , 2, 165-171	1	3
54	Higher fundamental voice frequency is related to extrapyramidal symptoms in schizophrenia. <i>Schizophrenia Research</i> , 2015 , 161, 517-8	3.6	3
53	Policy, service, and training provision for women following a traumatic birth: an international knowledge mapping exercise. <i>BMC Health Services Research</i> , 2021 , 21, 1206	2.9	3
52	Adherence to mental health care and caregiver-patient relationship after diagnosis of psychogenic non-epileptic seizures: Longitudinal follow-up study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020 , 80, 227-233	3.2	3
51	Childhood Trauma increases suicidal behaviour in a treatment-resistant depression population: a FACE-DR report. <i>Journal of Psychiatric Research</i> , 2021 , 135, 20-27	5.2	3
50	Working toward the ideal situation: A pragmatic Epi-Psy approach for the diagnosis and treatment of psychogenic nonepileptic seizures. <i>Epilepsy and Behavior</i> , 2021 , 120, 108000	3.2	3
49	Aberrant intrinsic connectivity in women victims of sexual assault. <i>Brain Imaging and Behavior</i> , 2021 , 15, 2356-2366	4.1	3
48	Post-traumatic factors are involved in the evolution of the number of seizures in patients with PNES. <i>Epilepsy and Behavior</i> , 2021 , 115, 107544	3.2	3
47	The negative association between trait mindfulness and post-traumatic stress disorder: A 4.5-year prospective cohort study. <i>Brain and Behavior</i> , 2021 , 11, e02163	3.4	3
46	Disentangling the link between mindfulness and dissociation: The mediating role of attention and emotional acceptance. <i>European Journal of Trauma and Dissociation</i> , 2021 , 5, 100220	1	3
45	Trauma reactivation under propranolol among traumatized Syrian refugee children: preliminary evidence regarding efficacy. <i>Högre Utbildning</i> , 2020 , 11, 1733248	5	2
44	Functional (psychogenic non-epileptic/dissociative) seizures: why and how?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021 ,	5.5	2

43	Psychological Impact of Exposure to the COVID-19 Sanitary Crisis on French Healthcare Workers: Risk Factors and Coping Strategies. <i>Frontiers in Psychiatry</i> , 2021 , 12, 701127	5	2
42	Adherence to treatment guidelines in clinical practice for using electroconvulsive therapy in major depressive episode. <i>Journal of Affective Disorders</i> , 2020 , 264, 318-323	6.6	2
41	Childhood Trauma Predicts Less Remission from PTSD among Patients with Co-Occurring Alcohol Use Disorder and PTSD. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2
40	Olfactory markers for depression: Differences between bipolar and unipolar patients. <i>PLoS ONE</i> , 2020 , 15, e0237565	3.7	2
39	The Early Impacts of the COVID-19 Pandemic on Mental Health Facilities and Psychiatric Professionals. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
38	Posttraumatic Stress Disorder Is Highly Comorbid With Adult ADHD in Alcohol Use Disorder Inpatients. <i>Journal of Attention Disorders</i> , 2021 , 25, 1594-1602	3.7	1
37	Prospective and retrospective episodic metamemory in posttraumatic stress disorder. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2018 , 40, 865-873	2.1	1
36	Treatment of tardive dyskinesia: a systematic review (1997-2011). <i>European Journal of Psychiatry</i> , 2013 , 27, 160-173	1	1
35	Incidence clinique des psychotraumatismes dans la consultation externe d'un service de psychiatrie. <i>Annales Medico-Psychologiques</i> , 2003 , 161, 743-748	0.2	1
34	Validation of the French Version of the Positivity Scale (P Scale).. <i>Frontiers in Psychology</i> , 2021 , 12, 7242534	3.4	1
33	Stress induced by the COVID-19 health situation in a cohort of 111 subjects present in the Bataclan concert hall during the November 2015 terrorist attacks in Paris.. <i>Högre Utbildning</i> , 2021 , 12, 1980274	5	1
32	Efficacy of chronic ultrasound neurostimulation on behaviors and distributed brain metabolism in depressive-like mice		1
31	Relationship between childhood physical abuse and clinical severity of treatment-resistant depression in a geriatric population. <i>PLoS ONE</i> , 2021 , 16, e0250148	3.7	1
30	Olfactory Memory in Depression: State and Trait Differences between Bipolar and Unipolar Disorders. <i>Brain Sciences</i> , 2020 , 10,	3.4	1
29	A Case of Sustained Antidepressant Effects and Large Changes in the Brain With a Single Brief Exposure to Nitrous Oxide. <i>American Journal of Geriatric Psychiatry</i> , 2021 , 29, 1298-1300	6.5	1
28	Exploring strategies to cope with dissociation and its determinants through functional analysis in patients suffering from PTSD: A qualitative study. <i>European Journal of Trauma and Dissociation</i> , 2022 , 6, 100235	1	1
27	Heterogeneity of patients with functional/dissociative seizures: Three multidimensional profiles.. <i>Epilepsia</i> , 2022 ,	6.4	1
26	International professional practices in mental health, organization of psychiatric care, and COVID-19: A survey protocol.. <i>PLoS ONE</i> , 2021 , 16, e0261818	3.7	1

25	Hedonic Assessment of Odors: A Comparison of Two Sensory Scales for Use with Alzheimer's Disease Patients and Elderly Individuals. <i>Journal of Alzheimer's Disease</i> , 2018 , 61, 929-938	4.3	○
24	Functional MRI-based study of emotional experience in patients with psychogenic non-epileptic seizures: Protocol for an observational case-control study-EMOCRISES study.. <i>PLoS ONE</i> , 2022 , 17, e0262216	3.7	○
23	Recommendations of the treatment-resistant depression expert center network for promoting tobacco smoking cessation based on the results from the real-world FACE-TRD national cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 114, 110479	5.5	○
22	Validation of the French ADN-20 in the assessment of emotional difficulties resulting from COVID-19 quarantine and outbreak. <i>BMC Psychology</i> , 2021 , 9, 180	2.8	○
21	Decrease in ultrasound Brain Tissue Pulsations as a potential surrogate marker of response to antidepressant.. <i>Journal of Psychiatric Research</i> , 2022 , 146, 186-191	5.2	○
20	Left amygdala volume and brain tissue pulsatility are associated with neuroticism: an MRI and ultrasound study. <i>Brain Imaging and Behavior</i> , 2021 , 15, 1499-1507	4.1	○
19	Occurrence of Side Effects in Treatment-Resistant Depression: Role of Clinical, Socio-Demographic and Environmental Characteristics.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 795666	5	○
18	Examining transcranial random noise stimulation as an add-on treatment for persistent symptoms in schizophrenia (STIM'Zo): a study protocol for a multicentre, double-blind, randomized sham-controlled clinical trial.. <i>Trials</i> , 2021 , 22, 964	2.8	○
17	Modalité de prise en charge des crises non épileptiques psychogènes (CNEP) en France. <i>European Psychiatry</i> , 2015 , 30, S125-S126	6	
16	What are Probable Olfactory Markers of Alcohol Dependence?. <i>Chemical Senses</i> , 2017 , 42, 3-12	4.8	
15	La mémoire intrusive dans le trouble de stress post-traumatique : apport de la neuroimagerie. <i>Annales Medico-Psychologiques</i> , 2016 , 174, 848-852	0.2	
14	Erreur diagnostique, entre syndrome d'influenza et déliré chez un patient souffrant d'une schizophrénie paranoïde : découverte d'un implant sous-cutané de disulfirame. <i>European Psychiatry</i> , 2014 , 29, 563-563	6	
13	État de stress post-traumatique après ventilation prolongée. <i>Reanimation: Journal De La Societe De Reanimation De Langue Francaise</i> , 2013 , 22, 80-89		
12	Lécytocine et la dépression du post-partum. <i>Revue Sage - Femme</i> , 2017 , 16, 187-196	0	
11	Is auto-noetic recollection of threat in PTSD related to impaired inhibitory skills?. <i>European Psychiatry</i> , 2017 , 41, S360-S360	6	
10	Management of treatment resistant depression: A comparison between French expert consensus guidelines and international evidence based guidelines. <i>European Psychiatry</i> , 2017 , 41, S525-S525	6	
9	Évaluation du dispositif d'ajonction de soins pour les auteurs de violences sexuelles en Indre-et-Loire (France). <i>Annales Medico-Psychologiques</i> , 2010 , 168, 462-465	0.2	
8	Representation of women at American Psychiatric Association annual meetings over 10 years (between 2009 and 2019).. <i>PLoS ONE</i> , 2022 , 17, e0261058	3.7	

- | | | |
|---|--|-----|
| 7 | Cognitive impairments in treatment-resistant depression: Results from the French cohort of outpatients (FACE-DR). <i>Journal of Affective Disorders Reports</i> , 2021 , 6, 100272 | 1.4 |
| 6 | Chapitre 2. Dépression unipolaire majeure : définition, prévalence, incidence, évolution et traitement 2015 , 14-23 | |
| 5 | Lessons learned from the beirut blast: Empower the local professionals. <i>LiEncephale</i> , 2021 , | 2.9 |
| 4 | The influence of affective state on sensory and emotional perception: Application of the Sense'n Feel method. <i>European Journal of Neuroscience</i> , 2021 , 53, 298-310 | 3.5 |
| 3 | Past Trauma Is Associated With a Higher Risk of Experiencing an Epileptic Seizure as Traumatic in Patients With Pharmacoresistant Focal Epilepsy. <i>Frontiers in Neurology</i> , 2021 , 12, 669411 | 4.1 |
| 2 | Posttraumatic Stress Symptoms Increase the Efficiency of Memory Functioning for Trauma-Related Information.. <i>Journal of the International Neuropsychological Society</i> , 2022 , 1-10 | 3.1 |
| 1 | Early Interventions to Prevent Post-Traumatic Stress Disorder in Youth after Exposure to a Potentially Traumatic Event: A Scoping Review. <i>Healthcare (Switzerland)</i> , 2022 , 10, 818 | 3.4 |