

Wissam El-Hage

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9037278/wissam-el-hage-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168
papers

3,452
citations

27
h-index

54
g-index

223
ext. papers

4,632
ext. citations

3.9
avg, IF

5.42
L-index

#	Paper	IF	Citations
168	Representation of women at American Psychiatric Association annual meetings over 10 years (between 2009 and 2019).. <i>PLoS ONE</i> , 2022 , 17, e0261058	3.7	0
167	Functional MRI-based study of emotional experience in patients with psychogenic non-epileptic seizures: Protocol for an observational case-control study-EMOCRISES study.. <i>PLoS ONE</i> , 2022 , 17, e0262216	3.7	0
166	Ketamine for the acute treatment of severe suicidal ideation: double blind, randomised placebo controlled trial.. <i>BMJ, The</i> , 2022 , 376, e067194	5.9	6
165	Decrease in ultrasound Brain Tissue Pulsations as a potential surrogate marker of response to antidepressant.. <i>Journal of Psychiatric Research</i> , 2022 , 146, 186-191	5.2	0
164	Exploring strategies to cope with dissociation and its determinants through functional analysis in patients suffering from PTSD: A qualitative study. <i>European Journal of Trauma and Dissociation</i> , 2022 , 6, 100235	1	1
163	Posttraumatic Stress Symptoms Increase the Efficiency of Memory Functioning for Trauma-Related Information.. <i>Journal of the International Neuropsychological Society</i> , 2022 , 1-10	3.1	0
162	Heterogeneity of patients with functional/dissociative seizures: Three multidimensional profiles.. <i>Epilepsia</i> , 2022 ,	6.4	1
161	Early Interventions to Prevent Post-Traumatic Stress Disorder in Youth after Exposure to a Potentially Traumatic Event: A Scoping Review. <i>Healthcare (Switzerland)</i> , 2022 , 10, 818	3.4	0
160	Posttraumatic Stress Disorder Is Highly Comorbid With Adult ADHD in Alcohol Use Disorder Inpatients. <i>Journal of Attention Disorders</i> , 2021 , 25, 1594-1602	3.7	1
159	Validation of the French Version of the Positivity Scale (P Scale).. <i>Frontiers in Psychology</i> , 2021 , 12, 7242534	3.4	1
158	Policy, service, and training provision for women following a traumatic birth: an international knowledge mapping exercise. <i>BMC Health Services Research</i> , 2021 , 21, 1206	2.9	3
157	Recommendations of the treatment-resistant depression expert center network for promoting tobacco smoking cessation based on the results from the real-world FACE-TRD national cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 114, 110479	5.5	0
156	Validation of the French ADNM-20 in the assessment of emotional difficulties resulting from COVID-19 quarantine and outbreak. <i>BMC Psychology</i> , 2021 , 9, 180	2.8	0
155	Functional (psychogenic non-epileptic/dissociative) seizures: why and how?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021 ,	5.5	2
154	Psychological Impact of Exposure to the COVID-19 Sanitary Crisis on French Healthcare Workers: Risk Factors and Coping Strategies. <i>Frontiers in Psychiatry</i> , 2021 , 12, 701127	5	2
153	Cognitive impairments in treatment-resistant depression: Results from the French cohort of outpatients (FACE-DR). <i>Journal of Affective Disorders Reports</i> , 2021 , 6, 100272	1.4	0
152	Stress induced by the COVID-19 health situation in a cohort of 111 subjects present in the Bataclan concert hall during the November 2015 terrorist attacks in Paris.. <i>Högre Utbildning</i> , 2021 , 12, 1980274	5	1

151	Left amygdala volume and brain tissue pulsatility are associated with neuroticism: an MRI and ultrasound study. <i>Brain Imaging and Behavior</i> , 2021 , 15, 1499-1507	4.1	0
150	Childhood Trauma increases suicidal behaviour in a treatment-resistant depression population: a FACE-DR report. <i>Journal of Psychiatric Research</i> , 2021 , 135, 20-27	5.2	3
149	Post-traumatic stress disorder following childbirth. <i>BMC Psychiatry</i> , 2021 , 21, 155	4.2	8
148	Relationship between childhood physical abuse and clinical severity of treatment-resistant depression in a geriatric population. <i>PLoS ONE</i> , 2021 , 16, e0250148	3.7	1
147	Working toward the ideal situation: A pragmatic Epi-Psy approach for the diagnosis and treatment of psychogenic nonepileptic seizures. <i>Epilepsy and Behavior</i> , 2021 , 120, 108000	3.2	3
146	Lessons learned from the beirut blast: Empower the local professionals. <i>LiEncephale</i> , 2021 ,	2.9	
145	Neuroinflammation and depression: A review. <i>European Journal of Neuroscience</i> , 2021 , 53, 151-171	3.5	131
144	The influence of affective state on sensory and emotional perception: Application of the Sense'n Feel method. <i>European Journal of Neuroscience</i> , 2021 , 53, 298-310	3.5	
143	Association between anhedonia and suicidal events in patients with mood disorders: A 3-year prospective study. <i>Depression and Anxiety</i> , 2021 , 38, 17-27	8.4	8
142	Explanatory factors of quality of life in psychogenic non-epileptic seizure. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021 , 84, 6-13	3.2	4
141	A Case of Sustained Antidepressant Effects and Large Changes in the Brain With a Single Brief Exposure to Nitrous Oxide. <i>American Journal of Geriatric Psychiatry</i> , 2021 , 29, 1298-1300	6.5	1
140	Psychoactive compounds as multifactorial protection factors against COVID-19. <i>Irish Journal of Medical Science</i> , 2021 , 190, 849-850	1.9	4
139	Aberrant intrinsic connectivity in women victims of sexual assault. <i>Brain Imaging and Behavior</i> , 2021 , 15, 2356-2366	4.1	3
138	Mental health responses to COVID-19 around the world. <i>Högre Utbildning</i> , 2021 , 12, 1929754	5	12
137	Anticipatory anxiety of epileptic seizures: An overlooked dimension linked to trauma history. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021 , 85, 64-69	3.2	4
136	Post-traumatic factors are involved in the evolution of the number of seizures in patients with PNES. <i>Epilepsy and Behavior</i> , 2021 , 115, 107544	3.2	3
135	Traumatic memory reactivation with or without propranolol for PTSD and comorbid MD symptoms: a randomised clinical trial. <i>Neuropsychopharmacology</i> , 2021 , 46, 1643-1649	8.7	8
134	Past Trauma Is Associated With a Higher Risk of Experiencing an Epileptic Seizure as Traumatic in Patients With Pharmacoresistant Focal Epilepsy. <i>Frontiers in Neurology</i> , 2021 , 12, 669411	4.1	

133	The Early Impacts of the COVID-19 Pandemic on Mental Health Facilities and Psychiatric Professionals. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
132	The negative association between trait mindfulness and post-traumatic stress disorder: A 4.5-year prospective cohort study. <i>Brain and Behavior</i> , 2021 , 11, e02163	3.4	3
131	Disentangling the link between mindfulness and dissociation: The mediating role of attention and emotional acceptance. <i>European Journal of Trauma and Dissociation</i> , 2021 , 5, 100220	1	3
130	Occurrence of Side Effects in Treatment-Resistant Depression: Role of Clinical, Socio-Demographic and Environmental Characteristics.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 795666	5	0
129	Examining transcranial random noise stimulation as an add-on treatment for persistent symptoms in schizophrenia (STIM'Zo): a study protocol for a multicentre, double-blind, randomized sham-controlled clinical trial.. <i>Trials</i> , 2021 , 22, 964	2.8	0
128	International professional practices in mental health, organization of psychiatric care, and COVID-19: A survey protocol.. <i>PLoS ONE</i> , 2021 , 16, e0261818	3.7	1
127	Trauma reactivation under propranolol among traumatized Syrian refugee children: preliminary evidence regarding efficacy. <i>Högre Utbildning</i> , 2020 , 11, 1733248	5	2
126	A systematic review of ultrasound imaging and therapy in mental disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 101, 109919	5.5	3
125	Differentiating PNES from epileptic seizures using conversational analysis on French patients: A prospective blinded study. <i>Epilepsy and Behavior</i> , 2020 , 111, 107239	3.2	3
124	Beyond Clinical Outcomes: Posttraumatic Stress Symptoms Favor Attentional and Memory Control Abilities for Trauma-Related Words. <i>Journal of Traumatic Stress</i> , 2020 , 33, 783-793	3.8	3
123	Trauma exposure and PTSD prevalence among Yazidi, Christian and Muslim asylum seekers and refugees displaced to Iraqi Kurdistan. <i>PLoS ONE</i> , 2020 , 15, e0233681	3.7	4
122	"Stop playing ping-pong! Epi-Psy, an effective discipline to promote" Comment on "Psychiatric comorbidities go unrecognized in patients with epilepsy: 'You see what you know'". <i>Epilepsy and Behavior</i> , 2020 , 104, 106937	3.2	3
121	When classical music relaxes the brain: An experimental study using Ultrasound Brain Tissue Pulsatility Imaging. <i>International Journal of Psychophysiology</i> , 2020 , 150, 29-36	2.9	4
120	COVID-19 and (hydroxy)chloroquine-azithromycin combination: Should we take the risk for our patients?. <i>British Journal of Clinical Pharmacology</i> , 2020 , 86, 1176-1177	3.8	11
119	Adherence to treatment guidelines in clinical practice for using electroconvulsive therapy in major depressive episode. <i>Journal of Affective Disorders</i> , 2020 , 264, 318-323	6.6	2
118	Skin conductance response and emotional response in women with psychogenic non-epileptic seizures. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020 , 81, 123-131	3.2	4
117	Towards a pharmacochemical hypothesis of the prophylaxis of SARS-CoV-2 by psychoactive substances. <i>Medical Hypotheses</i> , 2020 , 144, 110025	3.8	12
116	Childhood Trauma Predicts Less Remission from PTSD among Patients with Co-Occurring Alcohol Use Disorder and PTSD. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2

115	Adherence to mental health care and caregiver-patient relationship after diagnosis of psychogenic non-epileptic seizures: Longitudinal follow-up study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020 , 80, 227-233	3.2	3
114	Olfactory markers for depression: Differences between bipolar and unipolar patients. <i>PLoS ONE</i> , 2020 , 15, e0237565	3.7	2
113	COVID-19: urgency for distancing from domestic violence. <i>Högre Utbildning</i> , 2020 , 11, 1800245	5	42
112	Treatment-Resistant Depression in a Real-World Setting: First Interim Analysis of Characteristics, Healthcare Resource Use, and Utility Values of the FondaMental Cohort. <i>Brain Sciences</i> , 2020 , 10,	3.4	6
111	2015 Paris terrorist attacks: Care guidance for the massive influx of psychologically traumatized civilian casualties. Helping victims to develop their capacity to create a safe and protective environment by leveraging social resources like family, and inner resources like mindfulness should optimize global resilience. <i>European Journal of Trauma and Dissociation</i> , 2020 , 4, 100079	1	6
110	Olfactory Memory in Depression: State and Trait Differences between Bipolar and Unipolar Disorders. <i>Brain Sciences</i> , 2020 , 10,	3.4	1
109	Childhood maltreatment and clinical severity of treatment-resistant depression in a French cohort of outpatients (FACE-DR): One-year follow-up. <i>Depression and Anxiety</i> , 2020 , 37, 365-374	8.4	8
108	Clinical guidelines for the management of treatment-resistant depression: French recommendations from experts, the French Association for Biological Psychiatry and Neuropsychopharmacology and the fondation FondaMental. <i>BMC Psychiatry</i> , 2019 , 19, 262	4.2	31
107	Inhibitory control of threat remembering in PTSD. <i>Memory</i> , 2019 , 27, 1404-1414	1.8	4
106	Benzodiazepine use and brain amyloid load in nondemented older individuals: a florbetapir PET study in the Multidomain Alzheimer Preventive Trial cohort. <i>Neurobiology of Aging</i> , 2019 , 84, 61-69	5.6	4
105	Clinical guidelines for the management of depression with specific comorbid psychiatric conditions French recommendations from experts (the French Association for Biological Psychiatry and Neuropsychopharmacology and the fondation FondaMental). <i>BMC Psychiatry</i> , 2019 , 19, 50	4.2	13
104	Improving the mental health system for trauma victims in France. <i>Högre Utbildning</i> , 2019 , 10, 1617610	5	3
103	Understanding the link between childhood trauma and schizophrenia: A systematic review of neuroimaging studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 107, 492-504	9	19
102	Posttraumatic Stress Disorder Is a Risk Factor for Multiple Addictions in Police Officers Hospitalized for Alcohol. <i>European Addiction Research</i> , 2019 , 25, 198-206	4.6	4
101	Internet-Based Intervention for Posttraumatic Stress Disorder: Using Remote Imagery Rehearsal Therapy to Treat Nightmares. <i>Psychotherapy and Psychosomatics</i> , 2019 , 88, 315-316	9.4	7
100	Prevalence of Metabolic Syndrome and Associated Factors in a Cohort of Individuals With Treatment-Resistant Depression: Results From the FACE-DR Study. <i>Journal of Clinical Psychiatry</i> , 2019 , 80,	4.6	11
99	Completeness of Descriptions of Repetitive Transcranial Magnetic Stimulation Intervention: A Systematic Review of Randomized Controlled Trials of rTMS in Depression. <i>Journal of ECT</i> , 2019 , 35, 7-13 ²		4
98	Prefrontal cortex rTMS reverses behavioral impairments and differentially activates c-Fos in a mouse model of post-traumatic stress disorder. <i>Brain Stimulation</i> , 2019 , 12, 87-95	5.1	9

97	Validation of the Arabic version of the MADRS scale among Lebanese patients with depression. <i>LiEncephale</i> , 2019 , 45, 195-199	2.9	9
96	e-PTSD: an overview on how new technologies can improve prediction and assessment of Posttraumatic Stress Disorder (PTSD). <i>Högre Utbildning</i> , 2018 , 9, 1424448	5	30
95	Relationship between the big five personality traits and PTSD among French police officers. <i>European Journal of Trauma and Dissociation</i> , 2018 , 2, 83-89	1	3
94	Hedonic Assessment of Odors: A Comparison of Two Sensory Scales for Use with Alzheimer's Disease Patients and Elderly Individuals. <i>Journal of Alzheimer's Disease</i> , 2018 , 61, 929-938	4.3	0
93	Relationships between hardiness, exposure to traumatic events and PTSD symptoms among French police officers. <i>European Journal of Trauma and Dissociation</i> , 2018 , 2, 165-171	1	3
92	Serotonin transporter gene expression predicts the worsening of suicidal ideation and suicide attempts along a long-term follow-up of a Major Depressive Episode. <i>European Neuropsychopharmacology</i> , 2018 , 28, 401-414	1.2	12
91	Prospective and retrospective episodic metamemory in posttraumatic stress disorder. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2018 , 40, 865-873	2.1	1
90	Cerebral blood flow velocity positively correlates with brain volumes in long-term remitted depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 81, 243-249	5.5	5
89	Smaller hippocampal volume following sexual assault in women is associated with post-traumatic stress disorder. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 312-324	6.5	8
88	Assessment of Translocator Protein Density, as Marker of Neuroinflammation, in Major Depressive Disorder: A Pilot, Multicenter, Comparative, Controlled, Brain PET Study (INFLADEP Study). <i>Frontiers in Psychiatry</i> , 2018 , 9, 326	5	10
87	Depression, Olfaction, and Quality of Life: A Mutual Relationship. <i>Brain Sciences</i> , 2018 , 8,	3.4	34
86	Ultrasound Measures of Brain Pulsatility Correlate with Subcortical Brain Volumes in Healthy Young Adults. <i>Ultrasound in Medicine and Biology</i> , 2018 , 44, 2307-2313	3.5	5
85	Neurocognitive, emotional and neuroendocrine correlates of exposure to sexual assault in women. <i>Journal of Psychiatry and Neuroscience</i> , 2018 , 43, 318-326	4.5	8
84	Access to diagnostic and therapeutic facilities for psychogenic nonepileptic seizures: An international survey by the ILAE PNES Task Force. <i>Epilepsia</i> , 2018 , 59, 203-214	6.4	61
83	Trauma and trauma care in Europe. <i>Högre Utbildning</i> , 2018 , 9, 1556553	5	12
82	Using the Script Concordance Test to Evaluate Clinical Reasoning Skills in Psychiatry. <i>Academic Psychiatry</i> , 2017 , 41, 86-90	1.1	15
81	Olfactory and gustatory functions in bipolar disorders: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 80, 69-79	9	15
80	Brain Tissue Pulsatility is Increased in Midlife Depression: a Comparative Study Using Ultrasound Tissue Pulsatility Imaging. <i>Neuropsychopharmacology</i> , 2017 , 42, 2575-2582	8.7	18

79	What are Probable Olfactory Markers of Alcohol Dependence?. <i>Chemical Senses</i> , 2017 , 42, 3-12	4.8	
78	L'ocytocine et la dépression du post-partum. <i>Revue Sage - Femme</i> , 2017 , 16, 187-196	0	
77	Sex-specific effects of Val158Met polymorphism on corpus callosum structure: A whole-brain diffusion-weighted imaging study. <i>Brain and Behavior</i> , 2017 , 7, e00786	3.4	4
76	Are the clinical classifications for psychogenic nonepileptic seizures reliable?. <i>Epilepsy and Behavior</i> , 2017 , 77, 53-57	3.2	9
75	Is auto-noetic recollection of threat in PTSD related to impaired inhibitory skills?. <i>European Psychiatry</i> , 2017 , 41, S360-S360	6	
74	Management of treatment resistant depression: A comparison between French expert consensus guidelines and international evidence based guidelines. <i>European Psychiatry</i> , 2017 , 41, S525-S525	6	
73	Exploring venlafaxine pharmacokinetic variability with a phenotyping approach, a multicentric french-swiss study (MARVEL study). <i>BMC Pharmacology & Toxicology</i> , 2017 , 18, 70	2.6	6
72	Significant Need for a French Network of Expert Centers Enabling a Better Characterization and Management of Treatment-Resistant Depression (Fondation FondaMental). <i>Frontiers in Psychiatry</i> , 2017 , 8, 244	5	8
71	Translational Identification of Transcriptional Signatures of Major Depression and Antidepressant Response. <i>Frontiers in Molecular Neuroscience</i> , 2017 , 10, 248	6.1	15
70	La mémoire intrusive dans le trouble de stress post-traumatique : apport de la neuroimagerie. <i>Annales Medico-Psychologiques</i> , 2016 , 174, 848-852	0.2	
69	Investigating biological traces of traumatic stress in changing societies: challenges and directions from the ESTSS Task Force on Neurobiology. <i>Høgre Utbildning</i> , 2016 , 7, 29453	5	7
68	Psychometric Validation of the English and French Versions of the Posttraumatic Stress Disorder Checklist for DSM-5 (PCL-5). <i>PLoS ONE</i> , 2016 , 11, e0161645	3.7	182
67	Hypnosis for Awake Surgery of Low-grade Gliomas: Description of the Method and Psychological Assessment. <i>Neurosurgery</i> , 2016 , 78, 53-61	3.2	33
66	Psychogenic non-epileptic seizures (PNES). <i>Revue Neurologique</i> , 2016 , 172, 263-9	3	25
65	A cross-sectional survey on French psychiatrists' knowledge and perceptions of psychogenic nonepileptic seizures. <i>Epilepsy and Behavior</i> , 2016 , 60, 21-26	3.2	16
64	The BDNF Val(66)Met polymorphism is associated with escitalopram response in depressed patients. <i>Psychopharmacology</i> , 2015 , 232, 575-81	4.7	18
63	Taste identification used as a potential discriminative test among depression and Alzheimer's disease in elderly: A pilot study. <i>Psychiatry Research</i> , 2015 , 228, 228-32	9.9	7
62	Severe recurrent vasovagal syncope and multidisciplinary rehabilitation: A prospective randomized pilot study. <i>International Journal of Cardiology</i> , 2015 , 187, 658-9	3.2	4

61	Increased affective reactivity to neutral stimuli and decreased maintenance of affective responses in bipolar disorder. <i>European Psychiatry</i> , 2015 , 30, 852-60	6	12
60	Modalité de prise en charge des crises non épileptiques psychogènes (CNEP) en France. <i>European Psychiatry</i> , 2015 , 30, S125-S126	6	
59	Risk factors for treatment resistance in unipolar depression: a systematic review. <i>Journal of Affective Disorders</i> , 2015 , 171, 137-41	6.6	74
58	Neural correlates of delusional infestation responding to aripiprazole monotherapy: a case report. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 257-61	3.1	7
57	The Dutch Eating Behavior Questionnaire: Further psychometric validation and clinical implications of the French version in normal weight and obese persons. <i>Presse Medicale</i> , 2015 , 44, e363-72	2.2	15
56	Higher fundamental voice frequency is related to extrapyramidal symptoms in schizophrenia. <i>Schizophrenia Research</i> , 2015 , 161, 517-8	3.6	3
55	Chapitre 2. Dépression unipolaire majeure : définition, prévalence, incidence, évolution et traitement 2015 , 14-23		
54	COMT Val158Met ×5-HTTLPR interaction impacts on gray matter volume of regions supporting emotion processing. <i>Social Cognitive and Affective Neuroscience</i> , 2014 , 9, 1232-8	4	13
53	Errance diagnostique, entre syndrome d'influenza et schizophrénie paranoïde : découverte d'un implant sous-cutané de disulfirame. <i>European Psychiatry</i> , 2014 , 29, 563-563	6	
52	Subjective and physiological emotional response in euthymic bipolar patients: a pilot study. <i>Psychiatry Research</i> , 2014 , 220, 294-301	9.9	10
51	Genetic modulation of the response bias towards facial displays of anger and happiness. <i>European Psychiatry</i> , 2014 , 29, 197-202	6	24
50	Perceptive biases in major depressive episode. <i>PLoS ONE</i> , 2014 , 9, e86832	3.7	24
49	Reappraising suppression: subjective and physiological correlates of experiential suppression in healthy adults. <i>Frontiers in Psychology</i> , 2014 , 5, 571	3.4	6
48	Exploratory study toward development of the French version of the questionnaire on personality traits (QPT/VKP-4) in an elderly population in comparison to young adults. <i>Psychological Reports</i> , 2014 , 115, 115-32	1.6	5
47	Do transactive memory and participative teamwork improve nurses' quality of work life?. <i>Western Journal of Nursing Research</i> , 2014 , 36, 329-45	2	8
46	Long-term odor recognition memory in unipolar major depression and Alzheimer's disease. <i>Psychiatry Research</i> , 2014 , 220, 861-6	9.9	18
45	Patients' perspectives on residual symptoms in bipolar disorder: a focus group study. <i>Journal of Nervous and Mental Disease</i> , 2014 , 202, 550-5	1.8	15
44	Residual symptoms and functional performance in a large sample of euthymic bipolar patients in France (the OPTHYUM study). <i>Journal of Affective Disorders</i> , 2014 , 159, 94-102	6.6	25

43	Genetic modulation of neural response during working memory in healthy individuals: interaction of glucocorticoid receptor and dopaminergic genes. <i>Molecular Psychiatry</i> , 2013 , 18, 174-82	15.1	21
42	État de stress post-traumatique après ventilation prolongée. <i>Reanimation: Journal De La Societe De Reanimation De Langue Francaise</i> , 2013 , 22, 80-89		
41	Vécu psychologique des femmes receveuses en attente d'un don d'ovocytes en procréation médicalement assistée. <i>European Psychiatry</i> , 2013 , 28, 30-30	6	37
40	Gender differences in the sensitivity to negative stimuli: cross-modal affective priming study. <i>European Psychiatry</i> , 2013 , 28, 74-80	6	27
39	Resting-state cerebral blood flow in amygdala is modulated by sex and serotonin transporter genotype. <i>NeuroImage</i> , 2013 , 76, 90-7	7.9	13
38	Comorbidity between personality disorders and depressive symptomatology in women: A cross-sectional study of three different transitional life stages. <i>Personality and Mental Health</i> , 2013 , 7, 233-41	3.1	7
37	Mechanisms of antidepressant resistance. <i>Frontiers in Pharmacology</i> , 2013 , 4, 146	5.6	71
36	Treatment of tardive dyskinesia: a systematic review (1997-2011). <i>European Journal of Psychiatry</i> , 2013 , 27, 160-173	1	1
35	Differences between effects of psychological versus pharmacological treatments on functional and morphological brain alterations in anxiety disorders and major depressive disorder: a systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2012 , 36, 626-44	9	101
34	Recollection of negative information in posttraumatic stress disorder. <i>Journal of Traumatic Stress</i> , 2012 , 25, 120-3	3.8	17
33	A new meta-analytic method for neuroimaging studies that combines reported peak coordinates and statistical parametric maps. <i>European Psychiatry</i> , 2012 , 27, 605-11	6	396
32	Safety and efficacy of repetitive transcranial magnetic stimulation in the treatment of obsessive-compulsive disorder: a review. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 164-77	3.8	54
31	Peut-on objectiver et limiter les erreurs diagnostiques en situation transculturelle ?. <i>Annales Medico-Psychologiques</i> , 2012 , 170, 591-595	0.2	7
30	Functional morphological imaging of autism spectrum disorders: current position and theories proposed. <i>Diagnostic and Interventional Imaging</i> , 2012 , 93, 139-47	5.4	16
29	Hashimoto encephalopathy diagnosis after 40 years of a schizophrenia-like disorder. <i>Schizophrenia Research</i> , 2012 , 139, 269-70	3.6	8
28	State and trait olfactory markers of major depression. <i>PLoS ONE</i> , 2012 , 7, e46938	3.7	55
27	Working memory processing of traumatic material in women with posttraumatic stress disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2012 , 37, 87-94	4.5	21
26	Interaction of catechol O-methyltransferase and serotonin transporter genes modulates effective connectivity in a facial emotion-processing circuitry. <i>Translational Psychiatry</i> , 2012 , 2, e70	8.6	34

25	From depersonalization to hallucination. <i>Psychopathology</i> , 2012 , 45, 42-52	3.4	10
24	Amniocentesis, maternal psychopathology and prenatal representations of attachment: a prospective comparative study. <i>PLoS ONE</i> , 2012 , 7, e41777	3.7	5
23	Hedonic Olfactory Perception in Depression: Relationship between Self-Evaluation and Autonomic Response. <i>Psychology</i> , 2012 , 03, 959-965	0.5	6
22	The relationship between insight and uncertainty in obsessive-compulsive disorder. <i>Psychopathology</i> , 2011 , 44, 272-6	3.4	16
21	Emerging treatments in the management of bipolar disorder - focus on risperidone long acting injection. <i>Neuropsychiatric Disease and Treatment</i> , 2010 , 6, 455-64	3.1	6
20	Episodic memory and organizational strategy in free recall in unipolar depression: the role of cognitive support and executive functions. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2010 , 32, 719-27	2.1	29
19	Olfactory anhedonia and negative olfactory alliesthesia in depressed patients. <i>Psychiatry Research</i> , 2010 , 176, 190-6	9.9	43
18	Évaluation du dispositif d'ajonction de soins pour les auteurs de violences sexuelles en Indre-et-Loire (France). <i>Annales Medico-Psychologiques</i> , 2010 , 168, 462-465	0.2	
17	Neural response to specific components of fearful faces in healthy and schizophrenic adults. <i>NeuroImage</i> , 2010 , 49, 939-46	7.9	149
16	Depression is associated with increased sensitivity to signals of disgust: a functional magnetic resonance imaging study. <i>Journal of Psychiatric Research</i> , 2010 , 44, 894-902	5.2	79
15	Preserved subcortical volumes and cortical thickness in women with sexual abuse-related PTSD. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 183, 181-6	2.9	50
14	Cognitive inhibition and working memory in unipolar depression. <i>Journal of Affective Disorders</i> , 2009 , 116, 100-5	6.6	160
13	Obsessive compulsive disorder in a patient with twiddler's syndrome. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009 , 32, 399-402	1.6	9
12	Olfaction: a potential cognitive marker of psychiatric disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2008 , 32, 1315-25	9	167
11	Mémoire et émotion dans le trouble de stress post-traumatique (TSPT).. <i>Canadian Psychology</i> , 2007 , 48, 106-119	3.2	5
10	Les troubles cognitifs dans le Post-Traumatic Stress Disorder (PTSD) : une revue de la littérature. <i>Année Psychologique</i> , 2007 , 107, 489	1.5	9
9	PTSD psychiatric patients exhibit a deficit in remembering. <i>Memory</i> , 2007 , 15, 145-53	1.8	18
8	Trauma-related deficits in working memory. <i>Cognitive Neuropsychiatry</i> , 2006 , 11, 33-46	2	32

7	Long-term impaired memory following predatory stress in mice. <i>Physiology and Behavior</i> , 2006 , 87, 45-50	3.5	27
6	Impaired memory following predatory stress in mice is improved by fluoxetine. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2004 , 28, 123-8	5.5	18
5	Prevalence of alcohol, drug use and psychoactive substance consumption in samples of French and Congolese high school students. <i>Tropical Doctor</i> , 2004 , 34, 15-7	0.9	7
4	Incidence clinique des psychotraumatismes dans la consultation externe d'un service de psychiatrie. <i>Annales Medico-Psychologiques</i> , 2003 , 161, 743-748	0.2	1
3	Posttraumatic Somatoform Dissociation in French Psychiatric Outpatients. <i>Journal of Trauma and Dissociation</i> , 2002 , 3, 59-74	2.8	25
2	Behavioral and neurochemical changes following predatory stress in mice. <i>Neuropharmacology</i> , 2001 , 41, 400-8	5.5	122
1	Efficacy of chronic ultrasound neurostimulation on behaviors and distributed brain metabolism in depressive-like mice		1