

Paco Bustamante

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9037698/publications.pdf>

Version: 2024-02-01

298
papers

10,548
citations

29994

54
h-index

66788

78
g-index

303
all docs

303
docs citations

303
times ranked

7316
citing authors

#	ARTICLE	IF	CITATIONS
1	Cephalopods as a vector for the transfer of cadmium to top marine predators in the north-east Atlantic Ocean. <i>Science of the Total Environment</i> , 1998, 220, 71-80.	3.9	295
2	Modulators of mercury risk to wildlife and humans in the context of rapid global change. <i>Ambio</i> , 2018, 47, 170-197.	2.8	244
3	Bioaccumulation of trace elements in pelagic fish from the Western Indian Ocean. <i>Environmental Pollution</i> , 2007, 146, 548-566.	3.7	234
4	Total and organic Hg concentrations in cephalopods from the North Eastern Atlantic waters: Influence of geographical origin and feeding ecology. <i>Science of the Total Environment</i> , 2006, 368, 585-596.	3.9	164
5	Distribution of trace elements in the tissues of benthic and pelagic fish from the Kerguelen Islands. <i>Science of the Total Environment</i> , 2003, 313, 25-39.	3.9	147
6	To breed or not to breed: endocrine response to mercury contamination by an Arctic seabird. <i>Biology Letters</i> , 2013, 9, 20130317.	1.0	146
7	Cadmium detoxification processes in the digestive gland of cephalopods in relation to accumulated cadmium concentrations. <i>Marine Environmental Research</i> , 2002, 53, 227-241.	1.1	136
8	Mercury content in commercial pelagic fish and its risk assessment in the Western Indian Ocean. <i>Science of the Total Environment</i> , 2006, 366, 688-700.	3.9	118
9	Subcellular and body distributions of 17 trace elements in the variegated scallop <i>Chlamys varia</i> from the French coast of the Bay of Biscay. <i>Science of the Total Environment</i> , 2005, 337, 59-73.	3.9	117
10	Demographic responses to mercury exposure in two closely related Antarctic top predators. <i>Ecology</i> , 2014, 95, 1075-1086.	1.5	110
11	Bioaccumulation of Cadmium, Copper and Zinc in some Tissues of Three Species of Marine Turtles Stranded Along the French Atlantic Coasts. <i>Marine Pollution Bulletin</i> , 1999, 38, 1085-1091.	2.3	103
12	Bioaccumulation of 12 Trace Elements in the Tissues of the Nautilus <i>Nautilus macromphalus</i> from New Caledonia. <i>Marine Pollution Bulletin</i> , 2000, 40, 688-696.	2.3	98
13	A global perspective on the trophic geography of sharks. <i>Nature Ecology and Evolution</i> , 2018, 2, 299-305.	3.4	95
14	Cytogenetic and developmental toxicity of cerium and lanthanum to sea urchin embryos. <i>Chemosphere</i> , 2010, 81, 194-198.	4.2	94
15	Wide Range of Mercury Contamination in Chicks of Southern Ocean Seabirds. <i>PLoS ONE</i> , 2013, 8, e54508.	1.1	94
16	Accumulation of nine metals and one metalloid in the tropical scallop <i>Comptopallium radula</i> from coral reefs in New Caledonia. <i>Environmental Pollution</i> , 2008, 152, 543-552.	3.7	93
17	Enhanced bioaccumulation of mercury in deep-sea fauna from the Bay of Biscay (north-east Atlantic) in relation to trophic positions identified by analysis of carbon and nitrogen stable isotopes. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2012, 65, 113-124.	0.6	91
18	Revisiting the use of $\delta^{15}N$ in meso-scale studies of marine food webs by considering spatio-temporal variations in stable isotopic signatures – The case of an open ecosystem: The Bay of Biscay (North-East) <i>Tj ETQq0.50 rgBT 40</i>	0.50	40

#	ARTICLE	IF	CITATIONS
19	Corticosterone, prolactin and egg neglect behavior in relation to mercury and legacy POPs in a long-lived Antarctic bird. <i>Science of the Total Environment</i> , 2015, 505, 180-188.	3.9	91
20	Demographic consequences of heavy metals and persistent organic pollutants in a vulnerable long-lived bird, the wandering albatross. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014, 281, 20133313.	1.2	88
21	Composition in essential and non-essential elements of early stages of cephalopods and dietary effects on the elemental profiles of <i>Octopus vulgaris</i> paralarvae. <i>Aquaculture</i> , 2006, 261, 225-240.	1.7	86
22	Lower trophic levels and detrital biomass control the Bay of Biscay continental shelf food web: Implications for ecosystem management. <i>Progress in Oceanography</i> , 2011, 91, 561-575.	1.5	86
23	Biokinetics of zinc and cadmium accumulation and depuration at different stages in the life cycle of the cuttlefish <i>Sepia officinalis</i> . <i>Marine Ecology - Progress Series</i> , 2002, 231, 167-177.	0.9	86
24	Cadmium, copper and zinc in octopuses from Kerguelen Islands, Southern Indian Ocean. <i>Polar Biology</i> , 1998, 19, 264-271.	0.5	84
25	Spatial Ecotoxicology: Migratory Arctic Seabirds Are Exposed to Mercury Contamination While Overwintering in the Northwest Atlantic. <i>Environmental Science & Technology</i> , 2014, 48, 11560-11567.	4.6	82
26	Trace element (Cd, Cu, Hg, Se, Zn) accumulation and tissue distribution in loggerhead turtles (<i>Caretta caretta</i>) from the Azores. <i>Marine Pollution Bulletin</i> , 2014, 78, 10-19.	4.2	81
27	Effects of increased CO ₂ and temperature on trace element (Ag, Cd and Zn) bioaccumulation in the eggs of the common cuttlefish, <i>Sepia officinalis</i> . <i>Biogeosciences</i> , 2009, 6, 2561-2573.	1.3	78
28	Penguins as bioindicators of mercury contamination in the Southern Ocean: Birds from the Kerguelen Islands as a case study. <i>Science of the Total Environment</i> , 2013, 454-455, 141-148.	3.9	78
29	Survival rate and breeding outputs in a high Arctic seabird exposed to legacy persistent organic pollutants and mercury. <i>Environmental Pollution</i> , 2015, 200, 1-9.	3.7	75
30	In Vivo Formation of HgSe Nanoparticles and Hg-Tetraselenolate Complex from Methylmercury in Seabirds: Implications for the Hg-Se Antagonism. <i>Environmental Science & Technology</i> , 2021, 55, 1515-1526.	4.6	75
31	Trace elements in two odontocete species (<i>Kogia breviceps</i> and <i>Globicephala macrorhynchus</i>) stranded in New Caledonia (South Pacific). <i>Environmental Pollution</i> , 2003, 124, 263-271.	3.7	74
32	First evidence of laccase activity in the Pacific oyster <i>Crassostrea gigas</i> . <i>Fish and Shellfish Immunology</i> , 2010, 28, 719-726.	1.6	74
33	Wandering Albatrosses Document Latitudinal Variations in the Transfer of Persistent Organic Pollutants and Mercury to Southern Ocean Predators. <i>Environmental Science & Technology</i> , 2014, 48, 14746-14755.	4.6	73
34	Mercury exposure in a large subantarctic avian community. <i>Environmental Pollution</i> , 2014, 190, 51-57.	3.7	72
35	Bioaccumulation of persistent organic pollutants in female common dolphins (<i>Delphinus delphis</i>) and harbour porpoises (<i>Phocoena phocoena</i>) from western European seas: Geographical trends, causal factors and effects on reproduction and mortality. <i>Environmental Pollution</i> , 2008, 153, 401-415.	3.7	71
36	Variation of heavy metal concentrations (Ag, Cd, Co, Cu, Fe, Pb, V, and Zn) during the life cycle of the common cuttlefish <i>Sepia officinalis</i> . <i>Science of the Total Environment</i> , 2006, 361, 132-143.	3.9	70

#	ARTICLE	IF	CITATIONS
37	Geographic, seasonal and ontogenetic variation in cadmium and mercury concentrations in squid (Cephalopoda: Teuthoidea) from UK waters. <i>Ecotoxicology and Environmental Safety</i> , 2008, 70, 422-432.	2.9	68
38	Importance of Integration and Implementation of Emerging and Future Mercury Research into the Minamata Convention. <i>Environmental Science & Technology</i> , 2016, 50, 2767-2770.	4.6	68
39	Hg concentrations and related risk assessment in coral reef crustaceans, molluscs and fish from New Caledonia. <i>Environmental Pollution</i> , 2009, 157, 331-340.	3.7	67
40	Inter-specific and ontogenic differences in $\delta^{13}C$ and $\delta^{15}N$ values and Hg and Cd concentrations in cephalopods. <i>Marine Ecology - Progress Series</i> , 2011, 433, 107-120.	0.9	67
41	High feather mercury concentrations in the wandering albatross are related to sex, breeding status and trophic ecology with no demographic consequences. <i>Environmental Research</i> , 2016, 144, 1-10.	3.7	66
42	Metal bioaccumulation and detoxification processes in cephalopods: A review. <i>Environmental Research</i> , 2017, 155, 123-133.	3.7	66
43	Metal and metalloid concentrations in the giant squid <i>Architeuthis dux</i> from Iberian waters. <i>Marine Environmental Research</i> , 2008, 66, 278-287.	1.1	64
44	Foraging ecology of five toothed whale species in the Northwest Iberian Peninsula, inferred using carbon and nitrogen isotope ratios. <i>Journal of Experimental Marine Biology and Ecology</i> , 2012, 413, 150-158.	0.7	63
45	Nickel bioaccumulation in bivalves from the New Caledonia lagoon: Seawater and food exposure. <i>Chemosphere</i> , 2007, 66, 1449-1457.	4.2	62
46	Oligotrophy as a major driver of mercury bioaccumulation in medium-to high-trophic level consumers: A marine ecosystem-comparative study. <i>Environmental Pollution</i> , 2018, 233, 844-854.	3.7	62
47	Using blood and feathers to investigate large-scale Hg contamination in Arctic seabirds: A review. <i>Environmental Research</i> , 2019, 177, 108588.	3.7	61
48	Demethylation of Methylmercury in Bird, Fish, and Earthworm. <i>Environmental Science & Technology</i> , 2021, 55, 1527-1534.	4.6	61
49	Uptake, transfer and distribution of silver and cobalt in tissues of the common cuttlefish <i>Sepia officinalis</i> at different stages of its life cycle. <i>Marine Ecology - Progress Series</i> , 2004, 269, 185-195.	0.9	60
50	Bioaccumulation of Hg, Cu, and Zn in the Azores triple junction hydrothermal vent fields food web. <i>Chemosphere</i> , 2006, 65, 2260-2267.	4.2	60
51	Moulting patterns drive within-individual variations of stable isotopes and mercury in seabird body feathers: implications for monitoring of the marine environment. <i>Marine Biology</i> , 2014, 161, 963-968.	0.7	60
52	Use of skin and blubber tissues of small cetaceans to assess the trace element content of internal organs. <i>Marine Pollution Bulletin</i> , 2013, 76, 158-169.	2.3	59
53	Accumulate or eliminate? Seasonal mercury dynamics in albatrosses, the most contaminated family of birds. <i>Environmental Pollution</i> , 2018, 241, 124-135.	3.7	59
54	Corticosterone levels in relation to trace element contamination along an urbanization gradient in the common blackbird (<i>Turdus merula</i>). <i>Science of the Total Environment</i> , 2016, 566-567, 93-101.	3.9	57

#	ARTICLE	IF	CITATIONS
55	Assessment of metal, metalloid, and radionuclide bioaccessibility from mussels to human consumers, using centrifugation and simulated digestion methods coupled with radiotracer techniques. <i>Ecotoxicology and Environmental Safety</i> , 2009, 72, 1499-1502.	2.9	56
56	Trace element bioaccumulation in reef fish from New Caledonia: Influence of trophic groups and risk assessment for consumers. <i>Marine Environmental Research</i> , 2013, 87-88, 26-36.	1.1	56
57	Plasticity of trophic interactions among sharks from the oceanic south-western Indian Ocean revealed by stable isotope and mercury analyses. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2015, 96, 49-58.	0.6	56
58	Toxicity assessment of water-accommodated fractions from two different oils using a zebrafish (<i>Danio rerio</i>) embryo-larval bioassay with a multilevel approach. <i>Science of the Total Environment</i> , 2016, 568, 952-966.	3.9	56
59	Perfluorinated substances and telomeres in an Arctic seabird: Cross-sectional and longitudinal approaches. <i>Environmental Pollution</i> , 2017, 230, 360-367.	3.7	56
60	New insights from age determination on toxic element accumulation in striped and bottlenose dolphins from Atlantic and Mediterranean waters. <i>Marine Pollution Bulletin</i> , 2006, 52, 1219-1230.	2.3	55
61	Multi-elemental concentrations in the tissues of the oceanic squid <i>Todarodes filippovae</i> from Tasmania and the southern Indian Ocean. <i>Ecotoxicology and Environmental Safety</i> , 2011, 74, 1238-1249.	2.9	55
62	Oxidative stress in relation to reproduction, contaminants, gender and age in a long-lived seabird. <i>Oecologia</i> , 2014, 175, 1107-1116.	0.9	55
63	Long-term dietary segregation of common dolphins <i>Delphinus delphis</i> in the Bay of Biscay, determined using cadmium as an ecological tracer. <i>Marine Ecology - Progress Series</i> , 2005, 305, 275-285.	0.9	55
64	Applying new tools to cephalopod trophic dynamics and ecology: perspectives from the Southern Ocean Cephalopod Workshop, February 2-3, 2006. <i>Reviews in Fish Biology and Fisheries</i> , 2007, 17, 79-99.	2.4	54
65	Assessment of mercury speciation in feathers using species-specific isotope dilution analysis. <i>Talanta</i> , 2017, 174, 100-110.	2.9	53
66	Mercury isotopes of key tissues document mercury metabolic processes in seabirds. <i>Chemosphere</i> , 2021, 263, 127777.	4.2	53
67	Concentration and distribution of ²¹⁰ Po in the tissues of the scallop <i>Chlamys varia</i> and the mussel <i>Mytilus edulis</i> from the coasts of Charente-Maritime (France). <i>Marine Pollution Bulletin</i> , 2002, 44, 997-1002.	2.3	52
68	Trends in concentrations of selected metalloid and metals in two bivalves from the coral reefs in the SW lagoon of New Caledonia. <i>Ecotoxicology and Environmental Safety</i> , 2009, 72, 372-381.	2.9	50
69	Trace elements in oceanic pelagic communities in the western Indian Ocean. <i>Chemosphere</i> , 2017, 174, 354-362.	4.2	50
70	Trace Elements in Three Marine Birds Breeding on Reunion Island (Western Indian Ocean): Part 1 – Factors Influencing Their Bioaccumulation. <i>Archives of Environmental Contamination and Toxicology</i> , 2007, 52, 418-430.	2.1	49
71	Mercury exposure, stress and prolactin secretion in an Arctic seabird: an experimental study. <i>Functional Ecology</i> , 2016, 30, 596-604.	1.7	49
72	Interannual patterns of variation in concentrations of trace elements in arms of <i>Octopus vulgaris</i> . <i>Chemosphere</i> , 2005, 59, 1113-1124.	4.2	48

#	ARTICLE	IF	CITATIONS
73	From Antarctica to the subtropics: Contrasted geographical concentrations of selenium, mercury, and persistent organic pollutants in skua chicks (<i>Catharacta</i> spp.). <i>Environmental Pollution</i> , 2017, 228, 464-473.	3.7	48
74	Metal influence on metallothionein synthesis in the hydrothermal vent mussel <i>Bathymodiolus thermophilus</i> . <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2006, 143, 321-332.	1.3	47
75	Interspecific comparison of Cd bioaccumulation in European Pectinidae (<i>Chlamys varia</i> and <i>Pecten</i>) Tj ETQq1 1 0.784314 rgBT/Overlo 0.7	0.7	47
76	Organic pollutants and their correlation with stable isotopes in vegetation from King George Island, Antarctica. <i>Chemosphere</i> , 2011, 85, 393-398.	4.2	47
77	Exposure to oxychlorane is associated with shorter telomeres in arctic breeding kittiwakes. <i>Science of the Total Environment</i> , 2016, 563-564, 125-130.	3.9	47
78	Penguins as bioindicators of mercury contamination in the southern Indian Ocean: geographical and temporal trends. <i>Environmental Pollution</i> , 2016, 213, 195-205.	3.7	46
79	Interspecific and geographical variations of trace element concentrations in Pectinidae from European waters. <i>Chemosphere</i> , 2004, 57, 1355-1362.	4.2	45
80	Accumulation of mercury in the tissues of the common octopus <i>Octopus vulgaris</i> (L.) in two localities on the Portuguese coast. <i>Science of the Total Environment</i> , 2005, 340, 113-122.	3.9	45
81	Seasonal variation of pollution biomarkers to assess the impact on the health status of juvenile Pacific oysters <i>Crassostrea gigas</i> exposed in situ. <i>Environmental Science and Pollution Research</i> , 2010, 17, 999-1008.	2.7	45
82	Detection of early effects of a single herbicide (diuron) and a mix of herbicides and pharmaceuticals (diuron, isoproturon, ibuprofen) on immunological parameters of Pacific oyster (<i>Crassostrea gigas</i>) spat. <i>Chemosphere</i> , 2012, 87, 1335-1340.	4.2	45
83	Ocean acidification and temperature rise: effects on calcification during early development of the cuttlefish <i>Sepia officinalis</i> . <i>Marine Biology</i> , 2013, 160, 2007-2022.	0.7	45
84	Trophic ecology of European sardine <i>Sardina pilchardus</i> and European anchovy <i>Engraulis encrasicolus</i> in the Bay of Biscay (north-east Atlantic) inferred from $\delta^{13}C$ and $\delta^{15}N$ values of fish and identified mesozooplanktonic organisms. <i>Journal of Sea Research</i> , 2014, 85, 277-291.	0.6	45
85	Does temporal variation of mercury levels in Arctic seabirds reflect changes in global environmental contamination, or a modification of Arctic marine food web functioning?. <i>Environmental Pollution</i> , 2016, 211, 382-388.	3.7	45
86	Contaminants and energy expenditure in an Arctic seabird: Organochlorine pesticides and perfluoroalkyl substances are associated with metabolic rate in a contrasted manner. <i>Environmental Research</i> , 2017, 157, 118-126.	3.7	45
87	Evaluation of the variegated scallop <i>Chlamys varia</i> as a biomonitor of temporal trends of Cd, Cu, and Zn in the field. <i>Environmental Pollution</i> , 2005, 138, 109-120.	3.7	43
88	Trophic resource partitioning within a shorebird community feeding on intertidal mudflat habitats. <i>Journal of Sea Research</i> , 2014, 92, 115-124.	0.6	43
89	Mercury in wintering seabirds, an aggravating factor to winter wrecks?. <i>Science of the Total Environment</i> , 2015, 527-528, 448-454.	3.9	43
90	Seabird Tissues As Efficient Biomonitoring Tools for Hg Isotopic Investigations: Implications of Using Blood and Feathers from Chicks and Adults. <i>Environmental Science & Technology</i> , 2018, 52, 4227-4234.	4.6	42

#	ARTICLE	IF	CITATIONS
91	Trace elements in invertebrates and fish from Kerguelen waters, southern Indian Ocean. <i>Polar Biology</i> , 2018, 41, 175-191.	0.5	42
92	Lead contamination of small cetaceans in European waters – The use of stable isotopes for identifying the sources of lead exposure. <i>Marine Environmental Research</i> , 2006, 62, 131-148.	1.1	41
93	Effects of Lipid Extraction on $\delta^{13}C$ and $\delta^{15}N$ Values in Seabird Muscle, Liver and Feathers. <i>Waterbirds</i> , 2008, 31, 169-178.	0.2	40
94	Industrial Melanism in the Seasnake <i>Emydocephalus annulatus</i> . <i>Current Biology</i> , 2017, 27, 2510-2513.e2.	1.8	40
95	Influence of the diet on the bioaccumulation of heavy metals in zooplankton-eating petrels at Kerguelen archipelago, Southern Indian Ocean. <i>Polar Biology</i> , 2003, 26, 759-767.	0.5	39
96	Trace element levels in foetus-mother pairs of short-beaked common dolphins (<i>Delphinus delphis</i>) stranded along the French coasts. <i>Environment International</i> , 2007, 33, 1021-1028.	4.8	39
97	Metal and metalloid bioaccumulation in the Pacific blue shrimp <i>Litopenaeus stylirostris</i> (Stimpson) from New Caledonia: Laboratory and field studies. <i>Marine Pollution Bulletin</i> , 2010, 61, 576-584.	2.3	39
98	Enhanced immunological and detoxification responses in Pacific oysters, <i>Crassostrea gigas</i> , exposed to chemically dispersed oil. <i>Water Research</i> , 2011, 45, 4103-4118.	5.3	39
99	Ecological niche segregation among five toothed whale species off the NW Iberian Peninsula using ecological tracers as multi-approach. <i>Marine Biology</i> , 2013, 160, 2825-2840.	0.7	39
100	Trace elements in Antarctic fish species and the influence of foraging habitats and dietary habits on mercury levels. <i>Science of the Total Environment</i> , 2015, 538, 743-749.	3.9	39
101	Wide range of metallic and organic contaminants in various tissues of the Antarctic prion, a planktonophagous seabird from the Southern Ocean. <i>Science of the Total Environment</i> , 2016, 544, 754-764.	3.9	39
102	Trace elements and persistent organic pollutants in chicks of 13 seabird species from Antarctica to the subtropics. <i>Environment International</i> , 2020, 134, 105225.	4.8	39
103	Mercury biomagnification in a Southern Ocean food web. <i>Environmental Pollution</i> , 2021, 275, 116620.	3.7	39
104	Comparative foraging ecology and ecological niche of a superabundant tropical seabird: the sooty tern <i>Sterna fuscata</i> in the southwest Indian Ocean. <i>Marine Biology</i> , 2008, 155, 505-520.	0.7	38
105	First experiments on the maternal transfer of metals in the cuttlefish <i>Sepia officinalis</i> . <i>Marine Pollution Bulletin</i> , 2008, 57, 826-831.	2.3	38
106	The tropical brown alga <i>Lobophora variegata</i> as a bioindicator of mining contamination in the New Caledonia lagoon: A field transplanted study. <i>Marine Environmental Research</i> , 2008, 66, 438-444.	1.1	38
107	Biological and ecological factors related to trace element levels in harbour porpoises (<i>Phocoena</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 1.1 37	1.1	37
108	Validation of two tropical marine bivalves as bioindicators of mining contamination in the New Caledonia lagoon: Field transplanted experiments. <i>Water Research</i> , 2011, 45, 483-496.	5.3	37

#	ARTICLE	IF	CITATIONS
109	Characterization of ²⁴¹ Am and ¹³⁴ Cs bioaccumulation in the king scallop <i>Pecten maximus</i> : investigation via three exposure pathways. <i>Journal of Environmental Radioactivity</i> , 2011, 102, 543-550.	0.9	37
110	An assessment of contaminant concentrations in toothed whale species of the NW Iberian Peninsula: Part II. Trace element concentrations. <i>Science of the Total Environment</i> , 2014, 484, 206-217.	3.9	37
111	An assessment of the trophic structure of the Bay of Biscay continental shelf food web: Comparing estimates derived from an ecosystem model and isotopic data. <i>Progress in Oceanography</i> , 2014, 120, 205-215.	1.5	37
112	Mercury in the ecosystem of Admiralty Bay, King George Island, Antarctica: Occurrence and trophic distribution. <i>Marine Pollution Bulletin</i> , 2017, 114, 564-570.	2.3	37
113	Primary production and depth drive different trophic structure and functioning of fish assemblages in French marine ecosystems. <i>Progress in Oceanography</i> , 2020, 186, 102343.	1.5	37
114	Trace element bioaccumulation in grey seals <i>Halichoerus grypus</i> from the Faroe Islands. <i>Marine Ecology - Progress Series</i> , 2004, 267, 291-301.	0.9	37
115	Comparative bioaccumulation of trace elements between <i>Nautilus pompilius</i> and <i>Nautilus macromphalus</i> (Cephalopoda: Nautiloidea) from Vanuatu and New Caledonia. <i>Ecotoxicology and Environmental Safety</i> , 2009, 72, 365-371.	2.9	36
116	Species- and size-related patterns in stable isotopes and mercury concentrations in fish help refine marine ecosystem indicators and provide evidence for distinct management units for hake in the Northeast Atlantic. <i>ICES Journal of Marine Science</i> , 2014, 71, 1073-1087.	1.2	36
117	Persistent organic pollutants in a marine bivalve on the Marennes-Oléron Bay and the Gironde Estuary (French Atlantic Coast)â€”Part 2: Potential biological effects. <i>Science of the Total Environment</i> , 2015, 514, 511-522.	3.9	36
118	Bioaccumulation of essential metals (Co, Mn and Zn) in the king scallop <i>Pecten maximus</i> : seawater, food and sediment exposures. <i>Marine Biology</i> , 2009, 156, 2063-2075.	0.7	35
119	Assessment of the exposure pathway in the uptake and distribution of americium and cesium in cuttlefish (<i>Sepia officinalis</i>) at different stages of its life cycle. <i>Journal of Experimental Marine Biology and Ecology</i> , 2006, 331, 198-207.	0.7	34
120	Differential bioaccumulation behaviour of Ag and Cd during the early development of the cuttlefish <i>Sepia officinalis</i> . <i>Aquatic Toxicology</i> , 2008, 86, 437-446.	1.9	34
121	Identification of sources and bioaccumulation pathways of MeHg in subantarctic penguins: a stable isotopic investigation. <i>Scientific Reports</i> , 2018, 8, 8865.	1.6	34
122	Delineation of heavy metal uptake pathways (seawater and food) in the variegated scallop <i>Chlamys varia</i> , using radiotracer techniques. <i>Marine Ecology - Progress Series</i> , 2009, 375, 161-171.	0.9	34
123	Persistent organic pollutants and stable isotopes in pinnipeds from King George Island, Antarctica. <i>Marine Pollution Bulletin</i> , 2012, 64, 2650-2655.	2.3	33
124	Age-Related Mercury Contamination and Relationship with Luteinizing Hormone in a Long-Lived Antarctic Bird. <i>PLoS ONE</i> , 2014, 9, e103642.	1.1	33
125	Motherâ€™s embryo isotope (¹⁵ N, ¹³ C) fractionation and mercury (Hg) transfer in aplacental deepâ€™sea sharks. <i>Journal of Fish Biology</i> , 2014, 84, 1574-1581.	0.7	33
126	Trophic ecology of marine birds and pelagic fishes from Reunion Island as determined by stable isotope analysis. <i>Marine Ecology - Progress Series</i> , 2008, 361, 239-251.	0.9	33

#	ARTICLE	IF	CITATIONS
127	Mercury in seabird feathers: Insight on dietary habits and evidence for exposure levels in the western Indian Ocean. <i>Science of the Total Environment</i> , 2007, 384, 194-204.	3.9	32
128	Temperature and pCO ₂ effect on the bioaccumulation of radionuclides and trace elements in the eggs of the common cuttlefish, <i>Sepia officinalis</i> . <i>Journal of Experimental Marine Biology and Ecology</i> , 2012, 413, 45-49.	0.7	32
129	Differential bioaccumulation of ¹³⁴ Cs in tropical marine organisms and the relative importance of exposure pathways. <i>Journal of Environmental Radioactivity</i> , 2016, 152, 127-135.	0.9	32
130	The role of stable isotopes and mercury concentrations to describe seabird foraging ecology in tropical environments. <i>Marine Biology</i> , 2008, 155, 637-647.	0.7	31
131	Influence of sediment composition on PAH toxicity using zebrafish (<i>Danio rerio</i>) and Japanese medaka (<i>Oryzias latipes</i>) embryo-larval assays. <i>Environmental Science and Pollution Research</i> , 2014, 21, 13703-13719.	2.7	31
132	Small pelagic fish feeding patterns in relation to food resource variability: an isotopic investigation for <i>Sardina pilchardus</i> and <i>Engraulis encrasicolus</i> from the Bay of Biscay (north-east Atlantic). <i>Marine Biology</i> , 2015, 162, 15-37.	0.7	31
133	High levels of mercury and low levels of persistent organic pollutants in a tropical seabird in French Guiana, the Magnificent frigatebird, <i>Fregata magnificens</i> . <i>Environmental Pollution</i> , 2016, 214, 384-393.	3.7	31
134	Seasonal variation of mercury contamination in Arctic seabirds: A pan-Arctic assessment. <i>Science of the Total Environment</i> , 2021, 750, 142201.	3.9	31
135	Trace Elements in Three Marine Birds Breeding on Reunion Island (Western Indian Ocean): Part 2 – Factors Influencing Their Detoxification. <i>Archives of Environmental Contamination and Toxicology</i> , 2007, 52, 431-440.	2.1	30
136	Investigation of Ag in the king scallop <i>Pecten maximus</i> using field and laboratory approaches. <i>Journal of Experimental Marine Biology and Ecology</i> , 2008, 367, 53-60.	0.7	30
137	Mercury exposure and short-term consequences on physiology and reproduction in Antarctic petrels. <i>Environmental Pollution</i> , 2018, 237, 824-831.	3.7	30
138	Mercury levels in Southern Ocean squid: Variability over the last decade. <i>Chemosphere</i> , 2020, 239, 124785.	4.2	30
139	Large-scale survey of lithium concentrations in marine organisms. <i>Science of the Total Environment</i> , 2021, 751, 141453.	3.9	30
140	Differential tissue distribution and specificity of phenoloxidases from the Pacific oyster <i>Crassostrea gigas</i> . <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2011, 159, 220-226.	0.7	29
141	Bioaccumulation and detoxification processes of Hg in the king scallop <i>Pecten maximus</i> : Field and laboratory investigations. <i>Aquatic Toxicology</i> , 2008, 90, 204-213.	1.9	28
142	Tracking trace elements into complex coral reef trophic networks. <i>Science of the Total Environment</i> , 2018, 612, 1091-1104.	3.9	28
143	Trace metal concentrations in the muscle of seven marine species: Comparison between the Gulf of Lions (North-West Mediterranean Sea) and the Bay of Biscay (North-East Atlantic Ocean). <i>Marine Pollution Bulletin</i> , 2018, 135, 9-16.	2.3	28
144	Interspecific and geographical variations of trace metal concentrations in cephalopods from Tunisian waters. <i>Environmental Monitoring and Assessment</i> , 2014, 186, 3767-3783.	1.3	27

#	ARTICLE	IF	CITATIONS
145	Effect of body length, trophic position and habitat use on mercury concentrations of sharks from contrasted ecosystems in the southwestern Indian Ocean. <i>Environmental Research</i> , 2019, 169, 387-395.	3.7	27
146	Radiotracer Techniques: A Unique Tool in Marine Ecotoxicological Studies. <i>Environmental Bioindicators</i> , 2007, 2, 217-218.	0.4	26
147	Bioaccumulation of inorganic Hg by the juvenile cuttlefish <i>Sepia officinalis</i> exposed to ²⁰³ Hg radiolabelled seawater and food. <i>Aquatic Biology</i> , 2009, 6, 91-98.	0.5	26
148	Evidence of species-specific detoxification processes for trace elements in shorebirds. <i>Ecotoxicology</i> , 2012, 21, 2349-2362.	1.1	26
149	Insight on trace element detoxification in the Black-tailed Godwit (<i>Limosa limosa</i>) through genetic, enzymatic and metallothionein analyses. <i>Science of the Total Environment</i> , 2012, 423, 73-83.	3.9	26
150	In situ evaluation of oxidative stress and immunological parameters as ecotoxicological biomarkers in a novel sentinel species (<i>Mimachlamys varia</i>). <i>Aquatic Toxicology</i> , 2015, 161, 170-175.	1.9	26
151	Persistent organic pollutants in a marine bivalve on the Marennes-Oléron Bay and the Gironde Estuary (French Atlantic Coast) Part 1: Bioaccumulation. <i>Science of the Total Environment</i> , 2015, 514, 500-510.	3.9	26
152	Use of Radiotracer Techniques to Study Subcellular Distribution of Metals and Radionuclides in Bivalves from the Noumea Lagoon, New Caledonia. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2005, 75, 89-93.	1.3	25
153	Contrasting accumulation biokinetics and distribution of ²⁴¹ Am, Co, Cs, Mn and Zn during the whole development time of the eggs of the common cuttlefish, <i>Sepia officinalis</i> . <i>Journal of Experimental Marine Biology and Ecology</i> , 2010, 382, 131-138.	0.7	25
154	Bioaccumulation and metabolisation of ¹⁴ C-pyrene by the Pacific oyster <i>Crassostrea gigas</i> exposed via seawater. <i>Chemosphere</i> , 2012, 87, 938-944.	4.2	25
155	Delineation of Pb contamination pathways in two Pectinidae: The variegated scallop <i>Chlamys varia</i> and the king scallop <i>Pecten maximus</i> . <i>Science of the Total Environment</i> , 2009, 407, 3503-3509.	3.9	24
156	Influence of food on the assimilation of selected metals in tropical bivalves from the New Caledonia lagoon: Qualitative and quantitative aspects. <i>Marine Pollution Bulletin</i> , 2010, 61, 568-575.	2.3	24
157	Increased adrenal responsiveness and delayed hatching date in relation to polychlorinated biphenyl exposure in Arctic-breeding black-legged kittiwakes (<i>Rissa tridactyla</i>). <i>General and Comparative Endocrinology</i> , 2015, 219, 165-172.	0.8	24
158	High cadmium and mercury concentrations in the tissues of the orange-back flying squid, <i>Sthenoteuthis pteropus</i> , from the tropical Eastern Atlantic. <i>Ecotoxicology and Environmental Safety</i> , 2018, 163, 323-330.	2.9	24
159	A seabird-eye on mercury stable isotopes and cycling in the Southern Ocean. <i>Science of the Total Environment</i> , 2020, 742, 140499.	3.9	24
160	Anguilliform fish reveal large scale contamination by mine trace elements in the coral reefs of New Caledonia. <i>Science of the Total Environment</i> , 2014, 470-471, 876-882.	3.9	23
161	Trophic ecology drives contaminant concentrations within a tropical seabird community. <i>Environmental Pollution</i> , 2017, 227, 183-193.	3.7	23
162	Large-scale geographic patterns of mercury contamination in Morocco revealed by freshwater turtles. <i>Environmental Science and Pollution Research</i> , 2018, 25, 2350-2360.	2.7	23

#	ARTICLE	IF	CITATIONS
163	Mercury(II) Binding to Metallothionein in <i>Mytilus edulis</i> revealed by High Energy-Resolution XANES Spectroscopy. <i>Chemistry - A European Journal</i> , 2019, 25, 997-1009.	1.7	23
164	Intra- and inter-individual variation in the foraging ecology of a generalist subantarctic seabird, the gentoo penguin. <i>Marine Ecology - Progress Series</i> , 2017, 578, 227-242.	0.9	23
165	Overview of trace element trophic transfer in fish through the concept of assimilation efficiency. <i>Marine Ecology - Progress Series</i> , 2018, 588, 243-254.	0.9	23
166	Mercury contamination and potential health risks to Arctic seabirds and shorebirds. <i>Science of the Total Environment</i> , 2022, 844, 156944.	3.9	23
167	Bioaccumulation of PCBs in the cuttlefish <i>Sepia officinalis</i> from seawater, sediment and food pathways. <i>Environmental Pollution</i> , 2005, 134, 113-122.	3.7	22
168	Phenoloxidase activation in the embryo of the common cuttlefish <i>Sepia officinalis</i> and responses to the Ag and Cu exposure. <i>Fish and Shellfish Immunology</i> , 2009, 27, 516-521.	1.6	22
169	Trace element analysis reveals bioaccumulation in the squid <i>Gonatus fabricii</i> from polar regions of the Atlantic Ocean. <i>Environmental Pollution</i> , 2020, 256, 113389.	3.7	21
170	Contrasting Spatial and Seasonal Trends of Methylmercury Exposure Pathways of Arctic Seabirds: Combination of Large-Scale Tracking and Stable Isotopic Approaches. <i>Environmental Science & Technology</i> , 2020, 54, 13619-13629.	4.6	21
171	Chemical Forms of Mercury in Blue Marlin Billfish: Implications for Human Exposure. <i>Environmental Science and Technology Letters</i> , 2021, 8, 405-411.	3.9	21
172	Bioaccumulation of PCBs in the sea urchin <i>Paracentrotus lividus</i> : seawater and food exposures to a ¹⁴ C-radiolabelled congener (PCB#153). <i>Environmental Pollution</i> , 2005, 135, 11-16.	3.7	20
173	Seasonal Survey of Contaminants (Cd and Hg) and Micronutrients (Cu and Zn) in Edible Tissues of Cephalopods from Tunisia: Assessment of Risk and Nutritional Benefits. <i>Journal of Food Science</i> , 2015, 80, T199-206.	1.5	20
174	Integrative biomarker assessment of the effects of chemically and mechanically dispersed crude oil in Pacific oysters, <i>Crassostrea gigas</i> . <i>Science of the Total Environment</i> , 2017, 598, 713-721.	3.9	20
175	Spatial variability in total and organic mercury levels in Antarctic krill <i>Euphausia superba</i> across the Scotia Sea. <i>Environmental Pollution</i> , 2019, 247, 332-339.	3.7	20
176	Cadmium-containing granules in kidney tissue of the Atlantic white-sided dolphin (<i>Lagenorhynchus</i>) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Pharmacology</i> , 2001, 130, 389-395.	1.3	19
177	Biokinetics of Hg and Pb accumulation in the encapsulated egg of the common cuttlefish <i>Sepia officinalis</i> : Radiotracer experiments. <i>Science of the Total Environment</i> , 2009, 407, 6188-6195.	3.9	19
178	Trace element accumulation in relation to trophic niches of shorebirds using intertidal mudflats. <i>Journal of Sea Research</i> , 2014, 92, 134-143.	0.6	19
179	Parental trophic exposure to three aromatic fractions of polycyclic aromatic hydrocarbons in the zebrafish: Consequences for the offspring. <i>Science of the Total Environment</i> , 2015, 524-525, 52-62.	3.9	19
180	Seabird colonies as relevant sources of pollutants in Antarctic ecosystems: Part 1 - Trace elements. <i>Chemosphere</i> , 2018, 204, 535-547.	4.2	19

#	ARTICLE	IF	CITATIONS
181	Does trophic level drive organic and metallic contamination in coral reef organisms?. Science of the Total Environment, 2019, 667, 208-221.	3.9	19
182	Impacts of land use on an insectivorous tropical bat: The importance of mercury, physio-immunology and trophic position. Science of the Total Environment, 2019, 671, 1077-1085.	3.9	19
183	Mercury Isotope Fractionation by Internal Demethylation and Biomineralization Reactions in Seabirds: Implications for Environmental Mercury Science. Environmental Science & Technology, 2021, 55, 13942-13952.	4.6	19
184	Impact of extreme environmental conditions: Foraging behaviour and trophic ecology responses of a diving seabird, the common diving petrel. Progress in Oceanography, 2021, 198, 102676.	1.5	19
185	Influence of food on the assimilation of essential elements (Co, Mn, and Zn) by turbot <i>Scophthalmus maximus</i> . Marine Ecology - Progress Series, 2016, 550, 207-218.	0.9	19
186	A mass stranding of seven Longman's beaked whales (<i>Indopacetus pacificus</i>) in New Caledonia, South Pacific. Marine Mammal Science, 2016, 32, 884-910.	0.9	18
187	Determinants of mercury contamination in viperine snakes, <i>Natrix maura</i> , in Western Europe. Science of the Total Environment, 2018, 635, 20-25.	3.9	18
188	Amino acid $\delta^{13}C$ and $\delta^{15}N$ from sclerotized beaks: a new tool to investigate the foraging ecology of cephalopods, including giant and colossal squids. Marine Ecology - Progress Series, 2019, 624, 89-102.	0.9	18
189	Trace elements in tissues of white-chinned petrels (<i>Procellaria aequinoctialis</i>) from Kerguelen waters, Southern Indian Ocean. Polar Biology, 2014, 37, 763-771.	0.5	17
190	Trace elements in a Mediterranean scorpaenid fish: Bioaccumulation processes and spatial variations. Progress in Oceanography, 2018, 163, 184-195.	1.5	17
191	Delineation of PCB uptake pathways in a benthic sea star using a radiolabelled congener. Marine Ecology - Progress Series, 2003, 253, 155-163.	0.9	17
192	First Time Identification of Selenoneine in Seabirds and Its Potential Role in Mercury Detoxification. Environmental Science & Technology, 2022, 56, 3288-3298.	4.6	17
193	Trophic ecology of common elasmobranchs exploited by artisanal shark fisheries off south-western Madagascar. Aquatic Biology, 2014, 23, 29-38.	0.5	16
194	Spatial variability of metallic and organic contamination of anguilliform fish in New Caledonia. Environmental Science and Pollution Research, 2014, 21, 4576-4591.	2.7	16
195	Ecological tracers and at-sea observations document the foraging ecology of southern long-finned pilot whales (<i>Globicephala melas edwardii</i>) in Kerguelen waters. Marine Biology, 2015, 162, 207-219.	0.7	16
196	Comparative study of trophic transfer of the essential metals Co and Zn in two tropical fish: A radiotracer approach. Journal of Experimental Marine Biology and Ecology, 2017, 486, 42-51.	0.7	16
197	A U-Turn for Mercury Concentrations over 20 Years: How Do Environmental Conditions Affect Exposure in Arctic Seabirds?. Environmental Science & Technology, 2022, 56, 2443-2454.	4.6	16
198	Mercury biomagnification in an Antarctic food web of the Antarctic Peninsula. Environmental Pollution, 2022, 304, 119199.	3.7	16

#	ARTICLE	IF	CITATIONS
199	The impact of the "Erika" oil spill on pelagic and coastal marine mammals: Combining demographic, ecological, trace metals and biomarker evidences. <i>Aquatic Living Resources</i> , 2004, 17, 379-387.	0.5	15
200	The spring mesozooplankton variability and its relationship with hydrobiological structure over year-to-year changes (2003-2013) in the southern Bay of Biscay (Northeast Atlantic). <i>Progress in Oceanography</i> , 2018, 166, 76-87.	1.5	15
201	Quantifying capital versus income breeding: New promise with stable isotope measurements of individual amino acids. <i>Journal of Animal Ecology</i> , 2021, 90, 1408-1418.	1.3	15
202	Mercury exposure in an endangered seabird: long-term changes and relationships with trophic ecology and breeding success. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020, 287, 20202683.	1.2	15
203	Temporal trends of mercury in Arctic biota: 10 more years of progress in Arctic monitoring. <i>Science of the Total Environment</i> , 2022, 839, 155803.	3.9	15
204	An assessment of contaminant concentrations in toothed whale species of the NW Iberian Peninsula: Part I. Persistent organic pollutants. <i>Science of the Total Environment</i> , 2014, 484, 196-205.	3.9	14
205	Trace Element Concentrations in Relation to the Trophic Behaviour of Endangered Ivory Gulls (<i>Pagophila eburnea</i>) During Their Stay at a Breeding Site in Svalbard. <i>Archives of Environmental Contamination and Toxicology</i> , 2016, 71, 518-529.	2.1	14
206	The role of salinity in the trophic transfer of ¹³⁷ Cs in euryhaline fish. <i>Journal of Environmental Radioactivity</i> , 2018, 189, 255-260.	0.9	14
207	Environmental causes and reproductive correlates of mercury contamination in European pond turtles (<i>Emys orbicularis</i>). <i>Environmental Research</i> , 2019, 172, 338-344.	3.7	14
208	Seabird colonies as relevant sources of pollutants in Antarctic ecosystems: Part 2 - Persistent Organic Pollutants. <i>Chemosphere</i> , 2019, 214, 866-876.	4.2	14
209	Contaminants, prolactin and parental care in an Arctic seabird: Contrasted associations of perfluoroalkyl substances and organochlorine compounds with egg-turning behavior. <i>General and Comparative Endocrinology</i> , 2020, 291, 113420.	0.8	14
210	Trophic and fitness correlates of mercury and organochlorine compound residues in egg-laying Antarctic petrels. <i>Environmental Research</i> , 2021, 193, 110518.	3.7	14
211	Influence of Species-Specific Feeding Ecology on Mercury Concentrations in Seabirds Breeding on the Chatham Islands, New Zealand. <i>Environmental Toxicology and Chemistry</i> , 2021, 40, 454-472.	2.2	14
212	Acid phosphatase and cathepsin activity in cuttlefish (<i>Sepia officinalis</i>) eggs: the effects of Ag, Cd, and Cu exposure. <i>ICES Journal of Marine Science</i> , 2010, 67, 1517-1523.	1.2	13
213	Impact of Galvanic Anode Dissolution on Metal Trace Element Concentrations in Marine Waters. <i>Water, Air, and Soil Pollution</i> , 2015, 226, 1.	1.1	13
214	Delineation of ¹³⁴ Cs uptake pathways (seawater and food) in the variegated scallop <i>Mimachlamys varia</i> . <i>Journal of Environmental Radioactivity</i> , 2015, 148, 74-79.	0.9	13
215	Contamination of ivory gulls (<i>Pagophila eburnea</i>) at four colonies in Svalbard in relation to their trophic behaviour. <i>Polar Biology</i> , 2017, 40, 917-929.	0.5	13
216	Risk and benefit assessment of seafood consumption harvested from the Pertuis Charentais region of France. <i>Environmental Pollution</i> , 2022, 292, 118388.	3.7	13

#	ARTICLE	IF	CITATIONS
217	Radioisotopes Demonstrate the Contrasting Bioaccumulation Capacities of Heavy Metals in Embryonic Stages of Cephalopod Species. PLoS ONE, 2011, 6, e27653.	1.1	12
218	Variability of energy density among mesozooplankton community: New insights in functional diversity to forage fish. Progress in Oceanography, 2018, 166, 121-128.	1.5	12
219	Influence of sex, size and trophic level on blood Hg concentrations in Black caiman, <i>Melanosuchus niger</i> (Spix, 1825) in French Guiana. Chemosphere, 2021, 262, 127819.	4.2	12
220	How animals distribute themselves in space: energy landscapes of Antarctic avian predators. Movement Ecology, 2021, 9, 24.	1.3	12
221	Main drivers of mercury levels in Southern Ocean lantern fish Myctophidae. Environmental Pollution, 2020, 264, 114711.	3.7	12
222	Organochlorines, perfluoroalkyl substances, mercury, and egg incubation temperature in an Arctic seabird: Insights from data loggers. Environmental Toxicology and Chemistry, 2018, 37, 2881-2894.	2.2	11
223	Flying to the moon: Lunar cycle influences trip duration and nocturnal foraging behavior of the wedge-tailed shearwater <i>Ardenna pacifica</i> . Journal of Experimental Marine Biology and Ecology, 2020, 525, 151322.	0.7	11
224	Lead, mercury, and selenium alter physiological functions in wild caimans (<i>Caiman crocodilus</i>). Environmental Pollution, 2021, 286, 117549.	3.7	11
225	New insights into the biomineralization of mercury selenide nanoparticles through stable isotope analysis in giant petrel tissues. Journal of Hazardous Materials, 2022, 425, 127922.	6.5	11
226	PCBs contamination does not alter aerobic metabolism and tolerance to hypoxia of juvenile sole (<i>Solea solea</i> L. 1758). Aquatic Toxicology, 2013, 127, 54-60.	1.9	10
227	Trace metal concentrations in post-hatching cuttlefish <i>Sepia officinalis</i> and consequences of dissolved zinc exposure. Aquatic Toxicology, 2015, 159, 23-35.	1.9	10
228	Behavioral and trophic segregations help the Tahiti petrel to cope with the abundance of wedge-tailed shearwater when foraging in oligotrophic tropical waters. Scientific Reports, 2020, 10, 15129.	1.6	10
229	Temporal and spatial differences in the post-breeding behaviour of a ubiquitous Southern Hemisphere seabird, the common diving petrel. Royal Society Open Science, 2020, 7, 200670.	1.1	10
230	Sea-ice edge is more important than closer open water access for foraging Adelie penguins: evidence from two colonies. Marine Ecology - Progress Series, 2020, 640, 215-230.	0.9	10
231	A multifaceted assessment of the effects of polyethylene microplastics on juvenile gilthead seabreams (<i>Sparus aurata</i>). Aquatic Toxicology, 2021, 241, 106004.	1.9	10
232	Spatial and sex differences in mercury contamination of skuas in the Southern Ocean. Environmental Pollution, 2022, 297, 118841.	3.7	10
233	Trophic ecology of commercial-size meagre, <i>Argyrosomus regius</i> , in the Bay of Biscay (NE) Tj ETQq1 1 0.784314 rgBT (Overlock 1	0.5	9
234	Stable isotopes document the winter foraging ecology of king penguins and highlight connectivity between subantarctic and Antarctic ecosystems. Ecology and Evolution, 2018, 8, 2752-2765.	0.8	9

#	ARTICLE	IF	CITATIONS
235	Investigations of temperature and pH variations on metal trophic transfer in turbot (<i>Scophthalmus</i>) Tj ETQq1 1 0.784314 rgBT /Overl	2.7	9
236	Influence of food (ciliate and phytoplankton) on the trophic transfer of inorganic and methyl-mercury in the Pacific cupped oyster <i>Crassostrea gigas</i> . <i>Environmental Pollution</i> , 2020, 257, 113503.	3.7	9
237	Developing a passive acoustic monitoring technique for Australia's most numerous seabird, the Short-tailed Shearwater (<i>Ardenna tenuirostris</i>). <i>Emu</i> , 2020, 120, 123-134.	0.2	9
238	Influence of sexual dimorphism on stable isotopes and trace element concentrations in the greater hooked squid <i>Moroteuthopsis ingens</i> from New Zealand waters. <i>Marine Environmental Research</i> , 2020, 159, 104976.	1.1	9
239	Foraging ecology drives mercury contamination in chick gulls from the English Channel. <i>Chemosphere</i> , 2021, 267, 128622.	4.2	9
240	I got it from my mother: Inter-nest variation of mercury concentration in neonate Smooth-fronted Caiman (<i>Paleosuchus trigonatus</i>) suggests maternal transfer and possible phenotypical effects. <i>Environmental Research</i> , 2021, 194, 110494.	3.7	9
241	Mercury in the tissues of five cephalopods species: First data on the nervous system. <i>Science of the Total Environment</i> , 2021, 759, 143907.	3.9	9
242	Quantitative meta-analysis reveals no association between mercury contamination and body condition in birds. <i>Biological Reviews</i> , 2022, 97, 1253-1271.	4.7	9
243	Nutritional grouping of marine forage species reveals contrasted exposure of high trophic levels to essential micro-nutrients. <i>Oikos</i> , 0, , .	1.2	9
244	Inter-species differences in polychlorinated biphenyls patterns from five sympatric species of odontocetes: Can PCBs be used as tracers of feeding ecology?. <i>Ecological Indicators</i> , 2017, 74, 98-108.	2.6	8
245	Trace Element Concentrations in European Pond Turtles (<i>Emys orbicularis</i>) from Brenne Natural Park, France. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2018, 101, 300-304.	1.3	8
246	Mercury exposure in relation to foraging ecology and its impact on the oxidative status of an endangered seabird. <i>Science of the Total Environment</i> , 2020, 724, 138131.	3.9	8
247	Inter-annual variation in winter distribution affects individual seabird contamination with mercury. <i>Marine Ecology - Progress Series</i> , 2021, 676, 243-254.	0.9	8
248	The role of tropical small-scale fisheries in trace element delivery for a Small Island Developing State community, the Seychelles. <i>Marine Pollution Bulletin</i> , 2022, 181, 113870.	2.3	8
249	Growth and metal uptake of microalgae produced using salt groundwaters from the Bay of Bourgneuf. <i>Aquatic Living Resources</i> , 2006, 19, 247-255.	0.5	7
250	Low diversity of helminth parasites in <i>Sardina pilchardus</i> and <i>Engraulis encrasicolus</i> (Clupeidae) from the Bay of Biscay. <i>Marine and Freshwater Research</i> , 2016, 67, 1583.	0.7	7
251	Dietary Zn and the subsequent organotropism in fish: No influence of food quality, frequency of feeding and environmental conditions (pH and temperature). <i>Chemosphere</i> , 2017, 183, 503-509.	4.2	7
252	Assessment of the quality of European silver eels and tentative approach to trace the origin of contaminants " A European overview. <i>Science of the Total Environment</i> , 2020, 743, 140675.	3.9	7

#	ARTICLE	IF	CITATIONS
253	Mate similarity in foraging Kerguelen shags: a combined bio-logging and stable isotope investigation. <i>Marine Ecology - Progress Series</i> , 2017, 578, 183-196.	0.9	7
254	Mercury concentrations and trophic relations in sharks of the Pacific Ocean of Colombia. <i>Marine Pollution Bulletin</i> , 2021, 173, 113109.	2.3	7
255	Comparing single-feeding and multi-feeding approaches for experimentally assessing trophic transfer of metals in fish. <i>Environmental Toxicology and Chemistry</i> , 2017, 36, 1227-1234.	2.2	6
256	Metal(loid)s in superficial sediments from coral reefs of French Polynesia. <i>Marine Pollution Bulletin</i> , 2020, 155, 111175.	2.3	6
257	Cephalopod beak sections used to trace mercury levels throughout the life of cephalopods: The giant warty squid <i>Moroteuthopsis longimana</i> as a case study. <i>Marine Environmental Research</i> , 2020, 161, 105049.	1.1	6
258	Stage-dependent niche segregation: insights from a multi-dimensional approach of two sympatric sibling seabirds. <i>Oecologia</i> , 2022, 199, 537-548.	0.9	6
259	Persistent organic pollutants and mercury in a colony of Antarctic seabirds: higher concentrations in 1998, 2001, and 2003 compared to 2014 to 2016. <i>Polar Biology</i> , 2022, 45, 1229-1245.	0.5	6
260	Progressive ontogenetic niche shift over the prolonged immaturity period of wandering albatrosses. <i>Royal Society Open Science</i> , 2017, 4, 171039.	1.1	5
261	Patterns of mercury exposure and relationships with isotopes and markers of oxidative status in chicks of a Mediterranean seabird. <i>Environmental Pollution</i> , 2020, 260, 114095.	3.7	5
262	Sexual segregation in a highly gregarious and sexually dimorphic marine predator. , 0, 1, .		5
263	Possible interaction between exposure to environmental contaminants and nutritional stress in promoting disease occurrence in seabirds from French Guiana: a review. <i>Regional Environmental Change</i> , 2022, 22, .	1.4	5
264	Certification for trace elements and methyl mercury mass fractions in IAEA-452 scallop (<i>Pecten</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 30 0.4	0.4	4
265	Foraging habits and levels of mercury in a resident population of bottlenose dolphins (<i>Tursiops</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 30 0.4	2.3	4
266	Do population parameters influence the role of seabird colonies as secondary pollutants source? A case study for Antarctic ecosystems. <i>Marine Pollution Bulletin</i> , 2019, 149, 110534.	2.3	4
267	Trophic ecology drives trace element concentrations in the Antarctic octopod community. <i>Science of the Total Environment</i> , 2021, 768, 144373.	3.9	4
268	Bioaccumulation of Per and Polyfluoroalkyl Substances in Antarctic Breeding South Polar Skuas (<i>Catharacta maccormicki</i>) and Their Prey. <i>Frontiers in Marine Science</i> , 2022, 9, .	1.2	4
269	↗Diet of the exotic Madeiran wall lizard: first insights into trophic interactions in an Atlantic seabird sanctuary. <i>Herpetozoa</i> , 0, 35, 107-113.	1.0	4
270	Blood mercury concentrations in four sympatric gull species from South Western France: Insights from stable isotopes and biologging. <i>Environmental Pollution</i> , 2022, 308, 119619.	3.7	4

#	ARTICLE	IF	CITATIONS
271	Variation Among Species and Populations, and Carry-Over Effects of Winter Exposure on Mercury Accumulation in Small Petrels. <i>Frontiers in Ecology and Evolution</i> , 0, 10, .	1.1	4
272	The role of marine biotoxins on the trophic transfer of Mn and Zn in fish. <i>Aquatic Toxicology</i> , 2018, 198, 198-205.	1.9	3
273	Antarctic octopod beaks as proxy for mercury concentrations in soft tissues. <i>Marine Pollution Bulletin</i> , 2020, 158, 111447.	2.3	3
274	Trophic transfer of trace elements in a euryhaline fish, the turbot <i>Scophthalmus maximus</i> : Contrasting effects of salinity on two essential elements. <i>Marine Pollution Bulletin</i> , 2020, 154, 111065.	2.3	3
275	Diet of spiny lobsters from MahÃ© Island reefs, Seychelles inferred by trophic tracers. <i>Regional Studies in Marine Science</i> , 2021, 42, 101640.	0.4	3
276	Oxidative stress, metabolic activity and mercury concentrations in Antarctic krill <i>Euphausia superba</i> and myctophid fish of the Southern Ocean. <i>Marine Pollution Bulletin</i> , 2021, 166, 112178.	2.3	3
277	Using near-infrared reflectance spectroscopy (NIRS) to estimate carbon and nitrogen stable isotope composition in animal tissues. <i>Ecology and Evolution</i> , 2021, 11, 10483-10488.	0.8	3
278	Habitat degradation increases interspecific trophic competition between three spiny lobster species in Seychelles. <i>Estuarine, Coastal and Shelf Science</i> , 2021, 256, 107368.	0.9	3
279	Stable isotopes of a terrestrial amphibian illustrate fertilizer-related nitrogen enrichment of food webs in agricultural habitats. <i>Agriculture, Ecosystems and Environment</i> , 2021, 319, 107553.	2.5	3
280	Foraging trips and isotopic niche of chick-rearing South Georgian diving petrels from the Kerguelen Islands. <i>Marine Ecology - Progress Series</i> , 2022, 689, 169-177.	0.9	3
281	Preliminary results on trace element levels in three species of seabirds from the western Indian Ocean. <i>Ostrich</i> , 2007, 78, 435-441.	0.4	2
282	Influence of Delipidation on Hg Analyses in Biological Tissues: A Case Study for an Antarctic Ecosystem. <i>Water, Air, and Soil Pollution</i> , 2017, 228, 1.	1.1	2
283	The potential role of spherocrystals in the detoxification of essential trace metals following exposure to Cu and Zn in the fighting conch <i>Strombus (Lobatus) pugilis</i> . <i>BioMetals</i> , 2018, 31, 627-637.	1.8	2
284	A study of the influence of brevetoxin exposure on trace element bioaccumulation in the blue mussel <i>Mytilus edulis</i> . <i>Journal of Environmental Radioactivity</i> , 2018, 192, 250-256.	0.9	2
285	Variation of Total Mercury Concentrations in Different Tissues of Three Neotropical Caimans: Implications for Minimally Invasive Biomonitoring. <i>Archives of Environmental Contamination and Toxicology</i> , 2021, 81, 15-24.	2.1	2
286	Relationships between stable isotopes and trace element concentrations in the crocodilian community of French Guiana. <i>Science of the Total Environment</i> , 2022, 837, 155846.	3.9	2
287	Year-round at-sea movements of fairy prions from southeastern Australia. <i>Royal Society Open Science</i> , 2022, 9, .	1.1	2
288	Can stable isotopes assess habitat use in complex coastal wetlands? A case study in an amphibian species. <i>Estuarine, Coastal and Shelf Science</i> , 2022, 274, 107953.	0.9	2

#	ARTICLE	IF	CITATIONS
289	Diet variably affects the trophic transfer of trace elements in the oyster <i>Crassostrea gigas</i> . <i>Marine Environmental Research</i> , 2020, 161, 105124.	1.1	1
290	Maturation of the European sardine <i>Sardina pilchardus</i> under experimental conditions strengthens bioenergetic estimate. <i>Marine Environmental Research</i> , 2020, 160, 104985.	1.1	1
291	Reply to the comment on "New insights into the biomineralization of mercury selenide nanoparticles through stable isotope analysis in giant petrel tissues" by A. Manceau, J. Hazard. <i>Mater.</i> 425 (2021) 127922. doi: 10.1016/j.jhazmat.2021.127922. <i>Journal of Hazardous Materials</i> , 2022, 431, 128582.	6.5	1
292	Variation in blood mercury concentrations in brown skuas (<i>Stercorarius antarcticus</i>) is related to trophic ecology but not breeding success or adult body condition. <i>Marine Pollution Bulletin</i> , 2022, 181, 113919.	2.3	1
293	Frontispiece: Mercury(II) Binding to Metallothionein in <i>Mytilus edulis</i> revealed by High Energy-Resolution XANES Spectroscopy. <i>Chemistry - A European Journal</i> , 2019, 25, .	1.7	0
294	Novel Application of Lithium and its Isotopes in Marine Ecotoxicology. , 2020, , .		0
295	Mercury isotopic characterisation in Antarctic Giant Petrel organs and HgSe nanoparticles. , 2021, , .		0
296	Biological fractionations of lithium isotopes. , 2021, , .		0
297	Lithium isotopes in marine food webs. , 2021, , .		0
298	Variation in Antarctic Petrel Foraging Ecology: Not All Individuals Specialize on Krill. <i>Frontiers in Marine Science</i> , 2022, 9, .	1.2	0