

Rosa M Rivero

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9038691/publications.pdf>

Version: 2024-02-01

77
papers

9,016
citations

87723

38
h-index

66788

78
g-index

84
all docs

84
docs citations

84
times ranked

10179
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Developing climate-resilient crops: improving plant tolerance to stress combination. <i>Plant Journal</i> , 2022, 109, 373-389. | 2.8 | 198 |
| 2 | Interaction between Melatonin and NO: Action Mechanisms, Main Targets, and Putative Roles of the Emerging Molecule NOMela. <i>International Journal of Molecular Sciences</i> , 2022, 23, 6646. | 1.8 | 12 |
| 3 | Synchronization of proline, ascorbate and oxidative stress pathways under the combination of salinity and heat in tomato plants. <i>Environmental and Experimental Botany</i> , 2021, 183, 104351. | 2.0 | 35 |
| 4 | Alternate bearing in fruit trees: fruit presence induces polar auxin transport in citrus and olive stem and represses IAA release from the bud. <i>Journal of Experimental Botany</i> , 2021, 72, 2450-2462. | 2.4 | 17 |
| 5 | Deciphering fruit sugar transport and metabolism from tolerant and sensitive tomato plants subjected to simulated field conditions. <i>Physiologia Plantarum</i> , 2021, 173, 1715-1728. | 2.6 | 3 |
| 6 | ROS and NO Phytomelatonin-Induced Signaling Mechanisms under Metal Toxicity in Plants: A Review. <i>Antioxidants</i> , 2021, 10, 775. | 2.2 | 26 |
| 7 | Bioactive Compounds of Tomato Fruit in Response to Salinity, Heat and Their Combination. <i>Agriculture (Switzerland)</i> , 2021, 11, 534. | 1.4 | 14 |
| 8 | ROS and NO Regulation by Melatonin Under Abiotic Stress in Plants. <i>Antioxidants</i> , 2020, 9, 1078. | 2.2 | 73 |
| 9 | Artificial light impacts the physical and nutritional quality of lettuce plants. <i>Horticulture Environment and Biotechnology</i> , 2020, 61, 69-82. | 0.7 | 37 |
| 10 | Root high-affinity K ⁺ and Cs ⁺ uptake and plant fertility in tomato plants are dependent on the activity of the high-affinity K ⁺ transporter <i>SlHAK5</i> . <i>Plant, Cell and Environment</i> , 2020, 43, 1707-1721. | 2.8 | 19 |
| 11 | Modulation of K ⁺ translocation by <i>AKT1</i> and <i>AtHAK5</i> in <i>Arabidopsis</i> plants. <i>Plant, Cell and Environment</i> , 2019, 42, 2357-2371. | 2.8 | 38 |
| 12 | Amelioration of the Oxidative Stress Generated by Simple or Combined Abiotic Stress through the K ⁺ and Ca ²⁺ Supplementation in Tomato Plants. <i>Antioxidants</i> , 2019, 8, 81. | 2.2 | 49 |
| 13 | Editorial. <i>Physiologia Plantarum</i> , 2019, 165, 125-127. | 2.6 | 1 |
| 14 | Hormone balance in a climacteric plum fruit and its non-climacteric bud mutant during ripening. <i>Plant Science</i> , 2019, 280, 51-65. | 1.7 | 20 |
| 15 | Critical responses to nutrient deprivation: A comprehensive review on the role of ROS and RNS. <i>Environmental and Experimental Botany</i> , 2019, 161, 74-85. | 2.0 | 38 |
| 16 | The Forner Alcaide n ^o 5 citrus genotype shows a different physiological response to the excess of boron in the irrigation water in relation to its two genotype progenitors. <i>Scientia Horticulturae</i> , 2019, 245, 19-28. | 1.7 | 4 |
| 17 | Using Tomato Recombinant Lines to Improve Plant Tolerance to Stress Combination Through a More Efficient Nitrogen Metabolism. <i>Frontiers in Plant Science</i> , 2019, 10, 1702. | 1.7 | 21 |
| 18 | Ethylene regulation of sugar metabolism in climacteric and non-climacteric plums. <i>Postharvest Biology and Technology</i> , 2018, 139, 20-30. | 2.9 | 74 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Pharmacological and gene regulation properties point to the SHAK5 K ⁺ transporter as a system for high-affinity Cs ⁺ uptake in tomato plants. <i>Physiologia Plantarum</i> , 2018, 162, 455-466. | 2.6 | 8 |
| 20 | Tolerance to Stress Combination in Tomato Plants: New Insights in the Protective Role of Melatonin. <i>Molecules</i> , 2018, 23, 535. | 1.7 | 246 |
| 21 | Red blotch disease alters grape berry development and metabolism by interfering with the transcriptional and hormonal regulation of ripening. <i>Journal of Experimental Botany</i> , 2017, 68, 1225-1238. | 2.4 | 92 |
| 22 | Reactive oxygen species, abiotic stress and stress combination. <i>Plant Journal</i> , 2017, 90, 856-867. | 2.8 | 1,759 |
| 23 | Potassium fertilization enhances pepper fruit quality. <i>Journal of Plant Nutrition</i> , 2017, 40, 145-155. | 0.9 | 28 |
| 24 | Use of a smart irrigation system to study the effects of irrigation management on the agronomic and physiological responses of tomato plants grown under different temperatures regimes. <i>Agricultural Water Management</i> , 2017, 183, 158-168. | 2.4 | 44 |
| 25 | Sugar metabolism reprogramming in a non-climacteric bud mutant of a climacteric plum fruit during development on the tree. <i>Journal of Experimental Botany</i> , 2017, 68, 5813-5828. | 2.4 | 42 |
| 26 | ABA Is Required for Plant Acclimation to a Combination of Salt and Heat Stress. <i>PLoS ONE</i> , 2016, 11, e0147625. | 1.1 | 267 |
| 27 | Uneven HAK/KUP/KT Protein Diversity Among Angiosperms: Species Distribution and Perspectives. <i>Frontiers in Plant Science</i> , 2016, 7, 127. | 1.7 | 75 |
| 28 | Accumulation of Flavonols over Hydroxycinnamic Acids Favors Oxidative Damage Protection under Abiotic Stress. <i>Frontiers in Plant Science</i> , 2016, 7, 838. | 1.7 | 202 |
| 29 | Tolerance of citrus plants to the combination of high temperatures and drought is associated to the increase in transpiration modulated by a reduction in abscisic acid levels. <i>BMC Plant Biology</i> , 2016, 16, 105. | 1.6 | 183 |
| 30 | CIPK23 regulates HAK5-mediated high-affinity K ⁺ uptake in Arabidopsis roots. <i>Plant Physiology</i> , 2015, 169, pp.01401.2015. | 2.3 | 174 |
| 31 | High Ca ²⁺ reverts the repression of high-affinity K ⁺ uptake produced by Na ⁺ in <i>Solanum lycopersicum</i> L. (var. microtom) plants. <i>Journal of Plant Physiology</i> , 2015, 180, 72-79. | 1.6 | 30 |
| 32 | Developmental and metabolic plasticity of white-skinned grape berries in response to <i>Botrytis cinerea</i> during noble rot. <i>Plant Physiology</i> , 2015, 169, pp.00852.2015. | 2.3 | 84 |
| 33 | The F130S point mutation in the Arabidopsis high-affinity K ⁺ transporter AtHAK5 increases K ⁺ over Na ⁺ and Cs ⁺ selectivity and confers Na ⁺ and Cs ⁺ tolerance to yeast under heterologous expression. <i>Frontiers in Plant Science</i> , 2014, 5, 430. | 1.7 | 68 |
| 34 | The combined effect of salinity and heat reveals a specific physiological, biochemical and molecular response in tomato plants. <i>Plant, Cell and Environment</i> , 2014, 37, 1059-1073. | 2.8 | 309 |
| 35 | Abiotic and biotic stress combinations. <i>New Phytologist</i> , 2014, 203, 32-43. | 3.5 | 1,460 |
| 36 | A low K ⁺ signal is required for functional high-affinity K ⁺ uptake through HAK5 transporters. <i>Physiologia Plantarum</i> , 2014, 152, 558-570. | 2.6 | 60 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Glutathione homeostasis as an important and novel factor controlling blossom-end rot development in calcium-deficient tomato fruits. <i>Journal of Plant Physiology</i> , 2012, 169, 1719-1727. | 1.6 | 36 |
| 38 | Enhanced Cytokinin Synthesis in Tobacco Plants Expressing PSARK::IPT Prevents the Degradation of Photosynthetic Protein Complexes During Drought. <i>Plant and Cell Physiology</i> , 2010, 51, 1929-1941. | 1.5 | 155 |
| 39 | Cytokinin-Dependent Photorespiration and the Protection of Photosynthesis during Water Deficit. <i>Plant Physiology</i> , 2009, 150, 1530-1540. | 2.3 | 228 |
| 40 | Delayed leaf senescence induces extreme drought tolerance in a flowering plant. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 19631-19636. | 3.3 | 768 |
| 41 | Comparative effect of Al, Se, and Mo toxicity on NO ₃ ⁻ assimilation in sunflower (<i>Helianthus annuus</i>). <i>Tj ETQq1 1 0,784314 rgBT /Overlock 10 Tf 50 2</i> | 3.8 | 37 |
| 42 | Grafting between tobacco plants to enhance salinity tolerance. <i>Journal of Plant Physiology</i> , 2006, 163, 1229-1237. | 1.6 | 21 |
| 43 | Boron Increases Synthesis of Glutathione in Sunflower Plants Subjected to Aluminum Stress. <i>Plant and Soil</i> , 2006, 279, 25-30. | 1.8 | 47 |
| 44 | Grafting to improve nitrogen-use efficiency traits in tobacco plants. <i>Journal of the Science of Food and Agriculture</i> , 2006, 86, 1014-1021. | 1.7 | 26 |
| 45 | Nicotine-free and salt-tolerant tobacco plants obtained by grafting to salinity-resistant rootstocks of tomato. <i>Physiologia Plantarum</i> , 2005, 124, 465-475. | 2.6 | 59 |
| 46 | Evaluation of some nutritional and biochemical indicators in selecting salt-resistant tomato cultivars. <i>Environmental and Experimental Botany</i> , 2005, 54, 193-201. | 2.0 | 156 |
| 47 | Regulation of Nitrogen Assimilation by Sulfur in Bean. <i>Journal of Plant Nutrition</i> , 2005, 28, 1163-1174. | 0.9 | 8 |
| 48 | Iron Metabolism in Tomato and Watermelon Plants: Influence of Grafting. <i>Journal of Plant Nutrition</i> , 2005, 27, 2221-2234. | 0.9 | 27 |
| 49 | Importance of N Source on Heat Stress Tolerance Due to the Accumulation of Proline and Quaternary Ammonium Compounds in Tomato Plants. <i>Plant Biology</i> , 2004, 6, 702-707. | 1.8 | 45 |
| 50 | Yield and biosynthesis of nitrogenous compounds in fruits of green bean (<i>Phaseolus vulgaris</i> L cv). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2</i> | 1.7 | 7 |
| 51 | 84, 575-580. Changes in biomass, enzymatic activity and protein concentration in roots and leaves of green bean plants (<i>Phaseolus vulgaris</i> L. cv. Strike) under high NH ₄ NO ₃ application rates. <i>Scientia Horticulturae</i> , 2004, 99, 237-248. | 1.7 | 65 |
| 52 | Oxidative metabolism in tomato plants subjected to heat stress. <i>Journal of Horticultural Science and Biotechnology</i> , 2004, 79, 560-564. | 0.9 | 61 |
| 53 | Role of Ca ²⁺ in the metabolism of phenolic compounds in tobacco leaves (<i>Nicotiana tabacum</i> L.). <i>Plant Growth Regulation</i> , 2003, 41, 173-177. | 1.8 | 50 |
| 54 | The Role of Fungicides in the Physiology of Higher Plants: Implications for Defense Responses. <i>Botanical Review</i> , The, 2003, 69, 162-172. | 1.7 | 72 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Can grafting in tomato plants strengthen resistance to thermal stress?. Journal of the Science of Food and Agriculture, 2003, 83, 1315-1319. | 1.7 | 65 |
| 56 | Does grafting provide tomato plants an advantage against H ₂ O ₂ production under conditions of thermal shock?. Physiologia Plantarum, 2003, 117, 44-50. | 2.6 | 75 |
| 57 | Preliminary studies on the involvement of biosynthesis of cysteine and glutathione concentration in the resistance to B toxicity in sunflower plants. Plant Science, 2003, 165, 811-817. | 1.7 | 44 |
| 58 | Influence of temperature on biomass, iron metabolism and some related bioindicators in tomato and watermelon plants. Journal of Plant Physiology, 2003, 160, 1065-1071. | 1.6 | 17 |
| 59 | Sulphur Phytoaccumulation in Plant Species Characteristic of Gypsiferous Soils. International Journal of Phytoremediation, 2003, 5, 203-210. | 1.7 | 38 |
| 60 | Iron Metabolism in Tomato and Watermelon Plants: Influence of Nitrogen Source. Journal of Plant Nutrition, 2003, 26, 2413-2424. | 0.9 | 6 |
| 61 | Is the Application of Carbendazim Harmful to Healthy Plants? Evidence of Weak Phytotoxicity in Tobacco. Journal of Agricultural and Food Chemistry, 2002, 50, 279-283. | 2.4 | 22 |
| 62 | BORON EFFECT ON MINERAL NUTRIENTS OF TOBACCO. Journal of Plant Nutrition, 2002, 25, 509-522. | 0.9 | 42 |
| 63 | Proline metabolism and NAD kinase activity in greenbean plants subjected to cold-shock. Phytochemistry, 2002, 59, 473-478. | 1.4 | 88 |
| 64 | Title is missing!. Plant Growth Regulation, 2002, 36, 231-236. | 1.8 | 6 |
| 65 | Title is missing!. Plant Growth Regulation, 2002, 36, 261-265. | 1.8 | 22 |
| 66 | Response of oxidative metabolism in watermelon plants subjected to cold stress. Functional Plant Biology, 2002, 29, 643. | 1.1 | 27 |
| 67 | Direct Action of the Biocide Carbendazim on Phenolic Metabolism in Tobacco Plants. Journal of Agricultural and Food Chemistry, 2001, 49, 131-137. | 2.4 | 27 |
| 68 | Proline metabolism in response to highest nitrogen dosages in green bean plants (<i>Phaseolus vulgaris</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf | 1.8 | 72 |
| 69 | Resistance to cold and heat stress: accumulation of phenolic compounds in tomato and watermelon plants. Plant Science, 2001, 160, 315-321. | 1.7 | 560 |
| 70 | Preliminary studies on the influence of boron on the foliar biomass and quality of tobacco leaves subjected to fertilisation. Journal of the Science of Food and Agriculture, 2001, 81, 739-744. | 1.7 | 8 |
| 71 | Effect of calcium on mineral nutrient uptake and growth of tobacco. Journal of the Science of Food and Agriculture, 2001, 81, 1334-1338. | 1.7 | 39 |
| 72 | Response of oxidative metabolism to the application of carbendazim plus boron in tobacco. Functional Plant Biology, 2001, 28, 801. | 1.1 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Applications in sustainable production. Communications in Soil Science and Plant Analysis, 2000, 31, 2309-2320. | 0.6 | 1 |
| 74 | Phenolic and Oxidative Metabolism as Bioindicators of Nitrogen Deficiency in French Bean Plants (<i>Phaseolus vulgaris</i> L. cv. Strike). Plant Biology, 2000, 2, 272-277. | 1.8 | 23 |
| 75 | Role of CaCl ₂ in Ammonium Assimilation in Roots of Tobacco Plants (<i>Nicotiana tabacum</i> L.). Journal of Plant Physiology, 2000, 156, 672-677. | 1.6 | 23 |
| 76 | Response of phenolic metabolism to the application of carbendazim plus boron in tobacco. Physiologia Plantarum, 1999, 106, 151-157. | 2.6 | 64 |
| 77 | Role of CaCl ₂ in nitrate assimilation in leaves and roots of tobacco plants (<i>Nicotiana tabacum</i> L.). Plant Science, 1999, 141, 107-115. | 1.7 | 39 |