

Stephanie K Seidlits

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9039484/publications.pdf>

Version: 2024-02-01

33
papers

2,051
citations

279487

23
h-index

414034

32
g-index

33
all docs

33
docs citations

33
times ranked

3126
citing authors

#	ARTICLE	IF	CITATIONS
1	Engineering Tissues of the Central Nervous System: Interfacing Conductive Biomaterials with Neural Stem/Progenitor Cells. <i>Advanced Healthcare Materials</i> , 2022, 11, e2101577.	3.9	15
2	Brain-on-a-chip: Recent advances in design and techniques for microfluidic models of the brain in health and disease. <i>Biomaterials</i> , 2022, 285, 121531.	5.7	48
3	Use of artificial cells as drug carriers. <i>Materials Chemistry Frontiers</i> , 2021, 5, 6672-6692.	3.2	20
4	Injectable, macroporous scaffolds for delivery of therapeutic genes to the injured spinal cord. <i>APL Bioengineering</i> , 2021, 5, 016104.	3.3	19
5	Extracellular Matrix Proteins Confer Cell Adhesion-Mediated Drug Resistance Through Integrin β 1 in Glioblastoma Cells. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 616580.	1.8	17
6	Biomaterials for Personalized Disease Models. <i>Acta Biomaterialia</i> , 2021, 132, 1-3.	4.1	1
7	Bioengineered scaffolds for 3D culture demonstrate extracellular matrix-mediated mechanisms of chemotherapy resistance in glioblastoma. <i>Matrix Biology</i> , 2020, 85-86, 128-146.	1.5	46
8	Regenerative Therapies for Spinal Cord Injury. <i>Tissue Engineering - Part B: Reviews</i> , 2019, 25, 471-491.	2.5	100
9	Injectable, Hyaluronic Acid-Based Scaffolds with Macroporous Architecture for Gene Delivery. <i>Cellular and Molecular Bioengineering</i> , 2019, 12, 399-413.	1.0	24
10	Peptide-modified, hyaluronic acid-based hydrogels as a 3D culture platform for neural stem/progenitor cell engineering. <i>Journal of Biomedical Materials Research - Part A</i> , 2019, 107, 704-718.	2.1	64
11	Brain-Mimetic 3D Culture Platforms Allow Investigation of Cooperative Effects of Extracellular Matrix Features on Therapeutic Resistance in Glioblastoma. <i>Cancer Research</i> , 2018, 78, 1358-1370.	0.4	72
12	Hyaluronic-Acid Based Hydrogels for 3-Dimensional Culture of Patient-Derived Glioblastoma Cells. <i>Journal of Visualized Experiments</i> , 2018, , .	0.2	14
13	A 3D Magnetic Hyaluronic Acid Hydrogel for Magnetomechanical Neuromodulation of Primary Dorsal Root Ganglion Neurons. <i>Advanced Materials</i> , 2018, 30, e1800927.	11.1	78
14	Integrating the glioblastoma microenvironment into engineered experimental models. <i>Future Science OA</i> , 2017, 3, FSO189.	0.9	61
15	Localized lentivirus delivery via peptide interactions. <i>Biotechnology and Bioengineering</i> , 2016, 113, 2033-2040.	1.7	11
16	Reducing neuroinflammation by delivery of IL-10 encoding lentivirus from multiple-channel bridges. <i>Bioengineering and Translational Medicine</i> , 2016, 1, 136-148.	3.9	35
17	Inflammation Drives Retraction, Stiffening, and Nodule Formation via Cytoskeletal Machinery in a Three-Dimensional Culture Model of Aortic Stenosis. <i>American Journal of Pathology</i> , 2016, 186, 2378-2389.	1.9	25
18	Dynamic transcription factor activity networks in response to independently altered mechanical and adhesive microenvironmental cues. <i>Integrative Biology (United Kingdom)</i> , 2016, 8, 844-860.	0.6	28

#	ARTICLE	IF	CITATIONS
19	Injectable Hydrogels for Spinal Cord Repair: A Focus on Swelling and Intraspinal Pressure. <i>Cells Tissues Organs</i> , 2016, 202, 67-84.	1.3	33
20	Semi-automated counting of axon regeneration in poly(lactide co-glycolide) spinal cord bridges. <i>Journal of Neuroscience Methods</i> , 2016, 263, 15-22.	1.3	13
21	Gene Delivery Strategies to Promote Spinal Cord Repair. <i>Biomarker Insights</i> , 2015, 10s1, BMI.S20063.	1.0	30
22	Hyaluronic acid and neural stem cells: implications for biomaterial design. <i>Journal of Materials Chemistry B</i> , 2015, 3, 7850-7866.	2.9	50
23	DNA delivery for regeneration. , 2014, , 431-446.		1
24	Sonic hedgehog and neurotrophin-3 increase oligodendrocyte numbers and myelination after spinal cord injury. <i>Integrative Biology (United Kingdom)</i> , 2014, 6, 694-705.	0.6	63
25	Channel density and porosity of degradable bridging scaffolds on axon growth after spinal injury. <i>Biomaterials</i> , 2013, 34, 2213-2220.	5.7	73
26	Hydrogels for lentiviral gene delivery. <i>Expert Opinion on Drug Delivery</i> , 2013, 10, 499-509.	2.4	56
27	The impact of adhesion peptides within hydrogels on the phenotype and signaling of normal and cancerous mammary epithelial cells. <i>Biomaterials</i> , 2012, 33, 3548-3559.	5.7	48
28	High molecular weight hyaluronic acid limits astrocyte activation and scar formation after spinal cord injury. <i>Journal of Neural Engineering</i> , 2011, 8, 046033.	1.8	174
29	Fibronectin-hyaluronic acid composite hydrogels for three-dimensional endothelial cell culture. <i>Acta Biomaterialia</i> , 2011, 7, 2401-2409.	4.1	94
30	The effects of hyaluronic acid hydrogels with tunable mechanical properties on neural progenitor cell differentiation. <i>Biomaterials</i> , 2010, 31, 3930-3940.	5.7	427
31	High-Resolution Patterning of Hydrogels in Three Dimensions using Direct-Write Photofabrication for Cell Guidance. <i>Advanced Functional Materials</i> , 2009, 19, 3543-3551.	7.8	112
32	Nanostructured scaffolds for neural applications. <i>Nanomedicine</i> , 2008, 3, 183-199.	1.7	140
33	In vitro release of plasmid DNA from oligo(poly(ethylene glycol) fumarate) hydrogels. <i>Journal of Controlled Release</i> , 2005, 104, 521-539.	4.8	59