

# Valerio Beni

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/903996/publications.pdf>

Version: 2024-02-01

68  
papers

2,844  
citations

186265

28  
h-index

175258

52  
g-index

70  
all docs

70  
docs citations

70  
times ranked

4288  
citing authors

#	ARTICLE	IF	CITATIONS
1	Monitoring DNA Hybridization with Organic Electrochemical Transistors Functionalized with Polydopamine. <i>Macromolecular Materials and Engineering</i> , 2022, 307, .	3.6	12
2	Use of Nanocellulose to Produce Water-Based Conductive Inks with Ag NPs for Printed Electronics. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2946.	4.1	4
3	High Performance Organic Electrochemical Transistors and Logic Circuits Manufactured via a Combination of Screen and Aerosol Jet Printing Techniques. <i>Advanced Materials Technologies</i> , 2022, 7, .	5.8	15
4	Nanomaterial application in bio/sensors for the detection of infectious diseases. <i>Talanta</i> , 2021, 230, 122026.	5.5	43
5	Low temperature chemical sintering of inkjet-printed Zn nanoparticles for highly conductive flexible electronic components. <i>Npj Flexible Electronics</i> , 2021, 5, .	10.7	17
6	Fully screen printed stretchable electrochromic displays. <i>Flexible and Printed Electronics</i> , 2021, 6, 045014.	2.7	19
7	Solar Heat-Enhanced Energy Conversion in Devices Based on Photosynthetic Membranes and PEDOT:PSS-Nanocellulose Electrodes. <i>Advanced Sustainable Systems</i> , 2020, 4, 1900100.	5.3	11
8	A Bacterial Photosynthetic Enzymatic Unit Modulating Organic Transistors with Light. <i>Advanced Electronic Materials</i> , 2020, 6, 1900888.	5.1	19
9	Flexible Printed Organic Electrochemical Transistors for the Detection of Uric Acid in Artificial Wound Exudate. <i>Advanced Materials Interfaces</i> , 2020, 7, 2001218.	3.7	50
10	Single-Use Printed Biosensor for L-Lactate and Its Application in Bioprocess Monitoring. <i>Processes</i> , 2020, 8, 321.	2.8	8
11	Fully Automated Microsystem for Unmediated Electrochemical Characterization, Visualization and Monitoring of Bacteria on Solid Media; <i>E. coli</i> K-12: A Case Study. <i>Biosensors</i> , 2019, 9, 131.	4.7	7
12	A practical non-enzymatic urea sensor based on NiCo <sub>2</sub> O <sub>4</sub> nanoneedles. <i>RSC Advances</i> , 2019, 9, 14443-14451.	3.6	50
13	Large-area printed organic electronic ion pumps. <i>Flexible and Printed Electronics</i> , 2019, 4, 022001.	2.7	17
14	Modulating the Faradic Operation of All-Printed Organic Electrochemical Transistors by Facile in Situ Modification of the Gate Electrode. <i>ACS Omega</i> , 2019, 4, 5374-5381.	3.5	19
15	Label free urea biosensor based on organic electrochemical transistors. <i>Flexible and Printed Electronics</i> , 2018, 3, 024001.	2.7	43
16	An integrated dual functional recognition/amplification bio-label for the one-step impedimetric detection of Micro-RNA-21. <i>Biosensors and Bioelectronics</i> , 2017, 92, 154-161.	10.1	52
17	Bioinspired design of a polymer-based biohybrid sensor interface. <i>Sensors and Actuators B: Chemical</i> , 2017, 251, 674-682.	7.8	13
18	Functionalized Deoxynucleotides and DNA Primers for Electrochemical Diagnostics of Disease Predispositions. <i>ECS Transactions</i> , 2017, 77, 1873-1883.	0.5	0

#	ARTICLE	IF	CITATIONS
19	Electrochemical bacterial detection using poly(3-aminophenylboronic acid)-based imprinted polymer. <i>Biosensors and Bioelectronics</i> , 2017, 93, 87-93.	10.1	117
20	Application of 2D Non-Graphene Materials and 2D Oxide Nanostructures for Biosensing Technology. <i>Sensors</i> , 2016, 16, 223.	3.8	128
21	Doping Polypyrrole Films with 4-N-Pentylphenylboronic Acid to Enhance Affinity towards Bacteria and Dopamine. <i>PLoS ONE</i> , 2016, 11, e0166548.	2.5	11
22	Direct detection of ammonium ion by means of oxygen electrocatalysis at a copper-polyaniline composite on a screen-printed electrode. <i>Mikrochimica Acta</i> , 2016, 183, 1981-1987.	5.0	20
23	Label-free impedimetric biosensor for <i>Salmonella Typhimurium</i> detection based on poly [pyrrole-co-3-carboxyl-pyrrole] copolymer supported aptamer. <i>Biosensors and Bioelectronics</i> , 2016, 80, 194-200.	10.1	195
24	Diazonium-based impedimetric aptasensor for the rapid label-free detection of <i>Salmonella typhimurium</i> in food sample. <i>Biosensors and Bioelectronics</i> , 2016, 80, 566-573.	10.1	129
25	Lateral-flow technology: From visual to instrumental. <i>TrAC - Trends in Analytical Chemistry</i> , 2016, 79, 297-305.	11.4	202
26	Structurally responsive oligonucleotide-based single-probe lateral-flow test for detection of miRNA-21 mimics. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 1475-1485.	3.7	25
27	Creatinine and urea biosensors based on a novel ammonium ion-selective copper-polyaniline nano-composite. <i>Biosensors and Bioelectronics</i> , 2016, 77, 505-511.	10.1	94
28	Bleed-free read disposable microsystems for the genetic and serological analysis of celiac disease markers with amperometric detection. <i>Electrophoresis</i> , 2015, 36, 1920-1926.	2.4	4
29	Biofunctionalization of Polyoxometalates with DNA Primers, Their Use in the Polymerase Chain Reaction (PCR) and Electrochemical Detection of PCR Products. <i>Chemistry - A European Journal</i> , 2015, 21, 17721-17727.	3.3	18
30	Amperometric detection of <i>Francisella tularensis</i> genomic sequence on Zn-mediated diazonium modified substrates. <i>Electrochemistry Communications</i> , 2015, 53, 6-10.	4.7	7
31	DNA biosensor based on hybridization refractory mutation system approach for single mismatch detection. <i>Analytical Biochemistry</i> , 2015, 474, 66-68.	2.4	6
32	The ethylene glycol template assisted hydrothermal synthesis of Co <sub>3</sub> O <sub>4</sub> nanowires; structural characterization and their application as glucose non-enzymatic sensor. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2015, 194, 94-100.	3.5	57
33	Modified primers for rapid and direct electrochemical analysis of coeliac disease associated HLA alleles. <i>Biosensors and Bioelectronics</i> , 2015, 73, 64-70.	10.1	14
34	Surface functionalisation of carbon for low cost fabrication of highly stable electrochemical DNA sensors. <i>Biosensors and Bioelectronics</i> , 2015, 71, 25-29.	10.1	4
35	Continuous sensing of hydrogen peroxide and glucose via quenching of the UV and visible luminescence of ZnO nanoparticles. <i>Mikrochimica Acta</i> , 2015, 182, 1819-1826.	5.0	82
36	Printed Electrochemical Instruments for Biosensors. <i>ECS Journal of Solid State Science and Technology</i> , 2015, 4, S3001-S3005.	1.8	46

#	ARTICLE	IF	CITATIONS
37	Zinc Oxide Nanostructure-Modified Textile and Its Application to Biosensing, Photocatalysis, and as Antibacterial Material. <i>Langmuir</i> , 2015, 31, 10913-10921.	3.5	229
38	Controlled Zn <sup>2+</sup> -Mediated Grafting of Thin Layers of Bipodal Diazonium Salt on Gold and Carbon Substrates. <i>Chemistry - A European Journal</i> , 2015, 21, 671-681.	3.3	13
39	An Electrochemical Dopamine Sensor Based on the ZnO/CuO Nanohybrid Structures. <i>Journal of Nanoscience and Nanotechnology</i> , 2014, 14, 6646-6652.	0.9	19
40	Facile Electrochemical Hydrogenation and Chlorination of Glassy Carbon to Produce Highly Reactive and Uniform Surfaces for Stable Anchoring of Thiolated Molecules. <i>Chemistry - A European Journal</i> , 2014, 20, 7646-7654.	3.3	11
41	Medium-high resolution electrochemical genotyping of HLA-DQ2/DQ8 for detection of predisposition to coeliac disease. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 2757-2769.	3.7	10
42	Cholesterol Self-Powered Biosensor. <i>Analytical Chemistry</i> , 2014, 86, 9540-9547.	6.5	149
43	Unsubstituted phenothiazine as a superior water-insoluble mediator for oxidases. <i>Biosensors and Bioelectronics</i> , 2014, 53, 275-282.	10.1	16
44	Detection of Breast Cancer 1 (BRCA1) Gene Using an Electrochemical DNA Biosensor Based on Immobilized ZnO Nanowires. <i>Open Journal of Applied Biosensor</i> , 2014, 03, 9-17.	1.6	34
45	Synthesis of Novel CuO Nanosheets and Their Non-Enzymatic Glucose Sensing Applications. <i>Sensors</i> , 2013, 13, 7926-7938.	3.8	104
46	Stripping voltammetry at micro-interface arrays: A review. <i>Analytica Chimica Acta</i> , 2013, 769, 10-21.	5.4	73
47	Low- $\mu$ medium resolution HLA-DQ2/DQ8 typing for coeliac disease predisposition analysis by colorimetric assay. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 403, 807-819.	3.7	10
48	Gold nanoparticle fluorescent molecular beacon for low-resolution DQ2 gene HLA typing. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 402, 1001-1009.	3.7	13
49	Electrochemical molecular beacon DNA biosensor for the detection and discrimination of the DF508 cystic fibrosis mutation. <i>Journal of Electroanalytical Chemistry</i> , 2011, 662, 322-327.	3.8	8
50	Investigation into the voltammetric behaviour and detection of selenium(IV) at metal electrodes in diverse electrolyte media. <i>Analytica Chimica Acta</i> , 2011, 699, 127-133.	5.4	36
51	Study of the combination of the deposition/stripping of sacrificial metal nano-structures and alkanethiol as a route for genosensor surface preparation. <i>Electrochemistry Communications</i> , 2011, 13, 325-327.	4.7	1
52	Methylene blue as an electrochemical indicator for DF508 cystic fibrosis mutation detection. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 396, 1423-1432.	3.7	18
53	Cystic fibrosis: a label-free detection approach based on thermally modulated electrochemical impedance spectroscopy. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 396, 2565-2574.	3.7	12
54	Electrochemical melting-curve analysis. <i>Electrochemistry Communications</i> , 2010, 12, 1030-1033.	4.7	14

#	ARTICLE	IF	CITATIONS
55	Melting temperature of surface-tethered DNA. <i>Analytical Biochemistry</i> , 2010, 406, 34-40.	2.4	21
56	Development of a gold nano-particle-based fluorescent molecular beacon for detection of cystic fibrosis associated mutation. <i>Biosensors and Bioelectronics</i> , 2010, 26, 307-313.	10.1	32
57	Labelless electrochemical melting curve analysis for rapid mutation detection. <i>Analytical Methods</i> , 2010, 2, 1461.	2.7	15
58	Study of the Effects of Nonlinear Potential Sweeps on Voltammetry. <i>Electroanalysis</i> , 2009, 21, 68-76.	2.9	6
59	Design and testing of a packaged microfluidic cell for the multiplexed electrochemical detection of cancer markers. <i>Electrophoresis</i> , 2009, 30, 3398-3405.	2.4	45
60	Microelectrode Arrays and Microfabricated Devices in Electrochemical Stripping Analysis. <i>Current Analytical Chemistry</i> , 2008, 4, 229-241.	1.2	33
61	Voltammetric characterisation of silicon-based microelectrode arrays and their application to mercury-free stripping voltammetry of copper ions. <i>Talanta</i> , 2007, 71, 1022-1030.	5.5	90
62	Electrochemical properties of polymeric nanopatterned electrodes. <i>Electrochemistry Communications</i> , 2007, 9, 1833-1839.	4.7	10
63	Voltammetry of chromium(VI) at the liquid   liquid interface. <i>Electrochemistry Communications</i> , 2005, 7, 976-982.	4.7	29
64	Development of a portable electroanalytical system for the stripping voltammetry of metals: Determination of copper in acetic acid soil extracts. <i>Analytica Chimica Acta</i> , 2005, 552, 190-200.	5.4	59
65	Cyclic and pulse voltammetric study of dopamine at the interface between two immiscible electrolyte solutions. <i>Biosensors and Bioelectronics</i> , 2005, 20, 2097-2103.	10.1	63
66	Voltammetric behaviour at gold electrodes immersed in the BCR sequential extraction scheme media. <i>Analytica Chimica Acta</i> , 2004, 502, 195-206.	5.4	28
67	Effect of humic acid on the underpotential deposition-stripping voltammetry of copper in acetic acid soil extract solutions at mercaptoacetic acid-modified gold electrodes. <i>Analytica Chimica Acta</i> , 2004, 511, 137-143.	5.4	14
68	Selective voltammetric detection of dopamine in the presence of ascorbate Electronic supplementary information (ESI) available: experimental details, cell compositions, methodology. See <a href="http://www.rsc.org/suppdata/cc/b3/b316493d/">http://www.rsc.org/suppdata/cc/b3/b316493d/</a> . <i>Chemical Communications</i> , 2004, , 732.	4.1	69