

# Marco Santucci

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9040068/publications.pdf>

Version: 2024-02-01

103  
papers

9,435  
citations

76294

40  
h-index

37183

96  
g-index

107  
all docs

107  
docs citations

107  
times ranked

6813  
citing authors

#	ARTICLE	IF	CITATIONS
1	WHO-EORTC classification for cutaneous lymphomas. <i>Blood</i> , 2005, 105, 3768-3785.	0.6	3,529
2	Subcutaneous panniculitis-like T-cell lymphoma: definition, classification, and prognostic factors: an EORTC Cutaneous Lymphoma Group Study of 83 cases. <i>Blood</i> , 2008, 111, 838-845.	0.6	617
3	Defining early mycosis fungoides. <i>Journal of the American Academy of Dermatology</i> , 2005, 53, 1053-1063.	0.6	453
4	WHO/EORTC classification of cutaneous lymphomas 2005: histological and molecular aspects. <i>Journal of Cutaneous Pathology</i> , 2005, 32, 647-674.	0.7	313
5	Primary cutaneous B-cell lymphoma: A unique type of low-grade lymphoma. Clinicopathologic and immunologic study of 83 cases. <i>Cancer</i> , 1991, 67, 2311-2326.	2.0	271
6	Cytotoxic/natural killer cell cutaneous lymphomas. <i>Cancer</i> , 2003, 97, 610-627.	2.0	242
7	Prognostic Factors in Primary Cutaneous B-Cell Lymphoma: The Italian Study Group for Cutaneous Lymphomas. <i>Journal of Clinical Oncology</i> , 2006, 24, 1376-1382.	0.8	199
8	Granulomatous Mycosis Fungoides and Granulomatous Slack Skin. <i>Archives of Dermatology</i> , 2008, 144, 1609-17.	1.7	158
9	Tumor lymphangiogenesis in head and neck squamous cell carcinoma. <i>Cancer</i> , 2004, 101, 973-978.	2.0	152
10	Application of a Filtration- and Isolation-by-Size Technique for the Detection of Circulating Tumor Cells in Cutaneous Melanoma. <i>Journal of Investigative Dermatology</i> , 2010, 130, 2440-2447.	0.3	142
11	Expression of matrix metalloproteinase 1, matrix metalloproteinase 2, and matrix metalloproteinase 9 in carcinoma of the head and neck. <i>Cancer</i> , 2002, 95, 1902-1910.	2.0	134
12	Efficacy of Histologic Criteria for Diagnosing Early Mycosis Fungoides. <i>American Journal of Surgical Pathology</i> , 2000, 24, 40.	2.1	133
13	Sinonasal Undifferentiated Carcinoma, Nasopharyngeal-Type Undifferentiated Carcinoma, and Keratinizing and Nonkeratinizing Squamous Cell Carcinoma Express Different Cytokeratin Patterns. <i>American Journal of Surgical Pathology</i> , 2002, 26, 1597-1604.	2.1	130
14	Primary cutaneous leiomyosarcoma: clinicopathological analysis of 36 cases. <i>Histopathology</i> , 2010, 56, 251-262.	1.6	106
15	Evidence for differential expression of Notch receptors and their ligands in melanocytic nevi and cutaneous malignant melanoma. <i>Modern Pathology</i> , 2006, 19, 246-254.	2.9	97
16	Keloids and hypertrophic scars of Caucasians show distinctive morphologic and immunophenotypic profiles. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2001, 438, 457-463.	1.4	93
17	Aggressive epidermotropic cutaneous $CD8^{+}$ lymphoma: a cutaneous lymphoma with distinct clinical and pathological features. Report of an EORTC Cutaneous Lymphoma Task Force Workshop. <i>Histopathology</i> , 2015, 67, 425-441.	1.6	86
18	Fine-Mapping Chromosomal Loss at 9p21: Correlation with Prognosis in Primary Cutaneous Diffuse Large B-Cell Lymphoma, Leg Type. <i>Journal of Investigative Dermatology</i> , 2009, 129, 1149-1155.	0.3	84

#	ARTICLE	IF	CITATIONS
19	Clinical relevance of the histological classification of sinonasal intestinal-type adenocarcinomas. <i>Human Pathology</i> , 1999, 30, 1140-1145.	1.1	82
20	Cutaneous melanoma histologically associated with a nevus and melanoma de novo have a different profile of risk: Results from a case-control study. <i>Journal of the American Academy of Dermatology</i> , 1999, 40, 549-557.	0.6	79
21	Diagnostic Significance of the Blue Hue in Dermoscopy of Melanocytic Lesions: A Dermoscopic Pathologic Study. <i>American Journal of Dermatopathology</i> , 2001, 23, 463-469.	0.3	79
22	Substance P released by TRPV1-expressing neurons produces reactive oxygen species that mediate ethanol-induced gastric injury. <i>Free Radical Biology and Medicine</i> , 2007, 43, 581-589.	1.3	77
23	Thin cutaneous malignant melanomas (<math>\leq 1.5\text{ mm}</math>)., 1999, 85, 1067-1076.		71
24	Inducible nitric oxide synthase expression in benign and malignant cutaneous melanocytic lesions. <i>Journal of Pathology</i> , 2001, 194, 194-200.	2.1	71
25	Naevus-associated melanomas. <i>Melanoma Research</i> , 1999, 9, 85-91.	0.6	69
26	Expression of protease-activated receptors 1 and 2 in melanocytic nevi and malignant melanoma. <i>Human Pathology</i> , 2005, 36, 676-685.	1.1	67
27	Sinonasal carcinomas: Recent advances in molecular and phenotypic characterization and their clinical implications. <i>Critical Reviews in Oncology/Hematology</i> , 2011, 79, 265-277.	2.0	67
28	Atypical Spitzoid melanocytic tumors: Morphological, mutational, and FISH analysis. <i>Journal of the American Academy of Dermatology</i> , 2011, 64, 919-935.	0.6	66
29	S100A13 is a new angiogenic marker in human melanoma. <i>Modern Pathology</i> , 2010, 23, 804-813.	2.9	61
30	Accuracy, Concordance, and Reproducibility of Histologic Diagnosis in Cutaneous T-Cell Lymphoma <sub>title>An EORTC Cutaneous Lymphoma Project Group Study</sub>. <i>Archives of Dermatology</i> , 2000, 136, 497.	1.7	58
31	Primary cutaneous B-cell lymphoma: A clinically homogeneous entity?. <i>Journal of the American Academy of Dermatology</i> , 1997, 37, 1012-1016.	0.6	56
32	Histopathology and genetics of cutaneous T-cell lymphoma. <i>Hematology/Oncology Clinics of North America</i> , 2003, 17, 1277-1311.	0.9	54
33	Detection of Epstein-Barr Viral Genome in Tumor Cells of Warthin's Tumor of Parotid Gland. <i>American Journal of Clinical Pathology</i> , 1993, 100, 662-665.	0.4	50
34	Reduced E-Cadherin Expression Correlates with Unfavorable Prognosis in Adenoid Cystic Carcinoma of Salivary Glands of the Oral Cavity. <i>American Journal of Clinical Pathology</i> , 1999, 111, 43-50.	0.4	50
35	A kindred with MYH-associated polyposis and pilomatricomas. <i>American Journal of Medical Genetics, Part A</i> , 2005, 134A, 212-214.	0.7	50
36	Arginine metabolism in tumor-associated macrophages in cutaneous malignant melanoma: evidence from human and experimental tumors. <i>Human Pathology</i> , 2007, 38, 1516-1525.	1.1	50

#	ARTICLE	IF	CITATIONS
37	Low Prevalence of K-RAS, EGF-R and BRAF Mutations in Sinonasal Adenocarcinomas. Implications for Anti-EGFR Treatments. <i>Pathology and Oncology Research</i> , 2014, 20, 571-579.	0.9	46
38	Inducible nitric oxide synthase activity correlates with lymphangiogenesis and vascular endothelial growth factor-C expression in head and neck squamous cell carcinoma. <i>Journal of Pathology</i> , 2006, 208, 439-445.	2.1	45
39	Protease-Activated Receptor 1-Selective Antagonist SCH79797 Inhibits Cell Proliferation and Induces Apoptosis by a Protease-Activated Receptor 1-Independent Mechanism. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2007, 101, 63-69.	1.2	44
40	Epidermal growth factor receptor expression and gene copy number in sinonasal intestinal type adenocarcinoma. <i>Oral Oncology</i> , 2009, 45, 835-838.	0.8	43
41	Increase in FOXP3+ Regulatory T Cells in GVHD Skin Biopsies Is Associated with Lower Disease Severity and Treatment Response. <i>Biology of Blood and Marrow Transplantation</i> , 2009, 15, 938-947.	2.0	43
42	Expression of cyclo-oxygenase-2 in macrophages associated with cutaneous melanoma at different stages of progression. <i>Prostaglandins and Other Lipid Mediators</i> , 2007, 83, 320-328.	1.0	42
43	Expression and prognostic significance of matrix metalloproteinases and their tissue inhibitors in primary neuroendocrine carcinoma of the skin. <i>Human Pathology</i> , 2003, 34, 80-88.	1.1	39
44	Inducible nitric oxide synthase expression in melanoma: implications in lymphangiogenesis. <i>Modern Pathology</i> , 2009, 22, 21-30.	2.9	38
45	Tumor angiogenesis as a prognostic factor in thick cutaneous malignant melanoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2002, 440, 22-28.	1.4	36
46	Primary Cutaneous Follicular Center Cell Lymphoma: Clinical and Histological Aspects. <i>Current Problems in Dermatology</i> , 1990, 19, 203-220.	0.8	34
47	Dilation of intercellular spaces is associated with laryngo-pharyngeal reflux: an ultrastructural morphometric analysis of laryngeal epithelium. <i>European Archives of Oto-Rhino-Laryngology</i> , 2007, 264, 907-911.	0.8	34
48	Primary cutaneous Bâ€cell lymphoma other than marginal zone: clinicopathologic analysis of 161 cases: Comparison with current classification and definition of prognostic markers. <i>Cancer Medicine</i> , 2016, 5, 2740-2755.	1.3	34
49	New Prognostic Criterion in Adenoid Cystic Carcinoma of Salivary Gland Origin. <i>American Journal of Clinical Pathology</i> , 1989, 91, 132-136.	0.4	33
50	<i>In vivo</i> characterization of the inflammatory infiltrate and apoptotic status in imiquimodâ€treated basal cell carcinoma. <i>International Journal of Dermatology</i> , 2009, 48, 312-321.	0.5	33
51	Expression of Notch-1 and alteration of the E-cadherin/Î²-catenin cell adhesion complex are observed in primary cutaneous neuroendocrine carcinoma (Merkel cell carcinoma). <i>Modern Pathology</i> , 2009, 22, 959-968.	2.9	33
52	Expression of CD44 standard and variant isoforms in parotid gland and parotid gland tumours. <i>Journal of Oral Pathology and Medicine</i> , 2001, 30, 564-568.	1.4	31
53	Inducible nitric oxide synthase expression in laryngeal neoplasia: Correlation with angiogenesis. <i>Head and Neck</i> , 2002, 24, 16-23.	0.9	31
54	Vasculogenic mimicry has no prognostic significance in pT3 and pT4 cutaneous melanoma. <i>Human Pathology</i> , 2004, 35, 496-502.	1.1	31

#	ARTICLE	IF	CITATIONS
55	Immunohistochemical investigation of tumorigenic pathways in sinonasal intestinal-type adenocarcinoma. A tissue microarray analysis of 62 cases. <i>Histopathology</i> , 2011, 59, 98-105.	1.6	31
56	Submicroscopic Profile of <i>Isospora belli</i> Enteritis in a Patient with Acquired Immune Deficiency Syndrome(doubt). <i>Ultrastructural Pathology</i> , 1994, 18, 473-482.	0.4	30
57	Middle Ear Adenoma Is an Amphicrine Tumor: Why Call it Adenoma?. <i>Ultrastructural Pathology</i> , 2001, 25, 73-78.	0.4	30
58	Human Generalized Argyria: A Submicroscopic and X-Ray Spectroscopic Study. <i>Ultrastructural Pathology</i> , 1998, 22, 47-53.	0.4	29
59	Epstein-Barr Virus (EBV) Infection and Undifferentiated Carcinoma of the Parotid Gland in Caucasian Patients. <i>Acta Oto-Laryngologica</i> , 1994, 114, 572-575.	0.3	28
60	Cytokine profile and supposed contribution to scarring in cicatricial pemphigoid. <i>Journal of Oral Pathology and Medicine</i> , 2003, 32, 34-40.	1.4	27
61	Orbital Solitary Fibrous Tumor: A Case Report and Review of the Literature. <i>Pathology and Oncology Research</i> , 2008, 14, 213-217.	0.9	27
62	KIT genetic alterations in anorectal melanomas. <i>Journal of Clinical Pathology</i> , 2015, 68, 130-134.	1.0	27
63	Intestinal metaplasia of the sinonasal mucosa adjacent to intestinal-type adenocarcinoma. A morphologic, immunohistochemical, and molecular study. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015, 466, 161-168.	1.4	25
64	Tumour suppressor gene <i>TP53</i> mutations in atypical vascular lesions of breast skin following radiotherapy. <i>Histopathology</i> , 2011, 58, 455-466.	1.6	24
65	CUTANEOUS LYMPHOMA: A CLINICALLY RELEVANT CLASSIFICATION. <i>International Journal of Dermatology</i> , 1993, 32, 695-700.	0.5	23
66	CDX-2 Homeobox Gene Expression. <i>American Journal of Surgical Pathology</i> , 2003, 27, 1390-1391.	2.1	23
67	Hyalinizing Spindle Cell Tumor with Giant Rosettes and Low-grade Fibromyxoid Sarcoma: An Immunohistochemical and Ultrastructural Comparative Investigation. <i>Ultrastructural Pathology</i> , 2003, 27, 349-355.	0.4	22
68	Photoexposure discriminates Notch 1 expression in human cutaneous squamous cell carcinoma. <i>Modern Pathology</i> , 2008, 21, 316-325.	2.9	22
69	BRAF and KIT somatic mutations are present in amelanotic melanoma. <i>Melanoma Research</i> , 2013, 23, 414-419.	0.6	20
70	Langerhans, plasmacytoid dendritic and myeloid-derived suppressor cell levels in mycosis fungoides vary according to the stage of the disease. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 470, 575-582.	1.4	20
71	Interrater and Intrarater Variabilities in the Evaluation of Cutaneous Lymphoproliferative T-Cell Infiltrates. <i>Dermatologic Clinics</i> , 1994, 12, 311-314.	1.0	18
72	The skin-associated lymphoid tissue-related B-cell lymphomas. <i>Seminars in Cutaneous Medicine and Surgery</i> , 2000, 19, 124-129.	1.6	18

#	ARTICLE	IF	CITATIONS
73	Atypical CD30+ Cutaneous Lymphoid Proliferation in a Patient With Tuberculosis Infection. American Journal of Dermatopathology, 2004, 26, 234-236.	0.3	17
74	Low-grade salivary type tubulo-papillary adenocarcinoma of the sinonasal tract. Histopathology, 2006, 48, 881-884.	1.6	17
75	The impact of histopathologic examination of graft-versus-host disease in the era of reduced-intensity conditioning regimen: a study from the Gruppo Italiano Trapianto di Midollo Osseo. Human Pathology, 2011, 42, 254-268.	1.1	17
76	Multicentric Reticulohistiocytosis. American Journal of Dermatopathology, 1988, 10, 497-504.	0.3	16
77	The Comparative Role of Immunohistochemistry and Electron Microscopy in the Identification of Myogenic Differentiation in Soft Tissue Pleomorphic Sarcomas. Ultrastructural Pathology, 2005, 29, 295-304.	0.4	15
78	Expression of p16 in sinonasal malignant melanoma. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2006, 449, 667-672.	1.4	14
79	Dendritic Cells in T- and B-Cell Proliferation in the Skin. Dermatologic Clinics, 1994, 12, 255-270.	1.0	12
80	Angiokeratoma corporis diffusum (Anderson-Fabry's disease): a case report. Journal of the European Academy of Dermatology and Venereology, 2000, 14, 127-130.	1.3	10
81	Microsatellite analysis in cutaneous malignant melanoma. Melanoma Research, 2002, 12, 577-584.	0.6	9
82	IL-4, IL-5, TGF-beta1 and IFN-gamma mRNAs detected by a new in situ amplification system in cicatricial pemphigoid. Experimental Dermatology, 2002, 11, 421-427.	1.4	8
83	Papillary cystic neoplasms of the middle ear are distinct from endolymphatic sac tumours. Histopathology, 2021, 79, 306-314.	1.6	8
84	BCL-2 Expression in Primary Cutaneous Follicle Center B-Cell Lymphoma and Its Prognostic Role. Frontiers in Oncology, 2020, 10, 662.	1.3	8
85	Tenascin Expression in Cutaneous Fibrohistiocytic Tumors. American Journal of Dermatopathology, 1996, 18, 454-459.	0.3	8
86	Expression of protease-activated receptor-1 and -2 in orofacial granulomatosis. Oral Diseases, 2007, 13, 419-425.	1.5	7
87	Immunohistochemical profiling of mucins in sinonasal adenocarcinomas. Pathology Research and Practice, 2019, 215, 152439.	1.0	7
88	Nerve growth factor receptor expression on dendritic reticulum cells in cutaneous B-cell lymphoma. Human Pathology, 1992, 23, 1088-1089.	1.1	6
89	Ultrastructural Features of Solid/Trabecular Areas in Differentiated Thyroid Carcinoma. Ultrastructural Pathology, 2001, 25, 13-20.	0.4	6
90	Recognizing Hidden Phenotypes in Sarcomas Through the Electron Microscope. Ultrastructural Pathology, 2008, 32, 51-61.	0.4	6

#	ARTICLE	IF	CITATIONS
91	Title is missing!. Applied Immunohistochemistry & Molecular Morphology, 2001, 9, 170-175.	2.0	4
92	The Contribution of Electron Microscopy to the Characterization of Soft Tissue Fibrosarcomas. Ultrastructural Pathology, 2013, 37, 9-14.	0.4	4
93	Pleural malignant mesothelioma in Tuscany, Italy (1970â€“1988): I. Anatomic-pathologic aspects. American Journal of Industrial Medicine, 1992, 21, 569-576.	1.0	3
94	Immunohistochemical and FISH analyses identify synovitis associated with chronic GVHD after allogeneic hematopoietic SCT. Bone Marrow Transplantation, 2008, 42, 289-291.	1.3	3
95	Circulating Tumor Cells in Cutaneous Melanoma. Journal of Investigative Dermatology, 2011, 131, 1776-1777.	0.3	3
96	Cutaneous B-Cell Lymphoma: A Salt-Related Tumor?. , 1994, , 301-315.		3
97	Dermatopathology Examination in Europe: A Summary of 6 Years of the European Board Certification. American Journal of Dermatopathology, 2009, 31, 803-805.	0.3	2
98	A Ribonuclease Protection Assay-based Approach for Analysis of Angiogenic Gene Expression in Archival Tissues. Diagnostic Molecular Pathology, 2007, 16, 147-152.	2.1	1
99	Morpho-Antigenic Features of Dendritic Cells as a Clue to the Interpretation of Skin Immune System-Related Disorders. , 1994, , 57-76.		1
100	Myelodysplasia cutis as the presenting sign of chronic myelomonocytic leukaemia. Clinical and Experimental Dermatology, 2022, 47, 773-775.	0.6	1
101	Prognostic significance of Bcl-2 expression in primary cutaneous B-cell lymphoma: a reappraisal. Italian Journal of Dermatology and Venereology, 2022, 156, .	0.1	1
102	Non-scarring patchy alopecia: What else, apart from alopecia areata?. Journal of Cutaneous Pathology, 2021, 48, 1282-1285.	0.7	0
103	Parapsoriasis. Encyclopedia of Pathology, 2016, , 264-266.	0.0	0