

# Marco Santucci

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/9040068/marco-santucci-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101  
papers

7,845  
citations

39  
h-index

88  
g-index

107  
ext. papers

8,698  
ext. citations

3.8  
avg, IF

4.74  
L-index

#	Paper	IF	Citations
101	WHO-EORTC classification for cutaneous lymphomas. <i>Blood</i> , <b>2005</b> , 105, 3768-85	2.2	2980
100	Subcutaneous panniculitis-like T-cell lymphoma: definition, classification, and prognostic factors: an EORTC Cutaneous Lymphoma Group Study of 83 cases. <i>Blood</i> , <b>2008</b> , 111, 838-45	2.2	492
99	Defining early mycosis fungoides. <i>Journal of the American Academy of Dermatology</i> , <b>2005</b> , 53, 1053-63	4.5	356
98	WHO/EORTC classification of cutaneous lymphomas 2005: histological and molecular aspects. <i>Journal of Cutaneous Pathology</i> , <b>2005</b> , 32, 647-74	1.7	271
97	Primary cutaneous B-cell lymphoma: a unique type of low-grade lymphoma. Clinicopathologic and immunologic study of 83 cases. <i>Cancer</i> , <b>1991</b> , 67, 2311-26	6.4	232
96	Cytotoxic/natural killer cell cutaneous lymphomas. Report of EORTC Cutaneous Lymphoma Task Force Workshop. <i>Cancer</i> , <b>2003</b> , 97, 610-27	6.4	200
95	Prognostic factors in primary cutaneous B-cell lymphoma: the Italian Study Group for Cutaneous Lymphomas. <i>Journal of Clinical Oncology</i> , <b>2006</b> , 24, 1376-82	2.2	147
94	Tumor lymphangiogenesis in head and neck squamous cell carcinoma: a morphometric study with clinical correlations. <i>Cancer</i> , <b>2004</b> , 101, 973-8	6.4	136
93	Expression of matrix metalloproteinase 1, matrix metalloproteinase 2, and matrix metalloproteinase 9 in carcinoma of the head and neck. <i>Cancer</i> , <b>2002</b> , 95, 1902-10	6.4	122
92	Granulomatous mycosis fungoides and granulomatous slack skin: a multicenter study of the Cutaneous Lymphoma Histopathology Task Force Group of the European Organization For Research and Treatment of Cancer (EORTC). <i>Archives of Dermatology</i> , <b>2008</b> , 144, 1609-17		121
91	Application of a filtration- and isolation-by-size technique for the detection of circulating tumor cells in cutaneous melanoma. <i>Journal of Investigative Dermatology</i> , <b>2010</b> , 130, 2440-7	4.3	118
90	Efficacy of histologic criteria for diagnosing early mycosis fungoides: an EORTC cutaneous lymphoma study group investigation. European Organization for Research and Treatment of Cancer. <i>American Journal of Surgical Pathology</i> , <b>2000</b> , 24, 40-50	6.7	110
89	Sinonasal undifferentiated carcinoma, nasopharyngeal-type undifferentiated carcinoma, and keratinizing and nonkeratinizing squamous cell carcinoma express different cytokeratin patterns. <i>American Journal of Surgical Pathology</i> , <b>2002</b> , 26, 1597-604	6.7	100
88	Primary cutaneous leiomyosarcoma: clinicopathological analysis of 36 cases. <i>Histopathology</i> , <b>2010</b> , 56, 251-62	7.3	87
87	Evidence for differential expression of Notch receptors and their ligands in melanocytic nevi and cutaneous malignant melanoma. <i>Modern Pathology</i> , <b>2006</b> , 19, 246-54	9.8	84
86	Keloids and hypertrophic scars of Caucasians show distinctive morphologic and immunophenotypic profiles. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2001</b> , 438, 457-63	5.1	79
85	Diagnostic significance of the blue hue in dermoscopy of melanocytic lesions: a dermoscopic-pathologic study. <i>American Journal of Dermatopathology</i> , <b>2001</b> , 23, 463-9	0.9	71

84	Cutaneous melanoma histologically associated with a nevus and melanoma de novo have a different profile of risk: results from a case-control study. <i>Journal of the American Academy of Dermatology</i> , <b>1999</b> , 40, 549-57	4.5	70
83	Fine-mapping chromosomal loss at 9p21: correlation with prognosis in primary cutaneous diffuse large B-cell lymphoma, leg type. <i>Journal of Investigative Dermatology</i> , <b>2009</b> , 129, 1149-55	4.3	69
82	Inducible nitric oxide synthase expression in benign and malignant cutaneous melanocytic lesions. <i>Journal of Pathology</i> , <b>2001</b> , 194, 194-200	9.4	68
81	Expression of protease-activated receptors 1 and 2 in melanocytic nevi and malignant melanoma. <i>Human Pathology</i> , <b>2005</b> , 36, 676-85	3.7	65
80	Substance P released by TRPV1-expressing neurons produces reactive oxygen species that mediate ethanol-induced gastric injury. <i>Free Radical Biology and Medicine</i> , <b>2007</b> , 43, 581-9	7.8	63
79	Aggressive epidermotropic cutaneous CD8+ lymphoma: a cutaneous lymphoma with distinct clinical and pathological features. Report of an EORTC Cutaneous Lymphoma Task Force Workshop. <i>Histopathology</i> , <b>2015</b> , 67, 425-41	7.3	61
78	Thin cutaneous malignant melanomas (Cancer, <b>1999</b> , 85, 1067-76	6.4	60
77	Clinical relevance of the histological classification of sinonasal intestinal-type adenocarcinomas. <i>Human Pathology</i> , <b>1999</b> , 30, 1140-5	3.7	60
76	Naevus-associated melanomas: cause or chance?. <i>Melanoma Research</i> , <b>1999</b> , 9, 85-91	3.3	56
75	Atypical Spitzoid melanocytic tumors: a morphological, mutational, and FISH analysis. <i>Journal of the American Academy of Dermatology</i> , <b>2011</b> , 64, 919-35	4.5	54
74	Sinonasal carcinomas: recent advances in molecular and phenotypic characterization and their clinical implications. <i>Critical Reviews in Oncology/Hematology</i> , <b>2011</b> , 79, 265-77	7	53
73	S100A13 is a new angiogenic marker in human melanoma. <i>Modern Pathology</i> , <b>2010</b> , 23, 804-13	9.8	51
72	Accuracy, concordance, and reproducibility of histologic diagnosis in cutaneous T-cell lymphoma: an EORTC Cutaneous Lymphoma Project Group Study. European Organization for Research and Treatment of Cancer. <i>Archives of Dermatology</i> , <b>2000</b> , 136, 497-502		51
71	Primary cutaneous B-cell lymphoma: a clinically homogeneous entity?. <i>Journal of the American Academy of Dermatology</i> , <b>1997</b> , 37, 1012-6	4.5	50
70	A kindred with MYH-associated polyposis and pilomatricomas. <i>American Journal of Medical Genetics, Part A</i> , <b>2005</b> , 134A, 212-4	2.5	45
69	Reduced E-cadherin expression correlates with unfavorable prognosis in adenoid cystic carcinoma of salivary glands of the oral cavity. <i>American Journal of Clinical Pathology</i> , <b>1999</b> , 111, 43-50	1.9	44
68	Detection of Epstein-Barr viral genome in tumor cells of Warthin's tumor of parotid gland. <i>American Journal of Clinical Pathology</i> , <b>1993</b> , 100, 662-5	1.9	43
67	Inducible nitric oxide synthase activity correlates with lymphangiogenesis and vascular endothelial growth factor-C expression in head and neck squamous cell carcinoma. <i>Journal of Pathology</i> , <b>2006</b> , 208, 439-45	9.4	42

66	Histopathology and genetics of cutaneous T-cell lymphoma. <i>Hematology/Oncology Clinics of North America</i> , <b>2003</b> , 17, 1277-311	3.1	42
65	Protease-activated receptor 1-selective antagonist SCH79797 inhibits cell proliferation and induces apoptosis by a protease-activated receptor 1-independent mechanism. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2007</b> , 101, 63-9	3.1	40
64	Increase in FOXP3+ regulatory T cells in GVHD skin biopsies is associated with lower disease severity and treatment response. <i>Biology of Blood and Marrow Transplantation</i> , <b>2009</b> , 15, 938-47	4.7	39
63	Arginine metabolism in tumor-associated macrophages in cutaneous malignant melanoma: evidence from human and experimental tumors. <i>Human Pathology</i> , <b>2007</b> , 38, 1516-25	3.7	39
62	Epidermal growth factor receptor expression and gene copy number in sinonasal intestinal type adenocarcinoma. <i>Oral Oncology</i> , <b>2009</b> , 45, 835-8	4.4	37
61	Expression of cyclo-oxygenase-2 in macrophages associated with cutaneous melanoma at different stages of progression. <i>Prostaglandins and Other Lipid Mediators</i> , <b>2007</b> , 83, 320-8	3.7	36
60	Low prevalence of K-RAS, EGF-R and BRAF mutations in sinonasal adenocarcinomas. Implications for anti-EGFR treatments. <i>Pathology and Oncology Research</i> , <b>2014</b> , 20, 571-9	2.6	34
59	Inducible nitric oxide synthase expression in melanoma: implications in lymphangiogenesis. <i>Modern Pathology</i> , <b>2009</b> , 22, 21-30	9.8	32
58	Expression and prognostic significance of matrix metalloproteinases and their tissue inhibitors in primary neuroendocrine carcinoma of the skin. <i>Human Pathology</i> , <b>2003</b> , 34, 80-8	3.7	31
57	Tumor angiogenesis as a prognostic factor in thick cutaneous malignant melanoma. A quantitative morphologic analysis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2002</b> , 440, 22-8	5.1	30
56	Vasculogenic mimicry has no prognostic significance in pT3 and pT4 cutaneous melanoma. <i>Human Pathology</i> , <b>2004</b> , 35, 496-502	3.7	30
55	In vivo characterization of the inflammatory infiltrate and apoptotic status in imiquimod-treated basal cell carcinoma. <i>International Journal of Dermatology</i> , <b>2009</b> , 48, 312-21	1.7	29
54	Expression of Notch-1 and alteration of the E-cadherin/beta-catenin cell adhesion complex are observed in primary cutaneous neuroendocrine carcinoma (Merkel cell carcinoma). <i>Modern Pathology</i> , <b>2009</b> , 22, 959-68	9.8	28
53	Dilation of intercellular spaces is associated with laryngo-pharyngeal reflux: an ultrastructural morphometric analysis of laryngeal epithelium. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2007</b> , 264, 907-11	3.5	28
52	Primary cutaneous B-cell lymphoma other than marginal zone: clinicopathologic analysis of 161 cases: Comparison with current classification and definition of prognostic markers. <i>Cancer Medicine</i> , <b>2016</b> , 5, 2740-2755	4.8	28
51	Immunohistochemical investigation of tumorigenic pathways in sinonasal intestinal-type adenocarcinoma. A tissue microarray analysis of 62 cases. <i>Histopathology</i> , <b>2011</b> , 59, 98-105	7.3	27
50	Inducible nitric oxide synthase expression in laryngeal neoplasia: correlation with angiogenesis. <i>Head and Neck</i> , <b>2002</b> , 24, 16-23	4.2	25
49	Epstein-Barr virus (EBV) infection and undifferentiated carcinoma of the parotid gland in Caucasian patients. <i>Acta Oto-Laryngologica</i> , <b>1994</b> , 114, 572-5	1.6	25

48	Submicroscopic profile of <i>Isospora belli</i> enteritis in a patient with acquired immune deficiency syndrome. <i>Ultrastructural Pathology</i> , <b>1994</b> , 18, 473-82	1.3	25
47	New prognostic criterion in adenoid cystic carcinoma of salivary gland origin. <i>American Journal of Clinical Pathology</i> , <b>1989</b> , 91, 132-6	1.9	25
46	Primary cutaneous follicular center cell lymphoma: clinical and histological aspects. <i>Current Problems in Dermatology</i> , <b>1990</b> , 19, 203-20		25
45	Human generalized argyria: a submicroscopic and X-ray spectroscopic study. <i>Ultrastructural Pathology</i> , <b>1998</b> , 22, 47-53	1.3	24
44	Orbital solitary fibrous tumor: a case report and review of the literature. <i>Pathology and Oncology Research</i> , <b>2008</b> , 14, 213-7	2.6	22
43	KIT genetic alterations in anorectal melanomas. <i>Journal of Clinical Pathology</i> , <b>2015</b> , 68, 130-4	3.9	21
42	Hyalinizing Spindle Cell Tumor with Giant Rosettes and Low-grade Fibromyxoid Sarcoma: An Immunohistochemical and Ultrastructural Comparative Investigation. <i>Ultrastructural Pathology</i> , <b>2003</b> , 27, 349-355	1.3	21
41	Middle ear adenoma is an amphicrine tumor: why call it adenoma?. <i>Ultrastructural Pathology</i> , <b>2001</b> , 25, 73-8	1.3	20
40	Intestinal metaplasia of the sinonasal mucosa adjacent to intestinal-type adenocarcinoma. A morphologic, immunohistochemical, and molecular study. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2015</b> , 466, 161-8	5.1	19
39	Tumour suppressor gene TP53 mutations in atypical vascular lesions of breast skin following radiotherapy. <i>Histopathology</i> , <b>2011</b> , 58, 455-66	7.3	19
38	Cytokine profile and supposed contribution to scarring in cicatricial pemphigoid. <i>Journal of Oral Pathology and Medicine</i> , <b>2003</b> , 32, 34-40	3.3	19
37	Cutaneous lymphoma: a clinically relevant classification. <i>International Journal of Dermatology</i> , <b>1993</b> , 32, 695-700	1.7	19
36	BRAF and KIT somatic mutations are present in amelanotic melanoma. <i>Melanoma Research</i> , <b>2013</b> , 23, 414-9	3.3	18
35	Photoexposure discriminates Notch 1 expression in human cutaneous squamous cell carcinoma. <i>Modern Pathology</i> , <b>2008</b> , 21, 316-25	9.8	18
34	CDX-2 homeobox gene expression. <i>American Journal of Surgical Pathology</i> , <b>2003</b> , 27, 1390-1	6.7	18
33	Interrater and Intrarater Variabilities in the Evaluation of Cutaneous Lymphoproliferative T-Cell Infiltrates. <i>Dermatologic Clinics</i> , <b>1994</b> , 12, 311-314	4.2	18
32	Langerhans, plasmacytoid dendritic and myeloid-derived suppressor cell levels in mycosis fungoides vary according to the stage of the disease. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2017</b> , 470, 575-582	5.1	16
31	The comparative role of immunohistochemistry and electron microscopy in the identification of myogenic differentiation in soft tissue pleomorphic sarcomas. <i>Ultrastructural Pathology</i> , <b>2005</b> , 29, 295-304	1.2	15

30	The skin-associated lymphoid tissue-related B-cell lymphomas. <i>Seminars in Cutaneous Medicine and Surgery</i> , <b>2000</b> , 19, 124-9	1.4	15
29	The impact of histopathologic examination of graft-versus-host disease in the era of reduced-intensity conditioning regimen: a study from the Gruppo Italiano Trapianto di Midollo Osseo. <i>Human Pathology</i> , <b>2011</b> , 42, 254-68	3.7	14
28	Atypical CD30+ cutaneous lymphoid proliferation in a patient with tuberculosis infection. <i>American Journal of Dermatopathology</i> , <b>2004</b> , 26, 234-6	0.9	13
27	Expression of CD44 standard and variant isoforms in parotid gland and parotid gland tumours. <i>Journal of Oral Pathology and Medicine</i> , <b>2001</b> , 30, 564-8	3.3	13
26	Low-grade salivary type tubulo-papillary adenocarcinoma of the sinonasal tract. <i>Histopathology</i> , <b>2006</b> , 48, 881-4	7.3	12
25	Expression of p16 in sinonasal malignant melanoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2006</b> , 449, 667-72	5.1	12
24	Dendritic Cells in T- and B-Cell Proliferation in the Skin. <i>Dermatologic Clinics</i> , <b>1994</b> , 12, 255-270	4.2	12
23	Multicentric Reticulohistiocytosis. <i>American Journal of Dermatopathology</i> , <b>1988</b> , 10, 497-504	0.9	12
22	Microsatellite analysis in cutaneous malignant melanoma. <i>Melanoma Research</i> , <b>2002</b> , 12, 577-84	3.3	9
21	IL-4, IL-5, TGF-beta1 and IFN-gamma mRNAs detected by a new in situ amplification system in cicatricial pemphigoid. <i>Experimental Dermatology</i> , <b>2002</b> , 11, 421-7	4	8
20	Expression of protease-activated receptor-1 and -2 in orofacial granulomatosis. <i>Oral Diseases</i> , <b>2007</b> , 13, 419-25	3.5	7
19	Tenascin expression in cutaneous fibrohistiocytic tumors. Immunohistochemical investigation of 24 cases. <i>American Journal of Dermatopathology</i> , <b>1996</b> , 18, 454-9	0.9	7
18	Angiokeratoma corporis diffusum (Anderson-Fabry's disease): a case report. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2000</b> , 14, 127-30	4.6	6
17	Nerve growth factor receptor expression on dendritic reticulum cells in cutaneous B-cell lymphoma. <i>Human Pathology</i> , <b>1992</b> , 23, 1088-9	3.7	6
16	Recognizing hidden phenotypes in sarcomas through the electron microscope. <i>Ultrastructural Pathology</i> , <b>2008</b> , 32, 51-61	1.3	5
15	Ultrastructural features of solid/trabecular areas in differentiated thyroid carcinoma. <i>Ultrastructural Pathology</i> , <b>2001</b> , 25, 13-20	1.3	5
14	BCL-2 Expression in Primary Cutaneous Follicle Center B-Cell Lymphoma and Its Prognostic Role. <i>Frontiers in Oncology</i> , <b>2020</b> , 10, 662	5.3	4
13	The contribution of electron microscopy to the characterization of soft tissue fibrosarcomas. <i>Ultrastructural Pathology</i> , <b>2013</b> , 37, 9-14	1.3	4

12	. <i>Applied Immunohistochemistry &amp; Molecular Morphology</i> , <b>2001</b> , 9, 170-175		4
11	Papillary-cystic neoplasms of the middle ear are distinct from endolymphatic sac tumours. <i>Histopathology</i> , <b>2021</b> , 79, 306-314	7.3	4
10	Circulating Tumor Cells in Cutaneous Melanoma. <i>Journal of Investigative Dermatology</i> , <b>2011</b> , 131, 1776-1787	4.3	3
9	Pleural malignant mesothelioma in Tuscany, Italy (1970-1988): I. Anatomic-pathologic aspects. <i>American Journal of Industrial Medicine</i> , <b>1992</b> , 21, 569-76	2.7	3
8	Immunohistochemical profiling of mucins in sinonasal adenocarcinomas. <i>Pathology Research and Practice</i> , <b>2019</b> , 215, 152439	3.4	2
7	Dermatopathology examination in Europe: a summary of 6 years of the European Board Certification. <i>American Journal of Dermatopathology</i> , <b>2009</b> , 31, 803-5	0.9	2
6	Cutaneous B-Cell Lymphoma: A Salt-Related Tumor? <b>1994</b> , 301-315		2
5	Immunohistochemical and FISH analyses identify synovitis associated with chronic GVHD after allogeneic hematopoietic SCT. <i>Bone Marrow Transplantation</i> , <b>2008</b> , 42, 289-91	4.4	1
4	A ribonuclease protection assay-based approach for analysis of angiogenic gene expression in archival tissues. <i>Diagnostic Molecular Pathology</i> , <b>2007</b> , 16, 147-52		1
3	Morpho-Antigenic Features of Dendritic Cells as a Clue to the Interpretation of Skin Immune System-Related Disorders <b>1994</b> , 57-76		1
2	Myelodysplasia cutis as the presenting sign of chronic myelomonocytic leukemia. <i>Clinical and Experimental Dermatology</i> , <b>2021</b> ,	1.8	
1	Non-scarring patchy alopecia: What else, apart from alopecia areata?. <i>Journal of Cutaneous Pathology</i> , <b>2021</b> , 48, 1282-1285	1.7	