

Marco Santucci

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9040068/marco-santucci-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101
papers

7,845
citations

39
h-index

88
g-index

107
ext. papers

8,698
ext. citations

3.8
avg, IF

4.74
L-index

#	Paper	IF	Citations
101	Myelodysplasia cutis as the presenting sign of chronic myelomonocytic leukemia. <i>Clinical and Experimental Dermatology</i> , 2021 ,	1.8	
100	Papillary-cystic neoplasms of the middle ear are distinct from endolymphatic sac tumours. <i>Histopathology</i> , 2021 , 79, 306-314	7.3	4
99	Non-scarring patchy alopecia: What else, apart from alopecia areata?. <i>Journal of Cutaneous Pathology</i> , 2021 , 48, 1282-1285	1.7	
98	BCL-2 Expression in Primary Cutaneous Follicle Center B-Cell Lymphoma and Its Prognostic Role. <i>Frontiers in Oncology</i> , 2020 , 10, 662	5.3	4
97	Immunohistochemical profiling of mucins in sinonasal adenocarcinomas. <i>Pathology Research and Practice</i> , 2019 , 215, 152439	3.4	2
96	Langerhans, plasmacytoid dendritic and myeloid-derived suppressor cell levels in mycosis fungoides vary according to the stage of the disease. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017 , 470, 575-582	5.1	16
95	Primary cutaneous B-cell lymphoma other than marginal zone: clinicopathologic analysis of 161 cases: Comparison with current classification and definition of prognostic markers. <i>Cancer Medicine</i> , 2016 , 5, 2740-2755	4.8	28
94	Intestinal metaplasia of the sinonasal mucosa adjacent to intestinal-type adenocarcinoma. A morphologic, immunohistochemical, and molecular study. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015 , 466, 161-8	5.1	19
93	KIT genetic alterations in anorectal melanomas. <i>Journal of Clinical Pathology</i> , 2015 , 68, 130-4	3.9	21
92	Aggressive epidermotropic cutaneous CD8+ lymphoma: a cutaneous lymphoma with distinct clinical and pathological features. Report of an EORTC Cutaneous Lymphoma Task Force Workshop. <i>Histopathology</i> , 2015 , 67, 425-41	7.3	61
91	Low prevalence of K-RAS, EGF-R and BRAF mutations in sinonasal adenocarcinomas. Implications for anti-EGFR treatments. <i>Pathology and Oncology Research</i> , 2014 , 20, 571-9	2.6	34
90	The contribution of electron microscopy to the characterization of soft tissue fibrosarcomas. <i>Ultrastructural Pathology</i> , 2013 , 37, 9-14	1.3	4
89	BRAF and KIT somatic mutations are present in amelanotic melanoma. <i>Melanoma Research</i> , 2013 , 23, 414-9	3.3	18
88	Atypical Spitzoid melanocytic tumors: a morphological, mutational, and FISH analysis. <i>Journal of the American Academy of Dermatology</i> , 2011 , 64, 919-35	4.5	54
87	The impact of histopathologic examination of graft-versus-host disease in the era of reduced-intensity conditioning regimen: a study from the Gruppo Italiano Trapianto di Midollo Osseo. <i>Human Pathology</i> , 2011 , 42, 254-68	3.7	14
86	Tumour suppressor gene TP53 mutations in atypical vascular lesions of breast skin following radiotherapy. <i>Histopathology</i> , 2011 , 58, 455-66	7.3	19
85	Immunohistochemical investigation of tumorigenic pathways in sinonasal intestinal-type adenocarcinoma. A tissue microarray analysis of 62 cases. <i>Histopathology</i> , 2011 , 59, 98-105	7.3	27

84	Sinonasal carcinomas: recent advances in molecular and phenotypic characterization and their clinical implications. <i>Critical Reviews in Oncology/Hematology</i> , 2011 , 79, 265-77	7	53
83	Circulating Tumor Cells in Cutaneous Melanoma. <i>Journal of Investigative Dermatology</i> , 2011 , 131, 1776-1787	4.3	3
82	Primary cutaneous leiomyosarcoma: clinicopathological analysis of 36 cases. <i>Histopathology</i> , 2010 , 56, 251-62	7.3	87
81	Application of a filtration- and isolation-by-size technique for the detection of circulating tumor cells in cutaneous melanoma. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 2440-7	4.3	118
80	S100A13 is a new angiogenic marker in human melanoma. <i>Modern Pathology</i> , 2010 , 23, 804-13	9.8	51
79	Epidermal growth factor receptor expression and gene copy number in sinonasal intestinal type adenocarcinoma. <i>Oral Oncology</i> , 2009 , 45, 835-8	4.4	37
78	In vivo characterization of the inflammatory infiltrate and apoptotic status in imiquimod-treated basal cell carcinoma. <i>International Journal of Dermatology</i> , 2009 , 48, 312-21	1.7	29
77	Fine-mapping chromosomal loss at 9p21: correlation with prognosis in primary cutaneous diffuse large B-cell lymphoma, leg type. <i>Journal of Investigative Dermatology</i> , 2009 , 129, 1149-55	4.3	69
76	Inducible nitric oxide synthase expression in melanoma: implications in lymphangiogenesis. <i>Modern Pathology</i> , 2009 , 22, 21-30	9.8	32
75	Expression of Notch-1 and alteration of the E-cadherin/beta-catenin cell adhesion complex are observed in primary cutaneous neuroendocrine carcinoma (Merkel cell carcinoma). <i>Modern Pathology</i> , 2009 , 22, 959-68	9.8	28
74	Increase in FOXP3+ regulatory T cells in GVHD skin biopsies is associated with lower disease severity and treatment response. <i>Biology of Blood and Marrow Transplantation</i> , 2009 , 15, 938-47	4.7	39
73	Dermatopathology examination in europe: a summary of 6 years of the European Board Certification. <i>American Journal of Dermatopathology</i> , 2009 , 31, 803-5	0.9	2
72	Photoexposure discriminates Notch 1 expression in human cutaneous squamous cell carcinoma. <i>Modern Pathology</i> , 2008 , 21, 316-25	9.8	18
71	Immunohistochemical and FISH analyses identify synovitis associated with chronic GVHD after allogeneic hematopoietic SCT. <i>Bone Marrow Transplantation</i> , 2008 , 42, 289-91	4.4	1
70	Recognizing hidden phenotypes in sarcomas through the electron microscope. <i>Ultrastructural Pathology</i> , 2008 , 32, 51-61	1.3	5
69	Subcutaneous panniculitis-like T-cell lymphoma: definition, classification, and prognostic factors: an EORTC Cutaneous Lymphoma Group Study of 83 cases. <i>Blood</i> , 2008 , 111, 838-45	2.2	492
68	Granulomatous mycosis fungoides and granulomatous slack skin: a multicenter study of the Cutaneous Lymphoma Histopathology Task Force Group of the European Organization For Research and Treatment of Cancer (EORTC). <i>Archives of Dermatology</i> , 2008 , 144, 1609-17		121
67	Orbital solitary fibrous tumor: a case report and review of the literature. <i>Pathology and Oncology Research</i> , 2008 , 14, 213-7	2.6	22

66	Expression of protease-activated receptor-1 and -2 in orofacial granulomatosis. <i>Oral Diseases</i> , 2007 , 13, 419-25	3.5	7
65	Protease-activated receptor 1-selective antagonist SCH79797 inhibits cell proliferation and induces apoptosis by a protease-activated receptor 1-independent mechanism. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2007 , 101, 63-9	3.1	40
64	Substance P released by TRPV1-expressing neurons produces reactive oxygen species that mediate ethanol-induced gastric injury. <i>Free Radical Biology and Medicine</i> , 2007 , 43, 581-9	7.8	63
63	Expression of cyclo-oxygenase-2 in macrophages associated with cutaneous melanoma at different stages of progression. <i>Prostaglandins and Other Lipid Mediators</i> , 2007 , 83, 320-8	3.7	36
62	Dilation of intercellular spaces is associated with laryngo-pharyngeal reflux: an ultrastructural morphometric analysis of laryngeal epithelium. <i>European Archives of Oto-Rhino-Laryngology</i> , 2007 , 264, 907-11	3.5	28
61	A ribonuclease protection assay-based approach for analysis of angiogenic gene expression in archival tissues. <i>Diagnostic Molecular Pathology</i> , 2007 , 16, 147-52		1
60	Arginine metabolism in tumor-associated macrophages in cutaneous malignant melanoma: evidence from human and experimental tumors. <i>Human Pathology</i> , 2007 , 38, 1516-25	3.7	39
59	Prognostic factors in primary cutaneous B-cell lymphoma: the Italian Study Group for Cutaneous Lymphomas. <i>Journal of Clinical Oncology</i> , 2006 , 24, 1376-82	2.2	147
58	Inducible nitric oxide synthase activity correlates with lymphangiogenesis and vascular endothelial growth factor-C expression in head and neck squamous cell carcinoma. <i>Journal of Pathology</i> , 2006 , 208, 439-45	9.4	42
57	Low-grade salivary type tubulo-papillary adenocarcinoma of the sinonasal tract. <i>Histopathology</i> , 2006 , 48, 881-4	7.3	12
56	Evidence for differential expression of Notch receptors and their ligands in melanocytic nevi and cutaneous malignant melanoma. <i>Modern Pathology</i> , 2006 , 19, 246-54	9.8	84
55	Expression of p16 in sinonasal malignant melanoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2006 , 449, 667-72	5.1	12
54	WHO-EORTC classification for cutaneous lymphomas. <i>Blood</i> , 2005 , 105, 3768-85	2.2	2980
53	Defining early mycosis fungoides. <i>Journal of the American Academy of Dermatology</i> , 2005 , 53, 1053-63	4.5	356
52	Expression of protease-activated receptors 1 and 2 in melanocytic nevi and malignant melanoma. <i>Human Pathology</i> , 2005 , 36, 676-85	3.7	65
51	WHO/EORTC classification of cutaneous lymphomas 2005: histological and molecular aspects. <i>Journal of Cutaneous Pathology</i> , 2005 , 32, 647-74	1.7	271
50	A kindred with MYH-associated polyposis and pilomatricomas. <i>American Journal of Medical Genetics, Part A</i> , 2005 , 134A, 212-4	2.5	45
49	The comparative role of immunohistochemistry and electron microscopy in the identification of myogenic differentiation in soft tissue pleomorphic sarcomas. <i>Ultrastructural Pathology</i> , 2005 , 29, 295-304	1.2	15

48	Tumor lymphangiogenesis in head and neck squamous cell carcinoma: a morphometric study with clinical correlations. <i>Cancer</i> , 2004 , 101, 973-8	6.4	136
47	Vasculogenic mimicry has no prognostic significance in pT3 and pT4 cutaneous melanoma. <i>Human Pathology</i> , 2004 , 35, 496-502	3.7	30
46	Atypical CD30+ cutaneous lymphoid proliferation in a patient with tuberculosis infection. <i>American Journal of Dermatopathology</i> , 2004 , 26, 234-6	0.9	13
45	Hyalinizing Spindle Cell Tumor with Giant Rosettes and Low-grade Fibromyxoid Sarcoma: An Immunohistochemical and Ultrastructural Comparative Investigation. <i>Ultrastructural Pathology</i> , 2003 , 27, 349-355	1.3	21
44	CDX-2 homeobox gene expression. <i>American Journal of Surgical Pathology</i> , 2003 , 27, 1390-1	6.7	18
43	Cytotoxic/natural killer cell cutaneous lymphomas. Report of EORTC Cutaneous Lymphoma Task Force Workshop. <i>Cancer</i> , 2003 , 97, 610-27	6.4	200
42	Cytokine profile and supposed contribution to scarring in cicatricial pemphigoid. <i>Journal of Oral Pathology and Medicine</i> , 2003 , 32, 34-40	3.3	19
41	Histopathology and genetics of cutaneous T-cell lymphoma. <i>Hematology/Oncology Clinics of North America</i> , 2003 , 17, 1277-311	3.1	42
40	Expression and prognostic significance of matrix metalloproteinases and their tissue inhibitors in primary neuroendocrine carcinoma of the skin. <i>Human Pathology</i> , 2003 , 34, 80-8	3.7	31
39	Inducible nitric oxide synthase expression in laryngeal neoplasia: correlation with angiogenesis. <i>Head and Neck</i> , 2002 , 24, 16-23	4.2	25
38	Expression of matrix metalloproteinase 1, matrix metalloproteinase 2, and matrix metalloproteinase 9 in carcinoma of the head and neck. <i>Cancer</i> , 2002 , 95, 1902-10	6.4	122
37	Tumor angiogenesis as a prognostic factor in thick cutaneous malignant melanoma. A quantitative morphologic analysis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2002 , 440, 22-8	5.1	30
36	IL-4, IL-5, TGF-beta1 and IFN-gamma mRNAs detected by a new in situ amplification system in cicatricial pemphigoid. <i>Experimental Dermatology</i> , 2002 , 11, 421-7	4	8
35	Sinonasal undifferentiated carcinoma, nasopharyngeal-type undifferentiated carcinoma, and keratinizing and nonkeratinizing squamous cell carcinoma express different cytokeratin patterns. <i>American Journal of Surgical Pathology</i> , 2002 , 26, 1597-604	6.7	100
34	Microsatellite analysis in cutaneous malignant melanoma. <i>Melanoma Research</i> , 2002 , 12, 577-84	3.3	9
33	. <i>Applied Immunohistochemistry & Molecular Morphology</i> , 2001 , 9, 170-175		4
32	Keloids and hypertrophic scars of Caucasians show distinctive morphologic and immunophenotypic profiles. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2001 , 438, 457-63	5.1	79
31	Expression of CD44 standard and variant isoforms in parotid gland and parotid gland tumours. <i>Journal of Oral Pathology and Medicine</i> , 2001 , 30, 564-8	3.3	13

30	Inducible nitric oxide synthase expression in benign and malignant cutaneous melanocytic lesions. <i>Journal of Pathology</i> , 2001 , 194, 194-200	9.4	68
29	Ultrastructural features of solid/trabecular areas in differentiated thyroid carcinoma. <i>Ultrastructural Pathology</i> , 2001 , 25, 13-20	1.3	5
28	Middle ear adenoma is an amphicrine tumor: why call it adenoma?. <i>Ultrastructural Pathology</i> , 2001 , 25, 73-8	1.3	20
27	Diagnostic significance of the blue hue in dermoscopy of melanocytic lesions: a dermoscopic-pathologic study. <i>American Journal of Dermatopathology</i> , 2001 , 23, 463-9	0.9	71
26	Accuracy, concordance, and reproducibility of histologic diagnosis in cutaneous T-cell lymphoma: an EORTC Cutaneous Lymphoma Project Group Study. European Organization for Research and Treatment of Cancer. <i>Archives of Dermatology</i> , 2000 , 136, 497-502		51
25	Efficacy of histologic criteria for diagnosing early mycosis fungoides: an EORTC cutaneous lymphoma study group investigation. European Organization for Research and Treatment of Cancer. <i>American Journal of Surgical Pathology</i> , 2000 , 24, 40-50	6.7	110
24	Angiokeratoma corporis diffusum (Anderson-Fabry's disease): a case report. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2000 , 14, 127-30	4.6	6
23	The skin-associated lymphoid tissue-related B-cell lymphomas. <i>Seminars in Cutaneous Medicine and Surgery</i> , 2000 , 19, 124-9	1.4	15
22	Thin cutaneous malignant melanomas (Cancer, 1999 , 85, 1067-76	6.4	60
21	Cutaneous melanoma histologically associated with a nevus and melanoma de novo have a different profile of risk: results from a case-control study. <i>Journal of the American Academy of Dermatology</i> , 1999 , 40, 549-57	4.5	70
20	Clinical relevance of the histological classification of sinonasal intestinal-type adenocarcinomas. <i>Human Pathology</i> , 1999 , 30, 1140-5	3.7	60
19	Reduced E-cadherin expression correlates with unfavorable prognosis in adenoid cystic carcinoma of salivary glands of the oral cavity. <i>American Journal of Clinical Pathology</i> , 1999 , 111, 43-50	1.9	44
18	Naevus-associated melanomas: cause or chance?. <i>Melanoma Research</i> , 1999 , 9, 85-91	3.3	56
17	Human generalized argyria: a submicroscopic and X-ray spectroscopic study. <i>Ultrastructural Pathology</i> , 1998 , 22, 47-53	1.3	24
16	Primary cutaneous B-cell lymphoma: a clinically homogeneous entity?. <i>Journal of the American Academy of Dermatology</i> , 1997 , 37, 1012-6	4.5	50
15	Tenascin expression in cutaneous fibrohistiocytic tumors. Immunohistochemical investigation of 24 cases. <i>American Journal of Dermatopathology</i> , 1996 , 18, 454-9	0.9	7
14	Dendritic Cells in T- and B-Cell Proliferation in the Skin. <i>Dermatologic Clinics</i> , 1994 , 12, 255-270	4.2	12
13	Interrater and Intrarater Variabilities in the Evaluation of Cutaneous Lymphoproliferative T-Cell Infiltrates. <i>Dermatologic Clinics</i> , 1994 , 12, 311-314	4.2	18

12	Epstein-Barr virus (EBV) infection and undifferentiated carcinoma of the parotid gland in Caucasian patients. <i>Acta Oto-Laryngologica</i> , 1994 , 114, 572-5	1.6	25
11	Submicroscopic profile of <i>Isospora belli</i> enteritis in a patient with acquired immune deficiency syndrome. <i>Ultrastructural Pathology</i> , 1994 , 18, 473-82	1.3	25
10	Cutaneous B-Cell Lymphoma: A Salt-Related Tumor? 1994 , 301-315		2
9	Morpho-Antigenic Features of Dendritic Cells as a Clue to the Interpretation of Skin Immune System-Related Disorders 1994 , 57-76		1
8	Detection of Epstein-Barr viral genome in tumor cells of Warthin's tumor of parotid gland. <i>American Journal of Clinical Pathology</i> , 1993 , 100, 662-5	1.9	43
7	Cutaneous lymphoma: a clinically relevant classification. <i>International Journal of Dermatology</i> , 1993 , 32, 695-700	1.7	19
6	Nerve growth factor receptor expression on dendritic reticulum cells in cutaneous B-cell lymphoma. <i>Human Pathology</i> , 1992 , 23, 1088-9	3.7	6
5	Pleural malignant mesothelioma in Tuscany, Italy (1970-1988): I. Anatomic-pathologic aspects. <i>American Journal of Industrial Medicine</i> , 1992 , 21, 569-76	2.7	3
4	Primary cutaneous B-cell lymphoma: a unique type of low-grade lymphoma. Clinicopathologic and immunologic study of 83 cases. <i>Cancer</i> , 1991 , 67, 2311-26	6.4	232
3	Primary cutaneous follicular center cell lymphoma: clinical and histological aspects. <i>Current Problems in Dermatology</i> , 1990 , 19, 203-20		25
2	New prognostic criterion in adenoid cystic carcinoma of salivary gland origin. <i>American Journal of Clinical Pathology</i> , 1989 , 91, 132-6	1.9	25
1	Multicentric Reticulohistiocytosis. <i>American Journal of Dermatopathology</i> , 1988 , 10, 497-504	0.9	12