

# Ana Neves

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9041236/publications.pdf>

Version: 2024-02-01

45  
papers

543  
citations

687363

13  
h-index

713466

21  
g-index

45  
all docs

45  
docs citations

45  
times ranked

629  
citing authors

#	ARTICLE	IF	CITATIONS
1	Modelling Fish Growth with Imperfect Data: The Case of <i>Trachurus picturatus</i> . <i>Fishes</i> , 2022, 7, 52.	1.7	4
2	Seasonal study of the nutritional composition of unexploited and low commercial value fish species from the Portuguese coast. <i>Food Science and Nutrition</i> , 2022, 10, 3368-3379.	3.4	4
3	Fecundity and sex steroid profile in boarfish <i>Capros aper</i> . <i>Marine and Freshwater Research</i> , 2021, 72, 140.	1.3	1
4	Enhancing knowledge on low-value fishing species: the distinct reproductive strategy of two gurnard species. <i>Journal of Fish Biology</i> , 2021, 99, 1403-1414.	1.6	1
5	Adding Value to Bycatch Fish Species Captured in the Portuguese Coast – Development of New Food Products. <i>Foods</i> , 2021, 10, 68.	4.3	9
6	Seasonal Sensory Evaluation of Low Commercial Value or Unexploited Fish Species from the Portuguese Coast. <i>Foods</i> , 2020, 9, 1880.	4.3	5
7	Highly regional population structure of <i>Spondyliosoma cantharus</i> depicted by nuclear and mitochondrial DNA data. <i>Scientific Reports</i> , 2020, 10, 4063.	3.3	4
8	Otolith shape and isotopic ratio analyses as a tool to study <i>Spondyliosoma cantharus</i> population structure. <i>Marine Environmental Research</i> , 2019, 143, 93-100.	2.5	7
9	Age, growth and reproduction of the protandrous hermaphrodite fish, <i>Sarpa salpa</i> , from the Portuguese continental coast. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2018, 98, 269-281.	0.8	8
10	Diet and feeding strategy of the forkbeard <i>Phycis phycis</i> (Pisces: Phycidae) from the Portuguese continental coast. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2018, 98, 1757-1765.	0.8	2
11	Phenotypic changes in the body of black seabream, <i>Spondyliosoma cantharus</i> (Teleostei: Sparidae), along the eastern Atlantic. <i>Estuarine, Coastal and Shelf Science</i> , 2018, 214, 31-37.	2.1	6
12	Insight on reproductive strategy in Portuguese waters of a commercial protogynous species, the black seabream <i>Spondyliosoma cantharus</i> (Sparidae). <i>Fisheries Research</i> , 2018, 206, 85-95.	1.7	5
13	Zygoparity and sex steroid hormone profiles in bluemouth <i>Helicolenus dactylopterus</i> . <i>Journal of Fish Biology</i> , 2017, 90, 2157-2169.	1.6	3
14	Modelling the growth of a protogynous sparid species, <i>Spondyliosoma cantharus</i> (Teleostei: Sparidae). <i>Journal of Fish Biology</i> , 2017, 90, 2157-2169.	2.0	6
15	Age, growth and mortality of the comber <i>Serranus cabrilla</i> (Linnaeus, 1758) in the Eastern Atlantic. <i>Marine Biology Research</i> , 2016, 12, 656-662.	0.7	6
16	Reproductive strategy of forkbeard, <i>Phycis phycis</i> , from the Portuguese coast. <i>Helgolander Marine Research</i> , 2016, 70, .	1.3	7
17	Genetic and Morphological Variation of the Forkbeard, <i>Phycis phycis</i> (Pisces, Phycidae): Evidence of Panmixia and Recent Population Expansion along Its Distribution Area. <i>PLoS ONE</i> , 2016, 11, e0167045.	2.5	14
18	Estimating fecundity in the zygotous species <i>Helicolenus dactylopterus</i> (Actinopterygii). <i>Journal of Fish Biology</i> , 2016, 88, 222-230.	2.0	3

#	ARTICLE	IF	CITATIONS
19	Diversity of sexual strategies of fish species caught by bottom trawl off the western Iberian Peninsula. <i>Marine Biology Research</i> , 2015, 11, 361-374.	0.7	5
20	Age and growth of small red scorpionfish, <i>Scorpaena notata</i> (Actinopterygii: Scorpaeniformes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 70 Piscatoria, 2015, 45, 13-20.	0.7	4
21	Age and growth of forkbeard, <i>Phycis phycis</i> , in Portuguese continental waters. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2014, 94, 623-630.	0.8	7
22	Reproductive patterns of blacktail comber ( <i>Serranus atricauda</i> , Serranidae) from south-west Portugal seamounts. <i>Helgoland Marine Research</i> , 2014, 68, 133-142.	1.3	5
23	Otolith shape analysis as a tool for stock discrimination of forkbeard ( <i>Phycis phycis</i> ) in the Northeast Atlantic. <i>Hydrobiologia</i> , 2014, 728, 103-110.	2.0	27
24	Whole or sectioned otoliths? Choosing the best method for aging bluemouth, <i>Helicolenus dactylopterus</i> (Delaroche, 1809). <i>Fisheries Research</i> , 2013, 147, 235-239.	1.7	3
25	Age, growth and mortality of &lt;i>Pontinus kuhlii&lt;/i> (Bowdich, 1825) (Scorpaeniformes: Tj ETQq1 1 0.784314 rgBT /Overlock 0.6 6 14 50 70)	0.6	6
26	Reproductive strategy of the female deep-water shark birdbeak dogfish, <i>Deania calcea</i>: lecithotrophy or matrotrophy?. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2012, 92, 387-394.	0.8	10
27	Life history parameters as possible discriminators of bluemouth <i>Helicolenus dactylopterus</i> (Delaroche, 1809) populations in Portuguese waters. <i>Fisheries Research</i> , 2012, 125-126, 69-76.	1.7	14
28	Risks and benefits' consumption of birdbeak dogfish <i>Deania calcea</i> . <i>British Food Journal</i> , 2012, 114, 826-839.	2.9	5
29	Feeding habits of the bluemouth, <i>Helicolenus dactylopterus dactylopterus</i> (Delaroche, 1809) (Pisces: Tj ETQq1 1 0.784314 rgBT /Overlock 1.3 14 50 70)	1.3	14
30	Using body geometric morphometrics to identify bluemouth, <i>Helicolenus dactylopterus</i> (Delaroche,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 70	2.0	14
31	Discriminating bluemouth, <i>Helicolenus dactylopterus</i> (Pisces: Sebastidae), stocks in Portuguese waters by means of otolith shape analysis. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2011, 91, 1237-1242.	0.8	21
32	The gelatinous matrix of the teleost <i>Helicolenus dactylopterus dactylopterus</i> (Delaroche, 1809) in the context of its reproductive strategy. <i>Marine Biology Research</i> , 2011, 7, 478-487.	0.7	14
33	Macroparasites as biological tags for stock identification of the bluemouth, <i>Helicolenus dactylopterus</i> (Delaroche, 1809) in Portuguese waters. <i>Fisheries Research</i> , 2010, 106, 321-328.	1.7	28
34	Age and growth of bluemouth, <i>Helicolenus dactylopterus</i> , from the Portuguese continental slope. <i>ICES Journal of Marine Science</i> , 2009, 66, 524-531.	2.5	26
35	Feeding habits of the cuttlefish <i>Sepia officinalis</i> during its life cycle in the Sado estuary (Portugal). <i>Hydrobiologia</i> , 2009, 636, 479-488.	2.0	11
36	Distribution patterns and reproduction of the cuttlefish, <i>Sepia officinalis</i> in the Sado estuary (Portugal). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2009, 89, 579-584.	0.8	14

#	ARTICLE	IF	CITATIONS
37	Reproductive strategies in black scabbardfish (<i>Aphanopus carbo</i> Lowe, 1839) from the NE Atlantic. <i>Scientia Marina</i> , 2009, 73, 19-31.	0.6	25
38	Age and growth of black scabbardfish (<i>Aphanopus carbo</i> Lowe, 1839) in the southern NE Atlantic. <i>Scientia Marina</i> , 2009, 73, 33-46.	0.6	19
39	Stock structure of black scabbardfish (<i>Aphanopus carbo</i> Lowe, 1839) in the southern northeast Atlantic. <i>Scientia Marina</i> , 2009, 73, 89-101.	0.6	7
40	Reproductive strategy of leafscale gulper shark <i>Centrophorus squamosus</i> and the Portuguese dogfish <i>Centroscymnus coelolepis</i> on the Portuguese continental slope. <i>Journal of Fish Biology</i> , 2008, 73, 206-225.	1.6	37
41	Molecular barcoding of north-east Atlantic deep-water sharks: species identification and application to fisheries management and conservation. <i>Marine and Freshwater Research</i> , 2008, 59, 214.	1.3	40
42	Distribution and abundance patterns of decapod crustaceans in the Sado estuary, Portugal. <i>Crustaceana</i> , 2007, 80, 97-112.	0.3	14
43	The use of caudal thorns for ageing <i>Raja undulata</i> from the Portuguese continental shelf, with comments on its reproductive cycle. <i>Marine and Freshwater Research</i> , 2007, 58, 983.	1.3	22
44	Evidence for temporal changes in ray and skate populations in the Portuguese coast (1998â€“2003) â€“ its implications in the ecosystem. <i>Aquatic Living Resources</i> , 2007, 20, 85-93.	1.2	15
45	Diet comparison of four ray species ( <i>Raja clavata</i> , <i>Raja brachyura</i> , <i>Raja montagui</i> and <i>Leucoraja naevus</i> ) caught along the Portuguese continental shelf. <i>Aquatic Living Resources</i> , 2006, 19, 105-114.	1.2	41