

Zeng-Guo Feng

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9041927/zeng-guo-feng-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91
papers

1,327
citations

22
h-index

32
g-index

95
ext. papers

1,527
ext. citations

4.3
avg, IF

4.5
L-index

#	Paper	IF	Citations
91	The crescendo pulse frequency of shear stress stimulates the endothelialization of bone marrow mesenchymal stem cells on the luminal surface of decellularized scaffold in the bioreactor.. <i>Bioengineered</i> , 2022 , 13, 7925-7938	5.7	0
90	Anti-coagulation and anti-hyperplasia coating for retrievable vena cava filters by electro spraying and their performance in vivo.. <i>International Journal of Pharmaceutics</i> , 2022 , 619, 121690	6.5	1
89	Design and Fabrication of Polymeric Hydrogel Carrier for Nerve Repair.. <i>Polymers</i> , 2022 , 14,	4.5	2
88	Preparation and characterization of cross-linked polyurethanes using ECD [3]PR as slide-ring cross-linker. <i>Polymer</i> , 2022 , 249, 124862	3.9	0
87	Gelatin coating promotes endothelialization of electrospun polycaprolactone vascular grafts. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2021 , 32, 1161-1181	3.5	6
86	The performance of heparin modified poly(ϵ -caprolactone) small diameter tissue engineering vascular graft in canine-A long-term pilot experiment in vivo. <i>Journal of Biomedical Materials Research - Part A</i> , 2021 , 109, 2493-2505	5.4	1
85	Hydrogel Complex Electrospun Scaffolds and Their Multiple Functions in In Situ Vascular Tissue Engineering.. <i>ACS Applied Bio Materials</i> , 2021 , 4, 2373-2384	4.1	5
84	Cyclodextrin polymers: Structure, synthesis, and use as drug carriers. <i>Progress in Polymer Science</i> , 2021 , 118, 101408	29.6	26
83	Constructing solvent-free inclusion complexes from β -cyclodextrin- and adamantane-terminated polycaprolactones and their mechanical and shape memory properties. <i>Polymer</i> , 2021 , 230, 124047	3.9	3
82	Design and characterization of small-diameter tissue-engineered blood vessels constructed by electrospun polyurethane-core and gelatin-shell coaxial fiber. <i>Bioengineered</i> , 2021 , 12, 5769-5788	5.7	2
81	Fabrication of heparinized small diameter TPU/PCL bi-layered artificial blood vessels and in vivo assessment in a rabbit carotid artery replacement model.. <i>Materials Science and Engineering C</i> , 2021 , 112628	8.3	0
80	In situ hydrogel dressing loaded with heparin and basic fibroblast growth factor for accelerating wound healing in rat. <i>Materials Science and Engineering C</i> , 2020 , 116, 111169	8.3	26
79	The intrinsic microstructure of supramolecular hydrogels derived from β -cyclodextrin and pluronic F127: nanosheet building blocks and hierarchically self-assembled structures. <i>Soft Matter</i> , 2020 , 16, 5906-5909 ⁸	3.6	8
78	Characterization of a heparinized decellularized scaffold and its effects on mechanical and structural properties. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2020 , 31, 999-1023	3.5	5
77	Hydroxypropyl β -Cyclodextrin Solubilizing Hydrophobic Initiator to Initiate Copper-Mediated RDRP of NIPAM in Aqueous Media. <i>ChemistrySelect</i> , 2020 , 5, 3385-3390	1.8	1
76	Polypseudorotaxane-based multiblock copolymers prepared via in situ ATRP of NIPAAm initiated by inclusion complex having a feeding ratio of 4 ECDs to ferrocene containing initiator. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2020 , 96, 69-79	1.7	3
75	The preparation of pH and GSH dual responsive thiolated heparin/DOX complex and its application as drug carrier. <i>Carbohydrate Polymers</i> , 2020 , 230, 115592	10.3	10

74	Polyrotaxanes created by end-capping polypseudorotaxanes self-assembled from CDs with distal azide terminated PHEMA using propargylamine monosubstituted CDs. <i>Polymer Chemistry</i> , 2020 , 11, 653-658	4.9	7
73	Biocompatibility evaluation of heparin-conjugated poly(ϵ -caprolactone) scaffolds in a rat subcutaneous implantation model. <i>Journal of Materials Science: Materials in Medicine</i> , 2020 , 31, 76	4.5	4
72	Synthesis and Characterization of Polyrotaxanes Comprising CDs and Distal Azide-Terminated PHEMA Using Propargylamine Monosubstituted CDs as End Stoppers. <i>Macromolecular Chemistry and Physics</i> , 2020 , 221, 2000157	2.6	1
71	Preparation and in vivo evaluation of surface heparinized small diameter tissue engineered vascular scaffolds of poly(ϵ -caprolactone) embedded with collagen suture. <i>Journal of Biomaterials Applications</i> , 2020 , 34, 812-826	2.9	7
70	Preparation of Small-Diameter Tissue-Engineered Vascular Grafts Electrospun from Heparin End-Capped PCL and Evaluation in a Rabbit Carotid Artery Replacement Model. <i>Macromolecular Bioscience</i> , 2019 , 19, e1900114	5.5	20
69	Unexpected Polypseudorotaxanes Formed from the Self-assembly of β -Cyclodextrins with Poly(N-isopropylacrylamide) Homo- and Copolymers. <i>Journal of Physical Chemistry B</i> , 2019 , 123, 5004-5013	3.4	5
68	Recyclable Nanoporous Materials with Ordered Tunnels Self-Assembled from β -and γ -Cyclodextrins. <i>ChemNanoMat</i> , 2019 , 5, 838-846	3.5	9
67	The preparation and morphology control of heparin-based pH sensitive polyion complexes and their application as drug carriers. <i>Carbohydrate Polymers</i> , 2019 , 211, 370-379	10.3	13
66	Chemical coatings relying on the self-polymerization of catechol for retrievable vena cava filters. <i>New Journal of Chemistry</i> , 2018 , 42, 3722-3728	3.6	1
65	How Does PHEMA Pass through the Cavity of CDs to Create Mismatched Overfit Polypseudorotaxanes?. <i>Langmuir</i> , 2018 , 34, 14076-14084	4	5
64	Vascular Remodeling Process of Heparin-Conjugated Poly(ϵ -Caprolactone) Scaffold in a Rat Abdominal Aorta Replacement Model. <i>Journal of Vascular Research</i> , 2018 , 55, 338-349	1.9	11
63	The mobility of threaded β -cyclodextrins in PR copolymer and its influences on mechanical properties. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2017 , 35, 752-763	3.5	3
62	Ultrasound-induced gelation of fluorenyl-9-methoxycarbonyl-L-lysine(fluorenyl-9-methoxycarbonyl)-OH and its dipeptide derivatives showing very low minimum gelation concentrations. <i>Journal of Colloid and Interface Science</i> , 2017 , 490, 665-676	9.3	13
61	Rapidly Recoverable Thixotropic Hydrogels from the Racemate of Chiral OFm Monosubstituted Cyclo(Glu-Glu) Derivatives. <i>Langmuir</i> , 2017 , 33, 13821-13827	4	10
60	The penetration and phenotype modulation of smooth muscle cells on surface heparin modified poly(ϵ -caprolactone) vascular scaffold. <i>Journal of Biomedical Materials Research - Part A</i> , 2017 , 105, 2806-2815	5.4	15
59	Synthesis and gelation capability of mono- and disubstituted cyclo(L-Glu-L-Glu) derivatives with tyramine, tyrosine and phenylalanine. <i>Colloid and Polymer Science</i> , 2017 , 295, 1549-1561	2.4	6
58	The preparation of hybrid trimer by cyclo-oligomerization of TDI and HDI and its curing process with polyols to form elastic PU coating 2017 , 14, 1279-1288		3
57	The synthesis and application of heparin-based smart drug carrier. <i>Carbohydrate Polymers</i> , 2016 , 140, 260-8	10.3	13

56	Gelation capability of cysteine-modified cyclo(L-Lys-L-Lys)s dominated by Fmoc and Trt protecting groups. <i>Science China Chemistry</i> , 2016 , 59, 293-302	7.9	7
55	The Synthesis and Characterization of Spacer-Free Liquid Crystal Polyrotaxane by Virtue of the Mobility of Threaded β -Cyclodextrins. <i>Macromolecular Chemistry and Physics</i> , 2016 , 217, 646-653	2.6	2
54	The synthesis and characterization of a processable polyrotaxane-based triblock copolymer via a two steps strategy. <i>RSC Advances</i> , 2016 , 6, 33221-33230	3.7	4
53	Synthesis and gelation capability of Fmoc and Boc mono-substituted cyclo(L-Lys-L-Lys)s. <i>Chemical Research in Chinese Universities</i> , 2016 , 32, 484-492	2.2	6
52	A vascular tissue engineering scaffold with core-shell structured nano-fibers formed by coaxial electrospinning and its biocompatibility evaluation. <i>Biomedical Materials (Bristol)</i> , 2016 , 11, 035007	3.5	49
51	Low-Molecular-Weight Organo- and Hydrogelators Based on Cyclo(l-Lys-l-Glu). <i>Langmuir</i> , 2016 , 32, 4586-4594	4.4	38
50	The multifunctional wound dressing with core-shell structured fibers prepared by coaxial electrospinning. <i>Frontiers of Materials Science</i> , 2016 , 10, 113-121	2.5	31
49	Experimental study on the construction of small three-dimensional tissue engineered grafts of electrospun poly- ϵ -caprolactone. <i>Journal of Materials Science: Materials in Medicine</i> , 2015 , 26, 112	4.5	14
48	A one-step synthesis of polyrotaxane via in situ Michael addition reaction. <i>Iranian Polymer Journal (English Edition)</i> , 2015 , 24, 679-685	2.3	4
47	Synthesis of water soluble polyrotaxanes by end-capping polypseudo-rotaxanes of β CDs with PHEMA-PPO-PEO-PPO-PHEMA using ATRP of MPC. <i>Polymer Chemistry</i> , 2015 , 6, 5832-5837	4.9	15
46	The fabrication of double layer tubular vascular tissue engineering scaffold via coaxial electrospinning and its 3D cell coculture. <i>Journal of Biomedical Materials Research - Part A</i> , 2015 , 103, 3863-71	5.4	45
45	Self-assemblies of β CDs with pentablock copolymers PMA-PPO-PEO-PPO-PMA and endcapping via atom transfer radical polymerization of 2-methacryloyloxyethyl phosphorylcholine. <i>Beilstein Journal of Organic Chemistry</i> , 2015 , 11, 2267-77	2.5	3
44	A pH-sensitive binary drug delivery system based on poly(caprolactone)-heparin conjugates. <i>Journal of Biomedical Materials Research - Part A</i> , 2014 , 102, 880-9	5.4	21
43	Loose-fit polypseudorotaxanes constructed from β CDs and PHEMA-PPG-PEG-PPG-PHEMA. <i>Beilstein Journal of Organic Chemistry</i> , 2014 , 10, 2461-9	2.5	13
42	A Polyrotaxane-based pH-labile Drug Delivery System. <i>Periodica Polytechnica: Chemical Engineering</i> , 2014 , 58, 55	1.3	1
41	Synthesis and characterization of polyrotaxanes comprising β -cyclodextrins and poly(ϵ -caprolactone) end-capped with poly(butyl methacrylate)s. <i>Polymer International</i> , 2014 , 63, 1025-1034	3.3	3
40	Self-Assembly of Polyrotaxanes Synthesized Via Click Chemistry of Azido-Endcapped PNIPAAm-b-Pluronic F68-b-PNIPAAm/ β CD with Propargylamine-Substituted β CDs. <i>Macromolecular Chemistry and Physics</i> , 2014 , 215, 1022-1029	2.6	16
39	The preparation of cationic folic acid and its application in drug delivery system. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2014 , 32, 1714-1723	3.5	8

38	A tumor-targeting nano doxorubicin delivery system built from amphiphilic polyrotaxane-based block copolymers. <i>Polymer</i> , 2013 , 54, 5188-5198	3.9	29
37	Self-healing biodegradable poly(urea-urethane) elastomers based on hydrogen bonding interactions. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2013 , 31, 251-262	3.5	19
36	A Study on Properties of PEG Bent Double Chain Stranded Polypseudorotaxanes with β -Cyclodextrins. <i>Acta Chimica Sinica</i> , 2013 , 71, 347	3.3	3
35	Slightly Cross-Linked Polyrotaxanes Made by Linking β -Cyclodextrins Entrapped in Polyrotaxanes Using Hexamethylene Diisocyanate. <i>Chinese Journal of Chemistry</i> , 2012 , 30, 2453-2460	4.9	4
34	Loose-Fit Polypseudorotaxanes Fabricated by β -CDs Threaded Onto a Single PNIPAAm-PEG-PNIPAAm Chain in Aqueous Solution. <i>Macromolecular Chemistry and Physics</i> , 2012 , 213, 1532-1539	2.6	7
33	Formation of a polypseudorotaxane via self-assembly of β -cyclodextrin with poly(N-isopropylacrylamide). <i>Macromolecular Rapid Communications</i> , 2012 , 33, 1143-8	4.8	25
32	The in vitro and in vivo biocompatibility evaluation of heparin-poly(ϵ -caprolactone) conjugate for vascular tissue engineering scaffolds. <i>Journal of Biomedical Materials Research - Part A</i> , 2012 , 100, 3251-8	5.4	58
31	Polyrotaxane-based triblock copolymers synthesized via ATRP of N-isopropylacrylamide initiated from the terminals of polypseudorotaxane of Br end-capped pluronic 17R4 and β -cyclodextrins. <i>Science China Chemistry</i> , 2012 , 55, 1115-1124	7.9	2
30	Dual thermo-responsive polyrotaxane-based triblock copolymers synthesized via ATRP of N-isopropylacrylamide initiated with self-assemblies of Br end-capped Pluronic F127 with β -cyclodextrins. <i>Polymer Chemistry</i> , 2011 , 2, 931-940	4.9	37
29	Distinguishing channel-type crystal structure from dispersed structure in β -cyclodextrin based polyrotaxanes via FTIR spectroscopy. <i>Frontiers of Materials Science</i> , 2011 , 5, 329-334	2.5	5
28	Stable and Unconventional Conformation of Single PEG Bent β -CD-Based Polypseudorotaxanes. <i>Macromolecular Chemistry and Physics</i> , 2011 , 212, 2319-2327	2.6	11
27	Novel triblock copolymers comprising a polyrotaxane middle block flanked by PNIPAAm blocks showing both thermo- and solvent-response. <i>Journal of Materials Chemistry</i> , 2011 , 21, 3243-3250		28
26	Heparin-Conjugated PCL Scaffolds Fabricated by Electrospinning and Loaded with Fibroblast Growth Factor 2. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2011 , 22, 389-406	3.5	63
25	Novel polyrotaxanes comprising β -cyclodextrins and Pluronic F127 end-capped with poly(N-isopropylacrylamide) showing solvent-responsive crystal structures. <i>Polymer</i> , 2011 , 52, 347-355	3.9	23
24	Solvent- and thermoresponsive polyrotaxanes with beta-cyclodextrin dispersed/aggregated structures on a pluronic F127 backbone. <i>Journal of Physical Chemistry B</i> , 2010 , 114, 5342-9	3.4	39
23	Initiator-free photocrosslinking of electrospun biodegradable polyester fiber based tubular scaffolds and their cell affinity for vascular tissue engineering. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2010 , 28, 829-840	3.5	17
22	End-capping double-chain stranded polypseudorotaxanes using lengthily tunable poly(2-hydroxyethyl methacrylate) blocks via atom transfer radical polymerization. <i>Polymer International</i> , 2010 , 59, 917-922	3.3	7
21	Long-term investigation on hydrolytic degradation and morphology of poly(ethylene glycol terephthalate)-b-poly(butylene terephthalate) copolymer films. <i>Journal of Applied Polymer Science</i> , 2009 , 111, 1462-1470	2.9	8

20	Synthesis and characteristics of a silicon-containing polymer, manufacture of an electrolyte membrane from the polymer and poly(vinylidene fluoride-co-hexafluoropropene), and property testing of the membrane. <i>Journal of Applied Polymer Science</i> , 2009 , 114, 1086-1093	2.9	3
19	Synthesis and characterization of biodegradable polyurethane based on poly(ϵ -caprolactone) and L-lysine ethyl ester diisocyanate. <i>Frontiers of Materials Science in China</i> , 2009 , 3, 25-32		33
18	Preparation and self-assembly of amphiphilic triblock copolymers with polyrotaxane as a middle block and their application as carrier for the controlled release of Amphotericin B. <i>Polymer</i> , 2009 , 50, 4343-4351	3.9	61
17	Synthesis and characterization of block copolymers comprising a polyrotaxane middle block flanked by two brush-like PCL blocks. <i>Soft Matter</i> , 2009 , 5, 1848	3.6	31
16	The self-aggregation behaviour of amphotericin B-loaded polyrotaxane-based triblock copolymers and their hemolytic evaluation. <i>Soft Matter</i> , 2009 , 5, 4797	3.6	22
15	Shear-assisted hydrogels based on self-assembly of cyclic dipeptide derivatives. <i>Journal of Materials Chemistry</i> , 2009 , 19, 6100		33
14	Organo- and hydrogels derived from cyclo(L-Tyr-L-Lys) and its amino derivatives. <i>Soft Matter</i> , 2009 , 5, 1474	3.6	43
13	Synthesis and characterization of novel triblock copolymers comprising poly(tetrahydrofuran) as a central block and poly(ϵ -benzyl L-glutamate)s as outer blocks. <i>Frontiers of Materials Science in China</i> , 2008 , 2, 84-90		1
12	Vesicular and tubular structures prepared from self-assembly of novel amphiphilic ABA triblock copolymers in aqueous solutions. <i>Journal of Polymer Science Part A</i> , 2008 , 46, 1042-1050	2.5	20
11	Novel main-chain polyrotaxanes synthesized via ATRP of HPMA in aqueous media. <i>Journal of Polymer Science Part A</i> , 2008 , 46, 5283-5293	2.5	45
10	Preparation and evaluation of two kinds of solid polymer electrolytes made from crosslinked poly(ether urethane) elastomers consisting of a comb-like and a hyperbranched polyether. <i>Journal of Applied Polymer Science</i> , 2008 , 109, 1955-1961	2.9	1
9	Synthesis of copolymers of 3-acryloyloxymethyl-3'-methyloxetane and 3-(2-(2-(2-methoxyethylenoxy)ethylenoxy)ethylenoxy)-3'-methyloxetane and their ionic conductivity properties. <i>Frontiers of Chemical Engineering in China</i> , 2007 , 1, 343-348		2
8	Study on synthesis of glycopeptide-based triblock copolymers and their aggregation behavior in water. <i>Frontiers of Materials Science in China</i> , 2007 , 1, 162-167		10
7	Enzyme-catalyzed preparation of supramolecular structured hydrogel of polypseudorotaxanes derived from the self-assembly of β CDs with 3-arm p-hydroxyphenylpropionate terminated PEG. <i>Frontiers of Materials Science in China</i> , 2007 , 1, 395-400		5
6	Thermally responsive polyrotaxanes synthesized through the telomerization of N-isopropylacrylamide with polypseudorotaxanes made from β -cyclodextrin threaded onto thiolated poly(ethylene glycol). <i>Journal of Polymer Science Part A</i> , 2006 , 44, 3717-3723	2.5	18
5	Synthesis and characterization of homo- and copolymers of 3-(2-cyano ethoxy)methyl- and 3-[methoxy(triethylenoxy)]methyl-3'-methyl-oxetane. <i>Polymer International</i> , 2005 , 54, 1440-1448	3.3	15
4	Supramolecular structured hydrogel preparation based on self-assemblies of photocurable star-shaped macromers with β -cyclodextrins. <i>Journal of Polymer Science Part A</i> , 2005 , 43, 2941-2949	2.5	30
3	Synthesis and evaluation of biodegradable segmented multiblock poly(ether ester) copolymers for biomaterial applications. <i>Polymer International</i> , 2004 , 53, 2145-2154	3.3	22

- 2 Synthesis and characterization of poly(butylene terephthalate)-co-poly(butylene succinate)-block-poly(ethylene glycol) segmented block copolymers. *Polymer International*, **2003**, 52, 1351-1358 3.3 20
- 1 Size-complementary effects of PEG diamine 1,1'-disubstituted ferrocene on incorporations of β and γ -cyclodextrins and syntheses of poly(pseudo)rotaxanes with lower coverages therefrom. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 1 1.7 1