

Jiun-Haw Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9042574/publications.pdf>

Version: 2024-02-01

209
papers

4,281
citations

109137

35
h-index

133063

59
g-index

214
all docs

214
docs citations

214
times ranked

4638
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficient Solid-State triplet-triplet annihilation up-conversion electroluminescence device by incorporating intermolecular intersystem-crossing dark sensitizer. <i>Chemical Engineering Journal</i> , 2022, 427, 130889.	6.6	15
2	An extended π -backbone for highly efficient near-infrared thermally activated delayed fluorescence with enhanced horizontal molecular orientation. <i>Materials Horizons</i> , 2022, 9, 772-779.	6.4	26
3	Donor disubstituted trifluoromethyl benzenes for various electroluminescent devices. <i>Dyes and Pigments</i> , 2022, 198, 109956.	2.0	4
4	New bipolar host materials for high power efficiency green thermally activated delayed fluorescence OLEDs. <i>Chemical Engineering Journal</i> , 2022, 442, 136292.	6.6	9
5	P π -132: Simultaneous Enhancement of Efficiency and Lifetime in Blue Triplet-Triplet Annihilation Organic Light-Emitting Diodes Using Double-Emitting Layer Structure. <i>Digest of Technical Papers SID International Symposium</i> , 2022, 53, 1506-1508.	0.1	0
6	P π -88: Efficiency Improvement of Top-Emission Green Quantum-Dot Light-Emitting Diode with Dielectric-Metal-Dielectric Cathode. <i>Digest of Technical Papers SID International Symposium</i> , 2022, 53, 1355-1356.	0.1	2
7	Performance improvement of blue quantum dot light-emitting diodes by facilitating electron transportation and suppressing electroplex emission. <i>Chemical Engineering Journal</i> , 2021, 417, 127983.	6.6	5
8	A deep-dyeing strategy for ultra-stable, brightly luminescent perovskite-polymer composites. <i>Journal of Materials Chemistry C</i> , 2021, 9, 3396-3402.	2.7	6
9	New carboline-based donors for green exciplex-forming systems. <i>Journal of the Chinese Chemical Society</i> , 2021, 68, 482-490.	0.8	3
10	Clarifying novelty and plagiarism: Submitting SID conference proceedings to JSID. <i>Journal of the Society for Information Display</i> , 2021, 29, 219-220.	0.8	0
11	Effect of Carrier-Transporting Layer on Blue Phosphorescent Organic Light-Emitting Diodes. <i>Photonics</i> , 2021, 8, 124.	0.9	1
12	Deep Blue Fluorescent Material with an Extremely High Ratio of Horizontal Orientation to Enhance Light Outcoupling Efficiency (44%) and External Quantum Efficiency in Doped and Non-Doped Organic Light-Emitting Diodes. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 34605-34615.	4.0	13
13	Long-Distance Triplet Diffusion and Well-Packing Hosts with Ultralow Dopant Concentration for Achieving High-Efficiency TADF OLED. <i>Advanced Optical Materials</i> , 2021, 9, 2100857.	3.6	12
14	Room-temperature corrugated indium zinc oxide anode to achieve high-efficiency blue phosphorescent organic light-emitting diodes. <i>Organic Electronics</i> , 2021, 96, 106237.	1.4	6
15	Tetraphenyl ornamented carbazolyl disubstituted diphenyl sulfone as bipolar TADF host for highly efficient OLEDs with low efficiency roll-offs. <i>Dyes and Pigments</i> , 2021, 194, 109573.	2.0	7
16	Lifetime elongation of quantum-dot light-emitting diodes by inhibiting the degradation of hole transport layer. <i>RSC Advances</i> , 2021, 11, 20884-20891.	1.7	6
17	Why triage materials with low luminescence quantum efficiency: the use of 35Cbz4BzCN as a universal host for organic light emitting diodes through effective triplet energy transfer. <i>Journal of Materials Chemistry C</i> , 2021, 9, 2381-2391.	2.7	3
18	Exciplex-forming derivatives of 2,7-di-tert-butyl-9,9-dimethylacridan and benzotrifluoride for efficient OLEDs. <i>Organic Electronics</i> , 2020, 78, 105576.	1.4	11

#	ARTICLE	IF	CITATIONS
19	65â€³: Green Topâ€ emission Quantum Dot Lightâ€ emitting Diodes (TEâ€ OLED) with Normal and Inverted Structure. Digest of Technical Papers SID International Symposium, 2020, 51, 968-970.	0.1	0
20	Thickness-Dependent Exciton Dynamics in Thermally Evaporated Rubrene Thin Films. Journal of Physical Chemistry C, 2020, 124, 25729-25737.	1.5	4
21	Pâ€ 168: High Efficiency (EQE>30%) TADFâ€ OLED with Lightlyâ€ doped Emitter (0.5%) by using TADFâ€ Host. Digest of Technical Papers SID International Symposium, 2020, 51, 2020-2021.	0.1	0
22	Bistriazoles with a Biphenyl Core Derivative as an Electron-Favorable Bipolar Host of Efficient Blue Phosphorescent Organic Light-Emitting Diodes. ACS Applied Materials & Interfaces, 2020, 12, 49895-49904.	4.0	13
23	Analysis of the triplet exciton transfer mechanism at the heterojunctions of organic light-emitting diodes. Journal Physics D: Applied Physics, 2020, 53, 345501.	1.3	6
24	Oxygen sensing and OLED applications of di- <i>tert</i> -butyl-dimethylacridinyl disubstituted oxygafluorene exhibiting long-lived deep-blue delayed fluorescence. Journal of Materials Chemistry C, 2020, 8, 9632-9638.	2.7	7
25	Control of ð€ stacking in carbazole-benzimidazoâ€ 1,2- <i>f</i> -phenanthridines: the design of electron-transporting bipolar hosts for phosphorescent organic light-emitting diodes. Journal of Materials Chemistry C, 2020, 8, 3571-3579.	2.7	12
26	Revealing the mechanism of carrier transport in host-guest systems of organic materials with a modified Poisson and drift-diffusion solver. Physical Review Materials, 2020, 4, .	0.9	6
27	Synthesis and Performance in OLEDs of Selenium-Containing Phosphorescent Emitters with Red Emission Color Deeper Than the Corresponding NTSC Standard. Inorganic Chemistry, 2019, 58, 10174-10183.	1.9	22
28	Distinct Routes of Singlet Fission and Triplet Fusion: A Fluorescence Kinetic Study of Rubrene. Journal of Physical Chemistry C, 2019, 123, 3279-3284.	1.5	11
29	Methoxy- and <i>tert</i> -butyl-substituted meta-bis(N-carbazolyl)phenylenes as hosts for organic light-emitting diodes. Organic Electronics, 2019, 73, 317-326.	1.4	20
30	33â€ 4: Invited Paper: A Chemical Structure Approach Enhancing Light Outcoupling of Dopant OLEDs and Internal Quantum Efficiency of Nonâ€ Dopant OLEDs Having Bluish TADF Emitters. Digest of Technical Papers SID International Symposium, 2019, 50, 470-473.	0.1	0
31	Pâ€ 120: Degradation Mechanism and Lifetime Improvement of Blue Quantumâ€ Dot Lightâ€ Emitting Diodes. Digest of Technical Papers SID International Symposium, 2019, 50, 1700-1701.	0.1	3
32	New Dâ€ Aâ€ A-Configured Small-Molecule Donors for High-Efficiency Vacuum-Processed Organic Photovoltaics under Ambient Light. ACS Applied Materials & Interfaces, 2019, 11, 8337-8349.	4.0	50
33	Carrier Transport and Recombination Mechanism in Blue Phosphorescent Organic Light-Emitting Diode with Hosts Consisting of Cabazole- and Triazole-Moiety. Scientific Reports, 2019, 9, 3654.	1.6	28
34	Blue organic light-emitting diodes: current status, challenges, and future outlook. Journal of Materials Chemistry C, 2019, 7, 5874-5888.	2.7	412
35	Effect of trapped electrons on the transient current density and luminance of organic light-emitting diode. Journal Physics D: Applied Physics, 2018, 51, 144003.	1.3	7
36	Liquid crystal display and organic light-emitting diode display: present status and future perspectives. Light: Science and Applications, 2018, 7, 17168-17168.	7.7	667

#	ARTICLE	IF	CITATIONS
37	Exciton dynamics in heterojunction thin-film devices based on exciplex-sensitized triplet-triplet annihilation. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 27449-27455.	1.3	16
38	Simple Molecular-Engineering Approach for Enhancing Orientation and Outcoupling Efficiency of Thermally Activated Delayed Fluorescent Emitters without Red-Shifting Emission. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 43842-43849.	4.0	30
39	31.4: <i>Invited Paper:</i> Long-lifetime Blue Organic Light-emitting Diode. <i>Digest of Technical Papers SID International Symposium</i> , 2018, 49, 343-344.	0.1	0
40	Efficient Triplet-Triplet Annihilation Upconversion in an Electroluminescence Device with a Fluorescent Sensitizer and a Triplet-Diffusion Singlet-Blocking Layer. <i>Advanced Materials</i> , 2018, 30, e1804850.	11.1	47
41	Construction of Highly Efficient Carbazol-9-yl-Substituted Benzimidazole Bipolar Hosts for Blue Phosphorescent Light-Emitting Diodes: Isomer and Device Performance Relationships. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 42723-42732.	4.0	37
42	P-108: Positive Aging Mechanisms for High-efficiency Blue Quantum Dot Light-emitting Diodes. <i>Digest of Technical Papers SID International Symposium</i> , 2018, 49, 1622-1624.	0.1	8
43	33-3: Systematic Optimization for Achieving Indistinguishable Color Shift of RGB OLED Displays. <i>Digest of Technical Papers SID International Symposium</i> , 2018, 49, 418-421.	0.1	2
44	Organic Light-Emitting Diodes/Light Extraction. , 2018, , 247-255.		0
45	13-2: <i>Invited Paper:</i> High Efficiency Phosphorescence and Thermally Activated Delayed Fluorescence Organic Light Emitting Device. <i>Digest of Technical Papers SID International Symposium</i> , 2018, 49, 136-137.	0.1	1
46	Colour stability of Blue-Green and white phosphorescent organic light-emitting diode employing a 9-(2-(4,5-diphenyl-4H-1,2,4-triazol-3-yl)phenyl)-9H-carbazole host. <i>Dyes and Pigments</i> , 2017, 141, 463-469.	2.0	3
47	Exciplex-Sensitized Triplet-Triplet Annihilation in Heterojunction Organic Thin-Film. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 10963-10970.	4.0	39
48	Increase of current density and luminance in organic light-emitting diode with reverse bias driving. <i>Organic Electronics</i> , 2017, 48, 330-335.	1.4	6
49	10-1: <i>Invited Paper</i> : OLED Lifetime Improvement with Exciplex Sensitized Triplet-Triplet Annihilation. <i>Digest of Technical Papers SID International Symposium</i> , 2017, 48, 112-114.	0.1	4
50	P-196: High Efficiency Blue Phosphorescence Organic Light Emitting Device with Novel CbzBZ host. <i>Digest of Technical Papers SID International Symposium</i> , 2017, 48, 2003-2005.	0.1	1
51	P-182: Universal Host Di-CbzBz for High Efficiency Phosphorescence and Thermal Active Delayed Fluorescence Organic Light Emitting Device. <i>Digest of Technical Papers SID International Symposium</i> , 2017, 48, 1957-1959.	0.1	1
52	40-4: Moth-eye Anti-reflection Surface for Sunlight Readable Flexible Displays. <i>Digest of Technical Papers SID International Symposium</i> , 2017, 48, 574-577.	0.1	1
53	Networking hole and electron hopping paths by Y-shaped host molecules: promoting blue phosphorescent organic light emitting diodes. <i>Journal of Materials Chemistry C</i> , 2017, 5, 3600-3608.	2.7	12
54	Broadband antireflection film with moth-eye-like structure for flexible display applications. <i>Optica</i> , 2017, 4, 678.	4.8	122

#	ARTICLE	IF	CITATIONS
55	Modeling of carrier transport in organic light emitting diode with random dopant effects by two-dimensional simulation. Optics Express, 2017, 25, 25492.	1.7	8
56	Analysis and optimization on the angular color shift of RGB OLED displays. Optics Express, 2017, 25, 33629.	1.7	44
57	P-161: 89.3% Lifetime Elongation of Blue TTA-OLED with Assistant Host. Digest of Technical Papers SID International Symposium, 2016, 47, 1727-1729.	0.1	7
58	High efficiency quantum dot and organic LEDs with a back-cavity and a high index substrate. Journal Physics D: Applied Physics, 2016, 49, 145103.	1.3	18
59	Device performances of exciplex organic light-emitting diodes with different emitting layer thickness. , 2016, , .		0
60	High efficiency blue phosphorescent organic light-emitting diode using tetraphenylsilane core molecule as host material. , 2016, , .		0
61	Blue phosphorescent organic light-emitting diode with triazole host achieving high current efficiency. , 2016, , .		0
62	Easy Access to NO ₂ -Containing Donor-Acceptor-Acceptor Electron Donors for High Efficiency Small-Molecule Organic Solar Cells. ChemSusChem, 2016, 9, 1433-1441.	3.6	18
63	Suppression of surface recombination in CuInSe ₂ (CIS) thin films via Trioctylphosphine Sulfide (TOP:S) surface passivation. Acta Materialia, 2016, 106, 171-181.	3.8	13
64	Orthogonally Substituted Benzimidazole-Carbazole Benzene As Universal Hosts for Phosphorescent Organic Light-Emitting Diodes. Organic Letters, 2016, 18, 672-675.	2.4	78
65	Boron subphthalocyanine-based organic photovoltaic device with record high open circuit voltage. , 2015, , .		0
66	40.4: High Efficiency Blue Phosphorescent Organic Light-Emitting Diodes with >57 cd/A, >50 lm/W, and >25 % External Quantum Efficiency. Digest of Technical Papers SID International Symposium, 2015, 46, 613-616.	0.1	0
67	22.3: CbzTAZ Hosts in Blue Organic Light Emitting Devices Perform a High Current Efficiency more than 50 cd/A. Digest of Technical Papers SID International Symposium, 2015, 46, 320-322.	0.1	2
68	A Turbidity Test Based Centrifugal Microfluidics Diagnostic System for Simultaneous Detection of HBV, HCV, and CMV. Advances in Materials Science and Engineering, 2015, 2015, 1-8.	1.0	5
69	Electrical and optical characteristics of phosphorescent organic light-emitting device with thin-codoped layer insertion. Organic Electronics, 2015, 24, 182-187.	1.4	13
70	A novel donor-acceptor-acceptor molecular for planar mix heterojunction C₆₀-based organic solar cells. , 2015, , .		0
71	A new anodic buffer layer material for non-mixed planar heterojunction chloroboron subphthalocyanine organic photovoltaic achieving 96% internal quantum efficiency. Solar Energy Materials and Solar Cells, 2015, 137, 138-145.	3.0	10
72	The Effects of Fluorine-Contained Molecules on Improving the Polymer Solar Cell by Curing the Anomalous S-Shaped V Curve. ACS Applied Materials & Interfaces, 2015, 7, 6683-6689.	4.0	3

#	ARTICLE	IF	CITATIONS
73	Engineering on Ag anode for efficient top-illuminated small molecular photovoltaic. , 2014, , .		0
74	P.130: Fabrication of Liquid Crystal Cell with Corrugated and Parallel Electrodes. Digest of Technical Papers SID International Symposium, 2014, 45, 1476-1477.	0.1	0
75	28.3: Flexible Substrate with Low Reflection, Low Haze, Self-cleaning, and High Hardness by Nanostructured Hard Coating and Surface Treatment. Digest of Technical Papers SID International Symposium, 2014, 45, 371-373.	0.1	2
76	45.2: Extraction Efficiency Enhancement of AMOLED Display with Acceptable Blur by Attaching Trapezoid Array Film. Digest of Technical Papers SID International Symposium, 2014, 45, 646-647.	0.1	1
77	P.162L: <i>Late News Poster</i>: Novel Bipolar Carbazole-triazole Derivative as Host of Blue PhOLEDs. Digest of Technical Papers SID International Symposium, 2014, 45, 1586-1588.	0.1	1
78	Improvement in Device Performance and Reliability of Organic Light-Emitting Diodes through Deposition Rate Control. International Journal of Photoenergy, 2014, 2014, 1-7.	1.4	0
79	Chloroboron subphthalocyanine/C60 planar heterojunction organic solar cell with N,N-dicarbazolyl-3,5-benzene blocking layer. Solar Energy Materials and Solar Cells, 2014, 122, 264-270.	3.0	33
80	Strength, stiffness, and microstructure of Cu(In,Ga)Se2 thin films deposited via sputtering and co-evaporation. Applied Physics Letters, 2014, 105, 011907.	1.5	35
81	Dynamics of molecular excitons near a semiconductor surface studied by fluorescence quenching of polycrystalline tetracene on silicon. Chemical Physics Letters, 2014, 601, 33-38.	1.2	35
82	Enhancement in open circuit voltage of organic photovoltaic devices through control of deposition rate of donor material. Solar Energy Materials and Solar Cells, 2013, 109, 280-287.	3.0	8
83	Novel Ambipolar Orthogonal Donor-Acceptor Host for Blue Organic Light Emitting Diodes. Organic Letters, 2013, 15, 4694-4697.	2.4	37
84	P.112: High Efficiency Blue Phosphorescence Organic Light Emitting Device with Novel CbzTAZ host. Digest of Technical Papers SID International Symposium, 2013, 44, 1407-1409.	0.1	1
85	Tandem Organic Light-Emitting Diode and Organic Photovoltaic Device Inside Polymer Dispersed Liquid Crystal Cell. Journal of Display Technology, 2013, 9, 787-793.	1.3	8
86	Fabrication of an organic light-emitting diode inside a liquid crystal display. Thin Solid Films, 2013, 545, 471-475.	0.8	4
87	Revealing local, enhanced optical field characteristics of Au nanoparticle arrays with 10 nm gap using scattering-type scanning near-field optical microscopy. Physical Chemistry Chemical Physics, 2013, 15, 4275.	1.3	15
88	High <i>K</i> Nanophase Zinc Oxide on Biomimetic Silicon Nanotip Array as Supercapacitors. Nano Letters, 2013, 13, 1422-1428.	4.5	27
89	Organic-based plasmonic emitters for sensing applications. Applied Optics, 2013, 52, 1383.	0.9	7
90	P.95: Process Technology of Flexible and Transparent Display by Stacking OLED and PDLC Embedded with OPV. Digest of Technical Papers SID International Symposium, 2013, 44, 1344-1346.	0.1	0

#	ARTICLE	IF	CITATIONS
91	22.4: Multi-Mode Stable LCD with Dual-Frequency Reverse-Mode Polymer Stabilized Cholesteric Texture. Digest of Technical Papers SID International Symposium, 2013, 44, 264-266.	0.1	3
92	Enhanced optical coupling in localized and band-gap characteristics of plasmonic nanostructure. Proceedings of SPIE, 2012, , .	0.8	0
93	Reverse-Mode Polymer-Stabilized Dual-Frequency Cholesteric Texture Cell for Dual Mode Operations. Journal of Display Technology, 2012, 8, 663-668.	1.3	8
94	Surface plasmon coupled emission in highly directional and sensitive plasmonic devices. Proceedings of SPIE, 2012, , .	0.8	0
95	39.2: Fully Integration of Transflective Hybrid Device Consisting of PDLC, OLED and OPV. Digest of Technical Papers SID International Symposium, 2012, 43, 534-536.	0.1	0
96	1,3,4-Oxadiazole Containing Silanes as Novel Hosts for Blue Phosphorescent Organic Light Emitting Diodes. Organic Letters, 2012, 14, 4986-4989.	2.4	26
97	Fast-Response Blue-Phase Liquid Crystal for Color-Sequential Projection Displays. Journal of Display Technology, 2012, 8, 352-356.	1.3	20
98	Synthesis and Properties of Oxygen-Linked N-Phenylcarbazole Dendrimers. Macromolecules, 2012, 45, 751-765.	2.2	37
99	Optical effects of shadow masks on short circuit current of organic photovoltaic devices. Physical Chemistry Chemical Physics, 2012, 14, 3837.	1.3	2
100	Comparison of short and long wavelength absorption electron donor materials in C60-based planar heterojunction organic photovoltaics. Organic Electronics, 2012, 13, 2118-2129.	1.4	15
101	67.4: Submillisecond-Response Blue-Phase Liquid Crystal for Color Sequential Projection Displays. Digest of Technical Papers SID International Symposium, 2012, 43, 918-921.	0.1	1
102	P-121: Colorful Reflective Organic Light Emitting Device without Bias. Digest of Technical Papers SID International Symposium, 2012, 43, 1514-1515.	0.1	0
103	P-25: Improvement of Coupling Efficiency of OLED by Using Centered-Hollow Micro-Lens Array Film together with Grooves. Digest of Technical Papers SID International Symposium, 2012, 43, 1527-1530.	0.1	0
104	Enhancing efficiency with fluorinated interlayers in small molecule organic solar cells. Journal of Materials Chemistry, 2012, 22, 22899.	6.7	20
105	Open-circuit voltage and efficiency improvement of subphthalocyanine-based organic photovoltaic device through deposition rate control. Solar Energy Materials and Solar Cells, 2012, 103, 69-75.	3.0	39
106	High Photoelectric Conversion Efficiency of Metal Phthalocyanine/Fullerene Heterojunction Photovoltaic Device. International Journal of Molecular Sciences, 2011, 12, 476-505.	1.8	82
107	Stamped Self-Assembled Monolayers on Electrode for Connecting Organic Light-Emitting Diode and Organic Photovoltaic Device. Journal of Display Technology, 2011, 7, 229-234.	1.3	5
108	Enhancement and Saturation Phenomena on Luminous Current and Power Efficiencies of Organic Light-Emitting Devices by Attaching Microlens Array Films. Journal of Display Technology, 2011, 7, 242-249.	1.3	6

#	ARTICLE	IF	CITATIONS
109	Optimizing hole-injection in organic electroluminescent devices by modifying CuPc/NPB interface. <i>Synthetic Metals</i> , 2011, 161, 1828-1831.	2.1	12
110	Tuning open-circuit voltage in organic solar cells by magnesium modified Alq3. <i>Journal of Applied Physics</i> , 2011, 110, 083104.	1.1	4
111	Device-dependent angular luminance enhancement and optical responses of organic light-emitting devices with a microlens-array film. <i>Journal of the Society for Information Display</i> , 2011, 19, 21-28.	0.8	5
112	P-115: Electrical, Optical, and ITO Characteristics of a Flexible OLED Display. <i>Digest of Technical Papers SID International Symposium</i> , 2011, 42, 1539-1541.	0.1	0
113	P-131: Fully Integration of Transflective Hybrid Device Consisting of PSCT and In-cell OLED. <i>Digest of Technical Papers SID International Symposium</i> , 2011, 42, 1602-1605.	0.1	4
114	P-178: Semi-transparent Tandem Device Comprising Organic Light-emitting Diodes and Organic Solar Cell. <i>Digest of Technical Papers SID International Symposium</i> , 2011, 42, 1767-1769.	0.1	2
115	P-180: Low-Reflectance Organic Light-emitting Diode Embedded with Organic Solar Cell. <i>Digest of Technical Papers SID International Symposium</i> , 2011, 42, 1773-1775.	0.1	0
116	68.3: Achieving High Efficiency White Organic Light-emitting Diodes based on Transient Electroluminescence Analysis. <i>Digest of Technical Papers SID International Symposium</i> , 2011, 42, 1010-1012.	0.1	0
117	Tuning energy levels in magnesium modified Alq3. <i>Journal of Applied Physics</i> , 2011, 109, 083541.	1.1	4
118	Emitting layer design of a white organic light-emitting device. <i>Current Applied Physics</i> , 2011, 11, S183-S185.	1.1	6
119	Roughness characterization of silver oxide anodes for use in efficient top-illuminated organic solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2011, 95, 2606-2609.	3.0	16
120	White organic light-emitting devices with ultra-high color stability over wide luminance range. <i>Organic Electronics</i> , 2011, 12, 547-555.	1.4	41
121	Dopant effects in phosphorescent white organic light-emitting device with double-emitting layer. <i>Organic Electronics</i> , 2011, 12, 756-765.	1.4	34
122	Oxadiazole host for a phosphorescent organic light-emitting device. <i>Journal of Applied Physics</i> , 2011, 109, .	1.1	25
123	Organic bifunctional device employing bis(naphthylphenylaminophenyl)fumaronitrile as absorption/emitting layer. , 2011, , .		0
124	High Open-Circuit Voltage Planar Heterojunction Organic Photovoltaics Exhibiting Red Electroluminescence. <i>Journal of the Electrochemical Society</i> , 2011, 159, H191-H194.	1.3	7
125	Absorptive and conductive cavity cathode with silver nanoparticles for low-reflection organic light-emitting devices. <i>Journal Physics D: Applied Physics</i> , 2011, 44, 095102.	1.3	10
126	P-158: Connecting Architecture for Organic Light-emitting Diodes Integrated with Organic Photovoltaic Device. <i>Digest of Technical Papers SID International Symposium</i> , 2010, 41, 1841-1844.	0.1	0

#	ARTICLE	IF	CITATIONS
127	Pä44: Patterned MicrolensÀArray Films Assisted with Auxiliary Electrodes for Luminance Improvement in LargeÀArea OLEDs. Digest of Technical Papers SID International Symposium, 2010, 41, 1405-1407.	0.1	1
128	Pä152: EmitterÀApodizationÀDependent Angular Luminance Enhancement of MicrolensÀArray Film Attached OLED Devices. Digest of Technical Papers SID International Symposium, 2010, 41, 1820-1823.	0.1	1
129	Color gamut variation of LED-lit LCD at different module temperatures. Optics Communications, 2010, 283, 373-378.	1.0	22
130	Shape-controlled microlens arrays fabricated by diffuser lithography. Microelectronic Engineering, 2010, 87, 1420-1423.	1.1	7
131	Emitting layer thickness dependence of color stability in phosphorescent organic light-emitting devices. Organic Electronics, 2010, 11, 1500-1506.	1.4	63
132	Luminance and image quality analysis of an organic electroluminescent panel with a patterned microlens array attachment. Journal of Optics (United Kingdom), 2010, 12, 085502.	1.0	5
133	Modification of silver anode and cathode for a top-illuminated organic photovoltaic device. Journal Physics D: Applied Physics, 2010, 43, 395101.	1.3	18
134	Effects of cathode buffer layers on the efficiency of bulk-heterojunction solar cells. Applied Physics Letters, 2010, 96, .	1.5	58
135	Emission Characteristics of Organic Light-Emitting Diodes and Organic Thin-Films with Planar and Corrugated Structures. International Journal of Molecular Sciences, 2010, 11, 1527-1545.	1.8	63
136	Morphological Control of the Electrochemically Deposited Poly(4-vinyltriphenylamines) (PVTPAs). Langmuir, 2010, 26, 5147-5152.	1.6	6
137	In situ Electrical Characterization of the Thickness Dependence of Organic Field-Effect Transistors with 1°20 Molecular Monolayer of Pentacene. ACS Applied Materials & Interfaces, 2010, 2, 2282-2288.	4.0	48
138	Emitter apodization dependent angular luminance enhancement of microlens-array film attached organic light-emitting devices. Optics Express, 2010, 18, 3238.	1.7	13
139	Partitioning pixel of organic light-emitting devices with center-hollowed microlens-array films for efficiency enhancement. Optics Express, 2010, 18, 18685.	1.7	3
140	4-Hydroxy-8-methyl-1,5-naphthyridine aluminium chelate: a morphologically stable and efficient exciton-blocking material for organic photovoltaics with prolonged lifetime. Journal of Materials Chemistry, 2010, 20, 7800.	6.7	37
141	High-performance organic photovoltaic device using a new amorphous molecular material of bis(4-(N-(1-naphthyl)phenylamino) phenyl)fumaronitrile. , 2010, , .		0
142	Femtosecond Pulse Shaping by Ag Nanoparticle Arrays: Plasmon-Enhanced Absorption Saturation. , 2009, , .		0
143	Blue phosphorescent organic light-emitting device with double emitting layer. Applied Physics Letters, 2009, 94, 223301.	1.5	41
144	Emitting-layer design of white organic light-emitting devices with single-host material. Journal of Applied Physics, 2009, 106, 024503.	1.1	29

#	ARTICLE	IF	CITATIONS
145	Directional photoluminescence enhancement of organic emitters via surface plasmon coupling. Applied Physics Letters, 2009, 94, .	1.5	28
146	Electrical Current Aging of Mixed-Host Organic Light-Emitting Devices with Thin Doped Layer. Journal of the Electrochemical Society, 2009, 156, J342.	1.3	1
147	Enhanced Charge Separation by Sieve-Layer Mediation in High-Efficiency Inorganic-Organic Solar Cells. Advanced Materials, 2009, 21, 759-763.	11.1	39
148	Low reflection and photo-sensitive organic light-emitting device with perylene diimide and double-metal structure. Thin Solid Films, 2009, 517, 3712-3716.	0.8	19
149	Enhancing performance of planar molecule-based organic light-emitting diodes through deposition-rate optimization: Role of molecular packing. Chemical Physics Letters, 2009, 474, 207-211.	1.2	21
150	Optical and electrical characteristics of Ag-doped perylene diimide derivative. Applied Physics Letters, 2009, 94, 013307.	1.5	21
151	Transflective device with a transparent organic light-emitting diode and a reflective liquid-crystal device. Journal of the Society for Information Display, 2009, 17, 1009-1013.	0.8	6
152	P࡫: OLED Display Attached by Patterned Microlens Array for Light Extraction with Negligible Image Blur. Digest of Technical Papers SID International Symposium, 2009, 40, 1700-1702.	0.1	0
153	37.3: Smart Transflective Display Integrated with PDLC and OPV-Embedded-OLED. Digest of Technical Papers SID International Symposium, 2009, 40, 530-531.	0.1	1
154	Light control in organic electroluminescence devices by plasmonic grating coupled emission for biochemical applications. , 2009, , .		0
155	Pࡪ: Broadband and Wide-Viewing-Angle Black Cathode of Organic Light-Emitting Diode. Digest of Technical Papers SID International Symposium, 2009, 40, 1698-1699.	0.1	0
156	Quasi-static capacitance-voltage characterizations of carrier accumulation and depletion phenomena in pentacene thin film transistors. Solid-State Electronics, 2008, 52, 269-274.	0.8	13
157	Efficiency improvement and spectral shift of an organic light-emitting device with a square-based microlens array. Optics Communications, 2008, 281, 5625-5632.	1.0	21
158	Efficiency improvement and image quality of organic light-emitting display by attaching cylindrical microlens arrays. Optics Express, 2008, 16, 21184.	1.7	57
159	Efficiency improvement and spectral shift of an organic light-emitting device by attaching a hexagon-based microlens array. Journal of Optics, 2008, 10, 055302.	1.5	44
160	Suppressing series resistance in organic solar cells by oxygen plasma treatment. Applied Physics Letters, 2008, 92, 233302.	1.5	20
161	PÙ: 120% Luminance Enhancement of OLED by Patterned Microlens Array. Digest of Technical Papers SID International Symposium, 2008, 39, 2022-2024.	0.1	1
162	PÖ: Storage Lifetime of a Hybrid Transflective Display Using OLED and Polarizer-Free RLCD. Digest of Technical Papers SID International Symposium, 2008, 39, 1583-1585.	0.1	2

#	ARTICLE	IF	CITATIONS
163	Nanostructure Induced Surface Plasma Resonance of Broadband Organic Emitting Materials. , 2007, , .		0
164	Driving voltage reduction in white organic light-emitting devices from selectively doping in ambipolar blue-emitting layer. Journal of Applied Physics, 2007, 102, .	1.1	21
165	Enhanced luminescence of organic/metal nanostructure for grating coupler active long-range surface plasmonic device. Applied Physics Letters, 2007, 91, 083114.	1.5	40
166	Degradation Induced Recombination-zone Shift in Mixed-host Organic Light-emitting Device. , 2007, , .		0
167	Charge carrier mobility of mixed-layer organic light-emitting diodes. Applied Physics Letters, 2007, 91, 142106.	1.5	60
168	Improving the Performance of Transparent PLEDs with LiF \cdot Ag \cdot ITO Cathode. Electrochemical and Solid-State Letters, 2007, 10, J120.	2.2	6
169	67.1:Invited Paper: Hybrid Transflective Displays using Vertically Integrated Transparent OLED and Reflective LCD. Digest of Technical Papers SID International Symposium, 2007, 38, 1810-1812.	0.1	4
170	P-179: Low Blur Effect and High Light Extraction Efficiency Enhancement of Organic Light Emitting Displays with Novel Microstructure Attachment. Digest of Technical Papers SID International Symposium, 2007, 38, 867-870.	0.1	1
171	Enhancement and tunability of active plasmonic by multilayer grating coupled emission. Optics Express, 2007, 15, 11608.	1.7	42
172	High-Efficiency Fluorescent Blue Organic Light-Emitting Device with Balanced Carrier Transport. Journal of the Electrochemical Society, 2007, 154, J226.	1.3	36
173	Extraction efficiency enhancement of an OLED using surface plasmon resonance. , 2007, , .		0
174	Phosphorescent organic light-emitting device with an ambipolar oxadiazole host. Applied Physics Letters, 2007, 90, 243501.	1.5	19
175	Recombination Zone Distribution and Current Enhancement in Amibipolar Organic Light-emitting Material. , 2007, , .		0
176	The Unusual Electrochemical and Photophysical Behavior of 2,2 ϵ -Bis(1,3,4-oxadiazol-2-yl)biphenyls, Effective Electron Transport Hosts for Phosphorescent Organic Light Emitting Diodes. Organic Letters, 2007, 9, 235-238.	2.4	64
177	Improvement of the outcoupling efficiency of an organic light-emitting device by attaching microstructured films. Optics Communications, 2007, 275, 464-469.	1.0	45
178	Recombination zone in mixed-host organic light-emitting devices. Applied Physics Letters, 2006, 89, 163511.	1.5	70
179	Design and Analysis of Microoptical Elements for Display Applications. , 2006, , .		0
180	6-N,N-Diphenylaminobenzofuran-Derived Pyran Containing Fluorescent Dyes: A New Class of High-Brightness Red-Light-Emitting Dopants for OLED. Organic Letters, 2006, 8, 2623-2626.	2.4	55

#	ARTICLE	IF	CITATIONS
181	Red Phosphorescent Material Doped in the Hole- and Electron-Transport Layer of Organic Light-Emitting Device. , 2006, , .		0
182	Radiation Simulations of Top-Emitting Organic Light-Emitting Devices With Two- and Three-Microcavity Structures. Journal of Display Technology, 2006, 2, 130-137.	1.3	19
183	Electromagnetic modeling of organic light-emitting devices. Journal of Lightwave Technology, 2006, 24, 2450-2457.	2.7	24
184	7.2: Tandem OLED and Reflective LCD with a Microlens Array. Digest of Technical Papers SID International Symposium, 2006, 37, 68.	0.1	3
185	Probing recombination-rate distribution in organic light-emitting devices with mixed-emitter structure. Chemical Physics Letters, 2006, 427, 305-309.	1.2	19
186	All non-dopant red-green-blue composing white organic light-emitting diodes. Organic Electronics, 2006, 7, 137-143.	1.4	31
187	Reliability Study of a Fluorescent Blue Organic Light-Emitting Device. Materials Research Society Symposia Proceedings, 2006, 965, 1.	0.1	0
188	Perylene Diimide as the Black-Layer Material of the OLEDs. Materials Research Society Symposia Proceedings, 2006, 965, 1.	0.1	0
189	High-Performance Hole-Transport Polyurethanes for Light-Emitting Diodes Applications. Chemistry of Materials, 2006, 18, 4121-4129.	3.2	20
190	Luminance Enhancement and Blur Effect of Microlens Array Film Attachment on Organic Light-Emitting Device. , 2006, , .		2
191	White Organic Light-Emitting Devices with Selectively-Doped Emitting Layer. , 2006, , .		0
192	Operation lifetimes of organic light-emitting devices with different layer structures. Chemical Physics Letters, 2005, 402, 335-339.	1.2	21
193	High efficiency and long lifetime OLED based on a metal-doped electron transport layer. Chemical Physics Letters, 2005, 416, 234-237.	1.2	76
194	High ambient-contrast-ratio display using tandem reflective liquid crystal display and organic light-emitting device. Optics Express, 2005, 13, 9431.	1.7	61
195	Mixed host organic light-emitting devices with low driving voltage and long lifetime. Applied Physics Letters, 2005, 86, 103506.	1.5	105
196	Blue mixed host organic light emitting devices. Thin Solid Films, 2004, 453-454, 312-315.	0.8	51
197	High contrast ratio organic light-emitting devices based on CuPC as electron transport material. Synthetic Metals, 2004, 144, 279-283.	2.1	37
198	Numerical simulation on pulsed operation of an all-semiconductor optical amplifier nonlinear loop device. Journal of Lightwave Technology, 2001, 19, 1768-1776.	2.7	2

#	ARTICLE	IF	CITATIONS
199	All-optical switching behaviors in an all-semiconductor nonlinear loop device. Journal of the Optical Society of America B: Optical Physics, 2001, 18, 1334.	0.9	6
200	Numerical study on a compact all-semiconductor-optical-amplifier Sagnac interferometer device. Optical and Quantum Electronics, 2000, 32, 585-608.	1.5	2
201	Nonlinear switching behaviours in a compact all-semiconductor optical-amplifier Sagnac interferometer device. IEEE Journal of Quantum Electronics, 1999, 35, 1469-1477.	1.0	7
202	Nonlinear switching in an all-semiconductor-optical-amplifier loop device. IEEE Photonics Technology Letters, 1999, 11, 236-238.	1.3	10
203	Semiconductor circular ring lasers fabricated with the cryo-etching technique. IEEE Photonics Technology Letters, 1998, 10, 751-753.	1.3	13
204	Pump-probe study on nonlinear switching in an all-active-semiconductor-optical-amplifier loop device. , 0, , .		0
205	Wavelength dependence and cross polarization effects of nonlinear switching in an all-semiconductor-optical-amplifier loop device. , 0, , .		0
206	All-semiconductor miniature nonlinear optical loop mirrors for GHz all-optical switching operation. , 0, , .		0
207	Study on operating lifetime of organic light emitting device. , 0, , .		0
208	Simulations on the radiation characteristics of an organic light-emitting diode. , 0, , .		0
209	Harnessing the Inductive Effect To Design New Donor-acceptor-acceptor ² -Configured Small-Molecule Donors for Vacuum-Processed Organic Photovoltaics. Energy & Fuels, 0, , .	2.5	2