Jochen René Thyrian

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/904310/publications.pdf

Version: 2024-02-01

122 papers 2,977 citations

30 h-index 214527 47 g-index

149 all docs

149 docs citations

149 times ranked 3613 citing authors

#	Article	IF	CITATIONS
1	Multimodal imaging in Alzheimer's disease: validity and usefulness for early detection. Lancet Neurology, The, 2015, 14, 1037-1053.	4.9	233
2	Technologies to Support Community-Dwelling Persons With Dementia: A Position Paper on Issues Regarding Development, Usability, Effectiveness and Cost-Effectiveness, Deployment, and Ethics. JMIR Rehabilitation and Assistive Technologies, 2017, 4, e1.	1.1	228
3	Effectiveness and Safety of Dementia Care Management in Primary Care. JAMA Psychiatry, 2017, 74, 996.	6.0	112
4	STRENGTH OF THE RELATIONSHIP BETWEEN TOBACCO SMOKING, NICOTINE DEPENDENCE AND THE SEVERITY OF ALCOHOL DEPENDENCE SYNDROME CRITERIA IN A POPULATION-BASED SAMPLE. Alcohol and Alcoholism, 2003, 38, 606-612.	0.9	97
5	Life- and person-centred help in Mecklenburg-Western Pomerania, Germany (DelpHi): study protocol for a randomised controlled trial. Trials, 2012, 13, 56.	0.7	92
6	Rates of Formal Diagnosis in People Screened Positive for Dementia in Primary Care: Results of the DelpHi-Trial. Journal of Alzheimer's Disease, 2014, 42, 451-458.	1.2	88
7	Chronic diseases in pregnant women: prevalence and birth outcomes based on the SNiP-study. BMC Pregnancy and Childbirth, 2014, 14, 75.	0.9	67
8	Health-related behaviour, knowledge, attitudes, communication and social status in school children in Eastern Germany. Health Education Research, 2010, 25, 542-551.	1.0	66
9	Dementia care management in primary care. Zeitschrift Fur Gerontologie Und Geriatrie, 2017, 50, 68-77.	0.8	58
10	Dementia care management: going new ways in ambulant dementia care within a GP-based randomized controlled intervention trial. International Psychogeriatrics, 2014, 26, 247-256.	0.6	56
11	Rates of formal diagnosis of dementia in primary care: The effect ofÂscreening. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2015, 1, 87-93.	1.2	53
12	Costâ€effectiveness of a collaborative dementia care management—Results of a clusterâ€randomized controlled trial. Alzheimer's and Dementia, 2019, 15, 1296-1308.	0.4	49
13	<p>Burden of caring for people with dementia – comparing family caregivers and professional caregivers. A descriptive study</p> . Journal of Multidisciplinary Healthcare, 2019, Volume 12, 655-663.	1.1	48
14	Adherence to the principles of Motivational Interviewing, clients' characteristics and behavior outcome in a smoking cessation and relapse prevention trial in women postpartum. Addictive Behaviors, 2007, 32, 2297-2303.	1.7	45
15	The relationship between smokers' motivation to quit and intensity of tobacco control at the population level: a comparison of five European countries. BMC Public Health, 2008, 8, 2.	1.2	45
16	Smoking cessation and relapse prevention for postpartum women: Results from a randomized controlled trial at 6, 12, 18 and 24Âmonths. Addictive Behaviors, 2009, 34, 1-8.	1.7	45
17	Dementia Care and General Physicians - a Survey on Prevalence, Means, Attitudes and Recommendations. Central European Journal of Public Health, 2012, 20, 270-275.	0.4	45
18	Does an Interdisciplinary Network Improve Dementia Care? Results from the IDemUck-Study. Current Alzheimer Research, 2014, 11, 538-548.	0.7	40

#	Article	IF	CITATIONS
19	Potentially Inappropriate Medication in Community-Dwelling Primary Care Patients who were Screened Positive for Dementia. Journal of Alzheimer's Disease, 2016, 55, 691-701.	1.2	40
20	THE READINESS TO CHANGE QUESTIONNAIRE IN SUBJECTS WITH HAZARDOUS ALCOHOL CONSUMPTION, ALCOHOL MISUSE AND DEPENDENCE IN A GENERAL POPULATION SURVEY. Alcohol and Alcoholism, 2002, 37, 362-369.	0.9	38
21	Economic Analysis of Formal Care, Informal Care, and Productivity Losses in Primary Care Patients who Screened Positive for Dementia in Germany. Journal of Alzheimer's Disease, 2016, 50, 47-59.	1.2	38
22	Living Alone with Dementia: Prevalence, Correlates and the Utilization of Health and Nursing Care Services. Journal of Alzheimer's Disease, 2016, 52, 619-629.	1.2	38
23	Systematic, early identification of dementia and dementia care management are highly appreciated by general physicians in primary care – results within a cluster-randomized-controlled trial (DelpHi). Journal of Multidisciplinary Healthcare, 2016, 9, 183.	1.1	35
24	Healthcare utilization and costs in primary care patients with dementia: baseline results of the DelpHi-trial. European Journal of Health Economics, 2018, 19, 87-102.	1.4	34
25	The Impact of Hospitalization on Readmission, Institutionalization, and Mortality of People with Dementia: A Systematic Review and Meta-Analysis. Journal of Alzheimer's Disease, 2018, 64, 735-749.	1.2	34
26	AgeWell.de – study protocol of a pragmatic multi-center cluster-randomized controlled prevention trial against cognitive decline in older primary care patients. BMC Geriatrics, 2019, 19, 203.	1.1	34
27	The situation of elderly with cognitive impairment living at home during lockdown in the Corona-pandemic in Germany. BMC Geriatrics, 2020, 20, 540.	1.1	34
28	Community-Dwelling People Screened Positive for Dementia in Primary Care: A Comprehensive, Multivariate Descriptive Analysis Using Data from the DelpHi-Study. Journal of Alzheimer's Disease, 2016, 52, 609-617.	1.2	33
29	Identifying Unmet Needs of Family Dementia Caregivers: Results of the Baseline Assessment of a Cluster-Randomized Controlled Intervention Trial. Journal of Alzheimer's Disease, 2019, 67, 527-539.	1.2	33
30	Medication management for people with dementia in primary care: description of implementation in the DelpHi study. BMC Geriatrics, 2013, 13, 121.	1.1	31
31	The benefits of implementing a computerized Intervention-Management-System (IMS) on delivering integrated dementia care in the primary care setting. International Psychogeriatrics, 2014, 26, 1377-1385.	0.6	31
32	An Intervention to Support Postpartum Women to Quit Smoking or Remain Smoke-Free. Journal of Midwifery and Women's Health, 2006, 51, 45-50.	0.7	30
33	Smoking During Pregnancy and Postpartum: Smoking Rates and Intention to Quit Smoking or Resume After Pregnancy. Journal of Women's Health, 2008, 17, 631-640.	1.5	30
34	Unmet Needs of Community-Dwelling Primary Care Patients with Dementia in Germany: Prevalence and Correlates. Journal of Alzheimer's Disease, 2016, 51, 847-855.	1.2	30
35	Caregiver burden assessed in dementia care networks in Germany: findings from the DemNet-D study baseline. Aging and Mental Health, 2017, 21, 926-937.	1.5	29
36	Frequency and determinants of potential drugâ€drug interactions in an elderly population receiving regular home visits by GPs ―results of the home medication review in the AGnESâ€studies. Pharmacoepidemiology and Drug Safety, 2011, 20, 1311-1318.	0.9	27

#	Article	IF	CITATIONS
37	Cognitive impairment in primary ambulatory health care: pharmacotherapy and the use of potentially inappropriate medicine. International Journal of Geriatric Psychiatry, 2013, 28, 173-181.	1.3	27
38	Neuropsychiatric symptoms in people screened positive for dementia in primary care. International Psychogeriatrics, 2015, 27, 39-48.	0.6	26
39	Healthcare resource utilization and cost in dementia: are there differences between patients screened positive for dementia with and those without a formal diagnosis of dementia in primary care in Germany?. International Psychogeriatrics, 2016, 28, 359-369.	0.6	26
40	Midwives' attitudes to counselling women about their smoking behaviour during pregnancy and postpartum. Midwifery, 2006, 22, 32-39.	1.0	25
41	Why do family dementia caregivers reject caregiver support services? Analyzing types of rejection and associated health-impairments in a cluster-randomized controlled intervention trial. BMC Health Services Research, 2020, 20, 121.	0.9	25
42	Population impact—Definition, calculation and its use in prevention science in the example of tobacco smoking reduction. Health Policy, 2007, 82, 348-356.	1.4	24
43	Support for smoke-free policies in a pro-smoking culture: findings from the European survey on tobacco control attitudes and knowledge. International Journal of Public Health, 2009, 54, 403-408.	2.7	24
44	Antidementia Drug Treatment in People Screened Positive for Dementia in Primary Care. Journal of Alzheimer's Disease, 2015, 44, 1015-1021.	1.2	24
45	Nonpharmacological therapies and provision of aids in outpatient dementia networks in Germany: utilization rates and associated factors. Journal of Multidisciplinary Healthcare, 2015, 8, 229.	1.1	22
46	Drug-related problems in community-dwelling primary care patients screened positive for dementia. International Psychogeriatrics, 2017, 29, 1857-1868.	0.6	22
47	Relatives' burden of caring for people screened positive for dementia in primary care. Zeitschrift Fur Gerontologie Und Geriatrie, 2017, 50, 4-13.	0.8	22
48	Burden of Behavioral and Psychiatric Symptoms in People Screened Positive for Dementia in Primary Care: Results of the DelpHi-Study. Journal of Alzheimer's Disease, 2015, 46, 451-459.	1.2	21
49	Supporting family dementia caregivers: testing the efficacy of dementia care management on multifaceted caregivers' burden. Aging and Mental Health, 2018, 22, 889-896.	1.5	21
50	Comorbidity in Dementia Diseases and Associated Health Care Resources Utilization and Cost. Journal of Alzheimer's Disease, 2019, 68, 635-646.	1.2	21
51	Qualifications for nurses for the care of patients with dementia and support to their caregivers: A pilot evaluation of the dementia care management curriculum. Nurse Education Today, 2016, 36, 310-317.	1.4	20
52	Knowledge management in dementia care networks: a qualitative analysis of successful information and support strategies for people with dementia living at home and their family caregivers. Public Health, 2016, 131, 40-48.	1.4	19
53	How do people with dementia utilise primary care physicians and specialists within dementia networks? Results of the Dementia Networks in Germany (DemNet-D) study. Health and Social Care in the Community, 2017, 25, 285-294.	0.7	18
54	Acceptability and Validity of the EQ-5D in Patients Living With Dementia. Value in Health, 2020, 23, 760-767.	0.1	17

#	Article	IF	Citations
55	Postpartum return to smoking: Identifying different groups to tailor interventions. Addictive Behaviors, 2006, 31, 1785-1796.	1.7	16
56	Medication Cost of Persons with Dementia in Primary Care in Germany. Journal of Alzheimer's Disease, 2014, 42, 949-958.	1.2	16
57	Subjective memory impairment: No suitable criteria for caseâ€finding ofÂdementia in primary care. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2015, 1, 179-186.	1.2	16
58	Antidementia drug treatment in dementia networks in Germany: use rates and factors associated with treatment use. BMC Health Services Research, 2015, 15, 205.	0.9	16
59	The challenges of achieving timely diagnosis and culturally appropriate care of people with dementia from minority ethnic groups in Europe. International Journal of Geriatric Psychiatry, 2021, 36, 1823-1828.	1.3	16
60	Consequences of clinical case management for caregivers: a systematic review. International Journal of Geriatric Psychiatry, 2017, 32, 473-483.	1.3	15
61	Supporting elderly people with cognitive impairment during and after hospital stays with intersectoral care management: study protocol for a randomized controlled trial. Trials, 2019, 20, 543.	0.7	15
62	Comparing national dementia plans and strategies in Europe – is there a focus of care for people with dementia from a migration background?. BMC Public Health, 2020, 20, 784.	1.2	15
63	Recruitment and Baseline Characteristics of Participants in the AgeWell.de Studyâ€"A Pragmatic Cluster-Randomized Controlled Lifestyle Trial against Cognitive Decline. International Journal of Environmental Research and Public Health, 2021, 18, 408.	1.2	15
64	Changing maternity leave policy: Short-term effects on fertility rates and demographic variables in Germany. Social Science and Medicine, 2010, 71, 672-676.	1.8	14
65	Burden of caregivers of patients with frontotemporal lobar degeneration – a scoping review. International Psychogeriatrics, 2021, 33, 891-911.	0.6	14
66	Physical Activity Interventions and Their Effects on Cognitive Function in People with Dementia: A Systematic Review and Meta-Analysis. International Journal of Environmental Research and Public Health, 2021, 18, 8753.	1.2	14
67	Population-based smoking cessation in women post partum: adherence to motivational interviewing in relation to client characteristics and behavioural outcomes. Midwifery, 2010, 26, 202-210.	1.0	13
68	Depressive symptoms and depression in people screened positive for dementia in primary care – results of the DelpHi-study. International Psychogeriatrics, 2016, 28, 929-937.	0.6	13
69	Measuring activities in tobacco control across the EU. The MAToC. Substance Abuse Treatment, Prevention, and Policy, 2006, 1, 9.	1.0	12
70	Smoking Cessation Counselling for Pregnant and Postpartum Women among Midwives, Gynaecologists and Paediatricians in Germany. International Journal of Environmental Research and Public Health, 2009, 6, 96-107.	1.2	12
71	Antipsychotic Drug Treatment in Ambulatory Dementia Care: Prevalence and Correlates. Journal of Alzheimer's Disease, 2014, 43, 1303-1311.	1.2	12
72	The Clock Drawing Test: A Reasonable Instrument to Assess Probable Dementia in Primary Care?. Current Alzheimer Research, 2017, 15, 38-43.	0.7	12

#	Article	IF	CITATIONS
73	Dementia in People with a Turkish Migration Background: Experiences and Utilization of Healthcare Services. Journal of Alzheimer's Disease, 2020, 77, 865-875.	1.2	11
74	Short report: Paediatricians' attitude towards counselling parents postpartum about their smoking behaviour. European Journal of Public Health, 2004, 14, 199-200.	0.1	10
75	Optimising primary care for people with dementia. Mental Health in Family Medicine, 2013, 10, 143-51.	0.2	10
76	Regional dementia care networks in Germany: changes in caregiver burden at one-year follow-up and associated factors. International Psychogeriatrics, 2017, 29, 991-1004.	0.6	9
77	Drug-Related Problems Increase Healthcare Costs for People Living with Dementia. Journal of Alzheimer's Disease, 2020, 73, 791-799.	1.2	9
78	Editorial: Early Recognition of Dementia in Primary Care- Current Issues and Concepts. Current Alzheimer Research, 2017, 15, 2-4.	0.7	8
79	Who Benefits Most from Collaborative Dementia Care from a Patient and Payer Perspective? A Subgroup Cost-Effectiveness Analysis. Journal of Alzheimer's Disease, 2020, 74, 449-462.	1.2	8
80	The early impacts of COVID-19 on people living with dementia: part I of a mixed-methods systematic review. Aging and Mental Health, 0 , , 1 -14.	1.5	8
81	The early impacts of COVID-19 on unpaid carers of people living with dementia: part II of a mixed-methods systematic review. Aging and Mental Health, 2023, 27, 547-562.	1.5	8
82	Patients with Dementia in Primary Care: Who Is Referred to a Neurologist/Psychiatrist and What Patient-Oriented Factors Are Associated with the Visit?. Journal of Alzheimer's Disease, 2018, 64, 925-932.	1,2	6
83	How is migration background considered in the treatment and care of people? A comparison of national dementia care guidelines in Europe. BMC Public Health, 2020, 20, 1555.	1.2	6
84	Physical Activity Determinants in Older German Adults at Increased Dementia Risk with Multimorbidity: Baseline Results of the AgeWell.de Study. International Journal of Environmental Research and Public Health, 2022, 19, 3164.	1.2	6
85	Implementation and evaluation of the population-based programme "health literacy in school-aged children" (GeKoKidS). Zeitschrift Fur Gesundheitswissenschaften, 2011, 19, 339-347.	0.8	5
86	Interventions into the care system for dementia. Geriatric Mental Health Care, 2013, 1, 67-71.	0.3	5
87	How Does Utilization of Health Care Services Change in People with Dementia Served by Dementia Care Networks? Results of the Longitudinal, Observational DemNet-D-Study. Journal of Alzheimer's Disease, 2018, 66, 1609-1617.	1.2	5
88	Quality of life in persons with dementia using regional dementia care network services in Germany: a one-year follow-up study. Health and Quality of Life Outcomes, 2018, 16, 181.	1.0	5
89	Prevalence and Determinants of Agonistic Autoantibodies Against $\hat{l}\pm 1$ -Adrenergic Receptors in Patients Screened Positive for Dementia: Results from the Population-Based DelpHi-Study. Journal of Alzheimer's Disease, 2018, 64, 1091-1097.	1.2	5
90	Types of leisure time physical activities (LTPA) of community-dwelling persons who have been screened positive for dementia. BMC Geriatrics, 2021, 21, 270.	1.1	5

#	Article	IF	CITATIONS
91	Describing people with cognitive impairment and their complex treatment needs during routine care in the hospital $\hat{a} \in \text{``cross-sectional results}$ of the intersec-CM study. BMC Geriatrics, 2021, 21, 425.	1.1	5
92	Development and Psychometric Properties of a Short Situational Urge to Smoke Scale (SUS) for Smoking Adolescents. Substance Use and Misuse, 2011, 46, 959-968.	0.7	4
93	Prevalence of Low-Value Care and Its Associations with Patient-Centered Outcomes in Dementia. Journal of Alzheimer's Disease, 2021, 83, 1-13.	1.2	4
94	Pathways of care: a qualitative study of barriers and facilitators to engaging dementia care among underserved and minority populations in the US andÂGermany. Aging and Mental Health, 2023, 27, 389-398.	1.5	4
95	Adapting a Dementia Care Management Intervention for Regional Implementation: A Theory-Based Participatory Barrier Analysis. International Journal of Environmental Research and Public Health, 2022, 19, 5478.	1.2	4
96	Translation of imaging biomarkers from clinical research to healthcare. Zeitschrift Fur Gerontologie Und Geriatrie, 2017, 50, 84-88.	0.8	3
97	Patient Variables Associated with the Assignment of a Formal Dementia Diagnosis to Positively Screened Primary Care Patients. Current Alzheimer Research, 2017, 15, 44-50.	0.7	3
98	Intersectoral care management for older people with cognitive impairment during and after hospital stays [intersec-CM]: study protocol for a process evaluation within a randomised controlled trial. Trials, 2021, 22, 72.	0.7	3
99	How to Initiate Dementia Care Networks? Processes, Barriers, and Facilitators During the Development Process of a Practice-Oriented Website Toolkit Out of Research Results. International Quarterly of Community Health Education, 2017, 37, 151-160.	0.4	2
100	Effectiveness of a digitally supported care management programme to reduce unmet needs of family caregivers of people with dementia: study protocol for a cluster randomised controlled trial (GAIN). Trials, 2021, 22, 401.	0.7	2
101	Dementia and migration: culturally sensitive healthcare services and projects in Germany. Zeitschrift Fur Gerontologie Und Geriatrie, 2022, 55, 269-275.	0.8	2
102	Intercultural care for people of migrant origin with dementia – A literature analysis. Dementia, 2022, 21, 1753-1770.	1.0	2
103	Supporting the intention to change health risk behaviors. Zeitschrift Fur Gesundheitswissenschaften, 2006, 14, 377-383.	0.8	1
104	Predicting the Urge to Smoke in a Population-Based Sample of Adolescent Smokers. Substance Use and Misuse, 2010, 45, 1636-1651.	0.7	1
105	[P2–499]: HOW DOES UTILIZATION OF HEALTH CARE SERVICES CHANGE IN PEOPLE WITH DEMENTIA SERVED BY DEMENTIA CARE NETWORKS IN GERMANY: RESULTS OF THE DEMNETâ€D TUDY. Alzheimer's and Dementia 2017, 13, P832.	,0.4	1
106	What elements are important in current treatment and care guidelines to provide culturally sensitive care for people with a migration background and dementia? A systematic analysis. Zeitschrift Fur Gesundheitswissenschaften, 0, , 1.	0.8	1
107	Regional and local dementia care networks. , 2020, , 777-792.		1
108	Association of mental demands in the workplace with cognitive function in older adults at increased risk for dementia. BMC Geriatrics, 2021, 21, 688.	1.1	1

#	Article	IF	CITATIONS
109	Associations Between Low-Value Medication in Dementia and Healthcare Costs. Clinical Drug Investigation, 2022, 42, 427.	1.1	1
110	Tasks and Activities of an Effective Collaborative Dementia Care Management Program in German Primary Care. Journal of Alzheimer's Disease, 2022, 87, 1615-1625.	1.2	1
111	Comparison of a Population-Based Sample of "Risky Drinking―Smokers and Groups Consuming Just One Substance. Substance Use and Misuse, 2005, 40, 1721-1732.	0.7	0
112	P2-360: BEHAVIORAL AND PSYCHIATRIC SYMPTOMS IN PEOPLE WITH DEMENTIA IN PRIMARY CARE. , 2014, 10, P611-P611.		0
113	O3-08-04: Innovative health care models for persons with dementia: A comparison of our german and american experiences., 2015, 11, P236-P236.		0
114	P4-133: Depressive symptoms and depression in people screened positive for dementia., 2015, 11, P829-P829.		0
115	Dementia: Introduction, Epidemiology and Economic Impact. , 2016, , 197-209.		0
116	[P4â€"328]: THE EFFICACY OF DEMENTIA CARE MANAGEMENT IN NEWLY DIAGNOSED PEOPLE WITH DEMENTIA: RESULTS OF A CLUSTERâ€RANDOMIZED CONTROLLED INTERVENTION TRIAL. Alzheimer's and Dementia, 2017, 13, P1416.	0.4	0
117	Role of Specialist Care in Dementia. , 2016, , 267-282.		0
118	Versorgung von Menschen mit Demenz in der Häslichkeit., 2017,, 93-103.		0
119	Prevalence of dementia in people with migration background in Europe. Alzheimer's and Dementia, 2021, 17, .	0.4	O
120	What elements are important in current treatment and care guidelines to provide culturally sensitive care for people with a migration background with dementia? A systematic analysis. Alzheimer's and Dementia, 2021, 17, .	0.4	0
121	Associations between lowâ€value care treatments and patient entered outcomes of people with dementia: A crossâ€sectional analysis. Alzheimer's and Dementia, 2021, 17, .	0.4	0
122	Demenz und Migration. Zeitschrift Fur Gerontologie Und Geriatrie, 2022, 55, 267-268.	0.8	0