

Jochen RenÃ© Thyrian

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/904310/publications.pdf>

Version: 2024-02-01

122
papers

2,977
citations

159358

30
h-index

214527

47
g-index

149
all docs

149
docs citations

149
times ranked

3613
citing authors

#	ARTICLE	IF	CITATIONS
1	Pathways of care: a qualitative study of barriers and facilitators to engaging dementia care among underserved and minority populations in the US and Germany. <i>Aging and Mental Health</i> , 2023, 27, 389-398.	1.5	4
2	The early impacts of COVID-19 on unpaid carers of people living with dementia: part II of a mixed-methods systematic review. <i>Aging and Mental Health</i> , 2023, 27, 547-562.	1.5	8
3	Dementia and migration: culturally sensitive healthcare services and projects in Germany. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2022, 55, 269-275.	0.8	2
4	Physical Activity Determinants in Older German Adults at Increased Dementia Risk with Multimorbidity: Baseline Results of the AgeWell.de Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3164.	1.2	6
5	Associations Between Low-Value Medication in Dementia and Healthcare Costs. <i>Clinical Drug Investigation</i> , 2022, 42, 427.	1.1	1
6	Adapting a Dementia Care Management Intervention for Regional Implementation: A Theory-Based Participatory Barrier Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5478.	1.2	4
7	Tasks and Activities of an Effective Collaborative Dementia Care Management Program in German Primary Care. <i>Journal of Alzheimer's Disease</i> , 2022, 87, 1615-1625.	1.2	1
8	Intercultural care for people of migrant origin with dementia – A literature analysis. <i>Dementia</i> , 2022, 21, 1753-1770.	1.0	2
9	Demenz und Migration. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2022, 55, 267-268.	0.8	0
10	Burden of caregivers of patients with frontotemporal lobar degeneration – a scoping review. <i>International Psychogeriatrics</i> , 2021, 33, 891-911.	0.6	14
11	Recruitment and Baseline Characteristics of Participants in the AgeWell.de Study – A Pragmatic Cluster-Randomized Controlled Lifestyle Trial against Cognitive Decline. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 408.	1.2	15
12	Intersectoral care management for older people with cognitive impairment during and after hospital stays [intersec-CM]: study protocol for a process evaluation within a randomised controlled trial. <i>Trials</i> , 2021, 22, 72.	0.7	3
13	Types of leisure time physical activities (LTPA) of community-dwelling persons who have been screened positive for dementia. <i>BMC Geriatrics</i> , 2021, 21, 270.	1.1	5
14	Effectiveness of a digitally supported care management programme to reduce unmet needs of family caregivers of people with dementia: study protocol for a cluster randomised controlled trial (GAIN). <i>Trials</i> , 2021, 22, 401.	0.7	2
15	Describing people with cognitive impairment and their complex treatment needs during routine care in the hospital – cross-sectional results of the intersec-CM study. <i>BMC Geriatrics</i> , 2021, 21, 425.	1.1	5
16	Physical Activity Interventions and Their Effects on Cognitive Function in People with Dementia: A Systematic Review and Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8753.	1.2	14
17	The challenges of achieving timely diagnosis and culturally appropriate care of people with dementia from minority ethnic groups in Europe. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1823-1828.	1.3	16
18	Prevalence of Low-Value Care and Its Associations with Patient-Centered Outcomes in Dementia. <i>Journal of Alzheimer's Disease</i> , 2021, 83, 1-13.	1.2	4

#	ARTICLE	IF	CITATIONS
19	Prevalence of dementia in people with migration background in Europe. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
20	What elements are important in current treatment and care guidelines to provide culturally sensitive care for people with a migration background with dementia? A systematic analysis. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
21	Associations between low-value care treatments and patient-centered outcomes of people with dementia: A cross-sectional analysis. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
22	Association of mental demands in the workplace with cognitive function in older adults at increased risk for dementia. <i>BMC Geriatrics</i> , 2021, 21, 688.	1.1	1
23	Drug-Related Problems Increase Healthcare Costs for People Living with Dementia. <i>Journal of Alzheimer's Disease</i> , 2020, 73, 791-799.	1.2	9
24	How is migration background considered in the treatment and care of people? A comparison of national dementia care guidelines in Europe. <i>BMC Public Health</i> , 2020, 20, 1555.	1.2	6
25	Who Benefits Most from Collaborative Dementia Care from a Patient and Payer Perspective? A Subgroup Cost-Effectiveness Analysis. <i>Journal of Alzheimer's Disease</i> , 2020, 74, 449-462.	1.2	8
26	Comparing national dementia plans and strategies in Europe – is there a focus of care for people with dementia from a migration background?. <i>BMC Public Health</i> , 2020, 20, 784.	1.2	15
27	Acceptability and Validity of the EQ-5D in Patients Living With Dementia. <i>Value in Health</i> , 2020, 23, 760-767.	0.1	17
28	Why do family dementia caregivers reject caregiver support services? Analyzing types of rejection and associated health-impairments in a cluster-randomized controlled intervention trial. <i>BMC Health Services Research</i> , 2020, 20, 121.	0.9	25
29	The situation of elderly with cognitive impairment living at home during lockdown in the Corona-pandemic in Germany. <i>BMC Geriatrics</i> , 2020, 20, 540.	1.1	34
30	Regional and local dementia care networks. , 2020, , 777-792.		1
31	Dementia in People with a Turkish Migration Background: Experiences and Utilization of Healthcare Services. <i>Journal of Alzheimer's Disease</i> , 2020, 77, 865-875.	1.2	11
32	Cost-effectiveness of a collaborative dementia care management – Results of a cluster-randomized controlled trial. <i>Alzheimer's and Dementia</i> , 2019, 15, 1296-1308.	0.4	49
33	AgeWell.de – study protocol of a pragmatic multi-center cluster-randomized controlled prevention trial against cognitive decline in older primary care patients. <i>BMC Geriatrics</i> , 2019, 19, 203.	1.1	34
34	<p>Burden of caring for people with dementia – comparing family caregivers and professional caregivers. A descriptive study</p>. <i>Journal of Multidisciplinary Healthcare</i> , 2019, Volume 12, 655-663.	1.1	48
35	Supporting elderly people with cognitive impairment during and after hospital stays with intersectoral care management: study protocol for a randomized controlled trial. <i>Trials</i> , 2019, 20, 543.	0.7	15
36	Comorbidity in Dementia Diseases and Associated Health Care Resources Utilization and Cost. <i>Journal of Alzheimer's Disease</i> , 2019, 68, 635-646.	1.2	21

#	ARTICLE	IF	CITATIONS
37	Identifying Unmet Needs of Family Dementia Caregivers: Results of the Baseline Assessment of a Cluster-Randomized Controlled Intervention Trial. <i>Journal of Alzheimer's Disease</i> , 2019, 67, 527-539.	1.2	33
38	Healthcare utilization and costs in primary care patients with dementia: baseline results of the DelpHi-trial. <i>European Journal of Health Economics</i> , 2018, 19, 87-102.	1.4	34
39	Supporting family dementia caregivers: testing the efficacy of dementia care management on multifaceted caregivers'™ burden. <i>Aging and Mental Health</i> , 2018, 22, 889-896.	1.5	21
40	How Does Utilization of Health Care Services Change in People with Dementia Served by Dementia Care Networks? Results of the Longitudinal, Observational DemNet-D-Study. <i>Journal of Alzheimer's Disease</i> , 2018, 66, 1609-1617.	1.2	5
41	Patients with Dementia in Primary Care: Who Is Referred to a Neurologist/Psychiatrist and What Patient-Oriented Factors Are Associated with the Visit?. <i>Journal of Alzheimer's Disease</i> , 2018, 64, 925-932.	1.2	6
42	Quality of life in persons with dementia using regional dementia care network services in Germany: a one-year follow-up study. <i>Health and Quality of Life Outcomes</i> , 2018, 16, 181.	1.0	5
43	The Impact of Hospitalization on Readmission, Institutionalization, and Mortality of People with Dementia: A Systematic Review and Meta-Analysis. <i>Journal of Alzheimer's Disease</i> , 2018, 64, 735-749.	1.2	34
44	Prevalence and Determinants of Agonistic Autoantibodies Against α 1-Adrenergic Receptors in Patients Screened Positive for Dementia: Results from the Population-Based DelpHi-Study. <i>Journal of Alzheimer's Disease</i> , 2018, 64, 1091-1097.	1.2	5
45	Caregiver burden assessed in dementia care networks in Germany: findings from the DemNet-D study baseline. <i>Aging and Mental Health</i> , 2017, 21, 926-937.	1.5	29
46	How do people with dementia utilise primary care physicians and specialists within dementia networks? Results of the Dementia Networks in Germany (DemNet-D) study. <i>Health and Social Care in the Community</i> , 2017, 25, 285-294.	0.7	18
47	Consequences of clinical case management for caregivers: a systematic review. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 473-483.	1.3	15
48	Translation of imaging biomarkers from clinical research to healthcare. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2017, 50, 84-88.	0.8	3
49	Dementia care management in primary care. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2017, 50, 68-77.	0.8	58
50	Regional dementia care networks in Germany: changes in caregiver burden at one-year follow-up and associated factors. <i>International Psychogeriatrics</i> , 2017, 29, 991-1004.	0.6	9
51	Drug-related problems in community-dwelling primary care patients screened positive for dementia. <i>International Psychogeriatrics</i> , 2017, 29, 1857-1868.	0.6	22
52	How to Initiate Dementia Care Networks? Processes, Barriers, and Facilitators During the Development Process of a Practice-Oriented Website Toolkit Out of Research Results. <i>International Quarterly of Community Health Education</i> , 2017, 37, 151-160.	0.4	2
53	Relatives'™ burden of caring for people screened positive for dementia in primary care. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2017, 50, 4-13.	0.8	22
54	[P2499]: HOW DOES UTILIZATION OF HEALTH CARE SERVICES CHANGE IN PEOPLE WITH DEMENTIA SERVED BY DEMENTIA CARE NETWORKS IN GERMANY: RESULTS OF THE DEMNET-D STUDY. <i>Alzheimer's and Dementia</i> , 2017, 13, P832.	0.4	1

#	ARTICLE	IF	CITATIONS
55	[P4â€“328]: THE EFFICACY OF DEMENTIA CARE MANAGEMENT IN NEWLY DIAGNOSED PEOPLE WITH DEMENTIA: RESULTS OF A CLUSTERâ€“RANDOMIZED CONTROLLED INTERVENTION TRIAL. <i>Alzheimer's and Dementia</i> , 2017, 13, P1416.	0.4	0
56	The Clock Drawing Test: A Reasonable Instrument to Assess Probable Dementia in Primary Care?. <i>Current Alzheimer Research</i> , 2017, 15, 38-43.	0.7	12
57	Patient Variables Associated with the Assignment of a Formal Dementia Diagnosis to Positively Screened Primary Care Patients. <i>Current Alzheimer Research</i> , 2017, 15, 44-50.	0.7	3
58	Editorial: Early Recognition of Dementia in Primary Care- Current Issues and Concepts. <i>Current Alzheimer Research</i> , 2017, 15, 2-4.	0.7	8
59	Technologies to Support Community-Dwelling Persons With Dementia: A Position Paper on Issues Regarding Development, Usability, Effectiveness and Cost-Effectiveness, Deployment, and Ethics. <i>JMIR Rehabilitation and Assistive Technologies</i> , 2017, 4, e1.	1.1	228
60	Effectiveness and Safety of Dementia Care Management in Primary Care. <i>JAMA Psychiatry</i> , 2017, 74, 996.	6.0	112
61	Versorgung von Menschen mit Demenz in der HÄuslichkeit. , 2017, , 93-103.		0
62	Economic Analysis of Formal Care, Informal Care, and Productivity Losses in Primary Care Patients who Screened Positive for Dementia in Germany. <i>Journal of Alzheimer's Disease</i> , 2016, 50, 47-59.	1.2	38
63	Systematic, early identification of dementia and dementia care management are highly appreciated by general physicians in primary care – results within a cluster-randomized-controlled trial (DelpHi). <i>Journal of Multidisciplinary Healthcare</i> , 2016, 9, 183.	1.1	35
64	Community-Dwelling People Screened Positive for Dementia in Primary Care: A Comprehensive, Multivariate Descriptive Analysis Using Data from the DelpHi-Study. <i>Journal of Alzheimer's Disease</i> , 2016, 52, 609-617.	1.2	33
65	Depressive symptoms and depression in people screened positive for dementia in primary care â€“ results of the DelpHi-study. <i>International Psychogeriatrics</i> , 2016, 28, 929-937.	0.6	13
66	Living Alone with Dementia: Prevalence, Correlates and the Utilization of Health and Nursing Care Services. <i>Journal of Alzheimer's Disease</i> , 2016, 52, 619-629.	1.2	38
67	Potentially Inappropriate Medication in Community-Dwelling Primary Care Patients who were Screened Positive for Dementia. <i>Journal of Alzheimer's Disease</i> , 2016, 55, 691-701.	1.2	40
68	Healthcare resource utilization and cost in dementia: are there differences between patients screened positive for dementia with and those without a formal diagnosis of dementia in primary care in Germany?. <i>International Psychogeriatrics</i> , 2016, 28, 359-369.	0.6	26
69	Unmet Needs of Community-Dwelling Primary Care Patients with Dementia in Germany: Prevalence and Correlates. <i>Journal of Alzheimer's Disease</i> , 2016, 51, 847-855.	1.2	30
70	Dementia: Introduction, Epidemiology and Economic Impact. , 2016, , 197-209.		0
71	Knowledge management in dementia care networks: a qualitative analysis of successful information and support strategies for people with dementia living at home and their family caregivers. <i>Public Health</i> , 2016, 131, 40-48.	1.4	19
72	Qualifications for nurses for the care of patients with dementia and support to their caregivers: A pilot evaluation of the dementia care management curriculum. <i>Nurse Education Today</i> , 2016, 36, 310-317.	1.4	20

#	ARTICLE	IF	CITATIONS
73	Role of Specialist Care in Dementia. , 2016, , 267-282.		0
74	Rates of formal diagnosis of dementia in primary care: The effect ofÄscreening. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2015, 1, 87-93.	1.2	53
75	O3-08-04: Innovative health care models for persons with dementia: A comparison of our german and american experiences. , 2015, 11, P236-P236.		0
76	Antidementia Drug Treatment in People Screened Positive for Dementia in Primary Care. Journal of Alzheimer's Disease, 2015, 44, 1015-1021.	1.2	24
77	Nonpharmacological therapies and provision of aids in outpatient dementia networks in Germany: utilization rates and associated factors. Journal of Multidisciplinary Healthcare, 2015, 8, 229.	1.1	22
78	Burden of Behavioral and Psychiatric Symptoms in People Screened Positive for Dementia in Primary Care: Results of the DelpHi-Study. Journal of Alzheimer's Disease, 2015, 46, 451-459.	1.2	21
79	Neuropsychiatric symptoms in people screened positive for dementia in primary care. International Psychogeriatrics, 2015, 27, 39-48.	0.6	26
80	Subjective memory impairment: No suitable criteria for caseâ€¢finding ofÄdementia in primary care. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2015, 1, 179-186.	1.2	16
81	P4-133: Depressive symptoms and depression in people screened positive for dementia. , 2015, 11, P829-P829.		0
82	Antidementia drug treatment in dementia networks in Germany: use rates and factors associated with treatment use. BMC Health Services Research, 2015, 15, 205.	0.9	16
83	Multimodal imaging in Alzheimer's disease: validity and usefulness for early detection. Lancet Neurology, The, 2015, 14, 1037-1053.	4.9	233
84	Medication Cost of Persons with Dementia in Primary Care in Germany. Journal of Alzheimer's Disease, 2014, 42, 949-958.	1.2	16
85	Antipsychotic Drug Treatment in Ambulatory Dementia Care: Prevalence and Correlates. Journal of Alzheimer's Disease, 2014, 43, 1303-1311.	1.2	12
86	Does an Interdisciplinary Network Improve Dementia Care? Results from the IDemUck-Study. Current Alzheimer Research, 2014, 11, 538-548.	0.7	40
87	Dementia care management: going new ways in ambulant dementia care within a GP-based randomized controlled intervention trial. International Psychogeriatrics, 2014, 26, 247-256.	0.6	56
88	The benefits of implementing a computerized Intervention-Management-System (IMS) on delivering integrated dementia care in the primary care setting. International Psychogeriatrics, 2014, 26, 1377-1385.	0.6	31
89	Chronic diseases in pregnant women: prevalence and birth outcomes based on the SNiP-study. BMC Pregnancy and Childbirth, 2014, 14, 75.	0.9	67
90	Rates of Formal Diagnosis in People Screened Positive for Dementia in Primary Care: Results of the DelpHi-Trial. Journal of Alzheimer's Disease, 2014, 42, 451-458.	1.2	88

#	ARTICLE	IF	CITATIONS
91	P2-360: BEHAVIORAL AND PSYCHIATRIC SYMPTOMS IN PEOPLE WITH DEMENTIA IN PRIMARY CARE. , 2014, 10, P611-P611.		0
92	Cognitive impairment in primary ambulatory health care: pharmacotherapy and the use of potentially inappropriate medicine. International Journal of Geriatric Psychiatry, 2013, 28, 173-181.	1.3	27
93	Medication management for people with dementia in primary care: description of implementation in the DelpHi study. BMC Geriatrics, 2013, 13, 121.	1.1	31
94	Interventions into the care system for dementia. Geriatric Mental Health Care, 2013, 1, 67-71.	0.3	5
95	Optimising primary care for people with dementia. Mental Health in Family Medicine, 2013, 10, 143-51.	0.2	10
96	Life- and person-centred help in Mecklenburg-Western Pomerania, Germany (DelpHi): study protocol for a randomised controlled trial. Trials, 2012, 13, 56.	0.7	92
97	Dementia Care and General Physicians - a Survey on Prevalence, Means, Attitudes and Recommendations. Central European Journal of Public Health, 2012, 20, 270-275.	0.4	45
98	Development and Psychometric Properties of a Short Situational Urge to Smoke Scale (SUS) for Smoking Adolescents. Substance Use and Misuse, 2011, 46, 959-968.	0.7	4
99	Implementation and evaluation of the population-based programme "health literacy in school-aged children" (GeKoKids). Zeitschrift Fur Gesundheitswissenschaften, 2011, 19, 339-347.	0.8	5
100	Frequency and determinants of potential drug-drug interactions in an elderly population receiving regular home visits by GPs -results of the home medication review in the AGNES-studies. Pharmacoepidemiology and Drug Safety, 2011, 20, 1311-1318.	0.9	27
101	Changing maternity leave policy: Short-term effects on fertility rates and demographic variables in Germany. Social Science and Medicine, 2010, 71, 672-676.	1.8	14
102	Health-related behaviour, knowledge, attitudes, communication and social status in school children in Eastern Germany. Health Education Research, 2010, 25, 542-551.	1.0	66
103	Predicting the Urge to Smoke in a Population-Based Sample of Adolescent Smokers. Substance Use and Misuse, 2010, 45, 1636-1651.	0.7	1
104	Population-based smoking cessation in women post partum: adherence to motivational interviewing in relation to client characteristics and behavioural outcomes. Midwifery, 2010, 26, 202-210.	1.0	13
105	Smoking Cessation Counselling for Pregnant and Postpartum Women among Midwives, Gynaecologists and Paediatricians in Germany. International Journal of Environmental Research and Public Health, 2009, 6, 96-107.	1.2	12
106	Support for smoke-free policies in a pro-smoking culture: findings from the European survey on tobacco control attitudes and knowledge. International Journal of Public Health, 2009, 54, 403-408.	2.7	24
107	Smoking cessation and relapse prevention for postpartum women: Results from a randomized controlled trial at 6, 12, 18 and 24 months. Addictive Behaviors, 2009, 34, 1-8.	1.7	45
108	The relationship between smokers' motivation to quit and intensity of tobacco control at the population level: a comparison of five European countries. BMC Public Health, 2008, 8, 2.	1.2	45

#	ARTICLE	IF	CITATIONS
109	Smoking During Pregnancy and Postpartum: Smoking Rates and Intention to Quit Smoking or Resume After Pregnancy. <i>Journal of Women's Health</i> , 2008, 17, 631-640.	1.5	30
110	Adherence to the principles of Motivational Interviewing, clients' characteristics and behavior outcome in a smoking cessation and relapse prevention trial in women postpartum. <i>Addictive Behaviors</i> , 2007, 32, 2297-2303.	1.7	45
111	Population impactâ€”Definition, calculation and its use in prevention science in the example of tobacco smoking reduction. <i>Health Policy</i> , 2007, 82, 348-356.	1.4	24
112	Postpartum return to smoking: Identifying different groups to tailor interventions. <i>Addictive Behaviors</i> , 2006, 31, 1785-1796.	1.7	16
113	Midwivesâ€™ attitudes to counselling women about their smoking behaviour during pregnancy and postpartum. <i>Midwifery</i> , 2006, 22, 32-39.	1.0	25
114	Measuring activities in tobacco control across the EU. The MAToC. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2006, 1, 9.	1.0	12
115	Supporting the intention to change health risk behaviors. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2006, 14, 377-383.	0.8	1
116	An Intervention to Support Postpartum Women to Quit Smoking or Remain Smoke-Free. <i>Journal of Midwifery and Women's Health</i> , 2006, 51, 45-50.	0.7	30
117	Comparison of a Population-Based Sample of â€œRisky Drinkingâ€•Smokers and Groups Consuming Just One Substance. <i>Substance Use and Misuse</i> , 2005, 40, 1721-1732.	0.7	0
118	Short report: Paediatricians' attitude towards counselling parents postpartum about their smoking behaviour. <i>European Journal of Public Health</i> , 2004, 14, 199-200.	0.1	10
119	STRENGTH OF THE RELATIONSHIP BETWEEN TOBACCO SMOKING, NICOTINE DEPENDENCE AND THE SEVERITY OF ALCOHOL DEPENDENCE SYNDROME CRITERIA IN A POPULATION-BASED SAMPLE. <i>Alcohol and Alcoholism</i> , 2003, 38, 606-612.	0.9	97
120	THE READINESS TO CHANGE QUESTIONNAIRE IN SUBJECTS WITH HAZARDOUS ALCOHOL CONSUMPTION, ALCOHOL MISUSE AND DEPENDENCE IN A GENERAL POPULATION SURVEY. <i>Alcohol and Alcoholism</i> , 2002, 37, 362-369.	0.9	38
121	What elements are important in current treatment and care guidelines to provide culturally sensitive care for people with a migration background and dementia? A systematic analysis. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 0, , 1.	0.8	1
122	The early impacts of COVID-19 on people living with dementia: part I of a mixed-methods systematic review. <i>Aging and Mental Health</i> , 0, , 1-14.	1.5	8