

Isabela M Benseñor

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/904328/publications.pdf>

Version: 2024-02-01

172
papers

4,691
citations

159358

30
h-index

128067

60
g-index

174
all docs

174
docs citations

174
times ranked

7681
citing authors

#	ARTICLE	IF	CITATIONS
1	The global burden of dengue: an analysis from the Global Burden of Disease Study 2013. <i>Lancet Infectious Diseases</i> , The, 2016, 16, 712-723.	4.6	770
2	Cohort Profile: Longitudinal Study of Adult Health (ELSA-Brasil). <i>International Journal of Epidemiology</i> , 2015, 44, 68-75.	0.9	416
3	Trial of Electrical Direct-Current Therapy versus Escitalopram for Depression. <i>New England Journal of Medicine</i> , 2017, 376, 2523-2533.	13.9	284
4	Transcranial direct current stimulation for major depression: an updated systematic review and meta-analysis. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 1443-1452.	1.0	208
5	Efficacy and acceptability of transcranial direct current stimulation (tDCS) for major depressive disorder: An individual patient data meta-analysis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 99, 109836.	2.5	96
6	Hypothyroidism in the elderly: diagnosis and management. <i>Clinical Interventions in Aging</i> , 2012, 7, 97.	1.3	92
7	Hypothyroidism. <i>Nature Reviews Disease Primers</i> , 2022, 8, 30.	18.1	84
8	Prevalence of stroke and associated disability in Brazil: National Health Survey - 2013. <i>Arquivos De Neuro-Psiquiatria</i> , 2015, 73, 746-750.	0.3	79
9	Cause-specific mortality for 249 causes in Brazil and states during 1990â€™2015: a systematic analysis for the global burden of disease study 2015. <i>Population Health Metrics</i> , 2017, 15, 39.	1.3	78
10	Transcranial electric stimulation and neurocognitive training in clinically depressed patients: A pilot study of the effects on rumination. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 57, 93-99.	2.5	75
11	Carotid intimaâ€™media thickness value distributions in The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Atherosclerosis</i> , 2014, 237, 227-235.	0.4	68
12	Transcranial direct current stimulation for the treatment of post-stroke depression: results from a randomised, sham-controlled, double-blinded trial. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017, 88, 170-175.	0.9	66
13	Low Impact of Traditional Risk Factors on Carotid Intima-Media Thickness. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 2054-2059.	1.1	65
14	Subclinical hyperthyroidism and dementia: the Sao Paulo Ageing & Health Study (SPAH). <i>BMC Public Health</i> , 2010, 10, 298.	1.2	63
15	Common mental disorders and sociodemographic characteristics: baseline findings of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 91-97.	0.9	55
16	Differences in the immune-inflammatory profiles of unipolar and bipolar depression. <i>Journal of Affective Disorders</i> , 2020, 262, 8-15.	2.0	55
17	Education plays a greater role than age in cognitive test performance among participants of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>BMC Neurology</i> , 2015, 15, 191.	0.8	54
18	Effects of acute transcranial direct current stimulation in hot and cold working memory tasks in healthy and depressed subjects. <i>Neuroscience Letters</i> , 2015, 591, 126-131.	1.0	54

#	ARTICLE	IF	CITATIONS
19	Reducing Transcranial Direct Current Stimulation-Induced Erythema With Skin Pretreatment: Considerations for Sham-Controlled Clinical Trials. <i>Neuromodulation</i> , 2015, 18, 261-265.	0.4	48
20	Depression is Associated With Sarcopenia Due to Low Muscle Strength: Results From the ELSA-Brasil Study. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1641-1646.	1.2	45
21	BDNF plasma levels after antidepressant treatment with sertraline and transcranial direct current stimulation: Results from a factorial, randomized, sham-controlled trial. <i>European Neuropsychopharmacology</i> , 2014, 24, 1144-1151.	0.3	42
22	Association between psoriasis and coronary calcium score. <i>Atherosclerosis</i> , 2014, 237, 847-852.	0.4	40
23	Association between perceived neighbourhood characteristics, physical activity and diet quality: results of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>BMC Public Health</i> , 2016, 16, 751.	1.2	38
24	Prevalence of thyroid disorders among older people: results from the So Paulo Ageing & Health Study. <i>Cadernos De Saude Publica</i> , 2011, 27, 155-161.	0.4	37
25	Anxiety and depressive symptoms are associated with higher carotid intima-media thickness. Cross-sectional analysis from ELSA-Brasil baseline data. <i>Atherosclerosis</i> , 2015, 240, 529-534.	0.4	37
26	Ideal cardiovascular health score at the ELSA-Brasil baseline and its association with sociodemographic characteristics. <i>International Journal of Cardiology</i> , 2018, 254, 333-337.	0.8	35
27	Eating patterns in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil): an exploratory analysis. <i>Cadernos De Saude Publica</i> , 2016, 32, e00066215.	0.4	34
28	Green Spaces, Land Cover, Street Trees and Hypertension in the Megacity of So Paulo. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 725.	1.2	34
29	Assessment of non-BDNF neurotrophins and GDNF levels after depression treatment with sertraline and transcranial direct current stimulation in a factorial, randomized, sham-controlled trial (SELECT-TDCS): An exploratory analysis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 56, 91-96.	2.5	32
30	Association between a healthy cardiovascular risk factor profile and coronary artery calcium score: Results from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>American Heart Journal</i> , 2016, 174, 51-59.	1.2	32
31	The Influence of Skin Redness on Blinding in Transcranial Direct Current Stimulation Studies: A Crossover Trial. <i>Neuromodulation</i> , 2017, 20, 248-255.	0.4	32
32	Transcranial direct current stimulation (tDCS) for preventing major depressive disorder relapse: Results of a 6-month follow-up. <i>Depression and Anxiety</i> , 2019, 36, 262-268.	2.0	31
33	Prevalence, awareness, treatment, and control of high low-density lipoprotein cholesterol in Brazil: Baseline of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of Clinical Lipidology</i> , 2016, 10, 568-576.	0.6	30
34	Thyrotropin Levels, Insulin Resistance, and Metabolic Syndrome: A Cross-Sectional Analysis in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Metabolic Syndrome and Related Disorders</i> , 2015, 13, 362-369.	0.5	29
35	Post-stroke depression and cognitive impairment: Study design and preliminary findings in a Brazilian prospective stroke cohort (EMMA study). <i>Journal of Affective Disorders</i> , 2019, 245, 72-81.	2.0	29
36	Urinary Retinol-Binding Protein: Relationship to Renal Function and Cardiovascular Risk Factors in Chronic Kidney Disease. <i>PLoS ONE</i> , 2016, 11, e0162782.	1.1	28

#	ARTICLE	IF	CITATIONS
37	Context-dependence of race self-classification: Results from a highly mixed and unequal middle-income country. <i>PLoS ONE</i> , 2019, 14, e0216653.	1.1	27
38	Association of Sarcopenia With Performance on Multiple Cognitive Domains: Results From the ELSA-Brasil Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 1805-1811.	1.7	27
39	Coffee consumption and risk of hypertension: A prospective analysis in the cohort study. <i>Clinical Nutrition</i> , 2021, 40, 542-549.	2.3	27
40	Relation of Fasting Triglyceride-Rich Lipoprotein Cholesterol to Coronary Artery Calcium Score (from the ELSA-Brasil Study). <i>American Journal of Cardiology</i> , 2017, 119, 1352-1358.	0.7	26
41	Thyroid Function and Sarcopenia: Results from the ELSA-Brasil Study. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 1545-1553.	1.3	26
42	Subclinical carotid artery atherosclerosis and performance on cognitive tests in middle-aged adults: Baseline results from the ELSA-Brasil. <i>Atherosclerosis</i> , 2015, 243, 510-515.	0.4	25
43	Insulin resistance and carotid intima-media thickness mediate the association between resting-state heart rate variability and executive function: A path modelling study. <i>Biological Psychology</i> , 2016, 117, 216-224.	1.1	25
44	Sex-specific patterns in the association between salt intake and blood pressure: The ELSA-Brasil study. <i>Journal of Clinical Hypertension</i> , 2019, 21, 502-509.	1.0	25
45	Plasma levels of soluble TNF receptors 1 and 2 after tDCS and sertraline treatment in major depression: Results from the SELECT-TDCS trial. <i>Journal of Affective Disorders</i> , 2015, 185, 209-213.	2.0	24
46	Dietary Selenium Intake and Subclinical Hypothyroidism: A Cross-Sectional Analysis of the ELSA-Brasil Study. <i>Nutrients</i> , 2018, 10, 693.	1.7	24
47	Traditional Risk Factors Are More Relevant than HIV-Specific Ones for Carotid Intima-Media Thickness (cIMT) in a Brazilian Cohort of HIV-Infected Patients. <i>PLoS ONE</i> , 2015, 10, e0117461.	1.1	23
48	Increasing The Genetic Admixture of Available Lines of Human Pluripotent Stem Cells. <i>Scientific Reports</i> , 2016, 6, 34699.	1.6	22
49	Familial hypercholesterolemia prevalence in an admixed racial society: Sex and race matter. <i>The ELSA-Brasil. Atherosclerosis</i> , 2018, 277, 273-277.	0.4	22
50	Atrial fibrillation in low- and middle-income countries: a narrative review. <i>European Heart Journal Supplements</i> , 2020, 22, O61-O77.	0.0	22
51	Life Course Socioeconomic Position and C-Reactive Protein: Mediating Role of Health-Risk Behaviors and Metabolic Alterations. <i>The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). PLoS ONE</i> , 2014, 9, e108426.	1.1	22
52	Obesity, abdominal obesity and migraine: A cross-sectional analysis of ELSA-Brasil baseline data. <i>Cephalalgia</i> , 2015, 35, 426-436.	1.8	21
53	Clinical patterns differentially predict response to transcranial direct current stimulation (tDCS) and escitalopram in major depression: A machine learning analysis of the ELECT-TDCS study. <i>Journal of Affective Disorders</i> , 2020, 265, 460-467.	2.0	21
54	The association between mood and anxiety disorders, and coronary heart disease in Brazil: a cross-sectional analysis on the Brazilian longitudinal study of adult health (ELSA-Brasil). <i>Frontiers in Psychology</i> , 2015, 6, 187.	1.1	20

#	ARTICLE	IF	CITATIONS
55	Work-family conflict, lack of time for personal care and leisure, and job strain in migraine: Results of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>American Journal of Industrial Medicine</i> , 2016, 59, 987-1000.	1.0	20
56	Multilevel Analysis of the Patterns of Physical-Mental Multimorbidity in General Population of S±o Paulo Metropolitan Area, Brazil. <i>Scientific Reports</i> , 2019, 9, 2390.	1.6	20
57	Transcranial direct current stimulation for the treatment of post-stroke depression in aphasic patients: a case series. <i>Neurocase</i> , 2016, 22, 225-228.	0.2	19
58	Insulin resistance is associated with carotid intima-media thickness in non-diabetic subjects. A cross-sectional analysis of the ELSA-Brasil cohort baseline. <i>Atherosclerosis</i> , 2017, 260, 34-40.	0.4	19
59	Thyrotropin level and cognitive performance: Baseline results from the ELSA-Brasil Study. <i>Psychoneuroendocrinology</i> , 2018, 87, 152-158.	1.3	19
60	Acute suicidal ideation in middle-aged adults from Brazil. Results from the baseline data of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Psychiatry Research</i> , 2015, 225, 556-562.	1.7	18
61	Associations of life course socioeconomic position and job stress with carotid intima-media thickness. The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Social Science and Medicine</i> , 2015, 141, 91-99.	1.8	18
62	Usefulness of circulating E-selectin to early detection of the atherosclerotic process in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Diabetology and Metabolic Syndrome</i> , 2016, 8, 19.	1.2	18
63	Subclinical thyroid dysfunction and psychiatric disorders: cross-sectional results from the Brazilian Study of Adult Health (ELSA-Brasil). <i>Clinical Endocrinology</i> , 2016, 84, 250-256.	1.2	18
64	Cardiovascular risk factors in patients with first-episode psychosis in S±o Paulo, Brazil. <i>General Hospital Psychiatry</i> , 2012, 34, 268-275.	1.2	17
65	Association between postprandial triglycerides and coronary artery disease detected by coronary computed tomography angiography. <i>Atherosclerosis</i> , 2014, 233, 381-386.	0.4	17
66	Reduced heart-rate variability and increased risk of hypertension—a prospective study of the ELSA-Brasil. <i>Journal of Human Hypertension</i> , 2021, 35, 1088-1097.	1.0	17
67	Cross-sectional associations of leisure and transport related physical activity with depression and anxiety. <i>Journal of Psychiatric Research</i> , 2021, 140, 228-234.	1.5	17
68	Serum Uric Acid and Prehypertension Among Adults Free of Cardiovascular Diseases and Diabetes. <i>Angiology</i> , 2016, 67, 180-186.	0.8	16
69	Does stroke laterality predict major depression and cognitive impairment after stroke? Two-year prospective evaluation in the EMMA study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 94, 109639.	2.5	16
70	Effects of tDCS on neuroplasticity and inflammatory biomarkers in bipolar depression: Results from a sham-controlled study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 105, 110119.	2.5	16
71	HIV Infection Is Not Associated with Carotid Intima-Media Thickness in Brazil: A Cross-Sectional Analysis from the INI/ELSA-Brasil Study. <i>PLoS ONE</i> , 2016, 11, e0158999.	1.1	16
72	Screening for thyroid disorders in asymptomatic adults from Brazilian populations. <i>Sao Paulo Medical Journal</i> , 2002, 120, 146-151.	0.4	15

#	ARTICLE	IF	CITATIONS
73	Linear and nonlinear analyses of heart rate variability following orthostatism in subclinical hypothyroidism. <i>Medicine (United States)</i> , 2019, 98, e14140.	0.4	15
74	Increased particle size of triacylglycerol-enriched remnant lipoproteins, but not their plasma concentration or lipid content, augments risk prediction of incident type 2 diabetes. <i>Diabetologia</i> , 2021, 64, 385-396.	2.9	15
75	Validation of the Brazilian Portuguese version of the Modified Telephone Interview for cognitive status among stroke patients. <i>Geriatrics and Gerontology International</i> , 2015, 15, 1118-1126.	0.7	14
76	Sex-specific associations of low birth weight with adult-onset diabetes and measures of glucose homeostasis: Brazilian Longitudinal Study of Adult Health. <i>Scientific Reports</i> , 2016, 6, 37032.	1.6	14
77	Relation of Anxiety and Depressive Symptoms to Coronary Artery Calcium (from the ELSA-Brazil). <i>Tj ETQq1 1 0.784314 rgBT /Overlock</i>	0.7	14
78	Association between Cardiovascular Health Score and Carotid Intima-Media Thickness: Cross-Sectional Analysis of the Brazilian Longitudinal Study of Adult Health (ELSA-Brazil) Baseline Assessment. <i>Journal of the American Society of Echocardiography</i> , 2016, 29, 1207-1216.e4.	1.2	14
79	Thyrotrophin levels and coronary artery calcification: Cross-sectional results of the Brazilian Longitudinal Study of Adult Health (ELSA-Brazil). <i>Clinical Endocrinology</i> , 2017, 87, 597-604.	1.2	14
80	Omega 3 Consumption and Anxiety Disorders: A Cross-Sectional Analysis of the Brazilian Longitudinal Study of Adult Health (ELSA-Brazil). <i>Nutrients</i> , 2018, 10, 663.	1.7	14
81	Association of adiponectin with cognitive function precedes overt diabetes in the Brazilian Longitudinal Study of Adult Health: ELSA. <i>Diabetology and Metabolic Syndrome</i> , 2018, 10, 54.	1.2	14
82	High-density Lipoprotein-cholesterol Subfractions and Coronary Artery Calcium: The ELSA-Brazil Study. <i>Archives of Medical Research</i> , 2019, 50, 362-367.	1.5	14
83	Homeostasis model assessment of insulin resistance (HOMA-IR) and metabolic syndrome at baseline of a multicentric Brazilian cohort: ELSA-Brazil study. <i>Cadernos De Saude Publica</i> , 2020, 36, e00072120.	0.4	14
84	Migraine and subclinical atherosclerosis in the Brazilian Longitudinal Study of Adult Health (ELSA-Brazil). <i>Cephalalgia</i> , 2016, 36, 840-848.	1.8	13
85	Sweetened Soft Drinks Consumption Is Associated with Metabolic Syndrome: Cross-sectional Analysis from the Brazilian Longitudinal Study of Adult Health (ELSA-Brazil). <i>Journal of the American College of Nutrition</i> , 2017, 36, 99-107.	1.1	13
86	Socio-demographic and psychiatric risk factors in incident and persistent depression: An analysis in the occupational cohort of ELSA-Brazil. <i>Journal of Affective Disorders</i> , 2020, 263, 252-257.	2.0	13
87	Predictors of coronary artery calcium incidence and progression: The Brazilian Longitudinal Study of Adult Health (ELSA-Brazil). <i>Atherosclerosis</i> , 2020, 309, 8-15.	0.4	13
88	Prospective associations between hsCRP and GlycA inflammatory biomarkers and depression: The Brazilian longitudinal study of adult health (ELSA-Brazil). <i>Journal of Affective Disorders</i> , 2020, 271, 39-48.	2.0	13
89	The impact of atrial fibrillation and long-term oral anticoagulant use on all-cause and cardiovascular mortality: A 12-year evaluation of the prospective Brazilian Study of Stroke Mortality and Morbidity. <i>International Journal of Stroke</i> , 2022, 17, 48-58.	2.9	13
90	Gender aspects of the relationship between migraine and cardiovascular risk factors: A cross-sectional evaluation in the Brazilian Longitudinal Study of Adult Health (ELSA-Brazil). <i>Cephalalgia</i> , 2015, 35, 1103-1114.	1.8	12

#	ARTICLE	IF	CITATIONS
91	Thyroid Function and High-Sensitivity C-Reactive Protein in Cross-Sectional Results from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil): Effect of Adiposity and Insulin Resistance. <i>European Thyroid Journal</i> , 2016, 5, 240-246.	1.2	12
92	Artificially Sweetened Beverage Consumption Is Positively Associated with Newly Diagnosed Diabetes in Normal-Weight but Not in Overweight or Obese Brazilian Adults. <i>Journal of Nutrition</i> , 2016, 146, 290-297.	1.3	12
93	The effectiveness of aspirin for migraine prophylaxis: a systematic review. <i>Sao Paulo Medical Journal</i> , 2017, 135, 42-49.	0.4	12
94	Hearing loss, tinnitus, and hypertension: analysis of the baseline data from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Clinics</i> , 2021, 76, e2370.	0.6	12
95	Fasting glucose levels, incident diabetes, subclinical atherosclerosis and cardiovascular events in apparently healthy adults: A 12-year longitudinal study. <i>Diabetes and Vascular Disease Research</i> , 2016, 13, 429-437.	0.9	11
96	Coronary artery calcification and cognitive function: cross-sectional results from the ELSA-Brasil study. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, e188-e194.	1.3	11
97	Job Strain and Cardiovascular Health Score (from the Brazilian Longitudinal Study of Adult Health) Tj ETQq1 1 0.784314 rgBT/Overload 0,7 11	0.7	11
98	Decreased heart rate variability as a predictor for diabetes – A prospective study of the Brazilian longitudinal study of adult health. <i>Diabetes/Metabolism Research and Reviews</i> , 2019, 35, e3175.	1.7	11
99	Association of Carotid Plaques and Common Carotid Intima-media Thickness with Modifiable Cardiovascular Risk Factors. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021, 30, 105671.	0.7	11
100	Novel biomarkers of cardiometabolic risk are associated with plasma glucose within non-diabetic range. The Brazilian Longitudinal Study of Adult Health – ELSA-Brasil. <i>Diabetes Research and Clinical Practice</i> , 2015, 109, 110-116.	1.1	10
101	Chronic kidney disease and coronary artery calcification in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Clinical Cardiology</i> , 2017, 40, 1309-1315.	0.7	10
102	Association between high-density lipoprotein subfractions and low-grade inflammation, insulin resistance, and metabolic syndrome components: The ELSA-Brasil study. <i>Journal of Clinical Lipidology</i> , 2018, 12, 1290-1297.e1.	0.6	10
103	A nationwide analysis of the excess death attributable to diabetes in Brazil. <i>Journal of Global Health</i> , 2020, 10, 010401.	1.2	10
104	Lifetime risk of developing diabetes and years of life lost among those with diabetes in Brazil. <i>Journal of Global Health</i> , 2021, 11, 04041.	1.2	10
105	The relationship between migraine and lipid sub-fractions among individuals without cardiovascular disease: A cross-sectional evaluation in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Cephalalgia</i> , 2018, 38, 528-542.	1.8	9
106	Impact of metabolically healthy obesity on carotid intima-media thickness - The Brazilian Longitudinal Study of Adult Health. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 915-921.	1.1	9
107	Diagnóstico de Fibrilação Atrial na Comunidade Utilizando Eletrocardiograma e Autorrelato: Análise Transversal do ELSA-Brasil. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 117, 426-434.	0.3	9
108	Emotional reactivity to valence-loaded stimuli are related to treatment response of neurocognitive therapy. <i>Journal of Affective Disorders</i> , 2016, 190, 443-449.	2.0	8

#	ARTICLE	IF	CITATIONS
109	The prevalence and correlates of subclinical atherosclerosis among adults with low-density lipoprotein cholesterol <70 mg/dL: The Multi-Ethnic Study of Atherosclerosis (MESA) and Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Atherosclerosis</i> , 2018, 274, 61-66.	0.4	8
110	The prognostic value of nitrotyrosine levels in coronary heart disease: long-term evaluation in the Acute Coronary Syndrome Registry Strategy (ERICO study). <i>Clinical Biochemistry</i> , 2019, 66, 37-43.	0.8	8
111	Composite acute phase glycoproteins with coronary artery calcification depends on metabolic syndrome presence â€” The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of Cardiology</i> , 2019, 73, 408-415.	0.8	8
112	Diabetes and subclinical hypothyroidism on heart rate variability. <i>European Journal of Clinical Investigation</i> , 2020, 50, e13349.	1.7	8
113	Branched-chain amino acids predict incident diabetes in the Brazilian Longitudinal Study of Adult Health â€” ELSA-Brasil. <i>Diabetes Research and Clinical Practice</i> , 2021, 174, 108747.	1.1	8
114	Early life socioeconomic status predicts cognition regardless of education level. <i>European Journal of Neurology</i> , 2021, 28, 3972-3978.	1.7	8
115	Workâ€”Family Conflict and Ideal Cardiovascular Health Score in the ELSAâ€”Brasil Baseline Assessment. <i>Journal of the American Heart Association</i> , 2019, 8, e012701.	1.6	7
116	The association of waist-to-height ratio and other anthropometric measurements with subclinical atherosclerosis: Results from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1989-1998.	1.1	7
117	Thyroidâ€”stimulating hormone levels and incident depression: Results from the ELSAâ€”Brasil study. <i>Clinical Endocrinology</i> , 2021, 94, 858-865.	1.2	7
118	The Association between Antidepressant Medications and Coronary Heart Disease in Brazil: A Cross-Sectional Analysis on the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Frontiers in Public Health</i> , 2015, 3, 9.	1.3	6
119	ST-segment abnormalities are associated with long-term prognosis in non-ST-segment elevation acute coronary syndromes: The ERICO-ECG study. <i>Journal of Electrocardiology</i> , 2016, 49, 411-416.	0.4	6
120	Dietary patterns associated with subclinical atherosclerosis: a cross-sectional analysis of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil) study. <i>Public Health Nutrition</i> , 2021, 24, 5006-5014.	1.1	6
121	Implications of the New US Cholesterol Guidelines in the Brazilian Longitudinal Study of Adult Health (ELSAâ€”Brasil). <i>Clinical Cardiology</i> , 2016, 39, 215-222.	0.7	5
122	Nonverbal behaviors are associated with increased vagal activity in major depressive disorder: Implications for the polyvagal theory. <i>Journal of Affective Disorders</i> , 2017, 209, 18-22.	2.0	5
123	HIV Infection Is Not Associated With Aortic Stiffness. Traditional Cardiovascular Risk Factors Are the Main Determinantsâ€”Cross-sectional Results of INI-ELSA-BRASIL. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 78, 73-81.	0.9	5
124	Anemia and Cognitive Performance in the ELSA-Brasil Cohort Baseline. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2020, 32, 227-234.	0.9	5
125	Cognitive outcomes of the bipolar depression electrical treatment trial (BETTER): a randomized, double-blind, sham-controlled study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 93-100.	1.8	5
126	Association Between Posterior Segment Eye Diseases, Common Mental Disorders, and Depression: Cross-Sectional and Longitudinal Analyses of Brazilian Longitudinal Study of Adult Health Cohort. <i>Journal of the Academy of Consultation-Liaison Psychiatry</i> , 2021, 62, 70-78.	0.2	5

#	ARTICLE	IF	CITATIONS
127	Normative Data for the ELSA-Brasil Neuropsychological Assessment and Operationalized Criterion for Cognitive Impairment for Middle-Aged and Older Adults. <i>Journal of the International Neuropsychological Society</i> , 2021, 27, 293-303.	1.2	5
128	A study protocol for an ongoing multi-arm, randomized, double-blind, sham-controlled clinical trial with digital features, using portable transcranial electrical stimulation and internet-based behavioral therapy for major depression disorders: The PSYLECT study. <i>Expert Review of Neurotherapeutics</i> , 2022, 22, 513-523.	1.4	5
129	Heart Rate Variability in HIV Patients, Diabetics, and Controls: The AGATAA Study. <i>ISRN Vascular Medicine</i> , 2011, 2011, 1-8.	0.7	4
130	Relationship between heart rate variability and carotid intima-media thickness in the Brazilian Longitudinal Study of Adult Health – ELSA-Brasil. <i>Clinical Physiology and Functional Imaging</i> , 2020, 40, 122-130.	0.5	4
131	Differences in HDL particle size in the presence of subclinical thyroid dysfunctions: The ELSA-Brasil study. <i>Atherosclerosis</i> , 2020, 312, 60-65.	0.4	4
132	Dietary Patterns and Depression: First Results in a Cross-Sectional Study from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Psych</i> , 2020, 2, 11-24.	0.7	4
133	Unfavorable Triglyceride-rich Particle Profile in Subclinical Thyroid Disease: A Cross-sectional Analysis of ELSA-Brasil. <i>Endocrinology</i> , 2021, 162, .	1.4	4
134	Association Between GlycA and Cognitive Function. <i>Alzheimer Disease and Associated Disorders</i> , 2021, 35, 128-134.	0.6	4
135	Phytosterol consumption and markers of subclinical atherosclerosis: Cross-sectional results from ELSA-Brasil. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 1756-1766.	1.1	4
136	Sugar-sweetened soft drinks consumption and risk of hyperuricemia: Results of the ELSA-Brasil study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2004-2013.	1.1	4
137	Physical inactivity and headache disorders: Cross-sectional analysis in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Cephalalgia</i> , 2021, 41, 1467-1485.	1.8	4
138	Subcutaneous Tissue Thickness is an Independent Predictor of Image Noise in Cardiac CT. <i>Arquivos Brasileiros De Cardiologia</i> , 2013, 102, 86-92.	0.3	4
139	Níveis Elevados de Netrina-1 e IL-1 β em Mulheres Idosas com SCA: Pior Prognóstico no Acompanhamento de Dois Anos. <i>Arquivos Brasileiros De Cardiologia</i> , 2020, 114, 507-514.	0.3	4
140	Religious Service Attendance, Educational Attainment, and Hypertension at Baseline of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>American Journal of Hypertension</i> , 2020, 33, 452-457.	1.0	3
141	Incidence of thyroid diseases: Results from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Archives of Endocrinology and Metabolism</i> , 2021, 65, 468-478.	0.3	3
142	Headache disability, lifestyle factors, health perception, and mental disorder symptoms: a cross-sectional analysis of the 2013 National Health Survey in Brazil. <i>Neurological Sciences</i> , 2022, 43, 2723-2734.	0.9	3
143	Reference range of serum uric acid and prevalence of hyperuricemia: a cross-sectional study from baseline data of ELSA-Brasil cohort. <i>Advances in Rheumatology</i> , 2022, 62, 15.	0.8	3
144	Transcranial direct current stimulation for major depression: an updated systematic review and meta-analysis – ERRATUM. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 1539.	1.0	2

#	ARTICLE	IF	CITATIONS
145	Prognostic value of carotid intima-media in the short- and long-term mortality in the Strategy of Registry of Acute Coronary Syndrome (ERICO) study. <i>Echocardiography</i> , 2018, 35, 1351-1361.	0.3	2
146	Prevalence of antithyroperoxidase antibodies in a multiethnic Brazilian population: The ELSA-Brasil Study. <i>Archives of Endocrinology and Metabolism</i> , 2019, 63, 351-357.	0.3	2
147	Prevalence of pain and associated factors in Brazilian civil servants: an introductory analysis using baseline data from the ELSA-Brasil cohort. <i>Pain Reports</i> , 2019, 4, e797.	1.4	2
148	Incidence of excess body weight and annual weight gain in women and men: Results from the <scp>ELSA-Brasil</scp> cohort. <i>American Journal of Human Biology</i> , 2021, , e23606.	0.8	2
149	Cardiovascular health and atrial fibrillation. <i>Heart</i> , 2021, 107, 1188-1189.	1.2	2
150	O Prognóstico da Doença Arterial Coronariana em um Hospital Público no Brasil: Achado do Estudo ERICO. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 117, 978-985.	0.3	2
151	Urinary iodine and sodium concentration and thyroid status in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of Trace Elements in Medicine and Biology</i> , 2021, 68, 126805.	1.5	2
152	Post-Acute Coronary Syndrome Alcohol Abuse: Prospective Evaluation in the ERICO Study. <i>Arquivos Brasileiros De Cardiologia</i> , 2015, 104, 457-67.	0.3	2
153	Myeloperoxidase activity and acute coronary syndrome survival: long-term evaluation in the ERICO study. <i>Biomarkers in Medicine</i> , 2018, 12, 1219-1229.	0.6	1
154	Relationship between TSH Levels and the Advanced Lipoprotein Profile in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Endocrine Research</i> , 2020, 45, 163-173.	0.6	1
155	Generation of 6 lines of human pluripotent stem cells from hypertensive patients and 3 lines of human pluripotent stem cell from normotensive patients. <i>Stem Cell Research</i> , 2021, 53, 102384.	0.3	1
156	Perfil lipídico e consumo de bebida alcoólica. <i>SMAD Revista Eletrônica Saude Mental Alcohol E Drogas (Edição Em Português)</i> , 2020, 16, 1-9.	0.0	1
157	Frequência e Motivos para a Não Administração e Suspensão de Medicamentos durante um Evento de Síndrome Coronariana Aguda. Estudo ERICO. <i>Arquivos Brasileiros De Cardiologia</i> , 2020, 115, 830-839.	0.3	1
158	Different statistical methods identify similar population-specific dietary patterns: an analysis of Longitudinal Study of Adult Health (ELSA-Brasil). <i>British Journal of Nutrition</i> , 2022, 128, 2249-2257.	1.2	1
159	Chronic inflammatory diseases, subclinical atherosclerosis, and cardiovascular diseases: Design, objectives, and baseline characteristics of a prospective case-cohort study - ELSA-Brasil. <i>Clinics</i> , 2022, 77, 100013.	0.6	1
160	ELSA-Brasil: a 4-year incidence of hearing loss in adults with and without hypertension. <i>Revista De Saude Publica</i> , 2022, 56, 28.	0.7	1
161	Education and cardiovascular health in different populations. <i>International Journal of Cardiology</i> , 2018, 264, 180.	0.8	0
162	Moderate coffee consumption associated with lower risk of mortality in prior Acute Coronary Syndrome patients: prospective analysis in ERICO cohort. <i>Proceedings of the Nutrition Society</i> , 2020, 79, .	0.4	0

#	ARTICLE	IF	CITATIONS
163	Diet Quality of Workers and Retirees: A Cross-sectional Analysis of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Work, Aging and Retirement</i> , 2021, 7, 143-153.	1.4	0
164	Lack of association between proton pump inhibitor use and decline in cognitive performance in the ELSA-Brasil cohort. <i>European Journal of Clinical Pharmacology</i> , 2021, 77, 1725-1735.	0.8	0
165	Magnesium intake in a Longitudinal Study of Adult Health: associated factors and the main food sources. <i>Ciencia E Saude Coletiva</i> , 2020, 25, 2541-2550.	0.1	0
166	Incidence of TPOAb over a 4-year follow-up period: results from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Archives of Endocrinology and Metabolism</i> , 2021, 65, .	0.3	0
167	Substantially elevated TSH, not traditional clinical subclinical thyroid disorder groupings, are associated with smaller LDL-P mean size: ELSA-Brasil. <i>Journal of Clinical Lipidology</i> , 2022, , .	0.6	0
168	O efeito da atividade fÃsica nas comorbidades psiquiÃtricas de pessoas com cefaleias primÃrias: Um estudo transversal da coorte do ELSA-Brasil. <i>Headache Medicine</i> , 0, , 44.	0.1	0
169	Title is missing!. , 2020, 15, e0228801.		0
170	Title is missing!. , 2020, 15, e0228801.		0
171	Title is missing!. , 2020, 15, e0228801.		0
172	Title is missing!. , 2020, 15, e0228801.		0