List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9043654/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Phase III Randomized Trial of FOLFIRI Versus FOLFOX4 in the Treatment of Advanced Colorectal Cancer: A Multicenter Study of the Gruppo Oncologico Dell'Italia Meridionale. Journal of Clinical Oncology, 2005, 23, 4866-4875.	1.6	693
2	Gemcitabine alone or with cisplatin for the treatment of patients with locally advanced and/or metastatic pancreatic carcinoma. Cancer, 2002, 94, 902-910.	4.1	347
3	Randomized Phase III Trial of Gemcitabine Plus Cisplatin Compared With Single-Agent Gemcitabine As First-Line Treatment of Patients With Advanced Pancreatic Cancer: The GIP-1 Study. Journal of Clinical Oncology, 2010, 28, 1645-1651.	1.6	279
4	Cetuximab rechallenge in metastatic colorectal cancer patients: how to come away from acquired resistance?. Annals of Oncology, 2012, 23, 2313-2318.	1.2	170
5	miR-192/miR-215 Influence 5-Fluorouracil Resistance through Cell Cycle-Mediated Mechanisms Complementary to Its Post-transcriptional Thymidilate Synthase Regulation. Molecular Cancer Therapeutics, 2010, 9, 2265-2275.	4.1	154
6	ASCEND-8: A Randomized Phase 1 Study of Ceritinib, 450 mg or 600 mg, Taken with a Low-Fat Meal versus 750 mg in Fasted State in Patients with Anaplastic Lymphoma Kinase (ALK)-Rearranged Metastatic Non–Small Cell Lung Cancer (NSCLC). Journal of Thoracic Oncology, 2017, 12, 1357-1367.	1.1	144
7	Treatment of Inoperable and/or Metastatic Biliary Tree Carcinomas With Single-Agent Gemcitabine or in Combination With Levofolinic Acid and Infusional Fluorouracil: Results of a Multicenter Phase II Study. Journal of Clinical Oncology, 2001, 19, 4089-4091.	1.6	126
8	Frequent epigenetics inactivation of KEAP1 gene in non-small cell lung cancer. Epigenetics, 2011, 6, 710-719.	2.7	126
9	Heterogeneity of KRAS, NRAS, BRAF and PIK3CA mutations in metastatic colorectal cancer and potential effects on therapy in the CAPRI GOIM trial. Annals of Oncology, 2015, 26, 1710-1714.	1.2	120
10	Natural history of bone metastasis in colorectal cancer: final results of a large Italian bone metastases study. Annals of Oncology, 2012, 23, 2072-2077.	1.2	108
11	Clinical activity of FOLFIRI plus cetuximab according to extended gene mutation status by next-generation sequencing: findings from the CAPRI-GOIM trial. Annals of Oncology, 2014, 25, 1756-1761.	1.2	105
12	Role of primary miRNA polymorphic variants in metastatic colon cancer patients treated with 5-fluorouracil and irinotecan. Pharmacogenomics Journal, 2011, 11, 429-436.	2.0	98
13	Management of Skin Toxicity Associated with Cetuximab Treatment in Combination with Chemotherapy or Radiotherapy. Oncologist, 2011, 16, 228-238.	3.7	94
14	Adjuvant chemotherapy with epirubicin, leucovorin, 5-fluorouracil and etoposide regimen in resected gastric cancer patients: a randomized phase III trial by the Gruppo Oncologico Italia Meridionale (GOIM) Tj ETQ	qO O1O2rgBT	/Owwerlock 10
15	RAS testing of liquid biopsy correlates with the outcome of metastatic colorectal cancer patients treated with first-line FOLFIRI plus cetuximab in the CAPRI-GOIM trial. Annals of Oncology, 2018, 29, 112-118.	1.2	86
16	An international expanded-access programme of everolimus: Addressing safety and efficacy in patients with metastatic renal cell carcinoma who progress after initial vascular endothelial growth factor receptor-tyrosine kinase inhibitor therapy. European Journal of Cancer, 2012, 48, 324-332.	2.8	84
17	Cetuximab Rechallenge Plus Avelumab in Pretreated Patients With <i>RAS</i> Wild-type Metastatic Colorectal Cancer. JAMA Oncology, 2021, 7, 1529.	7.1	80
18	Aberrant <i>Keap1</i> methylation in breast cancer and association with clinicopathological features. Epigenetics, 2013, 8, 105-112.	2.7	77

#	Article	IF	CITATIONS
19	Changes in CpG Islands Promoter Methylation Patterns during Ductal Breast Carcinoma Progression. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 2694-2700.	2.5	73
20	Cetuximab continuation after first progression in metastatic colorectal cancer (CAPRI-GOIM): a randomized phase II trial of FOLFOX plus cetuximab versus FOLFOX. Annals of Oncology, 2016, 27, 1055-1061.	1.2	73
21	AVAREG: a phase II, randomized, noncomparative study of fotemustine or bevacizumab for patients with recurrent glioblastoma. Neuro-Oncology, 2016, 18, 1304-1312.	1.2	71
22	Adjuvant colon cancer chemotherapy: where we are and where we'll go. Cancer Treatment Reviews, 2010, 36, S34-S41.	7.7	70
23	CDC73 mutations and parafibromin immunohistochemistry in parathyroid tumors: clinical correlations in a single-centre patient cohort. Cellular Oncology (Dordrecht), 2012, 35, 411-422.	4.4	67
24	Natural History of Malignant Bone Disease in Renal Cancer: Final Results of an Italian Bone Metastasis Survey. PLoS ONE, 2013, 8, e83026.	2.5	66
25	Bone metastases in patients with metastatic renal cell carcinoma: are they always associated with poor prognosis?. Journal of Experimental and Clinical Cancer Research, 2015, 34, 10.	8.6	65
26	Molecularly targeted endocrine therapies for breast cancer. Cancer Treatment Reviews, 2010, 36, S67-S71.	7.7	61
27	A MiRNA Signature for Defining Aggressive Phenotype and Prognosis in Gliomas. PLoS ONE, 2014, 9, e108950.	2.5	60
28	Adjuvant anastrozole versus exemestane versus letrozole, upfront or after 2 years of tamoxifen, in endocrine-sensitive breast cancer (FATA-GIM3): a randomised, phase 3 trial. Lancet Oncology, The, 2018, 19, 474-485.	10.7	59
29	Phase II study of panitumumab, oxaliplatin, 5-fluorouracil, and concurrent radiotherapy as preoperative treatment in high-risk locally advanced rectal cancer patients (StarPan/STAR-02 Study). Annals of Oncology, 2011, 22, 2424-2430.	1.2	57
30	New molecular targets in bone metastases. Cancer Treatment Reviews, 2010, 36, S6-S10.	7.7	56
31	Natural History of Malignant Bone Disease in Gastric Cancer: Final Results of a Multicenter Bone Metastasis Survey. PLoS ONE, 2013, 8, e74402.	2.5	56
32	Cisplatin/Pemetrexed Followed by Maintenance Pemetrexed Versus Carboplatin/Paclitaxel/Bevacizumab Followed by Maintenance Bevacizumab in Advanced Nonsquamous Lung Cancer: The GOIM (Gruppo) Tj ETQq0 (262-273.	0 0 rgBT /0	Overlock 10 Tf
33	A prothrombotic state in breast cancer patients treated with adjuvant chemotherapy. Breast Cancer Research and Treatment, 1996, 40, 151-159.	2.5	51
34	Genomic instability and increased expression of BUB1B and MAD2L1 genes in ductal breast carcinoma. Cancer Letters, 2007, 254, 298-307.	7.2	50
35	Alexithymia and Cancer Pain: The Effect of Psychological Intervention. Psychotherapy and Psychosomatics, 2010, 79, 156-163.	8.8	48
36	Chemokine receptor CXCR4: Role in gastrointestinal cancer. Critical Reviews in Oncology/Hematology, 2013, 88, 696-705.	4.4	48

#	Article	IF	CITATIONS
37	Second-line chemotherapy in advanced pancreatic carcinoma: a multicenter survey of the Gruppo Oncologico Italia Meridionale on the activity and safety of the FOLFOX4 regimen in clinical practice. Annals of Oncology, 2007, 18, vi124-vi127.	1.2	47
38	Alexithymia, coping, and illness behavior correlates of pain experience in cancer patients. Psycho-Oncology, 2007, 16, 644-650.	2.3	47
39	Stepwise analysis of MIR9 loci identifies miR-9-5p to be involved in Oestrogen regulated pathways in breast cancer patients. Scientific Reports, 2017, 7, 45283.	3.3	45
40	Phase III trial comparing 3–6 months of adjuvant FOLFOX4/XELOX in stage II–III colon cancer: safety and compliance in the TOSCA trial. Annals of Oncology, 2016, 27, 2074-2081.	1.2	44
41	Target Therapies in Pancreatic Carcinoma. Current Medicinal Chemistry, 2014, 21, 948-965.	2.4	43
42	Topoisomerase-I, thymidylate synthase primary tumour expression and clinical efficacy of 5-FU/CPT-11 chemotherapy in advanced colorectal cancer patients. International Journal of Cancer, 2004, 111, 252-258.	5.1	42
43	Irinotecan Plus Bolus/Infusional 5-Fluorouracil and Leucovorin in Patients With Pretreated Advanced Pancreatic Carcinoma. American Journal of Clinical Oncology: Cancer Clinical Trials, 2010, 33, 461-464.	1.3	40
44	High RAD51 mRNA expression characterize estrogen receptorâ€positive/progesteron receptorâ€negative breast cancer and is associated with patient's outcome. International Journal of Cancer, 2011, 129, 536-545.	5.1	40
45	Evaluation of microRNA-10b prognostic significance in a prospective cohort of breast cancer patients. Molecular Cancer, 2014, 13, 142.	19.2	40
46	Prospective validation of a lymphocyte infiltration prognostic test in stage III colon cancer patients treated with adjuvant FOLFOX. European Journal of Cancer, 2017, 82, 16-24.	2.8	40
47	Ovarian Cancer in the Era of Immune Checkpoint Inhibitors: State of the Art and Future Perspectives. Cancers, 2021, 13, 4438.	3.7	40
48	lrinotecan (CPT-11) and Mitomycin-C (MMC) as Second-Line Therapy in Advanced Gastric Cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 2005, 28, 581-585.	1.3	39
49	Changes in miR-143 and miR-21 Expression and Clinicopathological Correlations in Pancreatic Cancers. Pancreas, 2012, 41, 1280-1284.	1.1	39
50	Safety and tolerability of subcutaneous trastuzumab for the adjuvant treatment of human epidermal growth factor receptor 2-positive early breast cancer: SafeHer phase III study's primary analysis of 2573 patients. European Journal of Cancer, 2017, 82, 237-246.	2.8	38
51	Biological targeted therapies in patients with advanced enteropancreatic neuroendocrine carcinomas. Cancer Treatment Reviews, 2010, 36, S87-S94.	7.7	36
52	Frequent <i>NRG1</i> fusions in Caucasian pulmonary mucinous adenocarcinoma predicted by Phospho-ErbB3 expression. Oncotarget, 2018, 9, 9661-9671.	1.8	36
53	5-Fluorouracil and folinic acid with or without CPT-11 in advanced colorectal cancer patients: A multicenter randomised phase II study of the Southern Italy Oncology Group. Annals of Oncology, 2000, 11, 1045-1052.	1.2	33
54	Natural History of Malignant Bone Disease in Hepatocellular Carcinoma: Final Results of a Multicenter Bone Metastasis Survey. PLoS ONE, 2014, 9, e105268.	2.5	33

#	Article	IF	CITATIONS
55	Hsa-miR-155-5p Up-Regulation in Breast Cancer and Its Relevance for Treatment With Poly[ADP-Ribose] Polymerase 1 (PARP-1) Inhibitors. Frontiers in Oncology, 2020, 10, 1415.	2.8	31
56	Efficacy and Safety of Cetuximab/Irinotecan in Chemotherapy-Refractory Metastatic Colorectal Adenocarcinomas: A Clinical Practice Setting, Multicenter Experience. Clinical Colorectal Cancer, 2006, 5, 422-428.	2.3	30
57	Gemcitabine and cisplatin for inoperable and/or metastatic biliary tree carcinomas: a multicenter phase II study of the Gruppo Oncologico dell'Italia Meridionale (GOIM). Annals of Oncology, 2006, 17, vii73-vii77.	1.2	30
58	Gemcitabine alone or with cisplatin for the treatment of patients with locally advanced and/or metastatic pancreatic carcinoma. Cancer, 2002, 94, 902-910.	4.1	29
59	Management of Skin Reactions During Cetuximab Treatment in Association With Chemotherapy or Radiotherapy. American Journal of Clinical Oncology: Cancer Clinical Trials, 2016, 39, 407-415.	1.3	28
60	Crosstalk between the Tumor Microenvironment and Immune System in Pancreatic Ductal Adenocarcinoma: Potential Targets for New Therapeutic Approaches. Gastroenterology Research and Practice, 2018, 2018, 1-15.	1.5	28
61	A prospective study on survival in cancer patients with and without venous thromboembolism. Internal and Emergency Medicine, 2014, 9, 559-67.	2.0	27
62	Competitive allele-specific TaqMan PCR (Cast-PCR) is a sensitive, specific and fast method for BRAF V600 mutation detection in Melanoma patients. Scientific Reports, 2015, 5, 18592.	3.3	27
63	Basal and bevacizumab-based therapy-induced changes of lactate dehydrogenases and fibrinogen levels and clinical outcome of previously untreated metastatic colorectal cancer patients: a multicentric retrospective analysis. Expert Opinion on Biological Therapy, 2015, 15, 155-162.	3.1	27
64	Molecular profiling in Italian patients with advanced non-small-cell lung cancer: An observational prospective study. Lung Cancer, 2017, 111, 30-37.	2.0	27
65	Induction of natural killer antibody-dependent cell cytotoxicity and of clinical activity of cetuximab plus avelumab in non-small cell lung cancer. ESMO Open, 2020, 5, e000753.	4.5	25
66	FOLFIRI with or without celecoxib in advanced colorectal cancer: a randomized phase II study of the Gruppo Oncologico dell'Italia Meridionale (GOIM). Annals of Oncology, 2006, 17, vii55-vii59.	1.2	24
67	Liposomal-encapsulated doxorubicin plus cyclophosphamide as first-line therapy in metastatic breast cancer: a phase II multicentric study. Annals of Oncology, 2007, 18, vi66-vi69.	1.2	24
68	Phosphatidylinositol 3-kinase (PI3Kα)/AKT axis blockade with taselisib or ipatasertib enhances the efficacy of anti-microtubule drugs in human breast cancer cells. Oncotarget, 2017, 8, 76479-76491.	1.8	24
69	High Specificity of Quantitative Methylation-Specific PCR Analysis for <i>MGMT</i> Promoter Hypermethylation Detection in Gliomas. Journal of Biomedicine and Biotechnology, 2009, 2009, 1-8.	3.0	23
70	AXL is a predictor of poor survival and of resistance to anti-EGFR therapy in RAS wild-type metastatic colorectal cancer. European Journal of Cancer, 2020, 138, 1-10.	2.8	23
71	Non-pegylated liposome-encapsulated doxorubicin citrate plus cyclophosphamide or vinorelbine in metastatic breast cancer not previously treated with chemotherapy: A multicenter phase III study. International Journal of Oncology, 2014, 45, 2137-2142.	3.3	22
72	Combined analysis of miR-200 family and its significance for breast cancer. Scientific Reports, 2021, 11, 2980.	3.3	22

#	Article	IF	CITATIONS
73	Comparison of CHOP-B vs CEOP-B in â€~poor prognosis' non-Hodgkin's lymphomas. A randomized trial. Medical Oncology and Tumor Pharmacotherapy, 1989, 6, 163-169.	1.1	21
74	Biomarker-Guided Anti-EGFR Rechallenge Therapy in Metastatic Colorectal Cancer. Cancers, 2021, 13, 1941.	3.7	21
75	Gene expression of somatostatin receptor subtypes SSTR2a, SSTR3 and SSTR5 in peripheral blood of neuroendocrine lung cancer affected patients. Cellular Oncology (Dordrecht), 2011, 34, 435-441.	4.4	20
76	CES2, ABCG2, TS and Topo-I Primary and Synchronous Metastasis Expression and Clinical Outcome in Metastatic Colorectal Cancer Patients Treated with First-Line FOLFIRI Regimen. International Journal of Molecular Sciences, 2014, 15, 15767-15777.	4.1	20
77	Severe Spontaneous Acute Tumor Lysis Syndrome and Hypoglycemia in Patient with Germ Cell Tumor. Tumori, 2010, 96, 1040-1043.	1.1	19
78	Temporal stability of alexithymia in cancer patients following a psychological intervention. Journal of Clinical Psychology, 2011, 67, 1177-1187.	1.9	19
79	Hsa-miR-210-3p expression in breast cancer and its putative association with worse outcome in patients treated with Docetaxel. Scientific Reports, 2019, 9, 14913.	3.3	19
80	Efficacy and Safety of Bevacizumab Combined With Fluoropyrimidine Monotherapy for Unfit or Older Patients With Metastatic Colorectal Cancer: A Systematic Review and Meta-Analysis. Clinical Colorectal Cancer, 2017, 16, e61-e72.	2.3	18
81	Aflibercept Plus FOLFIRI in the Real-life Setting: Safety and Quality of Life Data From the Italian Patient Cohort of the Aflibercept Safety and Quality-of-Life Program Study. Clinical Colorectal Cancer, 2018, 17, e457-e470.	2.3	18
82	Efficacy of the Association of Folinic Acid and 5-Fluorouracil Alone Versus Folinic Acid and 5-Fluorouracil Plus 4-Epidoxorubicin in the Treatment of Advanced Gastric Carcinoma. American Journal of Clinical Oncology: Cancer Clinical Trials, 1995, 18, 519-524.	1.3	17
83	BRAF V600E mutation in metastatic colorectal cancer: Methods of detection and correlation with clinical and pathologic features. Cancer Biology and Therapy, 2016, 17, 840-848.	3.4	17
84	Relevance of cell kinetics to hormonal response of receptor-positive advanced breast cancer. Breast Cancer Research and Treatment, 1988, 11, 31-36.	2.5	16
85	5-Fluorouracil and levofolinic acid with or without recombinant interferon-2b in patients with advanced colorectal carcinoma. Cancer, 1999, 85, 535-545.	4.1	16
86	The Dark Side of the Moon: The PI3K/PTEN/AKT Pathway in Colorectal Carcinoma. Oncology, 2009, 77, 69-74.	1.9	16
87	Cetuximab plus FOLFOX-4 in Untreated Patients with Advanced Colorectal Cancer: A Gruppo Oncologico dell'Italia Meridionale Multicenter Phase II Study. Oncology, 2010, 79, 415-422.	1.9	16
88	Adherence to AIOM (Italian Association of Medical Oncology) lung cancer guidelines in Italian clinical practice: Results from the RIGHT-3 (research for the identification of the most effective and) Tj ETQq0 0 0	rgB0∂/Ove	erl a6 k 10 Tf 5
89	ALK and NRG1 Fusions Coexist in a Patient with Signet Ring Cell Lung Adenocarcinoma. Journal of Thoracic Oncology. 2017. 12. e161-e163.	1.1	16

⁹⁰Novel association of MEN1 gene mutations with parathyroid carcinoma. Oncology Letters, 2017, 14,
23-30.1.816

#	Article	IF	CITATIONS
91	Update on capecitabine alone and in combination regimens in colorectal cancer patients. Cancer Treatment Reviews, 2010, 36, S46-S55.	7.7	15
92	Sequential use of sorafenib and sunitinib in advanced renal cell carcinoma: does the order of sequencing matter?. Medical Oncology, 2012, 29, 1908-1913.	2.5	15
93	Common germline variants within the CDKN2A/2B region affect risk of pancreatic neuroendocrine tumors. Scientific Reports, 2016, 6, 39565.	3.3	15
94	The potential role of nintedanib in treating colorectal cancer. Expert Opinion on Pharmacotherapy, 2017, 18, 1153-1162.	1.8	15
95	Methylation Density Pattern of KEAP1 Gene in Lung Cancer Cell Lines Detected by Quantitative Methylation Specific PCR and Pyrosequencing. International Journal of Molecular Sciences, 2019, 20, 2697.	4.1	15
96	Effects of KEAP1 Silencing on the Regulation of NRF2 Activity in Neuroendocrine Lung Tumors. International Journal of Molecular Sciences, 2019, 20, 2531.	4.1	15
97	Immunotherapy for Biliary Tract Cancer in the Era of Precision Medicine: Current Knowledge and Future Perspectives. International Journal of Molecular Sciences, 2022, 23, 820.	4.1	15
98	Importance of adherence to guidelines in breast cancer clinical practice. The Italian experience (AIOM). Tumori, 2011, 97, 559-563.	1.1	14
99	MEN1 gene mutation with parathyroid carcinoma: first report of a familial case. Endocrine Connections, 2017, 6, 886-891.	1.9	14
100	The Interplay between PARP Inhibitors and Immunotherapy in Ovarian Cancer: The Rationale behind a New Combination Therapy. International Journal of Molecular Sciences, 2022, 23, 3871.	4.1	14
101	FOLFIRI regimen in advanced colorectal cancer: the experience of the Gruppo Oncologico dell'Italia Meridionale (GOIM). Annals of Oncology, 2005, 16, iv56-iv60.	1.2	13
102	Cetuximab in squamous cell head and neck carcinomas. Annals of Oncology, 2007, 18, vi5-vi7.	1.2	13
103	Adjuvant Therapy in Colon Cancer. Oncology, 2009, 77, 50-56.	1.9	13
104	Optimized granulocyte colony-stimulating factor prophylaxis in adult cancer patients: from biological principles to clinical guidelines. Expert Opinion on Therapeutic Targets, 2012, 16, S111-S117.	3.4	13
105	Cetuximab: clinical results in colorectal cancer. Annals of Oncology, 2007, 18, vi8-vi10.	1.2	12
106	Palonosetron for prevention of acute and delayed nausea and vomiting induced by moderately emetogenic adjuvant folfox-4 regimen in colorectal cancer (CRC) patients: A phase II study of the Gruppo Oncologico dell' Italia Meridionale (GOIM). European Journal of Cancer, Supplement, 2008, 6, 102-106.	2.2	12
107	Assessment of Ramucirumab plus paclitaxel as switch maintenance versus continuation of first-line chemotherapy in patients with advanced HER-2 negative gastric or gastroesophageal junction cancers: the ARMANI phase III trial. BMC Cancer, 2019, 19, 283.	2.6	12
108	Immunotherapy in advanced anal cancer: Is the beginning of a new era?. Cancer Treatment Reviews, 2022, 105, 102373.	7.7	12

#	Article	IF	CITATIONS
109	Treatment of metastatic malignant melanoma with dacarbazine plus tamoxifen, or vindesine plus tamoxifen. Melanoma Research, 2003, 13, 73-79.	1.2	11
110	Agreement between oncology guidelines and clinical practice in Italy: the â€~right' program. A project of the Italian Association of Medical Oncology (AIOM). Annals of Oncology, 2007, 18, vi179-vi184.	1.2	11
111	Pharmacokinetic and Metabolism Determinants of Fluoropyrimidines and Oxaliplatin Activity in Treatment of Colorectal Patients. Current Drug Metabolism, 2011, 12, 918-931.	1.2	11
112	Induction Pemetrexed and Cisplatin Followed by Maintenance Pemetrexed Versus Carboplatin Plus Paclitaxel Plus Bevacizumab Followed by Maintenance Bevacizumab: A Quality of Life–Oriented Randomized Phase III Study in Patients With Advanced Non-Squamous Non–Small-Cell Lung Cancer (ERACLE). Clinical Lung Cancer, 2011, 12, 402-406.	2.6	11
113	KRASmutations and sensitivity to anti-EGFR monoclonal antibodies in metastatic colorectal carcinoma: an open issue. Expert Opinion on Biological Therapy, 2009, 9, 565-577.	3.1	10
114	Combined modality treatments in pancreatic cancer. Expert Opinion on Therapeutic Targets, 2012, 16, S71-S81.	3.4	10
115	Modeling interactions between Human Equilibrative Nucleoside Transporter-1 and other factors involved in the response to gemcitabine treatment to predict clinical outcomes in pancreatic ductal adenocarcinoma patients. Journal of Translational Medicine, 2014, 12, 248.	4.4	10
116	A multicenter, randomized, phase 3 trial comparing fixed dose versus toxicity-adjusted dose of cisplatin + etoposide in extensive small-cell lung cancer (SCLC) patients. Lung Cancer, 2017, 108, 15-21.	2.0	10
117	Association of Genetic Variants Affecting microRNAs and Pancreatic Cancer Risk. Frontiers in Genetics, 2021, 12, 693933.	2.3	10
118	Final results of the CAVE trial in RAS wild type metastatic colorectal cancer patients treated with cetuximab plus avelumab as rechallenge therapy: Neutrophil to lymphocyte ratio predicts survival. Clinical Colorectal Cancer, 2022, 21, 141-148.	2.3	10
119	Prolonged exposure to tyrosine kinase inhibitors or early use of everolimus in metastatic renal cell carcinoma: are the two options alike?. Medical Oncology, 2013, 30, 578.	2.5	9
120	Dose intensity and efficacy of the combination of everolimus and exemestane (EVE/EXE) in a real-world population of hormone receptor-positive (ER+/PgR+), HER2-negative advanced breast cancer (ABC) patients: a multicenter Italian experience. Breast Cancer Research and Treatment, 2017, 163, 587-594.	2.5	9
121	An Italian cost-effectiveness analysis of paclitaxel albumin (nab-paclitaxel) + gemcitabine vs gemcitabine alone for metastatic pancreatic cancer patients: the APICE study. Expert Review of Pharmacoeconomics and Outcomes Research, 2018, 18, 435-446.	1.4	9
122	MicroRNA co-expression networks exhibit increased complexity in pancreatic ductal compared to Vater's papilla adenocarcinoma. Oncotarget, 2017, 8, 105320-105339.	1.8	9
123	Pharmacokinetic drug evaluation of osimertinib for the treatment of non-small cell lung cancer. Expert Opinion on Drug Metabolism and Toxicology, 2017, 13, 1281-1288.	3.3	8
124	Total and not bevacizumab-bound vascular endothelial growth factor as potential predictive factors to bevacizumab-based chemotherapy in colorectal cancer. World Journal of Gastroenterology, 2016, 22, 6287.	3.3	8
125	Insights into the role of gut and intratumor microbiota in pancreatic ductal adenocarcinoma as new key players in preventive, diagnostic and therapeutic perspective. Seminars in Cancer Biology, 2022, 86, 997-1007.	9.6	8
126	Targeting EGFR in bilio-pancreatic and liver carcinoma. Frontiers in Bioscience - Scholar, 2011, S3, 16-22.	2.1	7

#	Article	IF	CITATIONS
127	Unusual gastrointestinal and cutaneous toxicities by bleomycin, etoposide, and cisplatin: a case report with pharmacogenetic analysis to personalize treatment. EPMA Journal, 2017, 8, 69-73.	6.1	7
128	Metronomic oral chemotherapy with cyclophosphamide plus capecitabine combined with trastuzumab (HEX) as first line therapy of HER-2 positive advanced breast cancer: A phase II trial of the Gruppo Oncologico Italia Meridionale (GOIM). Breast, 2020, 53, 18-22.	2.2	7
129	How Immunotherapy Modified the Therapeutic Scenario of Endometrial Cancer: A Systematic Review. Frontiers in Oncology, 2022, 12, 844801.	2.8	7
130	MicroRNAs as a New Potential Therapeutic Opportunity in Gastrointestinal Cancer. Oncology, 2009, 77, 75-89.	1.9	6
131	Biological characterization and selection criteria of adjuvant chemotherapy for early breast cancer: experience from the Italian observational NEMESI study. BMC Cancer, 2012, 12, 216.	2.6	6
132	Aberrant Genes Promoter Methylation in Neural Crest-Derived Tumors. International Journal of Biological Markers, 2012, 27, 389-394.	1.8	6
133	Bevacizumab in Combination With Either FOLFOX-4 or XELOX-2 in First-line Treatment of Patients With Metastatic Colorectal Cancer: A Multicenter Randomized Phase II Trial of the Gruppo Oncologico dell'Italia Meridionale (GOIM 2802). Clinical Colorectal Cancer, 2020, 19, 109-115.	2.3	6
134	Effectiveness and Safety of Transthoracic Ultrasound in Guiding Percutaneous Needle Biopsy in the Lung and Comparison vs. CT Scan in Assessing Morphology of Subpleural Consolidations. Diagnostics, 2021, 11, 1641.	2.6	6
135	Epirubicin, Folinic Acid, Fluorouracil, and Etoposide in the Treatment of Advanced Gastric Cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 1999, 22, 262-266.	1.3	5
136	Role of external radiation therapy in urinary cancers. Annals of Oncology, 2007, 18, vi157-vi161.	1.2	4
137	Sequential methotrexate/5-fluorouracil in advanced colorectal cancer treatment. Journal of Surgical Oncology, 1991, 48, 129-133.	1.7	3
138	Epidoxorubicin and Double Biochemical 5-Fluorouracil Modulation with Folinic Acid and Human Lymphoblastoid Interferon in Advanced Gastric Carcinoma: A Multicentric Phase II Study of the Southern Italy Oncology Group (GOIM). Oncology, 1996, 53, 269-274.	1.9	3
139	Postchemotherapy residual masses in germ cell tumor patients: our experience. Annals of Oncology, 2006, 17, vii132-vii136.	1.2	3
140	Biweekly combination of trastuzumab, docetaxel and gemcitabine for HER2-positive metastatic breast cancer: results of a Phase II GOIM study. Future Oncology, 2014, 10, 725-733.	2.4	3
141	Intraoperative Lung Ultrasound (ILU) for the Assessment of Pulmonary Nodules. Diagnostics, 2021, 11, 1691.	2.6	3
142	5â€Fluorouracil and levofolinic acid with or without recombinant interferonâ€2b in patients with advanced colorectal carcinoma. Cancer, 1999, 85, 535-545.	4.1	3
143	Cetuximab metastatic colorectal cancer strategy (ERMES) study: A phase III randomized two arm study with FOLFIRI + cetuximab until disease progression compared to FOLFIRI + cetuximab for 8 cycles followed by cetuximab alone until disease progression in first-line treatment of patients with RAS and BRAF wild type metastatic colorectal cancer lournal of Clinical Oncology. 2017, 35, TPS810-TPS810.	1.6	3
144	The Italian cross-sectional survey of the management of bone metastasis: ZeTa study. Journal of Bone Oncology, 2012, 1, 35-39.	2.4	2

#	Article	IF	CITATIONS
145	Dynamics of RAS/BRAF Mutations in cfDNA from Metastatic Colorectal Carcinoma Patients Treated with Polychemotherapy and Anti-EGFR Monoclonal Antibodies. Cancers, 2022, 14, 1052.	3.7	2
146	Clinical results of EGFR-targeted therapies in advanced colorectal cancer. European Journal of Cancer, Supplement, 2008, 6, 64-69.	2.2	1
147	Epirubicin, taxotere and fluorouracil modulated by folinic acid in the treatment of advanced gastric cancer: A phase II study of the Gruppo Oncologico dell' Italia Meridionale (GOIM). European Journal of Cancer, Supplement, 2008, 6, 107-112.	2.2	1
148	Evolution of Therapy Decision-Making Process for Advanced Non-Small Cell Lung Cancer. Oncology, 2009, 77, 97-102.	1.9	1
149	Clinic, Endoscopic and Histological Features in Patients Treated with ICI Developing GI Toxicity: Some News and Reappraisal from a Mono-Institutional Experience. Diagnostics, 2022, 12, 685.	2.6	1
150	Sequential Treatment with High-Dose Methotrexate and Fluorouracil in Advanced Colorectal Cancer. Experience of The Southern Italian Oncology Group (GOIM). Journal of Chemotherapy, 1994, 6, 139-146.	1.5	0
151	Correlation between basal bilirubin levels and survival in advanced colorectal carcinoma treated with CPT-11-based chemotherapy: A study of the Gruppo Oncologico Italia Meridionale (G.O.I.M.). European Journal of Cancer, Supplement, 2008, 6, 94-99.	2.2	0
152	Evidence-based guidelines: Improving AGREEment on consistence evaluation. Journal of Bone Oncology, 2012, 1, 30-34.	2.4	0
153	Multicenter Single-Arm, Two-Stage Phase 2 Study of Panitumumab in Patients With Cetuximab-Refractory Metastatic Colorectal Cancer: The PACER Trial. Clinical Colorectal Cancer, 2020, 19, 270-276.	2.3	0
154	Appropriateness of trifluridine/tipiracil in the clinical practice of third-line therapy in metastatic colorectal cancer. Future Oncology, 2021, 17, 1749-1759.	2.4	0
155	Evaluating Alternative Ramucirumab Doses as a Single Agent or with Paclitaxel in Second-Line Treatment of Locally Advanced or Metastatic Gastric/Gastroesophageal Junction Adenocarcinoma:	3.7	Ο