

Minako Yamaoka-Tojo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9043665/publications.pdf>

Version: 2024-02-01

123
papers

2,851
citations

172207

29
h-index

197535

49
g-index

129
all docs

129
docs citations

129
times ranked

3956
citing authors

#	ARTICLE	IF	CITATIONS
1	Role of gp91phox(Nox2)-Containing NAD(P)H Oxidase in Angiogenesis in Response to Hindlimb Ischemia. <i>Circulation</i> , 2005, 111, 2347-2355.	1.6	250
2	IQGAP1, a Novel Vascular Endothelial Growth Factor Receptor Binding Protein, Is Involved in Reactive Oxygen Species-Dependent Endothelial Migration and Proliferation. <i>Circulation Research</i> , 2004, 95, 276-283.	2.0	223
3	IQGAP1 Regulates Reactive Oxygen Species-Dependent Endothelial Cell Migration Through Interacting With Nox2. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 2295-2300.	1.1	121
4	IQGAP1 Mediates VE-Cadherin-Based Cell-Cell Contacts and VEGF Signaling at Adherence Junctions Linked to Angiogenesis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 1991-1997.	1.1	102
5	Gait speed has comparable prognostic capability to six-minute walk distance in older patients with cardiovascular disease. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 212-219.	0.8	92
6	Quadriceps Strength as a Predictor of Mortality in Coronary Artery Disease. <i>American Journal of Medicine</i> , 2015, 128, 1212-1219.	0.6	85
7	Apoptosis in Rat Cardiac Myocytes Induced by Fas Ligand: Priming for Fas-mediated Apoptosis with Doxorubicin. <i>Journal of Molecular and Cellular Cardiology</i> , 2000, 32, 881-889.	0.9	79
8	Utility of SARC-F for Assessing Physical Function in Elderly Patients With Cardiovascular Disease. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 176-181.	1.2	79
9	Elevated circulating levels and cardiac secretion of soluble fas ligand in patients with congestive heart failure. <i>American Journal of Cardiology</i> , 1999, 83, 1500-1503.	0.7	72
10	Elevated circulating levels of an incretin hormone, glucagon-like peptide-1, are associated with metabolic components in high-risk patients with cardiovascular disease. <i>Cardiovascular Diabetology</i> , 2010, 9, 17.	2.7	69
11	Endothelial glycocalyx damage as a systemic inflammatory microvascular endotheliopathy in COVID-19. <i>Biomedical Journal</i> , 2020, 43, 399-413.	1.4	66
12	Vascular Endothelial Glycocalyx Damage in COVID-19. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9712.	1.8	65
13	Serum Levels of Soluble Form of Fas Molecule in Patients with Congestive Heart Failure. <i>American Journal of Cardiology</i> , 1997, 79, 1698-1701.	0.7	59
14	Circulating levels of interleukin 18 reflect etiologies of heart failure: Th1/Th2 cytokine imbalance exaggerates the pathophysiology of advanced heart failure. <i>Journal of Cardiac Failure</i> , 2002, 8, 21-27.	0.7	56
15	Anti-inflammatory Cytokine Profile in Human Heart Failure. <i>Japanese Circulation Journal</i> , 1999, 63, 951-956.	1.0	54
16	Quadriceps isometric strength as a predictor of exercise capacity in coronary artery disease patients. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 1285-1291.	0.8	51
17	Effects on bone metabolism markers and arterial stiffness by switching to rivaroxaban from warfarin in patients with atrial fibrillation. <i>Heart and Vessels</i> , 2017, 32, 977-982.	0.5	49
18	The GLIM criteria for defining malnutrition can predict physical function and prognosis in patients with cardiovascular disease. <i>Clinical Nutrition</i> , 2021, 40, 146-152.	2.3	47

#	ARTICLE	IF	CITATIONS
19	Complementary Role of Arm Circumference to Body Mass Index in Risk Stratification in Heart Failure. <i>JACC: Heart Failure</i> , 2016, 4, 265-273.	1.9	46
20	Effect of Empagliflozin on Endothelial Function in Patients With Type 2 Diabetes and Cardiovascular Disease: Results from the Multicenter, Randomized, Placebo-Controlled, Double-Blind EMBLEM Trial. <i>Diabetes Care</i> , 2019, 42, e159-e161.	4.3	45
21	Prognostic Usefulness of Arm and Calf Circumference in Patients ≥ 65 Years of Age With Cardiovascular Disease. <i>American Journal of Cardiology</i> , 2017, 119, 186-191.	0.7	41
22	IQGAP1 links PDGF receptor- β signal to focal adhesions involved in vascular smooth muscle cell migration: role in neointimal formation after vascular injury. <i>American Journal of Physiology - Cell Physiology</i> , 2013, 305, C591-C600.	2.1	40
23	Prediction of functional recovery in acute myocardial infarction: Comparison between sestamibi reverse redistribution and sestamibi/BMIPP mismatch*1. <i>Journal of Nuclear Cardiology</i> , 1998, 5, 119-127.	1.4	38
24	Long-term warfarin therapy and biomarkers for osteoporosis and atherosclerosis. <i>BBA Clinical</i> , 2015, 4, 76-80.	4.1	38
25	C-reactive protein-induced production of interleukin-18 in human endothelial cells: a mechanism of orchestrating cytokine cascade in acute coronary syndrome. <i>Heart and Vessels</i> , 2003, 18, 183-187.	0.5	37
26	Usefulness of Pet Ownership as a Modulator of Cardiac Autonomic Imbalance in Patients With Diabetes Mellitus, Hypertension, and/or Hyperlipidemia. <i>American Journal of Cardiology</i> , 2012, 109, 1164-1170.	0.7	34
27	Teneligliptin improves left ventricular diastolic function and endothelial function in patients with diabetes. <i>Heart and Vessels</i> , 2016, 31, 1303-1310.	0.5	32
28	Incremental Value of Objective Frailty Assessment to Predict Mortality in Elderly Patients Hospitalized for Heart Failure. <i>Journal of Cardiac Failure</i> , 2018, 24, 723-732.	0.7	32
29	Circulating interleukin-18: A specific biomarker for atherosclerosis-prone patients with metabolic syndrome. <i>Nutrition and Metabolism</i> , 2011, 8, 3.	1.3	31
30	Rivaroxaban Inhibits Angiotensin II-Induced Activation in Cultured Mouse Cardiac Fibroblasts Through the Modulation of NF- κ B Pathway. <i>International Heart Journal</i> , 2015, 56, 544-550.	0.5	31
31	Postprandial hyperglycemia and endothelial function in type 2 diabetes: focus on mitiglinide. <i>Cardiovascular Diabetology</i> , 2012, 11, 79.	2.7	29
32	Effects of ezetimibe add-on therapy for high-risk patients with dyslipidemia. <i>Lipids in Health and Disease</i> , 2009, 8, 41.	1.2	28
33	Rationale and design of a multicenter placebo-controlled double-blind randomized trial to evaluate the effect of empagliflozin on endothelial function: the EMBLEM trial. <i>Cardiovascular Diabetology</i> , 2017, 16, 48.	2.7	28
34	Association between sarcopenia and atherosclerosis in elderly patients with ischemic heart disease. <i>Heart and Vessels</i> , 2020, 35, 769-775.	0.5	28
35	Short-Term Change in Gait Speed and Clinical Outcomes in Older Patients With Acute Heart Failure. <i>Circulation Journal</i> , 2019, 83, 1860-1867.	0.7	27
36	Factor Xa in Mouse Fibroblasts May Induce Fibrosis More Than Thrombin. <i>International Heart Journal</i> , 2014, 55, 357-361.	0.5	23

#	ARTICLE	IF	CITATIONS
37	Neointimal coverage of zotarolimus-eluting stent at 1, 2, and 3 months follow-up: an optical coherence tomography study. <i>Heart and Vessels</i> , 2016, 31, 206-211.	0.5	23
38	Enhanced Expression and Shedding of Tumor Necrosis Factor (TNF) Receptors from Mononuclear Leukocytes in Human Heart Failure. <i>Journal of Molecular and Cellular Cardiology</i> , 1998, 30, 2003-2012.	0.9	20
39	Acute Renal Failure due to Oxalate Ingestion.. <i>Internal Medicine</i> , 1998, 37, 762-765.	0.3	20
40	Dual response to Fas ligation in human endothelial cells: apoptosis and induction of chemokines, interleukin-8 and monocyte chemoattractant protein-1. <i>Coronary Artery Disease</i> , 2003, 14, 89-94.	0.3	20
41	Beyond Cholesterol Lowering: Pleiotropic Effects of Bile Acid Binding Resins Against Cardiovascular Disease Risk Factors in Patients with Metabolic Syndrome. <i>Current Vascular Pharmacology</i> , 2008, 6, 271-281.	0.8	19
42	Respiratory muscle weakness increases dead space ventilation ratio aggravating ventilation-perfusion mismatch during exercise in patients with chronic heart failure. <i>Respirology</i> , 2019, 24, 154-161.	1.3	19
43	Prevalence and prognosis of respiratory muscle weakness in heart failure patients with preserved ejection fraction. <i>Respiratory Medicine</i> , 2020, 161, 105834.	1.3	19
44	Endothelial Dysfunction Is Associated with Cognitive Impairment of Elderly Cardiovascular Disease Patients. <i>International Heart Journal</i> , 2018, 59, 1034-1040.	0.5	18
45	Nitric Oxide Enhances Expression and Shedding of Tumor Necrosis Factor Receptor I (p55) in Endothelial Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000, 20, 1506-1511.	1.1	17
46	Walking Speed in Patients With First Acute Myocardial Infarction Who Participated in a Supervised Cardiac Rehabilitation Program After Coronary Intervention. <i>International Heart Journal</i> , 2012, 53, 347-352.	0.5	17
47	Acute Effects of Whole-Body Vibration Training on Endothelial Function and Cardiovascular Response in Elderly Patients with Cardiovascular Disease. <i>International Heart Journal</i> , 2019, 60, 854-861.	0.5	16
48	Central Neurotranspeptide, Alpha-Melanocyte-Stimulating Hormone (.ALPHA.-MSH) is Upregulated in Patients with Congestive Heart Failure. <i>Internal Medicine</i> , 2006, 45, 429-434.	0.3	15
49	Effect of Balance Training on Walking Speed and Cardiac Events in Elderly Patients With Ischemic Heart Disease. <i>International Heart Journal</i> , 2014, 55, 397-403.	0.5	15
50	A Single Session of Neuromuscular Electrical Stimulation Enhances Vascular Endothelial Function and Peripheral Blood Circulation in Patients With Acute Myocardial Infarction. <i>International Heart Journal</i> , 2016, 57, 676-681.	0.5	15
51	Endothelial glycocalyx and severity and vulnerability of coronary plaque in patients with coronary artery disease. <i>Atherosclerosis</i> , 2020, 302, 1-7.	0.4	15
52	Pleiotropic Effects of ARB in Vascular Metabolism - Focusing on Atherosclerosis-Based Cardiovascular Disease. <i>Current Vascular Pharmacology</i> , 2011, 9, 145-152.	0.8	15
53	Effects of intermittent pneumatic compression of the thigh on blood flow velocity in the femoral and popliteal veins: developing a new physical prophylaxis for deep vein thrombosis in patients with plaster-cast immobilization of the leg. <i>Journal of Thrombosis and Thrombolysis</i> , 2016, 42, 579-584.	1.0	14
54	Secondary analyses to assess the profound effects of empagliflozin on endothelial function in patients with type 2 diabetes and established cardiovascular diseases: The placebo-controlled double-blind randomized effect of empagliflozin on endothelial function in cardiovascular high risk diabetes mellitus: Multi-center placebo-controlled double-blind randomized trial. <i>Journal of Diabetes Investigation</i> , 2020, 11, 1551-1563.	1.1	14

#	ARTICLE	IF	CITATIONS
55	Changes in Respiratory Muscle Strength Following Cardiac Rehabilitation for Prognosis in Patients with Heart Failure. <i>Journal of Clinical Medicine</i> , 2020, 9, 952.	1.0	14
56	Adaptation to Low-Intensity Exercise on a Cycle Ergometer by Patients With Acute Myocardial Infarction Undergoing Phase I Cardiac Rehabilitation. <i>Circulation Journal</i> , 2004, 68, 938-945.	0.7	13
57	Quadriceps Strength and Mortality in Older Patients With Heart Failure. <i>Canadian Journal of Cardiology</i> , 2021, 37, 476-483.	0.8	13
58	Preoperative skeletal muscle density is associated with postoperative mortality in patients with cardiovascular disease. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2020, 30, 515-522.	0.5	12
59	Prognostic utility of dynapenia in patients with cardiovascular disease. <i>Clinical Nutrition</i> , 2021, 40, 2210-2218.	2.3	12
60	Effects of Acute Phase Intensive Electrical Muscle Stimulation in Frail Elderly Patients With Acute Heart Failure (ACTIVE-EMS): Rationale and protocol for a multicenter randomized controlled trial. <i>Clinical Cardiology</i> , 2017, 40, 1189-1196.	0.7	11
61	Ezetimibe and Reactive Oxygen Species. <i>Current Vascular Pharmacology</i> , 2011, 9, 109-120.	0.8	10
62	Ezetimibe enhances and stabilizes anticoagulant effect of warfarin. <i>Heart and Vessels</i> , 2017, 32, 47-54.	0.5	10
63	Post-intensive care syndrome as a predictor of mortality in patients with critical illness: A cohort study. <i>PLoS ONE</i> , 2021, 16, e0244564.	1.1	10
64	Usefulness of the Simplified Frailty Scale in Predicting Risk of Readmission or Mortality in Elderly Patients Hospitalized with Cardiovascular Disease. <i>International Heart Journal</i> , 2020, 61, 571-578.	0.5	10
65	Effects of electrical muscle stimulation on physical function in frail older patients with acute heart failure: a randomized controlled trial. <i>European Journal of Preventive Cardiology</i> , 2022, 29, e286-e288.	0.8	10
66	Soluble Fms-like Tyrosine Kinase 1 Is a Novel Predictor of Brain Natriuretic Peptide Elevation. <i>International Heart Journal</i> , 2013, 54, 133-139.	0.5	9
67	Effects of forced deep breathing on blood flow velocity in the femoral vein: Developing a new physical prophylaxis for deep vein thrombosis in patients with plaster cast immobilization of the lower limb. <i>Thrombosis Research</i> , 2018, 162, 53-59.	0.8	9
68	Prognostic usefulness of arm circumference and nutritional screening tools in older patients with cardiovascular disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018, 28, 743-748.	1.1	9
69	Rising time from bed in acute phase after hospitalization predicts frailty at hospital discharge in patients with acute heart failure. <i>Journal of Cardiology</i> , 2020, 75, 587-593.	0.8	9
70	Impact of Gait Speed on the Obesity Paradox in Older Patients With Cardiovascular Disease. <i>American Journal of Medicine</i> , 2019, 132, 1458-1465.e1.	0.6	8
71	Prognostic value of instrumental activity of daily living in initial heart failure hospitalization patients aged 65 years or older. <i>Heart and Vessels</i> , 2020, 35, 360-366.	0.5	8
72	Clinical outcomes of chronic kidney disease patients treated with everolimus-eluting stents (EES) and paclitaxel-eluting stents (PES). <i>Biomedicine and Pharmacotherapy</i> , 2015, 72, 6-10.	2.5	7

#	ARTICLE	IF	CITATIONS
73	Impaired Flow-Mediated Dilation and Severity and Vulnerability of Culprit Plaque in Patients with Coronary Artery Disease. <i>International Heart Journal</i> , 2019, 60, 539-545.	0.5	7
74	Effect of cardiac rehabilitation on cognitive function in elderly patients with cardiovascular diseases. <i>PLoS ONE</i> , 2020, 15, e0233688.	1.1	7
75	Features of trunk muscle wasting during acute care and physical function recovery with aortic disease. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022, 13, 1054-1063.	2.9	7
76	Excessive SBP elevation during moderate exercise discriminates patients at high risk of developing left ventricular hypertrophy from hypertensive patients. <i>Journal of Hypertension</i> , 2018, 36, 1291-1298.	0.3	6
77	Clinical and Microbiological Features of Asymptomatic SARS-CoV-2 Infection and Mild COVID-19 in Seven Crewmembers of a Cruise Ship. <i>Internal Medicine</i> , 2020, 59, 3135-3140.	0.3	6
78	Lower Level of Low Density Lipoprotein Cholesterol is Associated with a Higher Increase in the Fractional Flow Reserve in Patients with Fixed-dose Rosuvastatin. <i>Journal of Atherosclerosis and Thrombosis</i> , 2018, 25, 233-243.	0.9	5
79	Prognostic value of pupil area for all-cause mortality in patients with heart failure. <i>ESC Heart Failure</i> , 2020, 7, 3067-3074.	1.4	5
80	Low skeletal muscle density combined with muscle dysfunction predicts adverse events after adult cardiovascular surgery. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 1782-1790.	1.1	5
81	Relationship between high-sensitivity cardiac troponin T, B-type natriuretic peptide, and physical function in patients with heart failure. <i>ESC Heart Failure</i> , 2021, 8, 5092-5101.	1.4	5
82	Vascular Endothelial Glycocalyx as a Mechanism of Vascular Endothelial Dysfunction and Atherosclerosis. <i>World Journal of Cardiovascular Diseases</i> , 2020, 10, 731-749.	0.0	5
83	Usefulness of measuring maximal gait speed in conjunction with usual gait speed for risk stratification in patients with cardiovascular disease. <i>Experimental Gerontology</i> , 2022, 164, 111810.	1.2	5
84	Cardiac Rehabilitation-Mediated Molecular Mechanisms of Cardiovascular Protection. <i>Circulation Journal</i> , 2014, 78, 2624-2626.	0.7	4
85	Low Stroke Rate of Carotid Stenosis Under the Guideline-Oriented Medical Treatment Compared With Surgical Treatment. <i>International Heart Journal</i> , 2016, 57, 80-86.	0.5	4
86	Low ankle brachial index is associated with the magnitude of impaired walking endurance in patients with heart failure. <i>International Journal of Cardiology</i> , 2016, 224, 400-405.	0.8	4
87	Usefulness of physical function sub-item of SF-36 survey to predict exercise intolerance in patients with heart failure. <i>European Journal of Cardiovascular Nursing</i> , 2022, 21, 174-177.	0.4	4
88	Correlation between respiratory muscle weakness and frailty status as risk markers for poor outcomes in patients with cardiovascular disease. <i>European Journal of Cardiovascular Nursing</i> , 2022, 21, 782-790.	0.4	4
89	The Prevalence of Metabolic Dysfunction-Associated Fatty Liver Disease and Its Association with Physical Function and Prognosis in Patients with Acute Coronary Syndrome. <i>Journal of Clinical Medicine</i> , 2022, 11, 1847.	1.0	4
90	Efficacy and Safety of Acute Phase Intensive Electrical Muscle Stimulation in Frail Older Patients with Acute Heart Failure: Results from the ACTIVE-EMS Trial. <i>Journal of Cardiovascular Development and Disease</i> , 2022, 9, 99.	0.8	4

#	ARTICLE	IF	CITATIONS
91	Gait speed and 6-minute walking distance are useful for identifying difficulties in activities of daily living in patients with cardiovascular disease. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2022, 51, 46-51.	0.8	3
92	Is It Possible to Distinguish Patients with Terminal Stage of Heart Failure by Analyzing Their Breathing Patterns?. <i>International Heart Journal</i> , 2018, 59, 674-676.	0.5	2
93	Prognostic value of cardio-hepatic-skeletal muscle syndrome in patients with heart failure. <i>Scientific Reports</i> , 2021, 11, 3715.	1.6	2
94	Associations between kidney function and outcomes of comprehensive cardiac rehabilitation in patients with heart failure. <i>Clinical Research in Cardiology</i> , 2022, 111, 253-263.	1.5	2
95	Effect of Colestimide on Reduction of Body Weight and Waist Circumference in Metabolic Syndrome Patients with Cardiovascular Risk Factors. <i>Vascular Disease Prevention</i> , 2008, 5, 183-189.	0.2	2
96	Effect of atrial fibrillation on response to exercise-based cardiac rehabilitation in older individuals with heart failure. <i>Annals of Physical and Rehabilitation Medicine</i> , 2021, 64, 101466.	1.1	2
97	Optimal cutoff values for physical function tests in elderly patients with heart failure. <i>Scientific Reports</i> , 2022, 12, 6920.	1.6	2
98	Variation in heart rate range by 24h Holter monitoring predicts heart failure in patients with atrial fibrillation. <i>ESC Heart Failure</i> , 2022, 9, 3092-3100.	1.4	2
99	Deficiency of creatine kinase in a ST-segment elevation myocardial infarction patient with Kartagener syndrome. <i>International Journal of Cardiology</i> , 2015, 182, 31-33.	0.8	1
100	A Conventional and Novel Screening Tool for Frailty Predicting a Poor Prognosis in Patients with Heart Failure. <i>Journal of Cardiac Failure</i> , 2016, 22, S163.	0.7	1
101	Association between instrumental activities of daily living with the change in left ventricular function in older patients with cardiovascular disease. <i>Heart and Vessels</i> , 2021, 36, 1298-1305.	0.5	1
102	Hemodynamic Changes During Neuromuscular Electrical Stimulation and Mobility Therapy for an Advanced Heart Failure Patient with Impella 5.0 Device. <i>International Heart Journal</i> , 2021, 62, 695-699.	0.5	1
103	Regulation of monocyte chemoattractant protein (MCP)-1 production by interleukin-18 in human endothelial cells: A critical role for the IL-18/IL-18 receptor system in atherosclerosis. <i>Journal of Molecular and Cellular Cardiology</i> , 2002, 34, A31.	0.9	0
104	Effect of Colestimide on Reduction of Body Weight and Waist Circumference in Metabolic Syndrome Patients with Cardiovascular Risk Factors. <i>Vascular Disease Prevention</i> , 2008, 5, 183-189.	0.2	0
105	Reducing the Risks of Heart Failure. <i>Journal of Cardiac Failure</i> , 2011, 17, S140.	0.7	0
106	Association between Pentraxin 3 and Renal Function in Patients at High Risk of Cardiovascular Disease. <i>Journal of Cardiac Failure</i> , 2011, 17, S157.	0.7	0
107	Regular Physical Activity Prevents Atherosclerosis In High-risk Patients With Cardiovascular Disease. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 784.	0.2	0
108	Editorial [Hot topic:Vascular Protective Effects of Ezetimibe: Seeking New Therapeutic Possibilities of Ezetimibe in Vascular Disease (Guest Editor: Minako Yamaoka-Tojo)]. <i>Current Vascular Pharmacology</i> , 2011, 9, 61-61.	0.8	0

#	ARTICLE	IF	CITATIONS
109	Editorial [Hot Topic: New Concepts of Angiotensin Receptor Blocker (ARB) in Atherosclerosis: ARB as a Metabolic-Improving Agent (Guest Editor: Minako Yamaoka-Tojo)]. <i>Current Vascular Pharmacology</i> , 2011, 9, 128-128.	0.8	0
110	High Glucose-induced Cell Migration, Proliferation and Up-regulation of Growth Factor Signalings are Accelerated by ROS Produced by Cardiac Fibroblasts. <i>Journal of Cardiac Failure</i> , 2012, 18, S169-S170.	0.7	0
111	Neoatherosclerosis 16years following bare-metal stent implantation: Different tissue components in different underlying lesions observed with optical coherence tomography. <i>International Journal of Cardiology</i> , 2013, 170, e8-e10.	0.8	0
112	Vascular fibrosis enhanced by embryonic signal switching: a novel mechanism of placental growth factor-induced coronary artery sclerosis. <i>European Heart Journal</i> , 2013, 34, P4167-P4167.	1.0	0
113	Pleiotropic effect of factor Xa inhibitor: fondaparinux inhibites ROS-induced cell proliferation and augments cardioprotective cytokine production in mouse cardiac-derived fibroblast. <i>European Heart Journal</i> , 2013, 34, P4869-P4869.	1.0	0
114	Higher Daily Physical Activity is Associated with Subsequent Prevented Decreasing Left Ventricular Diastolic Function in Patient with Ischemic Heart Disease. <i>Journal of Cardiac Failure</i> , 2016, 22, S163.	0.7	0
115	Low Ankle Brachial Index is Associated With the Magnitude of Impaired Walking Endurance in Patients With Heart Failure. <i>Journal of Cardiac Failure</i> , 2016, 22, S191.	0.7	0
116	LOWER EICOSAPENTAENOIC ACID TO ARACHIDONIC ACID RATIO IS ASSOCIATED WITH INTRAPLAQUE CHOLESTEROL CRYSTALS: AN OPTICAL COHERENCE TOMOGRAPHY STUDY. <i>Journal of the American College of Cardiology</i> , 2017, 69, 296.	1.2	0
117	Anti-inflammatory Effects of Pentraxin 3 in Human Visceral Adipocytes by Reducing Reactive Oxygen Species Production. <i>Cardiology and Cardiovascular Medicine</i> , 2021, 05, .	0.1	0
118	Lifestyle Modification-Improving Systemic Athero-Protective Factor, Circulating Pentraxin 3, in High-Risk Patients with Metabolic Syndrome. <i>Cardiology and Cardiovascular Medicine</i> , 2021, 05, .	0.1	0
119	MO554THE EFFECT OF HEMOGLOBIN CHANGES AND THE SEVERITY OF CHRONIC KIDNEY DISEASE IN PHYSICAL FUNCTION IN ELDERLY PATIENTS WITH HEART FAILURE. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, .	0.4	0
120	Clinical usefulness of oxygen uptake during usual gait in patients with cardiovascular disease. <i>International Journal of Cardiology</i> , 2021, 335, 118-122.	0.8	0
121	Plasma Connective Tissue Growth Factor (CTGF) Would Be a Novel Potential Biomarker of Atrial Structural Remodeling in Patients with Atrial Fibrillation. <i>Journal of Arrhythmia</i> , 2011, 27, PJ1_035.	0.5	0
122	Abstract 11116: Relationship Between Skeletal Muscle Decline During Acute Care and Recovery of Physical Function in Patients with Aortic Disease. <i>Circulation</i> , 2021, 144, .	1.6	0
123	Association between instrumental activities of daily living frequency and clinical outcomes in older patients with cardiovascular disease. <i>European Journal of Cardiovascular Nursing</i> , 0, , .	0.4	0