

Minako Yamaoka-Tojo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9043665/publications.pdf>

Version: 2024-02-01

123
papers

2,851
citations

172207

29
h-index

197535

49
g-index

129
all docs

129
docs citations

129
times ranked

3956
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Usefulness of physical function sub-item of SF-36 survey to predict exercise intolerance in patients with heart failure. <i>European Journal of Cardiovascular Nursing</i> , 2022, 21, 174-177. | 0.4 | 4 |
| 2 | Associations between kidney function and outcomes of comprehensive cardiac rehabilitation in patients with heart failure. <i>Clinical Research in Cardiology</i> , 2022, 111, 253-263. | 1.5 | 2 |
| 3 | Gait speed and 6-minute walking distance are useful for identifying difficulties in activities of daily living in patients with cardiovascular disease. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2022, 51, 46-51. | 0.8 | 3 |
| 4 | Effects of electrical muscle stimulation on physical function in frail older patients with acute heart failure: a randomized controlled trial. <i>European Journal of Preventive Cardiology</i> , 2022, 29, e286-e288. | 0.8 | 10 |
| 5 | Features of trunk muscle wasting during acute care and physical function recovery with aortic disease. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022, 13, 1054-1063. | 2.9 | 7 |
| 6 | Correlation between respiratory muscle weakness and frailty status as risk markers for poor outcomes in patients with cardiovascular disease. <i>European Journal of Cardiovascular Nursing</i> , 2022, 21, 782-790. | 0.4 | 4 |
| 7 | The Prevalence of Metabolic Dysfunction-Associated Fatty Liver Disease and Its Association with Physical Function and Prognosis in Patients with Acute Coronary Syndrome. <i>Journal of Clinical Medicine</i> , 2022, 11, 1847. | 1.0 | 4 |
| 8 | Efficacy and Safety of Acute Phase Intensive Electrical Muscle Stimulation in Frail Older Patients with Acute Heart Failure: Results from the ACTIVE-EMS Trial. <i>Journal of Cardiovascular Development and Disease</i> , 2022, 9, 99. | 0.8 | 4 |
| 9 | Usefulness of measuring maximal gait speed in conjunction with usual gait speed for risk stratification in patients with cardiovascular disease. <i>Experimental Gerontology</i> , 2022, 164, 111810. | 1.2 | 5 |
| 10 | Optimal cutoff values for physical function tests in elderly patients with heart failure. <i>Scientific Reports</i> , 2022, 12, 6920. | 1.6 | 2 |
| 11 | Variation in heart rate range by 24h Holter monitoring predicts heart failure in patients with atrial fibrillation. <i>ESC Heart Failure</i> , 2022, 9, 3092-3100. | 1.4 | 2 |
| 12 | The GLIM criteria for defining malnutrition can predict physical function and prognosis in patients with cardiovascular disease. <i>Clinical Nutrition</i> , 2021, 40, 146-152. | 2.3 | 47 |
| 13 | Quadriceps Strength and Mortality in Older Patients With Heart Failure. <i>Canadian Journal of Cardiology</i> , 2021, 37, 476-483. | 0.8 | 13 |
| 14 | Prognostic utility of dynapenia in patients with cardiovascular disease. <i>Clinical Nutrition</i> , 2021, 40, 2210-2218. | 2.3 | 12 |
| 15 | Anti-inflammatory Effects of Pentraxin 3 in Human Visceral Adipocytes by Reducing Reactive Oxygen Species Production. <i>Cardiology and Cardiovascular Medicine</i> , 2021, 05, . | 0.1 | 0 |
| 16 | Lifestyle Modification-Improving Systemic Athero-Protective Factor, Circulating Pentraxin 3, in High-Risk Patients with Metabolic Syndrome. <i>Cardiology and Cardiovascular Medicine</i> , 2021, 05, . | 0.1 | 0 |
| 17 | Prognostic value of cardio-hepatic-skeletal muscle syndrome in patients with heart failure. <i>Scientific Reports</i> , 2021, 11, 3715. | 1.6 | 2 |
| 18 | Association between instrumental activities of daily living with the change in left ventricular function in older patients with cardiovascular disease. <i>Heart and Vessels</i> , 2021, 36, 1298-1305. | 0.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Post-intensive care syndrome as a predictor of mortality in patients with critical illness: A cohort study. <i>PLoS ONE</i> , 2021, 16, e0244564. | 1.1 | 10 |
| 20 | Hemodynamic Changes During Neuromuscular Electrical Stimulation and Mobility Therapy for an Advanced Heart Failure Patient with Impella 5.0 Device. <i>International Heart Journal</i> , 2021, 62, 695-699. | 0.5 | 1 |
| 21 | MO554 THE EFFECT OF HEMOGLOBIN CHANGES AND THE SEVERITY OF CHRONIC KIDNEY DISEASE IN PHYSICAL FUNCTION IN ELDERLY PATIENTS WITH HEART FAILURE. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, . | 0.4 | 0 |
| 22 | Low skeletal muscle density combined with muscle dysfunction predicts adverse events after adult cardiovascular surgery. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 1782-1790. | 1.1 | 5 |
| 23 | Clinical usefulness of oxygen uptake during usual gait in patients with cardiovascular disease. <i>International Journal of Cardiology</i> , 2021, 335, 118-122. | 0.8 | 0 |
| 24 | Relationship between high-sensitivity cardiac troponin T, B-type natriuretic peptide, and physical function in patients with heart failure. <i>ESC Heart Failure</i> , 2021, 8, 5092-5101. | 1.4 | 5 |
| 25 | Effect of atrial fibrillation on response to exercise-based cardiac rehabilitation in older individuals with heart failure. <i>Annals of Physical and Rehabilitation Medicine</i> , 2021, 64, 101466. | 1.1 | 2 |
| 26 | Abstract 11116: Relationship Between Skeletal Muscle Decline During Acute Care and Recovery of Physical Function in Patients with Aortic Disease. <i>Circulation</i> , 2021, 144, . | 1.6 | 0 |
| 27 | Prognostic value of instrumental activity of daily living in initial heart failure hospitalization patients aged 65 years or older. <i>Heart and Vessels</i> , 2020, 35, 360-366. | 0.5 | 8 |
| 28 | Prevalence and prognosis of respiratory muscle weakness in heart failure patients with preserved ejection fraction. <i>Respiratory Medicine</i> , 2020, 161, 105834. | 1.3 | 19 |
| 29 | Rising time from bed in acute phase after hospitalization predicts frailty at hospital discharge in patients with acute heart failure. <i>Journal of Cardiology</i> , 2020, 75, 587-593. | 0.8 | 9 |
| 30 | Preoperative skeletal muscle density is associated with postoperative mortality in patients with cardiovascular disease. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2020, 30, 515-522. | 0.5 | 12 |
| 31 | Endothelial glycocalyx damage as a systemic inflammatory microvascular endotheliopathy in COVID-19. <i>Biomedical Journal</i> , 2020, 43, 399-413. | 1.4 | 66 |
| 32 | Prognostic value of pupil area for all-cause mortality in patients with heart failure. <i>ESC Heart Failure</i> , 2020, 7, 3067-3074. | 1.4 | 5 |
| 33 | Vascular Endothelial Glycocalyx Damage in COVID-19. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9712. | 1.8 | 65 |
| 34 | Effect of cardiac rehabilitation on cognitive function in elderly patients with cardiovascular diseases. <i>PLoS ONE</i> , 2020, 15, e0233688. | 1.1 | 7 |
| 35 | Secondary analyses to assess the profound effects of empagliflozin on endothelial function in patients with type 2 diabetes and established cardiovascular diseases: The placebo-controlled double-blind randomized effect of empagliflozin on endothelial function in cardiovascular high risk diabetes mellitus: Multi-center placebo-controlled double-blind randomized trial. <i>Journal of Diabetes Investigation</i> , 2020, 11, 1551-1563. | 1.1 | 14 |
| 36 | Association between sarcopenia and atherosclerosis in elderly patients with ischemic heart disease. <i>Heart and Vessels</i> , 2020, 35, 769-775. | 0.5 | 28 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Endothelial glycocalyx and severity and vulnerability of coronary plaque in patients with coronary artery disease. <i>Atherosclerosis</i> , 2020, 302, 1-7. | 0.4 | 15 |
| 38 | Changes in Respiratory Muscle Strength Following Cardiac Rehabilitation for Prognosis in Patients with Heart Failure. <i>Journal of Clinical Medicine</i> , 2020, 9, 952. | 1.0 | 14 |
| 39 | Usefulness of the Simplified Frailty Scale in Predicting Risk of Readmission or Mortality in Elderly Patients Hospitalized with Cardiovascular Disease. <i>International Heart Journal</i> , 2020, 61, 571-578. | 0.5 | 10 |
| 40 | Clinical and Microbiological Features of Asymptomatic SARS-CoV-2 Infection and Mild COVID-19 in Seven Crewmembers of a Cruise Ship. <i>Internal Medicine</i> , 2020, 59, 3135-3140. | 0.3 | 6 |
| 41 | Vascular Endothelial Glycocalyx as a Mechanism of Vascular Endothelial Dysfunction and Atherosclerosis. <i>World Journal of Cardiovascular Diseases</i> , 2020, 10, 731-749. | 0.0 | 5 |
| 42 | Short-Term Change in Gait Speed and Clinical Outcomes in Older Patients With Acute Heart Failure. <i>Circulation Journal</i> , 2019, 83, 1860-1867. | 0.7 | 27 |
| 43 | Acute Effects of Whole-Body Vibration Training on Endothelial Function and Cardiovascular Response in Elderly Patients with Cardiovascular Disease. <i>International Heart Journal</i> , 2019, 60, 854-861. | 0.5 | 16 |
| 44 | Impact of Gait Speed on the Obesity Paradox in Older Patients With Cardiovascular Disease. <i>American Journal of Medicine</i> , 2019, 132, 1458-1465.e1. | 0.6 | 8 |
| 45 | Effect of Empagliflozin on Endothelial Function in Patients With Type 2 Diabetes and Cardiovascular Disease: Results from the Multicenter, Randomized, Placebo-Controlled, Double-Blind EMBLEM Trial. <i>Diabetes Care</i> , 2019, 42, e159-e161. | 4.3 | 45 |
| 46 | Impaired Flow-Mediated Dilation and Severity and Vulnerability of Culprit Plaque in Patients with Coronary Artery Disease. <i>International Heart Journal</i> , 2019, 60, 539-545. | 0.5 | 7 |
| 47 | Respiratory muscle weakness increases dead space ventilation ratio aggravating ventilation-perfusion mismatch during exercise in patients with chronic heart failure. <i>Respirology</i> , 2019, 24, 154-161. | 1.3 | 19 |
| 48 | Excessive SBP elevation during moderate exercise discriminates patients at high risk of developing left ventricular hypertrophy from hypertensive patients. <i>Journal of Hypertension</i> , 2018, 36, 1291-1298. | 0.3 | 6 |
| 49 | Effects of forced deep breathing on blood flow velocity in the femoral vein: Developing a new physical prophylaxis for deep vein thrombosis in patients with plaster cast immobilization of the lower limb. <i>Thrombosis Research</i> , 2018, 162, 53-59. | 0.8 | 9 |
| 50 | Prognostic usefulness of arm circumference and nutritional screening tools in older patients with cardiovascular disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018, 28, 743-748. | 1.1 | 9 |
| 51 | Gait speed has comparable prognostic capability to six-minute walk distance in older patients with cardiovascular disease. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 212-219. | 0.8 | 92 |
| 52 | Endothelial Dysfunction Is Associated with Cognitive Impairment of Elderly Cardiovascular Disease Patients. <i>International Heart Journal</i> , 2018, 59, 1034-1040. | 0.5 | 18 |
| 53 | Lower Level of Low Density Lipoprotein Cholesterol is Associated with a Higher Increase in the Fractional Flow Reserve in Patients with Fixed-dose Rosuvastatin. <i>Journal of Atherosclerosis and Thrombosis</i> , 2018, 25, 233-243. | 0.9 | 5 |
| 54 | Is It Possible to Distinguish Patients with Terminal Stage of Heart Failure by Analyzing Their Breathing Patterns?. <i>International Heart Journal</i> , 2018, 59, 674-676. | 0.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Incremental Value of Objective Frailty Assessment to Predict Mortality in Elderly Patients Hospitalized for Heart Failure. <i>Journal of Cardiac Failure</i> , 2018, 24, 723-732. | 0.7 | 32 |
| 56 | Ezetimibe enhances and stabilizes anticoagulant effect of warfarin. <i>Heart and Vessels</i> , 2017, 32, 47-54. | 0.5 | 10 |
| 57 | Utility of SARC-F for Assessing Physical Function in Elderly Patients With Cardiovascular Disease. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 176-181. | 1.2 | 79 |
| 58 | Effects on bone metabolism markers and arterial stiffness by switching to rivaroxaban from warfarin in patients with atrial fibrillation. <i>Heart and Vessels</i> , 2017, 32, 977-982. | 0.5 | 49 |
| 59 | Rationale and design of a multicenter placebo-controlled double-blind randomized trial to evaluate the effect of empagliflozin on endothelial function: the EMBLEM trial. <i>Cardiovascular Diabetology</i> , 2017, 16, 48. | 2.7 | 28 |
| 60 | LOWER EICOSAPENTAENOIC ACID TO ARACHIDONIC ACID RATIO IS ASSOCIATED WITH INTRAPLAQUE CHOLESTEROL CRYSTALS: AN OPTICAL COHERENCE TOMOGRAPHY STUDY. <i>Journal of the American College of Cardiology</i> , 2017, 69, 296. | 1.2 | 0 |
| 61 | Prognostic Usefulness of Arm and Calf Circumference in Patients ≥ 65 Years of Age With Cardiovascular Disease. <i>American Journal of Cardiology</i> , 2017, 119, 186-191. | 0.7 | 41 |
| 62 | Effects of Acute Phase Intensive Electrical Muscle Stimulation in Frail Elderly Patients With Acute Heart Failure (ACTIVE-EMS): Rationale and protocol for a multicenter randomized controlled trial. <i>Clinical Cardiology</i> , 2017, 40, 1189-1196. | 0.7 | 11 |
| 63 | Low Stroke Rate of Carotid Stenosis Under the Guideline-Oriented Medical Treatment Compared With Surgical Treatment. <i>International Heart Journal</i> , 2016, 57, 80-86. | 0.5 | 4 |
| 64 | A Single Session of Neuromuscular Electrical Stimulation Enhances Vascular Endothelial Function and Peripheral Blood Circulation in Patients With Acute Myocardial Infarction. <i>International Heart Journal</i> , 2016, 57, 676-681. | 0.5 | 15 |
| 65 | Higher Daily Physical Activity is Associated with Subsequent Prevented Decreasing Left Ventricular Diastolic Function in Patient with Ischemic Heart Disease. <i>Journal of Cardiac Failure</i> , 2016, 22, S163. | 0.7 | 0 |
| 66 | A Conventional and Novel Screening Tool for Frailty Predicting a Poor Prognosis in Patients with Heart Failure. <i>Journal of Cardiac Failure</i> , 2016, 22, S163. | 0.7 | 1 |
| 67 | Low ankle brachial index is associated with the magnitude of impaired walking endurance in patients with heart failure. <i>International Journal of Cardiology</i> , 2016, 224, 400-405. | 0.8 | 4 |
| 68 | Low Ankle Brachial Index is Associated With the Magnitude of Impaired Walking Endurance in Patients With Heart Failure. <i>Journal of Cardiac Failure</i> , 2016, 22, S191. | 0.7 | 0 |
| 69 | Effects of intermittent pneumatic compression of the thigh on blood flow velocity in the femoral and popliteal veins: developing a new physical prophylaxis for deep vein thrombosis in patients with plaster-cast immobilization of the leg. <i>Journal of Thrombosis and Thrombolysis</i> , 2016, 42, 579-584. | 1.0 | 14 |
| 70 | Neointimal coverage of zotarolimus-eluting stent at 1, 2, and 3 months follow-up: an optical coherence tomography study. <i>Heart and Vessels</i> , 2016, 31, 206-211. | 0.5 | 23 |
| 71 | Complementary Role of Arm Circumference to Body Mass Index in Risk Stratification in Heart Failure. <i>JACC: Heart Failure</i> , 2016, 4, 265-273. | 1.9 | 46 |
| 72 | Teneligliptin improves left ventricular diastolic function and endothelial function in patients with diabetes. <i>Heart and Vessels</i> , 2016, 31, 1303-1310. | 0.5 | 32 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Rivaroxaban Inhibits Angiotensin II-Induced Activation in Cultured Mouse Cardiac Fibroblasts Through the Modulation of NF- κ B Pathway. <i>International Heart Journal</i> , 2015, 56, 544-550. | 0.5 | 31 |
| 74 | Deficiency of creatine kinase in a ST-segment elevation myocardial infarction patient with Kartagener syndrome. <i>International Journal of Cardiology</i> , 2015, 182, 31-33. | 0.8 | 1 |
| 75 | Quadriceps Strength as a Predictor of Mortality in Coronary Artery Disease. <i>American Journal of Medicine</i> , 2015, 128, 1212-1219. | 0.6 | 85 |
| 76 | Clinical outcomes of chronic kidney disease patients treated with everolimus-eluting stents (EES) and paclitaxel-eluting stents (PES). <i>Biomedicine and Pharmacotherapy</i> , 2015, 72, 6-10. | 2.5 | 7 |
| 77 | Long-term warfarin therapy and biomarkers for osteoporosis and atherosclerosis. <i>BBA Clinical</i> , 2015, 4, 76-80. | 4.1 | 38 |
| 78 | Effect of Balance Training on Walking Speed and Cardiac Events in Elderly Patients With Ischemic Heart Disease. <i>International Heart Journal</i> , 2014, 55, 397-403. | 0.5 | 15 |
| 79 | Factor Xa in Mouse Fibroblasts May Induce Fibrosis More Than Thrombin. <i>International Heart Journal</i> , 2014, 55, 357-361. | 0.5 | 23 |
| 80 | Quadriceps isometric strength as a predictor of exercise capacity in coronary artery disease patients. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 1285-1291. | 0.8 | 51 |
| 81 | Cardiac Rehabilitation-Mediated Molecular Mechanisms of Cardiovascular Protection. <i>Circulation Journal</i> , 2014, 78, 2624-2626. | 0.7 | 4 |
| 82 | Neoatherosclerosis 16years following bare-metal stent implantation: Different tissue components in different underlying lesions observed with optical coherence tomography. <i>International Journal of Cardiology</i> , 2013, 170, e8-e10. | 0.8 | 0 |
| 83 | Vascular fibrosis enhanced by embryonic signal switching: a novel mechanism of placental growth factor-induced coronary artery sclerosis. <i>European Heart Journal</i> , 2013, 34, P4167-P4167. | 1.0 | 0 |
| 84 | Pleiotropic effect of factor Xa inhibitor: fondaparinux inhibites ROS-induced cell proliferation and augments cardioprotective cytokine production in mouse cardiac-derived fibroblast. <i>European Heart Journal</i> , 2013, 34, P4869-P4869. | 1.0 | 0 |
| 85 | IQGAP1 links PDGF receptor- β 2 signal to focal adhesions involved in vascular smooth muscle cell migration: role in neointimal formation after vascular injury. <i>American Journal of Physiology - Cell Physiology</i> , 2013, 305, C591-C600. | 2.1 | 40 |
| 86 | Soluble Fms-like Tyrosine Kinase 1 Is a Novel Predictor of Brain Natriuretic Peptide Elevation. <i>International Heart Journal</i> , 2013, 54, 133-139. | 0.5 | 9 |
| 87 | Postprandial hyperglycemia and endothelial function in type 2 diabetes: focus on mitiglinide. <i>Cardiovascular Diabetology</i> , 2012, 11, 79. | 2.7 | 29 |
| 88 | High Glucose-induced Cell Migration, Proliferation and Up-regulation of Growth Factor Signalings are Accelerated by ROS Produced by Cardiac Fibroblasts. <i>Journal of Cardiac Failure</i> , 2012, 18, S169-S170. | 0.7 | 0 |
| 89 | Walking Speed in Patients With First Acute Myocardial Infarction Who Participated in a Supervised Cardiac Rehabilitation Program After Coronary Intervention. <i>International Heart Journal</i> , 2012, 53, 347-352. | 0.5 | 17 |
| 90 | Usefulness of Pet Ownership as a Modulator of Cardiac Autonomic Imbalance in Patients With Diabetes Mellitus, Hypertension, and/or Hyperlipidemia. <i>American Journal of Cardiology</i> , 2012, 109, 1164-1170. | 0.7 | 34 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Reducing the Risks of Heart Failure. <i>Journal of Cardiac Failure</i> , 2011, 17, S140. | 0.7 | 0 |
| 92 | Association between Pentraxin 3 and Renal Function in Patients at High Risk of Cardiovascular Disease. <i>Journal of Cardiac Failure</i> , 2011, 17, S157. | 0.7 | 0 |
| 93 | Regular Physical Activity Prevents Atherosclerosis In High-risk Patients With Cardiovascular Disease. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 784. | 0.2 | 0 |
| 94 | Ezetimibe and Reactive Oxygen Species. <i>Current Vascular Pharmacology</i> , 2011, 9, 109-120. | 0.8 | 10 |
| 95 | Editorial [Hot topic:Vascular Protective Effects of Ezetimibe: Seeking New Therapeutic Possibilities of Ezetimibe in Vascular Disease (Guest Editor: Minako Yamaoka-Tojo)]. <i>Current Vascular Pharmacology</i> , 2011, 9, 61-61. | 0.8 | 0 |
| 96 | Editorial [Hot Topic: New Concepts of Angiotensin Receptor Blocker (ARB) in Atherosclerosis: ARB as a Metabolic-Improving Agent (Guest Editor: Minako Yamaoka-Tojo)]. <i>Current Vascular Pharmacology</i> , 2011, 9, 128-128. | 0.8 | 0 |
| 97 | Circulating interleukin-18: A specific biomarker for atherosclerosis-prone patients with metabolic syndrome. <i>Nutrition and Metabolism</i> , 2011, 8, 3. | 1.3 | 31 |
| 98 | Pleiotropic Effects of ARB in Vascular Metabolism - Focusing on Atherosclerosis-Based Cardiovascular Disease. <i>Current Vascular Pharmacology</i> , 2011, 9, 145-152. | 0.8 | 15 |
| 99 | Plasma Connective Tissue Growth Factor (CTGF) Would Be a Novel Potential Biomarker of Atrial Structural Remodeling in Patients with Atrial Fibrillation. <i>Journal of Arrhythmia</i> , 2011, 27, PJ1_035. | 0.5 | 0 |
| 100 | Elevated circulating levels of an incretin hormone, glucagon-like peptide-1, are associated with metabolic components in high-risk patients with cardiovascular disease. <i>Cardiovascular Diabetology</i> , 2010, 9, 17. | 2.7 | 69 |
| 101 | Effects of ezetimibe add-on therapy for high-risk patients with dyslipidemia. <i>Lipids in Health and Disease</i> , 2009, 8, 41. | 1.2 | 28 |
| 102 | Beyond Cholesterol Lowering: Pleiotropic Effects of Bile Acid Binding Resins Against Cardiovascular Disease Risk Factors in Patients with Metabolic Syndrome. <i>Current Vascular Pharmacology</i> , 2008, 6, 271-281. | 0.8 | 19 |
| 103 | Effect of Colestimide on Reduction of Body Weight and Waist Circumference in Metabolic Syndrome Patients with Cardiovascular Risk Factors. <i>Vascular Disease Prevention</i> , 2008, 5, 183-189. | 0.2 | 0 |
| 104 | Effect of Colestimide on Reduction of Body Weight and Waist Circumference in Metabolic Syndrome Patients with Cardiovascular Risk Factors. <i>Vascular Disease Prevention</i> , 2008, 5, 183-189. | 0.2 | 2 |
| 105 | Central Neurotranspeptide, Alpha-Melanocyte-Stimulating Hormone (.ALPHA.-MSH) is Upregulated in Patients with Congestive Heart Failure. <i>Internal Medicine</i> , 2006, 45, 429-434. | 0.3 | 15 |
| 106 | IQGAP1 Mediates VE-Cadherin-Based Cell-Cell Contacts and VEGF Signaling at Adherence Junctions Linked to Angiogenesis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 1991-1997. | 1.1 | 102 |
| 107 | Role of gp91phox(Nox2)-Containing NAD(P)H Oxidase in Angiogenesis in Response to Hindlimb Ischemia. <i>Circulation</i> , 2005, 111, 2347-2355. | 1.6 | 250 |
| 108 | IQGAP1 Regulates Reactive Oxygen Species-Dependent Endothelial Cell Migration Through Interacting With Nox2. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 2295-2300. | 1.1 | 121 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | IQGAP1, a Novel Vascular Endothelial Growth Factor Receptor Binding Protein, Is Involved in Reactive Oxygen Species-Dependent Endothelial Migration and Proliferation. <i>Circulation Research</i> , 2004, 95, 276-283. | 2.0 | 223 |
| 110 | Adaptation to Low-Intensity Exercise on a Cycle Ergometer by Patients With Acute Myocardial Infarction Undergoing Phase I Cardiac Rehabilitation. <i>Circulation Journal</i> , 2004, 68, 938-945. | 0.7 | 13 |
| 111 | C-reactive protein-induced production of interleukin-18 in human endothelial cells: a mechanism of orchestrating cytokine cascade in acute coronary syndrome. <i>Heart and Vessels</i> , 2003, 18, 183-187. | 0.5 | 37 |
| 112 | Dual response to Fas ligation in human endothelial cells: apoptosis and induction of chemokines, interleukin-8 and monocyte chemoattractant protein-1. <i>Coronary Artery Disease</i> , 2003, 14, 89-94. | 0.3 | 20 |
| 113 | Circulating levels of interleukin 18 reflect etiologies of heart failure: Th1/Th2 cytokine imbalance exaggerates the pathophysiology of advanced heart failure. <i>Journal of Cardiac Failure</i> , 2002, 8, 21-27. | 0.7 | 56 |
| 114 | Regulation of monocyte chemoattractant protein (MCP)-1 production by interleukin-18 in human endothelial cells: A critical role for the IL-18/IL-18 receptor system in atherosclerosis. <i>Journal of Molecular and Cellular Cardiology</i> , 2002, 34, A31. | 0.9 | 0 |
| 115 | Nitric Oxide Enhances Expression and Shedding of Tumor Necrosis Factor Receptor I (p55) in Endothelial Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000, 20, 1506-1511. | 1.1 | 17 |
| 116 | Apoptosis in Rat Cardiac Myocytes Induced by Fas Ligand: Priming for Fas-mediated Apoptosis with Doxorubicin. <i>Journal of Molecular and Cellular Cardiology</i> , 2000, 32, 881-889. | 0.9 | 79 |
| 117 | Elevated circulating levels and cardiac secretion of soluble fas ligand in patients with congestive heart failure. <i>American Journal of Cardiology</i> , 1999, 83, 1500-1503. | 0.7 | 72 |
| 118 | Anti-inflammatory Cytokine Profile in Human Heart Failure. <i>Japanese Circulation Journal</i> , 1999, 63, 951-956. | 1.0 | 54 |
| 119 | Prediction of functional recovery in acute myocardial infarction: Comparison between sestamibi reverse redistribution and sestamibi/BMIPP mismatch*1. <i>Journal of Nuclear Cardiology</i> , 1998, 5, 119-127. | 1.4 | 38 |
| 120 | Enhanced Expression and Shedding of Tumor Necrosis Factor (TNF) Receptors from Mononuclear Leukocytes in Human Heart Failure. <i>Journal of Molecular and Cellular Cardiology</i> , 1998, 30, 2003-2012. | 0.9 | 20 |
| 121 | Acute Renal Failure due to Oxalate Ingestion.. <i>Internal Medicine</i> , 1998, 37, 762-765. | 0.3 | 20 |
| 122 | Serum Levels of Soluble Form of Fas Molecule in Patients with Congestive Heart Failure. <i>American Journal of Cardiology</i> , 1997, 79, 1698-1701. | 0.7 | 59 |
| 123 | Association between instrumental activities of daily living frequency and clinical outcomes in older patients with cardiovascular disease. <i>European Journal of Cardiovascular Nursing</i> , 0, , . | 0.4 | 0 |