

# Sunyoung Ahn

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9044487/publications.pdf>

Version: 2024-02-01

14  
papers

79  
citations

1937685

4  
h-index

1474206

9  
g-index

15  
all docs

15  
docs citations

15  
times ranked

139  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of Outlier Elimination on the 99th Percentile Upper Reference Limits of High-Sensitivity Cardiac Troponin I Assays Based on a Strictly Selected Healthy Reference Population. <i>Annals of Laboratory Medicine</i> , 2022, 42, 331-341.	2.5	2
2	Performance Evaluation of Thyroid Function Tests on a Novel Chemiluminescent Microparticle Immunoassay System. <i>Journal of Applied Laboratory Medicine</i> , 2021, 6, 367-377.	1.3	2
3	Development and validation of a novel sepsis biomarker based on amino acid profiling. <i>Clinical Nutrition</i> , 2021, 40, 3668-3676.	5.0	6
4	Identification of a Novel Splice Variant (c.423-8A>G) of APC by RNA Sequencing. <i>Annals of Laboratory Medicine</i> , 2020, 40, 345-347.	2.5	1
5	Development of an Operational Plan for the Liquid Biopsy External Quality Assessment Program in Korea. <i>Journal of Laboratory Medicine and Quality Assurance</i> , 2020, 42, 91-96.	0.4	0
6	Accuracy evaluation of automated electrochemiluminescence immunoassay for everolimus and sirolimus compared to liquid chromatography-tandem mass spectrometry. <i>Journal of Clinical Laboratory Analysis</i> , 2019, 33, e22941.	2.1	6
7	Performance Evaluation of the Stat Profile pHox Ultra Blood Gas Analyzer. <i>Journal of Laboratory Medicine and Quality Assurance</i> , 2019, 41, 47-49.	0.4	2
8	Stability of lyophilized pooled sera as quality control materials for tumor marker assays in external quality assessment. <i>Clinica Chimica Acta</i> , 2017, 471, 233-242.	1.1	2
9	A practical way to overcome ascorbate interference in total cholesterol and triglyceride measurement by exploiting the autoxidation property of ascorbate. <i>Clinical Biochemistry</i> , 2017, 50, 350-351.	1.9	5
10	Molecular Epidemiology and Characterization of Carbapenemase-Producing Enterobacteriaceae Isolated at a University Hospital in Korea during 4-Year Period. <i>Annals of Clinical Microbiology</i> , 2016, 19, 39.	0.1	15
11	Influence of Vitamin C and Maltose on the Accuracy of Three Models of Glucose Meters. <i>Annals of Laboratory Medicine</i> , 2016, 36, 271-274.	2.5	30
12	Changing Guidelines for Clinical Microbiology Laboratories and Their Influences on Workflows Related to Consultations. <i>Laboratory Medicine Online</i> , 2016, 6, 228.	0.2	0
13	Characterization of circulating antibodies with affinity to an epitope used in antibody-conjugated magnetic immunoassays from a case of falsely elevated cyclosporine A. <i>Clinica Chimica Acta</i> , 2016, 458, 35-39.	1.1	6
14	Comparison of Improvacuter EDTA Tube with BD Vacutainer EDTA Tube for Routine Hematological Analysis: Clinical Significance of Differences, Stability Study, and Effects of K <sub>2</sub> EDTA, and K <sub>2</sub> EDTA. <i>Journal of Laboratory Medicine and Quality Assurance</i> , 2016, 38, 77-86.	0.4	2