

Boris Le NevÃ©©

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9044854/publications.pdf>

Version: 2024-02-01

20
papers

924
citations

932766

10
h-index

940134

16
g-index

22
all docs

22
docs citations

22
times ranked

1689
citing authors

#	ARTICLE	IF	CITATIONS
1	Human gut metatranscriptome changes induced by a fermented milk product are associated with improved tolerance to a flatulogenic diet. <i>Computational and Structural Biotechnology Journal</i> , 2022, 20, 1632-1641.	1.9	0
2	Diet and gut microbiome interactions of relevance for symptoms in irritable bowel syndrome. <i>Microbiome</i> , 2021, 9, 74.	4.9	25
3	A Fermented Milk Product Containing <i>B. lactis</i> CNCM I-2494 Improves the Tolerance of a Plant-Based Diet in Patients with Disorders of Gut-Brain Interactions. <i>Nutrients</i> , 2021, 13, 4542.	1.7	1
4	A Fermented Milk Product with <i>B. lactis</i> CNCM I-2494 and Lactic Acid Bacteria Improves Gastrointestinal Comfort in Response to a Challenge Diet Rich in Fermentable Residues in Healthy Subjects. <i>Nutrients</i> , 2020, 12, 320.	1.7	7
5	Mapping and Modeling of Discussions Related to Gastrointestinal Discomfort in French-Speaking Online Forums: Results of a 15-Year Retrospective Infodemiology Study. <i>Journal of Medical Internet Research</i> , 2020, 22, e17247.	2.1	13
6	Colonic mast cell numbers, symptom profile, and mucosal expression of elements of the epithelial barrier in irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13701.	1.6	10
7	Consumption of a Fermented Milk Product Containing <i>Bifidobacterium lactis</i> CNCM I-2494 in Women Complaining of Minor Digestive Symptoms: Rapid Response Which Is Independent of Dietary Fibre Intake or Physical Activity. <i>Nutrients</i> , 2019, 11, 92.	1.7	14
8	Fasting breath H ₂ and gut microbiota metabolic potential are associated with the response to a fermented milk product in irritable bowel syndrome. <i>PLoS ONE</i> , 2019, 14, e0214273.	1.1	12
9	Within- and Between-Subject Variation in Dietary Intake of Fermentable Oligo-, Di-, Monosaccharides, and Polyols Among Patients with Irritable Bowel Syndrome. <i>Current Developments in Nutrition</i> , 2019, 3, nzy101.	0.1	13
10	Functional Dyspepsia and Severity of Psychologic Symptoms Associate With Postprandial Symptoms in Patients With Irritable Bowel Syndrome. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 1745-1753.e1.	2.4	21
11	Fecal chromogranins and secretogranins are linked to the fecal and mucosal intestinal bacterial composition of IBS patients and healthy subjects. <i>Scientific Reports</i> , 2018, 8, 16821.	1.6	10
12	Altered intestinal antibacterial gene expression response profile in irritable bowel syndrome is linked to bacterial composition and immune activation. <i>Neurogastroenterology and Motility</i> , 2018, 30, e13468.	1.6	15
13	Brain Structure and Response to Emotional Stimuli as Related to Gut Microbial Profiles in Healthy Women. <i>Psychosomatic Medicine</i> , 2017, 79, 905-913.	1.3	158
14	Identification of an Intestinal Microbiota Signature Associated With Severity of Irritable Bowel Syndrome. <i>Gastroenterology</i> , 2017, 152, 111-123.e8.	0.6	470
15	Reply. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 1222-1223.	2.4	0
16	Global Cytokine Profiles and Association With Clinical Characteristics in Patients With Irritable Bowel Syndrome. <i>American Journal of Gastroenterology</i> , 2016, 111, 1165-1176.	0.2	86
17	Lactulose Challenge Determines Visceral Sensitivity and Severity of Symptoms in Patients With Irritable Bowel Syndrome. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 226-233.e3.	2.4	38
18	375 Human gut microbial clusters correlate with anatomical brain signatures: a pilot study. <i>Gastrointestinal Endoscopy</i> , 2014, 79, AB402.	0.5	0

#	ARTICLE	IF	CITATIONS
19	Selected tetrapeptides lead to a GLP-1 release from the human enteroendocrine cell line NCI-H716. <i>Regulatory Peptides</i> , 2011, 167, 14-20.	1.9	30
20	A poor diet quality is associated with more gas-related symptoms and a decreased quality of life in French adults. <i>British Journal of Nutrition</i> , 0, , 1-27.	1.2	0