
Matthias May

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9046348/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prognostic Accuracy of Individual Uropathologists in Noninvasive Urinary Bladder Carcinoma: A Multicentre Study Comparing the 1973 and 2004 World Health Organisation Classifications. European Urology, 2010, 57, 850-858.	0.9	132
2	Survival Rates after Radical Cystectomy according to Tumor Stage of Bladder Carcinoma at First Presentation. Urologia Internationalis, 2004, 72, 103-111.	0.6	65
3	Prognostic impact of lymphovascular invasion in radical prostatectomy specimens. BJU International, 2007, 99, 539-544.	1.3	59
4	Evaluation of the Prognostic Significance of Perirenal Fat Invasion and Tumor Size in Patients with pT1–pT3a Localized Renal Cell Carcinoma in a Comprehensive Multicenter Study of the CORONA project. Can We Improve Prognostic Discrimination for Patients with Stage pT3a tumors?. European Urology, 2015, 67, 943-951.	0.9	45
5	Ten-year survival analysis for renal carcinoma patients treated with an autologous tumour lysate vaccine in an adjuvant setting. Cancer Immunology, Immunotherapy, 2010, 59, 687-695.	2.0	43
6	Results from three municipal hospitals regarding radical cystectomy on elderly patients. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2007, 33, 764-776.	0.7	26
7	Impact of the medical specialty on knowledge regarding multidrug-resistant organisms and strategies toward antimicrobial stewardship. International Urology and Nephrology, 2017, 49, 1311-1318.	0.6	24
8	Pathological upstaging detected in radical cystectomy procedures is associated with a significantly worse tumour-specific survival rate for patients with clinical T1 urothelial carcinoma of the urinary bladder. Scandinavian Journal of Urology and Nephrology, 2011, 45, 251-257.	1.4	20
9	Lunar phases and zodiac signs do not influence quality of radical cystectomy—a statistical analysis of 452 patients with invasive bladder cancer. International Urology and Nephrology, 2007, 39, 1023-1030.	0.6	18
10	EORTC Progression Score Identifies Patients at High Risk of Cancer-Specific Mortality After Radical Cystectomy for Secondary Muscle-Invasive Bladder Cancer. Clinical Genitourinary Cancer, 2014, 12, 278-286.	0.9	18
11	Metastasizing testicular germ-cell tumor with infiltration of the right heart: indication for primary metastasectomy. Heart and Vessels, 2006, 21, 63-65.	0.5	16
12	Multicenter evaluation of the prognostic value of pTO stage after radical cystectomy due to urothelial carcinoma of the bladder. BJU International, 2011, 108, E278-E283.	1.3	16
13	Penile Entrapment in a Plastic Bottle – A Case for using an Oscillating Splint Saw. International Urology and Nephrology, 2006, 38, 93-95.	0.6	15
14	Solitary and small (â‰ 9 mm) apical positive surgical margins are related to biochemical recurrence after radical prostatectomy. International Journal of Urology, 2011, 18, 282-289.	0.5	14
15	Validation of a postoperative prognostic model consisting of tumor microvascular invasion, size, and grade to predict diseaseâ€free and cancerâ€specific survival of patients with surgically resected renal cell carcinoma. International Journal of Urology, 2009, 16, 616-621.	0.5	13
16	C-MET is expressed in the majority of penile squamous cell carcinomas and correlates with polysomy-7 but is not associated with MET oncogene amplification, pertinent histopathologic parameters, or with cancer-specific survival. Pathology Research and Practice, 2013, 209, 215-220.	1.0	11
17	A switch from epithelial to mesenchymal properties correlates with lymphovascular invasion in squamous cell carcinoma of the penis. Pathology Research and Practice, 2015, 211, 641-645.	1.0	10
18	The Urologist's Role in Antibiotic Stewardship: Results from the MR2 Study. European Urology, 2017, 71, 995-996.	0.9	9

#	Article	IF	CITATIONS
19	Results of a comparative study analyzing octogenarians with renal cell carcinoma in a competing risk analysis with patients in the seventh decade of life1Matthias May and Luca Cindolo have equally contributed to first authorship.2Sabine Brookman-May and Petros Sountoulides have equally contributed to last authorship Urologic Oncology: Seminars and Original Investigations, 2014, 32,	0.8	8
20	Impact of photodynamic diagnosis-assisted transurethral resection of bladder tumors on the prognostic outcome after radical cystectomy: results from PROMETRICS 2011. World Journal of Urology, 2017, 35, 245-250.	1.2	8
21	What do patients with urothelial cancer know about the association of their tumor disease with smoking habits? Results of a German survey study. Investigative and Clinical Urology, 2018, 59, 91.	1.0	7
22	Does the Identification of a Minimum Number of Cases Correlate With Better Adherence to International Guidelines Regarding the Treatment of Penile Cancer? Survey Results of the European PROspective Penile Cancer Study (E-PROPS). Frontiers in Oncology, 2021, 11, 759362.	1.3	7
23	Face to Face with Multi-Resistant Pathogens: An Urgent Call to Action for Modern Surgeons To Pioneer in Antibiotic Stewardship. Surgical Infections, 2017, 18, 645-646.	0.7	6
24	Prognostic and discriminative power of the 7th TNM classification for patients with surgically treated papillary renal cell carcinoma: results of a multi-institutional validation study (CORONA) Tj ETQq0 0 0 rgB	T (Dø erloo	:k 40 Tf 50 53
25	Influence of Gender and Age on the Willingness to Reduce Nicotine Consumption—Results of a Survey in Urological Cancer Patients (KRAUT Study). Clinical Genitourinary Cancer, 2018, 16, e1181-e1187.	0.9	3
26	Lower use of prostate specific antigen testing by cigarette smokers—Another possible explanation for the unfavorable prostate cancer (PCA) specific prognosis in smokers?. Cancer Epidemiology, 2017, 46, 34-35.	0.8	2
27	An anesthesia perspective on surgical antibiotic prophylaxis: Results of a comprehensive infectiology survey study in German hospitals. American Journal of Infection Control, 2019, 47, 222-223.	1.1	1
28	Reply to Kutsal Yorukoglu, Burcin Tuna and Ziya Kirkali's Letter to the Editor re: Matthias May, Sabine Brookman-Amissah, Jan Roigas, et al. Prognostic Accuracy of Individual Uropathologists in Noninvasive Urinary Bladder Carcinoma: A Multicentre Study Comparing the 1973 and 2004 World Health Organisation Classifications. Eur Urol 2010;57:850–8. European Urology, 2010, 58, e8.	0.9	0
29	Editorial Comment from Drs Brookmanâ€May, May and Burger to Length of siteâ€specific positive surgical margins as a risk factor for biochemical recurrence following radical prostatectomy. International Journal of Urology, 2011, 18, 280-281.	0.5	0
30	Guidelines for patients with acute uncomplicated cystitis may not be a paper tiger: a call for its implementation in clinical routine. International Urogynecology Journal, 2019, 30, 335-336.	0.7	0
31	Wake-up call for more doctor–patient communication and an increase in public information campaigns on the risk factor of smoking with regard to the development and prognosis of bladder cancer. World Journal of Urology, 2019, 37, 215-217.	1.2	0
32	Re: Decision Regret after Radical Prostatectomy Does Not Depend on Surgical Approach: 6-Year Followup of a Large German Cohort Undergoing Routine Care. European Urology, 2020, 78, 926-927.	0.9	0
33	Do residents in anesthesiology feel adequately prepared for handling infections by multiresistant pathogens? Results of a survey in German hospitals. Minerva Anestesiologica, 2019, 85, 327-329.	0.6	0