

# Koshi Mimori

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9047260/publications.pdf>

Version: 2024-02-01

265  
papers

15,556  
citations

18436

62  
h-index

20900

115  
g-index

274  
all docs

274  
docs citations

274  
times ranked

21550  
citing authors

#	ARTICLE	IF	CITATIONS
1	Long Noncoding RNA <i>HOTAIR</i> Regulates Polycomb-Dependent Chromatin Modification and Is Associated with Poor Prognosis in Colorectal Cancers. <i>Cancer Research</i> , 2011, 71, 6320-6326.	0.4	1,191
2	Epithelial-mesenchymal transition in cancer development and its clinical significance. <i>Cancer Science</i> , 2010, 101, 293-299.	1.7	691
3	Characterization of a Side Population of Cancer Cells from Human Gastrointestinal System. <i>Stem Cells</i> , 2006, 24, 506-513.	1.4	539
4	CD13 is a therapeutic target in human liver cancer stem cells. <i>Journal of Clinical Investigation</i> , 2010, 120, 3326-3339.	3.9	536
5	<i>CCAT2</i> , a novel noncoding RNA mapping to 8q24, underlies metastatic progression and chromosomal instability in colon cancer. <i>Genome Research</i> , 2013, 23, 1446-1461.	2.4	526
6	Age-related remodelling of oesophageal epithelia by mutated cancer drivers. <i>Nature</i> , 2019, 565, 312-317.	13.7	476
7	Exosomal microRNA in serum is a novel biomarker of recurrence in human colorectal cancer. <i>British Journal of Cancer</i> , 2015, 113, 275-281.	2.9	416
8	Detection of cancer micrometastases in lymph nodes by reverse transcriptase-polymerase chain reaction. <i>Cancer Research</i> , 1995, 55, 3417-20.	0.4	275
9	Amplification of PVT-1 is involved in poor prognosis via apoptosis inhibition in colorectal cancers. <i>British Journal of Cancer</i> , 2014, 110, 164-171.	2.9	270
10	Genomic Landscape of Esophageal Squamous Cell Carcinoma in a Japanese Population. <i>Gastroenterology</i> , 2016, 150, 1171-1182.	0.6	265
11	Clinical Significance of Circulating Tumor Cells, Including Cancer Stem-Like Cells, in Peripheral Blood for Recurrence and Prognosis in Patients With Dukes' Stage B and C Colorectal Cancer. <i>Journal of Clinical Oncology</i> , 2011, 29, 1547-1555.	0.8	256
12	Identification of a bona fide microRNA biomarker in serum exosomes that predicts hepatocellular carcinoma recurrence after liver transplantation. <i>British Journal of Cancer</i> , 2015, 112, 532-538.	2.9	251
13	p27 expression and gastric carcinoma. <i>Nature Medicine</i> , 1997, 3, 593-593.	15.2	229
14	Plastin3 Is a Novel Marker for Circulating Tumor Cells Undergoing the Epithelial-Mesenchymal Transition and Is Associated with Colorectal Cancer Prognosis. <i>Cancer Research</i> , 2013, 73, 2059-2069.	0.4	220
15	Clinical Significance of <i>miR-146a</i> in Gastric Cancer Cases. <i>Clinical Cancer Research</i> , 2011, 17, 4277-4284.	3.2	199
16	CD133+CD44+ Population Efficiently Enriches Colon Cancer Initiating Cells. <i>Annals of Surgical Oncology</i> , 2008, 15, 2927-2933.	0.7	196
17	Molecular detection of circulating solid carcinoma cells in the peripheral blood: the concept of early systemic disease. , 1996, 68, 739-743.		184
18	Clinical Significance of TROP2 Expression in Colorectal Cancer. <i>Clinical Cancer Research</i> , 2006, 12, 3057-3063.	3.2	184

#	ARTICLE	IF	CITATIONS
19	Role of pyruvate kinase M2 in transcriptional regulation leading to epithelial-to-mesenchymal transition. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 15526-15531.	3.3	178
20	Clinical significance of molecular detection of carcinoma cells in lymph nodes and peripheral blood by reverse transcription-polymerase chain reaction in patients with gastrointestinal or breast carcinomas.. Journal of Clinical Oncology, 1998, 16, 128-132.	0.8	177
21	Regulation of the MDM2-P53 pathway and tumor growth by PICT1 via nucleolar RPL11. Nature Medicine, 2011, 17, 944-951.	15.2	170
22	Downregulation of miR-144 is associated with colorectal cancer progression via activation of mTOR signaling pathway. Carcinogenesis, 2012, 33, 2391-2397.	1.3	161
23	Dysregulated YAP1/TAZ and TGF- $\beta$ 2 signaling mediate hepatocarcinogenesis in <i>Mob1a/1b</i> -deficient mice. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E71-80.	3.3	158
24	MicroRNA-10b is a Prognostic Indicator in Colorectal Cancer and Confers Resistance to the Chemotherapeutic Agent 5-Fluorouracil in Colorectal Cancer Cells. Annals of Surgical Oncology, 2012, 19, 3065-3071.	0.7	157
25	A long noncoding RNA, lncRNA-ATB, is involved in the progression and prognosis of colorectal cancer. Anticancer Research, 2015, 35, 1385-8.	0.5	151
26	<i>p53</i> -Altered <i>FBXW7</i> Expression Determines Poor Prognosis in Gastric Cancer Cases. Cancer Research, 2009, 69, 3788-3794.	0.4	135
27	Integrated Multiregional Analysis Proposing a New Model of Colorectal Cancer Evolution. PLoS Genetics, 2016, 12, e1005778.	1.5	134
28	Circulating exosomal microRNA-203 is associated with metastasis possibly via inducing tumor-associated macrophages in colorectal cancer. Oncotarget, 2017, 8, 78598-78613.	0.8	132
29	Loss of FBXW7, a cell cycle regulating gene, in colorectal cancer: Clinical significance. International Journal of Cancer, 2010, 126, 1828-1837.	2.3	131
30	Distinct methylation levels of mature microRNAs in gastrointestinal cancers. Nature Communications, 2019, 10, 3888.	5.8	128
31	Overexpression of matrix metalloproteinase-7 mRNA in human colon carcinomas. Cancer, 1995, 75, 1516-1519.	2.0	116
32	Decreased Expression of Fructose-1,6-bisphosphatase Associates with Glucose Metabolism and Tumor Progression in Hepatocellular Carcinoma. Cancer Research, 2016, 76, 3265-3276.	0.4	113
33	Clinical and biological significance of circulating tumor cells in cancer. Molecular Oncology, 2016, 10, 408-417.	2.1	113
34	Cancer-specific chromosome alterations in the constitutive fragile region FRA3B. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 7456-7461.	3.3	112
35	Combined Mutation of <i>Apc</i> , <i>Kras</i> , and <i>Tgfb2</i> Effectively Drives Metastasis of Intestinal Cancer. Cancer Research, 2018, 78, 1334-1346.	0.4	106
36	Clinical Significance of Human Kallikrein Gene 6 Messenger RNA Expression in Colorectal Cancer. Clinical Cancer Research, 2005, 11, 2889-2893.	3.2	99

#	ARTICLE	IF	CITATIONS
37	F-box protein FBXW7 inhibits cancer metastasis in a non-cell-autonomous manner. <i>Journal of Clinical Investigation</i> , 2015, 125, 621-635.	3.9	99
38	Identification of overexpressed genes in hepatocellular carcinoma, with special reference to ubiquitin-conjugating enzyme E2C gene expression. <i>International Journal of Cancer</i> , 2007, 121, 33-38.	2.3	98
39	MicroRNAs as Biomarkers in Colorectal Cancer. <i>Cancers</i> , 2017, 9, 124.	1.7	94
40	The expression of tumor-rejection antigen "MAGE" genes in human gastric carcinoma. <i>Gastroenterology</i> , 1995, 109, 1522-1525.	0.6	93
41	Overexpression of matrix metalloproteinase-7 mRNA in human colon carcinomas. <i>Cancer</i> , 1995, 75, 1516-1519.	2.0	92
42	A Long Non-coding RNA Activated by Transforming Growth Factor- $\beta$ is an Independent Prognostic Marker of Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2015, 22, 915-922.	0.7	91
43	Clinical significance of tissue inhibitor of metalloproteinase expression in gastric carcinoma. <i>British Journal of Cancer</i> , 1997, 76, 531-536.	2.9	89
44	Rapid intraoperative visualization of breast lesions with $\beta$ -glutamyl hydroxymethyl rhodamine green. <i>Scientific Reports</i> , 2015, 5, 12080.	1.6	89
45	Clinical significance of the overexpression of the candidate oncogene CYP24 in esophageal cancer. <i>Annals of Oncology</i> , 2004, 15, 236-241.	0.6	88
46	Analysis of MT1-MMP and MMP2 expression in human gastric cancers. , 1997, 74, 316-321.		86
47	MAL gene expression in esophageal cancer suppresses motility, invasion and tumorigenicity and enhances apoptosis through the Fas pathway. <i>Oncogene</i> , 2003, 22, 3463-3471.	2.6	86
48	A temporal shift of the evolutionary principle shaping intratumor heterogeneity in colorectal cancer. <i>Nature Communications</i> , 2018, 9, 2884.	5.8	82
49	Paired related homeobox 1, a new EMT inducer, is involved in metastasis and poor prognosis in colorectal cancer. <i>British Journal of Cancer</i> , 2013, 109, 307-311.	2.9	79
50	Clinicopathologic and Biological Significance of Kallikrein 6 Overexpression in Human Gastric Cancer. <i>Clinical Cancer Research</i> , 2005, 11, 6800-6806.	3.2	77
51	Epigenetic modulation and repression of miR-200b by cancer-associated fibroblasts contribute to cancer invasion and peritoneal dissemination in gastric cancer. <i>Carcinogenesis</i> , 2015, 36, 133-141.	1.3	76
52	Clinical significance of miR-144-ZFX axis in disseminated tumour cells in bone marrow in gastric cancer cases. <i>British Journal of Cancer</i> , 2012, 107, 1345-1353.	2.9	75
53	The Long Noncoding RNA CCAT2 Induces Chromosomal Instability Through BOP1-AURKB Signaling. <i>Gastroenterology</i> , 2020, 159, 2146-2162.e33.	0.6	75
54	YAP1 is a potent driver of the onset and progression of oral squamous cell carcinoma. <i>Science Advances</i> , 2020, 6, eaay3324.	4.7	75

#	ARTICLE	IF	CITATIONS
55	Cell Cycle-Dependent Rho GTPase Activity Dynamically Regulates Cancer Cell Motility and Invasion In Vivo. <i>PLoS ONE</i> , 2013, 8, e83629.	1.1	75
56	Analysis of the gene-expression profile regarding the progression of human gastric carcinoma. <i>Surgery</i> , 2002, 131, S39-S47.	1.0	73
57	A Highly Accurate Inclusive Cancer Screening Test Using <i>Caenorhabditis elegans</i> Scent Detection. <i>PLoS ONE</i> , 2015, 10, e0118699.	1.1	71
58	Up-regulation of NEK2 by MicroRNA-128 Methylation is Associated with Poor Prognosis in Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2014, 21, 205-212.	0.7	70
59	Prognostic score of gastric cancer determined by cDNA microarray. <i>Clinical Cancer Research</i> , 2002, 8, 3475-9.	3.2	70
60	Kinesin 18A expression: Clinical relevance to colorectal cancer progression. <i>International Journal of Cancer</i> , 2011, 129, 2543-2552.	2.3	69
61	Decreased miR-340 Expression in Bone Marrow Is Associated with Liver Metastasis of Colorectal Cancer. <i>Molecular Cancer Therapeutics</i> , 2014, 13, 976-985.	1.9	67
62	Reduced tau expression in gastric cancer can identify candidates for successful Paclitaxel treatment. <i>British Journal of Cancer</i> , 2006, 94, 1894-1897.	2.9	66
63	Expression of MAGE Genes in Human Colorectal Carcinoma. <i>Annals of Surgery</i> , 1996, 224, 183-188.	2.1	65
64	Clinical significance of enhancer of zeste homolog 2 expression in colorectal cancer cases. <i>European Journal of Surgical Oncology</i> , 2005, 31, 376-380.	0.5	64
65	Comprehensive Analysis of the Clinical Significance of Inducing Pluripotent Stemness-Related Gene Expression in Colorectal Cancer Cells. <i>Annals of Surgical Oncology</i> , 2009, 16, 2638-2644.	0.7	64
66	Hematogenous Metastasis in Gastric Cancer Requires Isolated Tumor Cells and Expression of Vascular Endothelial Growth Factor Receptor-1. <i>Clinical Cancer Research</i> , 2008, 14, 2609-2616.	3.2	63
67	FOXC2 is a Novel Prognostic Factor in Human Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2011, 18, 535-542.	0.7	63
68	Somatic mutations in plasma cell-free DNA are diagnostic markers for esophageal squamous cell carcinoma recurrence. <i>Oncotarget</i> , 2016, 7, 62280-62291.	0.8	62
69	Oncogenic splicing abnormalities induced by DEAD Box Helicase 56 amplification in colorectal cancer. <i>Cancer Science</i> , 2019, 110, 3132-3144.	1.7	61
70	Significance of Polypyrimidine Tract-Binding Protein 1 Expression in Colorectal Cancer. <i>Molecular Cancer Therapeutics</i> , 2015, 14, 1705-1716.	1.9	60
71	Integrated Molecular Profiling of Human Gastric Cancer Identifies DDR2 as a Potential Regulator of Peritoneal Dissemination. <i>Scientific Reports</i> , 2016, 6, 22371.	1.6	58
72	MicroRNA-372 Is Associated with Poor Prognosis in Colorectal Cancer. <i>Oncology</i> , 2012, 82, 205-212.	0.9	56

#	ARTICLE	IF	CITATIONS
73	A Large-Scale Study of MT1â€‘MMP as a Marker for Isolated Tumor Cells in Peripheral Blood and Bone Marrow in Gastric Cancer Cases. <i>Annals of Surgical Oncology</i> , 2008, 15, 2934-2942.	0.7	55
74	Down-regulation of miR-125a-3p in human gastric cancer and its clinicopathological significance. <i>International Journal of Oncology</i> , 2012, 40, 1477-82.	1.4	55
75	Circulating tumour cell-derived platin3 is a novel marker for predicting long-term prognosis in patients with breast cancer. <i>British Journal of Cancer</i> , 2015, 112, 1519-1526.	2.9	55
76	microRNA-181a is associated with poor prognosis of colorectal cancer. <i>Oncology Reports</i> , 2012, 28, 2221-2226.	1.2	54
77	The AURKA/TPX2 axis drives colon tumorigenesis cooperatively with MYC. <i>Annals of Oncology</i> , 2015, 26, 935-942.	0.6	54
78	STC2: A Predictive Marker for Lymph Node Metastasis in Esophageal Squamous-Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2011, 18, 261-272.	0.7	52
79	The Significance of PITX2 Overexpression in Human Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2011, 18, 3005-3012.	0.7	52
80	GWAS identifies two novel colorectal cancer loci at 16q24.1 and 20q13.12. <i>Carcinogenesis</i> , 2018, 39, 652-660.	1.3	52
81	Expression of Mesenchymal Markers Vimentin and Fibronectin: The Clinical Significance in Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2013, 20, 324-335.	0.7	51
82	miR-221 Targets QKI to Enhance the Tumorigenic Capacity of Human Colorectal Cancer Stem Cells. <i>Cancer Research</i> , 2019, 79, 5151-5158.	0.4	51
83	Human esophageal carcinomas frequently express the tumor-rejection antigens of MAGE genes. <i>International Journal of Cancer</i> , 1995, 63, 523-526.	2.3	50
84	Expression of PD-L1 and HLA Class I in Esophageal Squamous Cell Carcinoma: Prognostic Factors for Patient Outcome. <i>Annals of Surgical Oncology</i> , 2016, 23, 508-515.	0.7	49
85	Clinical Impact of Tumor-Infiltrating Lymphocytes in Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2017, 24, 3763-3770.	0.7	49
86	Understanding intratumor heterogeneity by combining genome analysis and mathematical modeling. <i>Cancer Science</i> , 2018, 109, 884-892.	1.7	49
87	Comprehensive assay for the molecular profiling of cancer by target enrichment from formalinâ€‘fixed paraffinâ€‘embedded specimens. <i>Cancer Science</i> , 2019, 110, 1464-1479.	1.7	48
88	The rs6983267 SNP Is Associated with MYC Transcription Efficiency, Which Promotes Progression and Worsens Prognosis of Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2013, 20, 1395-1402.	0.7	46
89	Elongation factor 1 gamma mRNA expression in oesophageal carcinoma.. <i>Gut</i> , 1996, 38, 66-70.	6.1	45
90	Phase I doseâ€‘escalation trial to repurpose propagermanium, an oral CCL2 inhibitor, in patients with breast cancer. <i>Cancer Science</i> , 2020, 111, 924-931.	1.7	44

#	ARTICLE	IF	CITATIONS
91	Disruption of FBXL5-mediated cellular iron homeostasis promotes liver carcinogenesis. <i>Journal of Experimental Medicine</i> , 2019, 216, 950-965.	4.2	43
92	Usefulness and clinical significance of quantitative real-time RT-PCR to detect isolated tumor cells in the peripheral blood and tumor drainage blood of patients with colorectal cancer. <i>International Journal of Oncology</i> , 2006, 28, 297-306.	1.4	43
93	Clinical significance of ApoE expression in human gastric cancer. <i>Oncology Reports</i> , 2008, 20, 1313-9.	1.2	43
94	Identification of molecular markers for metastasis-related genes in primary breast cancer cells. <i>Clinical and Experimental Metastasis</i> , 2005, 22, 59-67.	1.7	41
95	MOB1-YAP1/TAZ-NKX2.1 axis controls bronchioalveolar cell differentiation, adhesion and tumour formation. <i>Oncogene</i> , 2017, 36, 4201-4211.	2.6	41
96	The overexpression of elongation factor 1 gamma mRNA in gastric carcinoma. <i>Cancer</i> , 1995, 75, 1446-1449.	2.0	40
97	Identification of ARL4C as a Peritoneal Dissemination-Associated Gene and Its Clinical Significance in Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2018, 25, 745-753.	0.7	40
98	Prognostic Relevance of Tensin4 Expression in Human Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2008, 15, 2606-2613.	0.7	39
99	Contrasting Expression Patterns of Histone mRNA and microRNA 760 in Patients with Gastric Cancer. <i>Clinical Cancer Research</i> , 2013, 19, 6438-6449.	3.2	39
100	Aberrant Expression of Plastin-3 Via Copy Number Gain Induces the Epithelial-Mesenchymal Transition in Circulating Colorectal Cancer Cells. <i>Annals of Surgical Oncology</i> , 2014, 21, 3680-3690.	0.7	38
101	The Expression of CCAT2, a Novel Long Noncoding RNA Transcript, and rs6983267 Single-Nucleotide Polymorphism Genotypes in Colorectal Cancers. <i>Oncology</i> , 2017, 92, 48-54.	0.9	38
102	Antitumor effects of the antiparasitic agent ivermectin via inhibition of Yes-associated protein 1 expression in gastric cancer. <i>Oncotarget</i> , 2017, 8, 107666-107677.	0.8	37
103	Cytolytic Activity (CYT) Score Is a Prognostic Biomarker Reflecting Host Immune Status in Hepatocellular Carcinoma (HCC). <i>Anticancer Research</i> , 2018, 38, 6631-6638.	0.5	36
104	Univariate and multivariate analyses of the prognostic significance of discontinuous intramural metastasis in patients with esophageal cancer. <i>Journal of Surgical Oncology</i> , 1994, 57, 17-21.	0.8	35
105	HMGA1 silencing reduces stemness and temozolomide resistance in glioblastoma stem cells. <i>Expert Opinion on Therapeutic Targets</i> , 2016, 20, 1169-1179.	1.5	35
106	Potentials of CCR2 motif chemokine receptor type 2 blockers including propagermanium as anticancer agents. <i>Cancer Science</i> , 2019, 110, 2090-2099.	1.7	35
107	Identification of the NEDD4L Gene as a Prognostic Marker by Integrated Microarray Analysis of Copy Number and Gene Expression Profiling in Non-small Cell Lung Cancer. <i>Annals of Surgical Oncology</i> , 2013, 20, 590-598.	0.7	34
108	miR-29b is an indicator of prognosis in breast cancer patients. <i>Molecular and Clinical Oncology</i> , 2015, 3, 919-923.	0.4	33

#	ARTICLE	IF	CITATIONS
109	PLOD2 as a potential regulator of peritoneal dissemination in gastric cancer. <i>International Journal of Cancer</i> , 2018, 143, 1202-1211.	2.3	33
110	Identification of recurrence-related microRNAs in the bone marrow of breast cancer patients. <i>International Journal of Oncology</i> , 2011, 38, 955-62.	1.4	32
111	PICT1 regulates TP53 via RPL11 and is involved in gastric cancer progression. <i>British Journal of Cancer</i> , 2013, 109, 2199-2206.	2.9	32
112	Downregulation of SIRT4 Expression Is Associated with Poor Prognosis in Esophageal Squamous Cell Carcinoma. <i>Oncology</i> , 2016, 90, 347-355.	0.9	32
113	A gene-expression signature can quantify the degree of hepatic fibrosis in the rat. <i>Journal of Hepatology</i> , 2004, 41, 399-406.	1.8	31
114	Novel oncogene 5MP1 reprograms c-Myc translation initiation to drive malignant phenotypes in colorectal cancer. <i>EBioMedicine</i> , 2019, 44, 387-402.	2.7	31
115	Microsatellite instability in japanese esophageal carcinoma. <i>International Journal of Cancer</i> , 1995, 64, 286-289.	2.3	30
116	Coexpression of Matrix Metalloproteinase-7 (MMP-7) and Epidermal Growth Factor (EGF) Receptor in Colorectal Cancer. <i>Clinical Cancer Research</i> , 2004, 10, 8243-8249.	3.2	30
117	Phosphoserine Phosphatase Is a Novel Prognostic Biomarker on Chromosome 7 in Colorectal Cancer. <i>Anticancer Research</i> , 2017, 37, 2365-2371.	0.5	30
118	Clinical significance of low expression of <i>Prostasin</i> mRNA in human gastric cancer. <i>Journal of Surgical Oncology</i> , 2008, 98, 559-564.	0.8	29
119	Relaxation of insulin-like growth factor 2 gene imprinting in esophageal cancer. , 1996, 68, 441-446.		28
120	Identification of the high-risk group for metastasis of gastric cancer cases by vascular endothelial growth factor receptor-1 overexpression in peripheral blood. <i>British Journal of Cancer</i> , 2007, 96, 1723-1728.	2.9	28
121	Downregulation of PRRX1 Confers Cancer Stem Cell-Like Properties and Predicts Poor Prognosis in Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2015, 22, 1402-1409.	0.7	28
122	Circulating Pre-microRNA-488 in Peripheral Blood Is a Potential Biomarker for Predicting Recurrence in Breast Cancer. <i>Anticancer Research</i> , 2018, 38, 4515-4523.	0.5	28
123	Drug repositioning in cancer: The current situation in Japan. <i>Cancer Science</i> , 2020, 111, 1039-1046.	1.7	28
124	miR-146a Polymorphism (rs2910164) Predicts Colorectal Cancer Patients's Susceptibility to Liver Metastasis. <i>PLoS ONE</i> , 2016, 11, e0165912.	1.1	25
125	Prognostic significance of high mobility group box 1 (HMGB1) expression in patients with colorectal cancer. <i>Anticancer Research</i> , 2014, 34, 5357-62.	0.5	25
126	Endogenous YAP1 activation drives immediate onset of cervical carcinoma in situ in mice. <i>Cancer Science</i> , 2020, 111, 3576-3587.	1.7	24



#	ARTICLE	IF	CITATIONS
127	Prognostic impact of tissue inhibitor of matrix metalloproteinase-1 in esophageal carcinoma. <i>International Journal of Cancer</i> , 2000, 88, 575-578.	2.3	23
128	Reply: Preanalytical Interferences Compromise the Clinical Validity of Matrix Metalloproteinase 1 as Marker of Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2011, 18, 233-234.	0.7	23
129	Clinical and biological impact of cyclin-dependent kinase subunit 2 in esophageal squamous cell carcinoma. <i>Oncology Reports</i> , 2014, 31, 1986-1992.	1.2	23
130	The miR-506-Induced Epithelial-Mesenchymal Transition is Involved in Poor Prognosis for Patients with Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2015, 22, 1436-1443.	0.7	23
131	Overexpression of heat-shock factor 1 is associated with a poor prognosis in esophageal squamous cell carcinoma. <i>Oncology Letters</i> , 2017, 13, 1819-1825.	0.8	22
132	Clinical significance of MT1-MMP mRNA expression in breast cancer. <i>Oncology Reports</i> , 2001, 8, 401-3.	1.2	21
133	Overexpression of Transcription Termination Factor 1 is Associated with a Poor Prognosis in Patients with Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2015, 22, 1490-1498.	0.7	21
134	Cytolytic activity score as a biomarker for antitumor immunity and clinical outcome in patients with gastric cancer. <i>Cancer Medicine</i> , 2021, 10, 3129-3138.	1.3	21
135	Serum Matrix-Metalloproteinase-1 is a Bona Fide Prognostic Marker for Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2010, 17, 3362-3369.	0.7	20
136	Significance of CD47 expression in gastric cancer. <i>Oncology Letters</i> , 2017, 14, 801-809.	0.8	20
137	The Evolving Genomic Landscape of Esophageal Squamous Cell Carcinoma Under Chemoradiotherapy. <i>Cancer Research</i> , 2021, 81, 4926-4938.	0.4	20
138	Clinical Significance of FANCD2 Gene Expression and its Association with Tumor Progression in Hepatocellular Carcinoma. <i>Anticancer Research</i> , 2017, 37, 1083-1090.	0.5	20
139	The loss of CASP4 expression is associated with poor prognosis in esophageal squamous cell carcinoma. <i>Oncology Letters</i> , 2017, 13, 1761-1766.	0.8	19
140	Cancer evolution and heterogeneity. <i>Annals of Gastroenterological Surgery</i> , 2018, 2, 332-338.	1.2	19
141	Identification of UHRF2 as a Negative Regulator of Epithelial-Mesenchymal Transition and Its Clinical Significance in Esophageal Squamous Cell Carcinoma. <i>Oncology</i> , 2018, 95, 179-187.	0.9	19
142	HOXB7 Expression is a Novel Biomarker for Long-term Prognosis After Resection of Hepatocellular Carcinoma. <i>Anticancer Research</i> , 2016, 36, 2767-73.	0.5	19
143	Bone marrow and peripheral blood expression of ID1 in human gastric carcinoma patients is a bona fide indicator of lymph node and peritoneal metastasis. <i>British Journal of Cancer</i> , 2009, 100, 1937-1942.	2.9	18
144	The novel driver gene <i>ASAP2</i> is a potential druggable target in pancreatic cancer. <i>Cancer Science</i> , 2021, 112, 1655-1668.	1.7	18

#	ARTICLE	IF	CITATIONS
145	Up-regulation of SLC9A9 Promotes Cancer Progression and Is Involved in Poor Prognosis in Colorectal Cancer. <i>Anticancer Research</i> , 2017, 37, 2255-2263.	0.5	18
146	DDR2 Expression Is Associated with a High Frequency of Peritoneal Dissemination and Poor Prognosis in Colorectal Cancer. <i>Anticancer Research</i> , 2017, 37, 2587-2591.	0.5	18
147	Microsatellite Instability Is Often Observed in Esophageal Carcinoma Patients with Allelic Loss in the <i>FHIT/FRA3B</i> Locus. <i>Oncology</i> , 2003, 64, 275-279.	0.9	17
148	Long-term outcome of adipose-derived regenerative cell-enriched autologous fat transplantation for reconstruction after breast-conserving surgery for Japanese women with breast cancer. <i>Surgery Today</i> , 2017, 47, 1500-1511.	0.7	17
149	Overexpression of <i>CXCR7</i> Is a Novel Prognostic Indicator in Gastric Cancer. <i>Digestive Surgery</i> , 2017, 34, 312-318.	0.6	17
150	Appropriate use of cancer comprehensive genome profiling assay using circulating tumor DNA. <i>Cancer Science</i> , 2021, 112, 3911-3917.	1.7	17
151	Embryonic MicroRNA-369 Controls Metabolic Splicing Factors and Urges Cellular Reprogramming. <i>PLoS ONE</i> , 2015, 10, e0132789.	1.1	17
152	An Integrative Analysis to Identify Driver Genes in Esophageal Squamous Cell Carcinoma. <i>PLoS ONE</i> , 2015, 10, e0139808.	1.1	17
153	<i>ANXA9</i> gene expression in colorectal cancer: A novel marker for prognosis. <i>Oncology Letters</i> , 2014, 8, 2313-2317.	0.8	16
154	miR-615-3p expression level in bone marrow is associated with tumor recurrence in hepatocellular carcinoma. <i>Molecular and Clinical Oncology</i> , 2015, 3, 487-494.	0.4	16
155	<i>SF3B4</i> Plays an Oncogenic Role in Esophageal Squamous Cell Carcinoma. <i>Anticancer Research</i> , 2020, 40, 2941-2946.	0.5	16
156	Detection of occult cancer cells in peripheral blood and bone marrow by quantitative RT-PCR assay for cytokeratin-7 in breast cancer patients. <i>International Journal of Oncology</i> , 2005, 26, 721-30.	1.4	16
157	Diminished expression of MiR-15a is an independent prognostic marker for breast cancer cases. <i>Anticancer Research</i> , 2015, 35, 123-7.	0.5	16
158	Polypoid Carcinoma of the Esophagus. <i>Japanese Journal of Cancer Research</i> , 1994, 85, 1131-1136.	1.7	15
159	Clinical Significance of GAB2, a Scaffolding/Docking Protein Acting Downstream of EGFR in Human Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2014, 21, 743-749.	0.7	15
160	Human colorectal CD24+ cancer stem cells are susceptible to epithelial-mesenchymal transition. <i>International Journal of Oncology</i> , 2014, 45, 575-580.	1.4	15
161	Prognostic Impact of Immune-Related Gene Expression in Preoperative Peripheral Blood from Gastric Cancer Patients. <i>Annals of Surgical Oncology</i> , 2018, 25, 3755-3763.	0.7	15
162	Overexpression of <i>FGFR1</i> Promotes Peritoneal Dissemination Via Epithelial-to-Mesenchymal Transition in Gastric Cancer. <i>Cancer Genomics and Proteomics</i> , 2018, 15, 313-320.	1.0	15

#	ARTICLE	IF	CITATIONS
163	Prognostic Significance of PD-1, PD-L1 and CD8 Gene Expression Levels in Gastric Cancer. <i>Oncology</i> , 2020, 98, 501-511.	0.9	15
164	<i>GTF2IRD1</i> on chromosome 7 is a novel oncogene regulating the tumor suppressor gene <i>TGF<math>\beta</math>2</i> in colorectal cancer. <i>Cancer Science</i> , 2020, 111, 343-355.	1.7	15
165	Gene expression profiling of lymph node metastasis by oligomicroarray analysis using laser microdissection in esophageal squamous cell carcinoma. <i>International Journal of Oncology</i> , 2006, 29, 1337-47.	1.4	15
166	Loss of MAL Expression in Precancerous Lesions of the Esophagus. <i>Annals of Surgical Oncology</i> , 2007, 14, 1670-1677.	0.7	14
167	Laparoscopic surgery minimizes the surgical manipulation of isolated tumor cells leading to decreased metastasis compared to open surgery for colorectal cancer. <i>Surgery Today</i> , 2013, 43, 20-25.	0.7	14
168	A single nucleotide polymorphism in fibronectin 1 determines tumor shape in colorectal cancer. <i>Oncology Reports</i> , 2014, 32, 548-552.	1.2	14
169	KIF15 Expression in Tumor-associated Monocytes Is a Prognostic Biomarker in Hepatocellular Carcinoma. <i>Cancer Genomics and Proteomics</i> , 2020, 17, 141-149.	1.0	14
170	Modeling colorectal cancer evolution. <i>Journal of Human Genetics</i> , 2021, 66, 869-878.	1.1	14
171	Mitotic checkpoint regulator RAE1 promotes tumor growth in colorectal cancer. <i>Cancer Science</i> , 2021, 112, 3173-3189.	1.7	14
172	Genetic landscape of external auditory canal squamous cell carcinoma. <i>Cancer Science</i> , 2020, 111, 3010-3019.	1.7	14
173	FHIT Is Up-Regulated by Inflammatory Stimuli and Inhibits Prostaglandin E $_{2}$ -Mediated Cancer Progression. <i>Cancer Research</i> , 2006, 66, 2683-2690.	0.4	13
174	Increased Risk for CRC in Diabetic Patients with the Nonrisk Allele of SNPs at 8q24. <i>Annals of Surgical Oncology</i> , 2012, 19, 2853-2858.	0.7	13
175	Review: single nucleotide polymorphisms associated with the oncogenesis of colorectal cancer. <i>Surgery Today</i> , 2012, 42, 215-219.	0.7	13
176	Multiregion Genomic Analysis of Serially Transplanted Patient-derived Xenograft Tumors. <i>Cancer Genomics and Proteomics</i> , 2019, 16, 21-27.	1.0	13
177	Potential association of LOXL1 with peritoneal dissemination in gastric cancer possibly via promotion of EMT. <i>PLoS ONE</i> , 2020, 15, e0241140.	1.1	13
178	Nano-scale physical properties characteristic to metastatic intestinal cancer cells identified by high-speed scanning ion conductance microscope. <i>Biomaterials</i> , 2022, 280, 121256.	5.7	13
179	Increased Copy Number of the Gene Encoding SF3B4 Indicates Poor Prognosis in Hepatocellular Carcinoma. <i>Anticancer Research</i> , 2016, 36, 2139-44.	0.5	13
180	Hippo-TAZ signaling is the master regulator of the onset of triple-negative basal-like breast cancers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	3.3	13

#	ARTICLE	IF	CITATIONS
181	Aberrant Methylation of FOXE1 Contributes to a Poor Prognosis for Patients with Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2016, 23, 3948-3955.	0.7	12
182	Clinical significance of ZNF750 gene expression, a novel tumor suppressor gene, in esophageal squamous cell carcinoma. <i>Oncology Letters</i> , 2017, 14, 1795-1801.	0.8	12
183	phyC: Clustering cancer evolutionary trees. <i>PLoS Computational Biology</i> , 2017, 13, e1005509.	1.5	12
184	Serial mutational tracking in surgically resected locally advanced colorectal cancer with neoadjuvant chemotherapy. <i>British Journal of Cancer</i> , 2018, 119, 419-423.	2.9	12
185	Pan-cancer methylome analysis for cancer diagnosis and classification of cancer cell of origin. <i>Cancer Gene Therapy</i> , 2022, 29, 428-436.	2.2	12
186	Hyperthermochemoradiotherapy is effective for small cell carcinoma of the esophagus. <i>Journal of Surgical Oncology</i> , 1995, 59, 63-66.	0.8	11
187	Localization of Thymidine Phosphorylase Expression in Colorectal Carcinoma Tissues by in situ RT-PCR Assay. <i>Oncology</i> , 2002, 62, 327-332.	0.9	11
188	MACC1 expression levels as a novel prognostic marker for colorectal cancer. <i>Oncology Letters</i> , 2014, 8, 2305-2309.	0.8	11
189	Allelic Imbalance at an 8q24 Oncogenic SNP is Involved in Activating MYC in Human Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2014, 21, 515-521.	0.7	11
190	Loss of CDCP1 Expression Promotes Invasiveness and Poor Prognosis in Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2014, 21, 640-647.	0.7	11
191	Attenuated RND1 Expression Confers Malignant Phenotype and Predicts Poor Prognosis in Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2017, 24, 850-859.	0.7	11
192	Preventive and promotive effects of habitual hot spa-bathing on the elderly in Japan. <i>Scientific Reports</i> , 2018, 8, 133.	1.6	11
193	CRMP5-associated GTPase ( <i>CIRAG</i> ) Is a Candidate Driver Gene for Colorectal Cancer Carcinogenesis. <i>Anticancer Research</i> , 2019, 39, 99-106.	0.5	11
194	Expression of ornithine decarboxylase mRNA and c-myc mRNA in breast tumours.. <i>International Journal of Oncology</i> , 1998, 12, 597-601.	1.4	10
195	Japanese genome-wide association study identifies a significant colorectal cancer susceptibility locus at chromosome 10p14. <i>Cancer Science</i> , 2017, 108, 2239-2247.	1.7	10
196	Oxysterol binding protein-like 3 (OSBPL3) is a novel driver gene that promotes tumor growth in part through R-Ras/Akt signaling in gastric cancer. <i>Scientific Reports</i> , 2021, 11, 19178.	1.6	10
197	Plastin3 is associated with epithelial-mesenchymal transition and poor prognosis in gastric cancer. <i>Oncology Letters</i> , 2019, 17, 2393-2399.	0.8	9
198	Cancer-associated Fibroblast-derived Spondin-2 Promotes Motility of Gastric Cancer Cells. <i>Cancer Genomics and Proteomics</i> , 2021, 18, 521-529.	1.0	9

#	ARTICLE	IF	CITATIONS
199	Presence of elevated carcinoembryonic antigen on absorbent disks applied to nipple area of breast carcinoma patients. , 1996, 78, 1229-1234.		8
200	Clinical Significance of PICT1 in Patients of Hepatocellular Carcinoma with Wild-Type TP53. Annals of Surgical Oncology, 2013, 20, 537-544.	0.7	8
201	Extraction of cell-free DNA from urine, using polylysine-coated silica particles. Analytical and Bioanalytical Chemistry, 2017, 409, 4021-4025.	1.9	8
202	Clinicopathological characteristics of disseminated carcinomatosis of the bone marrow in breast cancer patients. Molecular and Clinical Oncology, 2017, 8, 93-98.	0.4	8
203	Downregulation of ST6GALNAC1 is associated with esophageal squamous cell carcinoma development. International Journal of Oncology, 2017, 50, 441-447.	1.4	8
204	Mutation analysis of hBUB1, human mitotic checkpoint gene in multiple carcinomas. Oncology Reports, 2001, 8, 39-42.	1.2	8
205	Up-regulated pyrimidine nucleoside phosphorylase in breast carcinoma correlates with lymph node metastasis. Annals of Oncology, 1999, 10, 111-114.	0.6	7
206	A Single-Nucleotide Polymorphism of SMARCB1 in Human Breast Cancers. Genomics, 2002, 80, 254-258.	1.3	7
207	Overexpression of SUGT1 in human colorectal cancer and its clinicopathological significance. International Journal of Oncology, 2010, 36, 569-75.	1.4	7
208	Clinical and biological significance of transcription termination factor, RNA polymerase I in human liver hepatocellular carcinoma. Oncology Reports, 2016, 35, 2073-2080.	1.2	7
209	Circulating PD-1 mRNA in Peripheral Blood is a Potential Biomarker for Predicting Survival of Breast Cancer Patients. Annals of Surgical Oncology, 2020, 27, 4035-4043.	0.7	7
210	Impaired tumor immune response in metastatic tumors is a selective pressure for neutral evolution in CRC cases. PLoS Genetics, 2021, 17, e1009113.	1.5	7
211	Depressed Colorectal Cancer: A New Paradigm in Early Colorectal Cancer. Clinical and Translational Gastroenterology, 2020, 11, e00269.	1.3	7
212	<i>GET4</i> is a novel driver gene in colorectal cancer that regulates the localization of BAG6, a nucleocytoplasmic shuttling protein. Cancer Science, 2022, 113, 156-169.	1.7	7
213	Suppression of MAL gene expression in gastric cancer correlates with metastasis and mortality. Fukuoka Acta Medica, 2013, 104, 344-9.	0.1	7
214	Preoperative u-PAR Gene Expression in Bone Marrow Indicates the Potential Power of Recurrence in Breast Cancer Cases. Annals of Surgical Oncology, 2009, 16, 2035-2041.	0.7	6
215	Vascular endothelial growth factor receptor-1 mRNA overexpression in peripheral blood as a useful prognostic marker in breast cancer. Breast Cancer Research, 2012, 14, R140.	2.2	6
216	Intestinal epithelial culture under an air-liquid interface: a tool for studying human and mouse esophagi. Ecological Management and Restoration, 2016, 29, 843-847.	0.2	6

#	ARTICLE	IF	CITATIONS
217	A unified simulation model for understanding the diversity of cancer evolution. <i>PeerJ</i> , 2020, 8, e8842.	0.9	6
218	Clinical Significance of Expression of Nephroblastoma Overexpressed (NOV) in Patients with Colorectal Cancer. <i>Anticancer Research</i> , 2015, 35, 6591-7.	0.5	6
219	Identification of Recurrence-Related microRNAs from Bone Marrow in Hepatocellular Carcinoma Patients. <i>Journal of Clinical Medicine</i> , 2015, 4, 1600-1611.	1.0	5
220	8q24 Polymorphisms and Diabetes Mellitus Regulate Apolipoprotein A-IV in Colorectal Carcinogenesis. <i>Annals of Surgical Oncology</i> , 2016, 23, 546-551.	0.7	5
221	The Expression Level of <i>PD-L1</i> ( <i>CD274</i> ) mRNA in Peripheral Blood Is a Potential Biomarker for Predicting Recurrence in Breast Cancer. <i>Anticancer Research</i> , 2020, 40, 3733-3742.	0.5	5
222	N-Cadherin mRNA Levels in Peripheral Blood Could Be a Potential Indicator of New Metastases in Breast Cancer: A Pilot Study. <i>International Journal of Molecular Sciences</i> , 2020, 21, 511.	1.8	5
223	Analysis of gastric cancer with cDNA microarray. <i>Cancer Chemotherapy and Pharmacology</i> , 2004, 54 Suppl 1, S21-4.	1.1	4
224	Case of early adenosquamous carcinoma of the stomach. <i>Fukuoka Acta Medica</i> , 2013, 104, 315-20.	0.1	4
225	Analysis of the Genetic Alterations in a Case of Juvenile Multiple Colon Carcinoma With Hypogammaglobulinemia. <i>Annals of Surgical Oncology</i> , 2000, 7, 692-695.	0.7	3
226	Genomic copy number of a carcinogenic single nucleotide polymorphism at 8q24 in non-risk allele colorectal cancer associated with insulin growth factor 2 receptor expression. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012, 27, 95-99.	1.4	3
227	Biological and molecular aspects of lymph node metastasis in gastro-intestinal cancer. <i>International Journal of Clinical Oncology</i> , 2013, 18, 762-765.	1.0	3
228	Clinical Significance of Acylphosphatase 1 Expression in Combined HCC-iCCA, HCC, and iCCA. <i>Digestive Diseases and Sciences</i> , 2022, 67, 3817-3830.	1.1	3
229	Application of splenectomy to decompress portal pressure in left lobe living donor liver transplantation. <i>Fukuoka Acta Medica</i> , 2013, 104, 282-9.	0.1	3
230	Total laparoscopic distal gastrectomy for elderly patients with gastric cancer. <i>Fukuoka Acta Medica</i> , 2013, 104, 290-8.	0.1	3
231	A new approach for acute embolus occlusion of the superior mesenteric artery. <i>Surgery Today</i> , 1996, 26, 949-951.	0.7	2
232	Identification of the expression profile of apoptotic esophageal cancer cells by adenoviral fragile histidine triad treatment. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008, 23, S205-9.	1.4	2
233	Important Matters to Identify Robust Markers for Metastasis and Recurrence in Solid Cancer. <i>Annals of Surgical Oncology</i> , 2009, 16, 1070-1071.	0.7	2
234	Reply to B. Faltas et al. <i>Journal of Clinical Oncology</i> , 2011, 29, 2947-2948.	0.8	2

#	ARTICLE	IF	CITATIONS
235	Reply to F. Crea et al. <i>Journal of Clinical Oncology</i> , 2011, 29, 3488-3490.	0.8	2
236	Diagnostic laparoscopy for pneumatosis intestinalis in a very elderly patient: A case report. <i>Annals of Medicine and Surgery</i> , 2017, 21, 109-113.	0.5	2
237	Successful Treatment with Hepatic Arterial Infusion Chemotherapy in a Breast Cancer Patient with Multiple Liver Metastases Who Declined Systemic Therapy. <i>Case Reports in Oncology</i> , 2022, 14, 1261-1265.	0.3	2
238	Molecular detection of circulating solid carcinoma cells in the peripheral blood: the concept of early systemic disease. , 1996, 68, 739.		2
239	Reduction of T-Box 15 gene expression in tumor tissue is a prognostic biomarker for patients with hepatocellular carcinoma. <i>Oncotarget</i> , 2020, 11, 4803-4812.	0.8	2
240	Fanconi Anemia Complementation Group E (FANCE), a DNA Repair-Related Gene, Is a Potential Marker of Poor Prognosis in Hepatocellular Carcinoma. <i>Oncology</i> , 2021, , .	0.9	2
241	Molecular diagnosis of circulating cancer cells using MAGE gene assays. <i>JAMA - Journal of the American Medical Association</i> , 1997, 278, 476-7.	3.8	2
242	Artificial intelligence-assisted drug repurposing via "chemical-induced gene expression ranking". <i>Patterns</i> , 2022, 3, 100470.	3.1	2
243	Dosimetry of Occupational Eye Lens Dose Using a Novel Direct Eye Dosimeter, DOSIRIS, during Interventional Radiology Procedures. <i>Interventional Radiology</i> , 2022, 7, 40-43.	0.2	2
244	As a Novel Prognostic Marker, Cysteine/histidine-rich 1 (CYHR1) is a Therapeutic Target in Patients with Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2017, 24, 586-593.	0.7	1
245	Postoperative elevation in the plasma CCL2 level is a predictive biomarker of colorectal cancer recurrence. <i>Surgery Today</i> , 2021, 51, 1671-1681.	0.7	1
246	Clinical usefulness of a novel fluorescence technique for the intraoperative diagnosis of surgical margins in patients with breast cancer. <i>British Journal of Surgery</i> , 2021, 108, e340-e342.	0.1	1
247	INI-1, a partner gene of ALL-1, is highly conserved in human acute leukemia. <i>Oncology Reports</i> , 2003, 10, 551-3.	1.2	1
248	Prediction of 5'-deoxy-5-fluorouridine sensitivity in colorectal cancer cases by thymidine phosphorylase activity and preliminary identification of susceptibility related genes. <i>Oncology Reports</i> , 2004, 12, 19-23.	1.2	1
249	Effect of CD133-positive stem cells in repeated recurrence of hepatocellular carcinoma after liver transplantation: a case report. <i>Fukuoka Acta Medica</i> , 2013, 104, 383-8.	0.1	1
250	Thoracoscopic pericardial drainage for gastric tube ulcer penetrated into the pericardium. <i>Fukuoka Acta Medica</i> , 2013, 104, 389-93.	0.1	1
251	Development of an intraoperative breast cancer margin assessment method using quantitative fluorescence measurements. <i>Scientific Reports</i> , 2022, 12, .	1.6	1
252	Disseminated isolated tumor cells in bone marrow of esophageal cancer cases. <i>Esophagus</i> , 2007, 4, 29-33.	1.0	0



#	ARTICLE	IF	CITATIONS
253	A clinical trial of somatic and germline analyses for healthy longevity in a postoperative cancer patient. <i>Surgery Today</i> , 2019, 49, 738-747.	0.7	0
254	ASO Author Reflections: ARL4C and Peritoneal Dissemination in Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2019, 26, 547-547.	0.7	0
255	A case of a patient receiving combination therapy with paclitaxel plus bevacizumab and adoptive activated CD8 <sup>+</sup> T cell immunotherapy in advanced breast cancer. <i>Breast Journal</i> , 2020, 26, 2420-2423.	0.4	0
256	Portal Vein Stenting for Jejunal Variceal Bleeding after Recurrence of Pancreatic Adenocarcinoma: A Case Report and Review of the Literature. <i>Interventional Radiology</i> , 2021, 6, 44-50.	0.2	0
257	Radiology- and gene-based risk stratification in small renal cell carcinoma: A preliminary study. <i>PLoS ONE</i> , 2021, 16, e0256471.	1.1	0
258	Identification of a bona-fide biomarker of microRNA in serum exosomes to predict recurrence of hepatocellular carcinoma after liver transplantation.. <i>Journal of Clinical Oncology</i> , 2013, 31, 183-183.	0.8	0
259	Prognostic impact of PD-1, PD-L1, and CD8 genes expression in peripheral blood in gastric cancer.. <i>Journal of Clinical Oncology</i> , 2017, 35, 11531-11531.	0.8	0
260	Midterm Outcomes and Prognostic Factors of Patients Treated Using Microballoon-Occluded Transarterial Chemoembolization with Miriplatin: A Retrospective Study of 37 Cases. <i>Interventional Radiology</i> , 2018, 3, 97-109.	0.2	0
261	Laparoscopic versus open surgery for locally advanced rectal cancer following neoadjuvant chemoradiotherapy with S-1: Short- and long-term outcomes of multicenter prospective phase II trials.. <i>Journal of Clinical Oncology</i> , 2018, 36, 793-793.	0.8	0
262	Basic Aspect: Methodology. , 2019, , 179-193.		0
263	Specifics 1: Head and Neck Cancer and Esophageal Cancer. , 2019, , 63-77.		0
264	Clinicopathologic Features of Patients With Primary Hepatocellular Carcinoma Surviving Without Recurrence More Than 10 Years After Primary Hepatic Resection. <i>International Surgery</i> , 2021, 105, 533-542.	0.0	0
265	Recurrent hepatitis B following recurrence of hepatocellular carcinoma after living donor liver transplantation. <i>Fukuoka Acta Medica</i> , 2013, 104, 376-82.	0.1	0