

# Koshi Mimori

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9047260/koshi-mimori-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

262  
papers

12,491  
citations

58  
h-index

105  
g-index

274  
ext. papers

14,155  
ext. citations

5.7  
avg, IF

5.76  
L-index

#	Paper	IF	Citations
262	Liquid Biopsy Using Cell-Free Tumor DNA for Gastrointestinal Cancers <b>2022</b> , 129-137		
261	Clinicopathologic Features of Patients With Primary Hepatocellular Carcinoma Surviving Without Recurrence More Than 10 Years After Primary Hepatic Resection. <i>International Surgery</i> , <b>2021</b> , 105, 533-542		9
260	Nano-scale physical properties characteristic to metastatic intestinal cancer cells identified by high-speed scanning ion conductance microscope. <i>Biomaterials</i> , <b>2021</b> , 121256	15.6	5
259	GET4 is a novel driver gene in colorectal cancer that regulates the localization of BAG6, a nucleocytoplasmic shuttling protein. <i>Cancer Science</i> , <b>2021</b> ,	6.9	1
258	Clinical Significance of Acylphosphatase 1 Expression in Combined HCC-iCCA, HCC, and iCCA. <i>Digestive Diseases and Sciences</i> , <b>2021</b> , 1	4	1
257	Cytolytic activity score as a biomarker for antitumor immunity and clinical outcome in patients with gastric cancer. <i>Cancer Medicine</i> , <b>2021</b> , 10, 3129-3138	4.8	7
256	Postoperative elevation in the plasma CCL2 level is a predictive biomarker of colorectal cancer recurrence. <i>Surgery Today</i> , <b>2021</b> , 51, 1671-1681	3	1
255	Modeling colorectal cancer evolution. <i>Journal of Human Genetics</i> , <b>2021</b> , 66, 869-878	4.3	2
254	Mitotic checkpoint regulator RAE1 promotes tumor growth in colorectal cancer. <i>Cancer Science</i> , <b>2021</b> , 112, 3173-3189	6.9	3
253	Portal Vein Stenting for Jejunal Variceal Bleeding after Recurrence of Pancreatic Adenocarcinoma: A Case Report and Review of the Literature. <i>Interventional Radiology</i> , <b>2021</b> , 6, 44-50	0.1	
252	Impaired tumor immune response in metastatic tumors is a selective pressure for neutral evolution in CRC cases. <i>PLoS Genetics</i> , <b>2021</b> , 17, e1009113	6	2
251	The novel driver gene ASAP2 is a potential druggable target in pancreatic cancer. <i>Cancer Science</i> , <b>2021</b> , 112, 1655-1668	6.9	9
250	Appropriate use of cancer comprehensive genome profiling assay using circulating tumor DNA. <i>Cancer Science</i> , <b>2021</b> , 112, 3911-3917	6.9	5
249	Clinical usefulness of a novel fluorescence technique for the intraoperative diagnosis of surgical margins in patients with breast cancer. <i>British Journal of Surgery</i> , <b>2021</b> , 108, e340-e342	5.3	0
248	The Evolving Genomic Landscape of Esophageal Squamous Cell Carcinoma Under Chemoradiotherapy. <i>Cancer Research</i> , <b>2021</b> , 81, 4926-4938	10.1	1
247	Successful Treatment with Hepatic Arterial Infusion Chemotherapy in a Breast Cancer Patient with Multiple Liver Metastases Who Declined Systemic Therapy. <i>Case Reports in Oncology</i> , <b>2021</b> , 14, 1261-1265	1	0
246	Radiology- and gene-based risk stratification in small renal cell carcinoma: A preliminary study. <i>PLoS ONE</i> , <b>2021</b> , 16, e0256471	3.7	

245	Oxysterol binding protein-like 3 (OSBPL3) is a novel driver gene that promotes tumor growth in part through R-Ras/Akt signaling in gastric cancer. <i>Scientific Reports</i> , <b>2021</b> , 11, 19178	4.9	0
244	Cancer-associated Fibroblast-derived Spondin-2 Promotes Motility of Gastric Cancer Cells. <i>Cancer Genomics and Proteomics</i> , <b>2021</b> , 18, 521-529	3.3	1
243	A case of a patient receiving combination therapy with paclitaxel plus bevacizumab and adoptive activated T-cell immunotherapy in advanced breast cancer. <i>Breast Journal</i> , <b>2020</b> , 26, 2420-2423	1.2	
242	Prognostic Significance of PD-1, PD-L1 and CD8 Gene Expression Levels in Gastric Cancer. <i>Oncology</i> , <b>2020</b> , 98, 501-511	3.6	5
241	Plays an Oncogenic Role in Esophageal Squamous Cell Carcinoma. <i>Anticancer Research</i> , <b>2020</b> , 40, 2941-2946	2.4	6
240	YAP1 is a potent driver of the onset and progression of oral squamous cell carcinoma. <i>Science Advances</i> , <b>2020</b> , 6, eaay3324	14.3	30
239	KIF15 Expression in Tumor-associated Monocytes Is a Prognostic Biomarker in Hepatocellular Carcinoma. <i>Cancer Genomics and Proteomics</i> , <b>2020</b> , 17, 141-149	3.3	7
238	The Expression Level of () mRNA in Peripheral Blood Is a Potential Biomarker for Predicting Recurrence in Breast Cancer. <i>Anticancer Research</i> , <b>2020</b> , 40, 3733-3742	2.3	1
237	Phase I dose-escalation trial to repurpose propagermanium, an oral CCL2 inhibitor, in patients with breast cancer. <i>Cancer Science</i> , <b>2020</b> , 111, 924-931	6.9	21
236	N-Cadherin mRNA Levels in Peripheral Blood Could Be a Potential Indicator of New Metastases in Breast Cancer: A Pilot Study. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	2
235	GTF2IRD1 on chromosome 7 is a novel oncogene regulating the tumor-suppressor gene TGFB2 in colorectal cancer. <i>Cancer Science</i> , <b>2020</b> , 111, 343-355	6.9	9
234	Drug repositioning in cancer: The current situation in Japan. <i>Cancer Science</i> , <b>2020</b> , 111, 1039-1046	6.9	13
233	Genetic landscape of external auditory canal squamous cell carcinoma. <i>Cancer Science</i> , <b>2020</b> , 111, 3010-3019	3.0	6
232	Potential association of LOXL1 with peritoneal dissemination in gastric cancer possibly via promotion of EMT. <i>PLoS ONE</i> , <b>2020</b> , 15, e0241140	3.7	6
231	Depressed Colorectal Cancer: A New Paradigm in Early Colorectal Cancer. <i>Clinical and Translational Gastroenterology</i> , <b>2020</b> , 11, e00269	4.2	2
230	Reduction of T-Box 15 gene expression in tumor tissue is a prognostic biomarker for patients with hepatocellular carcinoma. <i>Oncotarget</i> , <b>2020</b> , 11, 4803-4812	3.3	2
229	A unified simulation model for understanding the diversity of cancer evolution. <i>PeerJ</i> , <b>2020</b> , 8, e8842	3.1	2
228	The Long Noncoding RNA CCAT2 Induces Chromosomal Instability Through BOP1-AURKB Signaling. <i>Gastroenterology</i> , <b>2020</b> , 159, 2146-2162.e33	13.3	34

227	Endogenous YAP1 activation drives immediate onset of cervical carcinoma in situ in mice. <i>Cancer Science</i> , <b>2020</b> , 111, 3576-3587	6.9	9
226	Circulating PD-1 mRNA in Peripheral Blood is a Potential Biomarker for Predicting Survival of Breast Cancer Patients. <i>Annals of Surgical Oncology</i> , <b>2020</b> , 27, 4035-4043	3.1	5
225	Distinct methylation levels of mature microRNAs in gastrointestinal cancers. <i>Nature Communications</i> , <b>2019</b> , 10, 3888	17.4	76
224	Novel oncogene 5MP1 reprograms c-Myc translation initiation to drive malignant phenotypes in colorectal cancer. <i>EBioMedicine</i> , <b>2019</b> , 44, 387-402	8.8	20
223	Potentials of C-C motif chemokine 2-C-C chemokine receptor type 2 blockers including propagermanium as anticancer agents. <i>Cancer Science</i> , <b>2019</b> , 110, 2090-2099	6.9	18
222	A clinical trial of somatic and germline analyses for healthy longevity in a postoperative cancer patient. <i>Surgery Today</i> , <b>2019</b> , 49, 738-747	3	
221	Comprehensive assay for the molecular profiling of cancer by target enrichment from formalin-fixed paraffin-embedded specimens. <i>Cancer Science</i> , <b>2019</b> , 110, 1464-1479	6.9	28
220	Disruption of FBXL5-mediated cellular iron homeostasis promotes liver carcinogenesis. <i>Journal of Experimental Medicine</i> , <b>2019</b> , 216, 950-965	16.6	19
219	miR-221 Targets QKI to Enhance the Tumorigenic Capacity of Human Colorectal Cancer Stem Cells. <i>Cancer Research</i> , <b>2019</b> , 79, 5151-5158	10.1	38
218	Oncogenic splicing abnormalities induced by DEAD-Box Helicase 56 amplification in colorectal cancer. <i>Cancer Science</i> , <b>2019</b> , 110, 3132-3144	6.9	27
217	Basic Aspect: Methodology <b>2019</b> , 179-193		
216	Specifics 1: Head and Neck Cancer and Esophageal Cancer <b>2019</b> , 63-77		
215	ASO Author Reflections: ARL4C and Peritoneal Dissemination in Gastric Cancer. <i>Annals of Surgical Oncology</i> , <b>2019</b> , 26, 547	3.1	
214	Age-related remodelling of oesophageal epithelia by mutated cancer drivers. <i>Nature</i> , <b>2019</b> , 565, 312-317	50.4	270
213	CRMP5-associated GTPase () Is a Candidate Driver Gene for Colorectal Cancer Carcinogenesis. <i>Anticancer Research</i> , <b>2019</b> , 39, 99-106	2.3	7
212	Multiregion Genomic Analysis of Serially Transplanted Patient-derived Xenograft Tumors. <i>Cancer Genomics and Proteomics</i> , <b>2019</b> , 16, 21-27	3.3	9
211	Plastin3 is associated with epithelial-mesenchymal transition and poor prognosis in gastric cancer. <i>Oncology Letters</i> , <b>2019</b> , 17, 2393-2399	2.6	8
210	GWAS identifies two novel colorectal cancer loci at 16q24.1 and 20q13.12. <i>Carcinogenesis</i> , <b>2018</b> , 39, 652-660	6.6	32

209	PLOD2 as a potential regulator of peritoneal dissemination in gastric cancer. <i>International Journal of Cancer</i> , <b>2018</b> , 143, 1202-1211	7.5	19
208	Understanding intratumor heterogeneity by combining genome analysis and mathematical modeling. <i>Cancer Science</i> , <b>2018</b> , 109, 884-892	6.9	22
207	Identification of ARL4C as a Peritoneal Dissemination-Associated Gene and Its Clinical Significance in Gastric Cancer. <i>Annals of Surgical Oncology</i> , <b>2018</b> , 25, 745-753	3.1	26
206	Combined Mutation of , and Effectively Drives Metastasis of Intestinal Cancer. <i>Cancer Research</i> , <b>2018</b> , 78, 1334-1346	10.1	53
205	Preventive and promotive effects of habitual hot spa-bathing on the elderly in Japan. <i>Scientific Reports</i> , <b>2018</b> , 8, 133	4.9	5
204	Circulating Pre-microRNA-488 in Peripheral Blood Is a Potential Biomarker for Predicting Recurrence in Breast Cancer. <i>Anticancer Research</i> , <b>2018</b> , 38, 4515-4523	2.3	22
203	Serial mutational tracking in surgically resected locally advanced colorectal cancer with neoadjuvant chemotherapy. <i>British Journal of Cancer</i> , <b>2018</b> , 119, 419-423	8.7	5
202	A temporal shift of the evolutionary principle shaping intratumor heterogeneity in colorectal cancer. <i>Nature Communications</i> , <b>2018</b> , 9, 2884	17.4	50
201	Overexpression of Promotes Peritoneal Dissemination Epithelial-to-Mesenchymal Transition in Gastric Cancer. <i>Cancer Genomics and Proteomics</i> , <b>2018</b> , 15, 313-320	3.3	8
200	Identification of UHRF2 as a Negative Regulator of Epithelial-Mesenchymal Transition and Its Clinical Significance in Esophageal Squamous Cell Carcinoma. <i>Oncology</i> , <b>2018</b> , 95, 179-187	3.6	9
199	Clinicopathological characteristics of disseminated carcinomatosis of the bone marrow in breast cancer patients. <i>Molecular and Clinical Oncology</i> , <b>2018</b> , 8, 93-98	1.6	6
198	Midterm Outcomes and Prognostic Factors of Patients Treated Using Microballoon-Occluded Transarterial Chemoembolization with Miriplatin: A Retrospective Study of 37 Cases. <i>Interventional Radiology</i> , <b>2018</b> , 3, 97-109	0.1	
197	Laparoscopic versus open surgery for locally advanced rectal cancer following neoadjuvant chemoradiotherapy with S-1: Short- and long-term outcomes of multicenter prospective phase II trials.. <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, 793-793	2.2	
196	Cytolytic Activity (CYT) Score Is a Prognostic Biomarker Reflecting Host Immune Status in Hepatocellular Carcinoma (HCC). <i>Anticancer Research</i> , <b>2018</b> , 38, 6631-6638	2.3	16
195	Prognostic Impact of Immune-Related Gene Expression in Preoperative Peripheral Blood from Gastric Cancer Patients. <i>Annals of Surgical Oncology</i> , <b>2018</b> , 25, 3755-3763	3.1	7
194	Cancer evolution and heterogeneity. <i>Annals of Gastroenterological Surgery</i> , <b>2018</b> , 2, 332-338	4.3	15
193	As a Novel Prognostic Marker, Cysteine/histidine-rich 1 (CYHR1) is a Therapeutic Target in Patients with Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , <b>2017</b> , 24, 586-593	3.1	1
192	Clinical Impact of Tumor-Infiltrating Lymphocytes in Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , <b>2017</b> , 24, 3763-3770	3.1	36

191	The loss of expression is associated with poor prognosis in esophageal squamous cell carcinoma. <i>Oncology Letters</i> , <b>2017</b> , 13, 1761-1766	2.6	10
190	Overexpression of heat-shock factor 1 is associated with a poor prognosis in esophageal squamous cell carcinoma. <i>Oncology Letters</i> , <b>2017</b> , 13, 1819-1825	2.6	17
189	Extraction of cell-free DNA from urine, using polylysine-coated silica particles. <i>Analytical and Bioanalytical Chemistry</i> , <b>2017</b> , 409, 4021-4025	4.4	6
188	Long-term outcome of adipose-derived regenerative cell-enriched autologous fat transplantation for reconstruction after breast-conserving surgery for Japanese women with breast cancer. <i>Surgery Today</i> , <b>2017</b> , 47, 1500-1511	3	11
187	MOB1-YAP1/TAZ-NKX2.1 axis controls bronchioalveolar cell differentiation, adhesion and tumour formation. <i>Oncogene</i> , <b>2017</b> , 36, 4201-4211	9.2	32
186	Overexpression of CXCR7 Is a Novel Prognostic Indicator in Gastric Cancer. <i>Digestive Surgery</i> , <b>2017</b> , 34, 312-318	2.5	16
185	Japanese genome-wide association study identifies a significant colorectal cancer susceptibility locus at chromosome 10p14. <i>Cancer Science</i> , <b>2017</b> , 108, 2239-2247	6.9	8
184	phyC: Clustering cancer evolutionary trees. <i>PLoS Computational Biology</i> , <b>2017</b> , 13, e1005509	5	7
183	Downregulation of ST6GALNAC1 is associated with esophageal squamous cell carcinoma development. <i>International Journal of Oncology</i> , <b>2017</b> , 50, 441-447	4.4	5
182	Circulating exosomal microRNA-203 is associated with metastasis possibly via inducing tumor-associated macrophages in colorectal cancer. <i>Oncotarget</i> , <b>2017</b> , 8, 78598-78613	3.3	92
181	Clinical significance of gene expression, a novel tumor suppressor gene, in esophageal squamous cell carcinoma. <i>Oncology Letters</i> , <b>2017</b> , 14, 1795-1801	2.6	9
180	Significance of CD47 expression in gastric cancer. <i>Oncology Letters</i> , <b>2017</b> , 14, 801-809	2.6	12
179	Attenuated RND1 Expression Confers Malignant Phenotype and Predicts Poor Prognosis in Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , <b>2017</b> , 24, 850-859	3.1	9
178	The Expression of CCAT2, a Novel Long Noncoding RNA Transcript, and rs6983267 Single-Nucleotide Polymorphism Genotypes in Colorectal Cancers. <i>Oncology</i> , <b>2017</b> , 92, 48-54	3.6	31
177	Diagnostic laparoscopy for pneumatosis intestinalis in a very elderly patient: A case report. <i>Annals of Medicine and Surgery</i> , <b>2017</b> , 21, 109-113	2	1
176	MicroRNAs as Biomarkers in Colorectal Cancer. <i>Cancers</i> , <b>2017</b> , 9,	6.6	72
175	Antitumor effects of the antiparasitic agent ivermectin via inhibition of Yes-associated protein 1 expression in gastric cancer. <i>Oncotarget</i> , <b>2017</b> , 8, 107666-107677	3.3	19
174	Clinical Significance of Gene Expression and its Association with Tumor Progression in Hepatocellular Carcinoma. <i>Anticancer Research</i> , <b>2017</b> , 37, 1083-1090	2.3	12

173	Up-regulation of Promotes Cancer Progression and Is Involved in Poor Prognosis in Colorectal Cancer. <i>Anticancer Research</i> , <b>2017</b> , 37, 2255-2263	2.3	13
172	Phosphoserine Phosphatase Is a Novel Prognostic Biomarker on Chromosome 7 in Colorectal Cancer. <i>Anticancer Research</i> , <b>2017</b> , 37, 2365-2371	2.3	21
171	DDR2 Expression Is Associated with a High Frequency of Peritoneal Dissemination and Poor Prognosis in Colorectal Cancer. <i>Anticancer Research</i> , <b>2017</b> , 37, 2587-2591	2.3	14
170	Prognostic impact of PD-1, PD-L1, and CD8 genes expression in peripheral blood in gastric cancer.. <i>Journal of Clinical Oncology</i> , <b>2017</b> , 35, 11531-11531	2.2	
169	Expression of PD-L1 and HLA Class I in Esophageal Squamous Cell Carcinoma: Prognostic Factors for Patient Outcome. <i>Annals of Surgical Oncology</i> , <b>2016</b> , 23, 508-515	3.1	36
168	Aberrant Methylation of FOXE1 Contributes to a Poor Prognosis for Patients with Colorectal Cancer. <i>Annals of Surgical Oncology</i> , <b>2016</b> , 23, 3948-3955	3.1	9
167	Genomic Landscape of Esophageal Squamous Cell Carcinoma in a Japanese Population. <i>Gastroenterology</i> , <b>2016</b> , 150, 1171-1182	13.3	195
166	Clinical and biological significance of circulating tumor cells in cancer. <i>Molecular Oncology</i> , <b>2016</b> , 10, 408-417	13	87
165	Dysregulated YAP1/TAZ and TGF- $\beta$ signaling mediate hepatocarcinogenesis in Mob1a/1b-deficient mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2016</b> , 113, E71-80	11.5	115
164	Integrated Multiregional Analysis Proposing a New Model of Colorectal Cancer Evolution. <i>PLoS Genetics</i> , <b>2016</b> , 12, e1005778	6	102
163	Somatic mutations in plasma cell-free DNA are diagnostic markers for esophageal squamous cell carcinoma recurrence. <i>Oncotarget</i> , <b>2016</b> , 7, 62280-62291	3.3	46
162	miR-146a Polymorphism (rs2910164) Predicts Colorectal Cancer Patients' Susceptibility to Liver Metastasis. <i>PLoS ONE</i> , <b>2016</b> , 11, e0165912	3.7	23
161	8q24 Polymorphisms and Diabetes Mellitus Regulate Apolipoprotein A-IV in Colorectal Carcinogenesis. <i>Annals of Surgical Oncology</i> , <b>2016</b> , 23, 546-551	3.1	3
160	Intestinal epithelial culture under an air-liquid interface: a tool for studying human and mouse esophagi. <i>Ecological Management and Restoration</i> , <b>2016</b> , 29, 843-847	3	1
159	Clinical and biological significance of transcription termination factor, RNA polymerase I in human liver hepatocellular carcinoma. <i>Oncology Reports</i> , <b>2016</b> , 35, 2073-80	3.5	3
158	Integrated Molecular Profiling of Human Gastric Cancer Identifies DDR2 as a Potential Regulator of Peritoneal Dissemination. <i>Scientific Reports</i> , <b>2016</b> , 6, 22371	4.9	37
157	Decreased Expression of Fructose-1,6-bisphosphatase Associates with Glucose Metabolism and Tumor Progression in Hepatocellular Carcinoma. <i>Cancer Research</i> , <b>2016</b> , 76, 3265-76	10.1	84
156	HMG A1 silencing reduces stemness and temozolomide resistance in glioblastoma stem cells. <i>Expert Opinion on Therapeutic Targets</i> , <b>2016</b> , 20, 1169-79	6.4	29

155	Downregulation of SIRT4 Expression Is Associated with Poor Prognosis in Esophageal Squamous Cell Carcinoma. <i>Oncology</i> , <b>2016</b> , 90, 347-55	3.6	28
154	Increased Copy Number of the Gene Encoding SF3B4 Indicates Poor Prognosis in Hepatocellular Carcinoma. <i>Anticancer Research</i> , <b>2016</b> , 36, 2139-44	2.3	12
153	HOXB7 Expression is a Novel Biomarker for Long-term Prognosis After Resection of Hepatocellular Carcinoma. <i>Anticancer Research</i> , <b>2016</b> , 36, 2767-73	2.3	11
152	Significance of Polypyrimidine Tract-Binding Protein 1 Expression in Colorectal Cancer. <i>Molecular Cancer Therapeutics</i> , <b>2015</b> , 14, 1705-16	6.1	42
151	Circulating tumour cell-derived plastin3 is a novel marker for predicting long-term prognosis in patients with breast cancer. <i>British Journal of Cancer</i> , <b>2015</b> , 112, 1519-26	8.7	45
150	The miR-506-Induced Epithelial-Mesenchymal Transition is Involved in Poor Prognosis for Patients with Gastric Cancer. <i>Annals of Surgical Oncology</i> , <b>2015</b> , 22 Suppl 3, S1436-43	3.1	19
149	Downregulation of PRRX1 Confers Cancer Stem Cell-Like Properties and Predicts Poor Prognosis in Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , <b>2015</b> , 22 Suppl 3, S1402-9	3.1	23
148	Epigenetic modulation and repression of miR-200b by cancer-associated fibroblasts contribute to cancer invasion and peritoneal dissemination in gastric cancer. <i>Carcinogenesis</i> , <b>2015</b> , 36, 133-41	4.6	64
147	Rapid intraoperative visualization of breast lesions with $\beta$ -glutamyl hydroxymethyl rhodamine green. <i>Scientific Reports</i> , <b>2015</b> , 5, 12080	4.9	70
146	expression level in bone marrow is associated with tumor recurrence in hepatocellular carcinoma. <i>Molecular and Clinical Oncology</i> , <b>2015</b> , 3, 487-494	1.6	14
145	Identification of Recurrence-Related microRNAs from Bone Marrow in Hepatocellular Carcinoma Patients. <i>Journal of Clinical Medicine</i> , <b>2015</b> , 4, 1600-11	5.1	3
144	Exosomal microRNA in serum is a novel biomarker of recurrence in human colorectal cancer. <i>British Journal of Cancer</i> , <b>2015</b> , 113, 275-81	8.7	341
143	A Long Non-coding RNA Activated by Transforming Growth Factor- $\beta$ s an Independent Prognostic Marker of Gastric Cancer. <i>Annals of Surgical Oncology</i> , <b>2015</b> , 22 Suppl 3, S915-22	3.1	84
142	Overexpression of Transcription Termination Factor 1 is Associated with a Poor Prognosis in Patients with Colorectal Cancer. <i>Annals of Surgical Oncology</i> , <b>2015</b> , 22 Suppl 3, S1490-8	3.1	12
141	is an indicator of prognosis in breast cancer patients. <i>Molecular and Clinical Oncology</i> , <b>2015</b> , 3, 919-923	1.6	24
140	The AURKA/TPX2 axis drives colon tumorigenesis cooperatively with MYC. <i>Annals of Oncology</i> , <b>2015</b> , 26, 935-942	10.3	42
139	Identification of a bona fide microRNA biomarker in serum exosomes that predicts hepatocellular carcinoma recurrence after liver transplantation. <i>British Journal of Cancer</i> , <b>2015</b> , 112, 532-8	8.7	205
138	F-box protein FBXW7 inhibits cancer metastasis in a non-cell-autonomous manner. <i>Journal of Clinical Investigation</i> , <b>2015</b> , 125, 621-35	15.9	76



137	A highly accurate inclusive cancer screening test using <i>Caenorhabditis elegans</i> scent detection. <i>PLoS ONE</i> , <b>2015</b> , 10, e0118699	3.7	41
136	Embryonic MicroRNA-369 Controls Metabolic Splicing Factors and Urges Cellular Reprograming. <i>PLoS ONE</i> , <b>2015</b> , 10, e0132789	3.7	13
135	An Integrative Analysis to Identify Driver Genes in Esophageal Squamous Cell Carcinoma. <i>PLoS ONE</i> , <b>2015</b> , 10, e0139808	3.7	13
134	Diminished expression of MiR-15a is an independent prognostic marker for breast cancer cases. <i>Anticancer Research</i> , <b>2015</b> , 35, 123-7	2.3	16
133	A long noncoding RNA, lncRNA-ATB, is involved in the progression and prognosis of colorectal cancer. <i>Anticancer Research</i> , <b>2015</b> , 35, 1385-8	2.3	135
132	Clinical Significance of Expression of Nephroblastoma Overexpressed (NOV) in Patients with Colorectal Cancer. <i>Anticancer Research</i> , <b>2015</b> , 35, 6591-7	2.3	6
131	Up-regulation of NEK2 by microRNA-128 methylation is associated with poor prognosis in colorectal cancer. <i>Annals of Surgical Oncology</i> , <b>2014</b> , 21, 205-12	3.1	60
130	Loss of CDCP1 expression promotes invasiveness and poor prognosis in esophageal squamous cell carcinoma. <i>Annals of Surgical Oncology</i> , <b>2014</b> , 21 Suppl 4, S640-7	3.1	11
129	Amplification of PVT-1 is involved in poor prognosis via apoptosis inhibition in colorectal cancers. <i>British Journal of Cancer</i> , <b>2014</b> , 110, 164-71	8.7	248
128	Clinical and biological impact of cyclin-dependent kinase subunit 2 in esophageal squamous cell carcinoma. <i>Oncology Reports</i> , <b>2014</b> , 31, 1986-92	3.5	18
127	A single nucleotide polymorphism in fibronectin 1 determines tumor shape in colorectal cancer. <i>Oncology Reports</i> , <b>2014</b> , 32, 548-52	3.5	13
126	Human colorectal CD24+ cancer stem cells are susceptible to epithelial-mesenchymal transition. <i>International Journal of Oncology</i> , <b>2014</b> , 45, 575-80	4.4	13
125	Role of pyruvate kinase M2 in transcriptional regulation leading to epithelial-mesenchymal transition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2014</b> , 111, 15526-31	11.5	123
124	gene expression in colorectal cancer: A novel marker for prognosis. <i>Oncology Letters</i> , <b>2014</b> , 8, 2313-2317	2.6	11
123	expression levels as a novel prognostic marker for colorectal cancer. <i>Oncology Letters</i> , <b>2014</b> , 8, 2305-2309	2.6	11
122	Clinical significance of GAB2, a scaffolding/docking protein acting downstream of EGFR in human colorectal cancer. <i>Annals of Surgical Oncology</i> , <b>2014</b> , 21 Suppl 4, S743-9	3.1	13
121	Decreased miR-340 expression in bone marrow is associated with liver metastasis of colorectal cancer. <i>Molecular Cancer Therapeutics</i> , <b>2014</b> , 13, 976-85	6.1	61
120	Allelic imbalance at an 8q24 oncogenic SNP is involved in activating MYC in human colorectal cancer. <i>Annals of Surgical Oncology</i> , <b>2014</b> , 21 Suppl 4, S515-21	3.1	11

119	Aberrant expression of plastin-3 via copy number gain induces the epithelial-mesenchymal transition in circulating colorectal cancer cells. <i>Annals of Surgical Oncology</i> , <b>2014</b> , 21, 3680-90	3.1	36
118	Prognostic significance of high mobility group box 1 (HMGB1) expression in patients with colorectal cancer. <i>Anticancer Research</i> , <b>2014</b> , 34, 5357-62	2.3	24
117	The rs6983267 SNP is associated with MYC transcription efficiency, which promotes progression and worsens prognosis of colorectal cancer. <i>Annals of Surgical Oncology</i> , <b>2013</b> , 20, 1395-402	3.1	39
116	Laparoscopic surgery minimizes the surgical manipulation of isolated tumor cells leading to decreased metastasis compared to open surgery for colorectal cancer. <i>Surgery Today</i> , <b>2013</b> , 43, 20-5	3	13
115	Identification of the NEDD4L gene as a prognostic marker by integrated microarray analysis of copy number and gene expression profiling in non-small cell lung cancer. <i>Annals of Surgical Oncology</i> , <b>2013</b> , 20 Suppl 3, S590-8	3.1	30
114	Biological and molecular aspects of lymph node metastasis in gastro-intestinal cancer. <i>International Journal of Clinical Oncology</i> , <b>2013</b> , 18, 762-5	4.2	1
113	Paired related homoeobox 1, a new EMT inducer, is involved in metastasis and poor prognosis in colorectal cancer. <i>British Journal of Cancer</i> , <b>2013</b> , 109, 307-11	8.7	65
112	CCAT2, a novel noncoding RNA mapping to 8q24, underlies metastatic progression and chromosomal instability in colon cancer. <i>Genome Research</i> , <b>2013</b> , 23, 1446-61	9.7	442
111	Expression of mesenchymal markers vimentin and fibronectin: the clinical significance in esophageal squamous cell carcinoma. <i>Annals of Surgical Oncology</i> , <b>2013</b> , 20 Suppl 3, S324-35	3.1	39
110	Clinical significance of PICT1 in patients of hepatocellular carcinoma with wild-type TP53. <i>Annals of Surgical Oncology</i> , <b>2013</b> , 20 Suppl 3, S537-44	3.1	6
109	Contrasting expression patterns of histone mRNA and microRNA 760 in patients with gastric cancer. <i>Clinical Cancer Research</i> , <b>2013</b> , 19, 6438-49	12.9	38
108	Plastin3 is a novel marker for circulating tumor cells undergoing the epithelial-mesenchymal transition and is associated with colorectal cancer prognosis. <i>Cancer Research</i> , <b>2013</b> , 73, 2059-69	10.1	197
107	PICT1 regulates TP53 via RPL11 and is involved in gastric cancer progression. <i>British Journal of Cancer</i> , <b>2013</b> , 109, 2199-206	8.7	21
106	Cell cycle-dependent Rho GTPase activity dynamically regulates cancer cell motility and invasion in vivo. <i>PLoS ONE</i> , <b>2013</b> , 8, e83629	3.7	53
105	Identification of a bona-fide biomarker of microRNA in serum exosomes to predict recurrence of hepatocellular carcinoma after liver transplantation.. <i>Journal of Clinical Oncology</i> , <b>2013</b> , 31, 183-183	2.2	
104	Application of splenectomy to decompress portal pressure in left lobe living donor liver transplantation. <i>Fukuoka Acta Medica</i> , <b>2013</b> , 104, 282-9		3
103	Total laparoscopic distal gastrectomy for elderly patients with gastric cancer. <i>Fukuoka Acta Medica</i> , <b>2013</b> , 104, 290-8		3
102	Case of early adenosquamous carcinoma of the stomach. <i>Fukuoka Acta Medica</i> , <b>2013</b> , 104, 315-20		4

101	Suppression of MAL gene expression in gastric cancer correlates with metastasis and mortality. <i>Fukuoka Acta Medica</i> , <b>2013</b> , 104, 344-9		6
100	Recurrent hepatitis B following recurrence of hepatocellular carcinoma after living donor liver transplantation. <i>Fukuoka Acta Medica</i> , <b>2013</b> , 104, 376-82		
99	Effect of CD133-positive stem cells in repeated recurrence of hepatocellular carcinoma after liver transplantation: a case report. <i>Fukuoka Acta Medica</i> , <b>2013</b> , 104, 383-8		1
98	Thoracoscopic pericardial drainage for gastric tube ulcer penetrated into the pericardium. <i>Fukuoka Acta Medica</i> , <b>2013</b> , 104, 389-93		1
97	Genomic copy number of a carcinogenic single nucleotide polymorphism at 8q24 in non-risk allele colorectal cancer associated with insulin growth factor 2 receptor expression. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2012</b> , 27 Suppl 3, 95-9	4	3
96	microRNA-181a is associated with poor prognosis of colorectal cancer. <i>Oncology Reports</i> , <b>2012</b> , 28, 2221-5	35	46
95	Vascular endothelial growth factor receptor-1 mRNA overexpression in peripheral blood as a useful prognostic marker in breast cancer. <i>Breast Cancer Research</i> , <b>2012</b> , 14, R140	8.3	5
94	Downregulation of miR-144 is associated with colorectal cancer progression via activation of mTOR signaling pathway. <i>Carcinogenesis</i> , <b>2012</b> , 33, 2391-7	4.6	151
93	MicroRNA-372 is associated with poor prognosis in colorectal cancer. <i>Oncology</i> , <b>2012</b> , 82, 205-12	3.6	49
92	Increased risk for CRC in diabetic patients with the nonrisk allele of SNPs at 8q24. <i>Annals of Surgical Oncology</i> , <b>2012</b> , 19, 2853-8	3.1	12
91	Clinical significance of miR-144-ZFX axis in disseminated tumour cells in bone marrow in gastric cancer cases. <i>British Journal of Cancer</i> , <b>2012</b> , 107, 1345-53	8.7	73
90	MicroRNA-10b is a prognostic indicator in colorectal cancer and confers resistance to the chemotherapeutic agent 5-fluorouracil in colorectal cancer cells. <i>Annals of Surgical Oncology</i> , <b>2012</b> , 19, 3065-71	3.1	137
89	Review: Single nucleotide polymorphisms associated with the oncogenesis of colorectal cancer. <i>Surgery Today</i> , <b>2012</b> , 42, 215-9	3	12
88	Down-regulation of miR-125a-3p in human gastric cancer and its clinicopathological significance. <i>International Journal of Oncology</i> , <b>2012</b> , 40, 1477-82	4.4	50
87	Identification of recurrence-related microRNAs in the bone marrow of breast cancer patients. <i>International Journal of Oncology</i> , <b>2011</b> , 38, 955-62	4.4	25
86	Regulation of the MDM2-P53 pathway and tumor growth by PICT1 via nucleolar RPL11. <i>Nature Medicine</i> , <b>2011</b> , 17, 944-51	50.5	140
85	Clinical significance of circulating tumor cells, including cancer stem-like cells, in peripheral blood for recurrence and prognosis in patients with Dukes' stage B and C colorectal cancer. <i>Journal of Clinical Oncology</i> , <b>2011</b> , 29, 1547-55	2.2	231
84	STC2: a predictive marker for lymph node metastasis in esophageal squamous-cell carcinoma. <i>Annals of Surgical Oncology</i> , <b>2011</b> , 18, 261-72	3.1	40

83	FOXC2 is a novel prognostic factor in human esophageal squamous cell carcinoma. <i>Annals of Surgical Oncology</i> , <b>2011</b> , 18, 535-42	3.1	59
82	Reply: Preanalytical Interferences Compromise the Clinical Validity of Matrix Metalloproteinase 1 as Marker of Colorectal Cancer. <i>Annals of Surgical Oncology</i> , <b>2011</b> , 18, 233-234	3.1	23
81	The significance of PITX2 overexpression in human colorectal cancer. <i>Annals of Surgical Oncology</i> , <b>2011</b> , 18, 3005-12	3.1	35
80	Kinesin 18A expression: clinical relevance to colorectal cancer progression. <i>International Journal of Cancer</i> , <b>2011</b> , 129, 2543-52	7.5	51
79	Long noncoding RNA HOTAIR regulates polycomb-dependent chromatin modification and is associated with poor prognosis in colorectal cancers. <i>Cancer Research</i> , <b>2011</b> , 71, 6320-6	10.1	1046
78	Clinical significance of miR-146a in gastric cancer cases. <i>Clinical Cancer Research</i> , <b>2011</b> , 17, 4277-84	12.9	174
77	Reply to B. Faltas et al. <i>Journal of Clinical Oncology</i> , <b>2011</b> , 29, 2947-2948	2.2	2
76	Reply to F. Crea et al. <i>Journal of Clinical Oncology</i> , <b>2011</b> , 29, 3488-3490	2.2	2
75	Epithelial-mesenchymal transition in cancer development and its clinical significance. <i>Cancer Science</i> , <b>2010</b> , 101, 293-9	6.9	578
74	Overexpression of SUGT1 in human colorectal cancer and its clinicopathological significance. <i>International Journal of Oncology</i> , <b>2010</b> , 36, 569-75	4.4	4
73	Serum matrix-metalloproteinase-1 is a bona fide prognostic marker for colorectal cancer. <i>Annals of Surgical Oncology</i> , <b>2010</b> , 17, 3362-9	3.1	17
72	Loss of FBXW7, a cell cycle regulating gene, in colorectal cancer: clinical significance. <i>International Journal of Cancer</i> , <b>2010</b> , 126, 1828-1837	7.5	114
71	CD13 is a therapeutic target in human liver cancer stem cells. <i>Journal of Clinical Investigation</i> , <b>2010</b> , 120, 3326-39	15.9	453
70	Bone marrow and peripheral blood expression of ID1 in human gastric carcinoma patients is a bona fide indicator of lymph node and peritoneal metastasis. <i>British Journal of Cancer</i> , <b>2009</b> , 100, 1937-42	8.7	17
69	p53-Altered FBXW7 expression determines poor prognosis in gastric cancer cases. <i>Cancer Research</i> , <b>2009</b> , 69, 3788-94	10.1	121
68	Important matters to identify robust markers for metastasis and recurrence in solid cancer. <i>Annals of Surgical Oncology</i> , <b>2009</b> , 16, 1070-1	3.1	2
67	Preoperative u-PAR gene expression in bone marrow indicates the potential power of recurrence in breast cancer cases. <i>Annals of Surgical Oncology</i> , <b>2009</b> , 16, 2035-41	3.1	5
66	Comprehensive analysis of the clinical significance of inducing pluripotent stemness-related gene expression in colorectal cancer cells. <i>Annals of Surgical Oncology</i> , <b>2009</b> , 16, 2638-44	3.1	58

65	Identification of the expression profile of apoptotic esophageal cancer cells by adenoviral-fragile histidine triad treatment. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2008</b> , 23 Suppl 2, S205-9	4	0
64	Hematogenous metastasis in gastric cancer requires isolated tumor cells and expression of vascular endothelial growth factor receptor-1. <i>Clinical Cancer Research</i> , <b>2008</b> , 14, 2609-16	12.9	60
63	Clinical significance of low expression of Prostatein mRNA in human gastric cancer. <i>Journal of Surgical Oncology</i> , <b>2008</b> , 98, 559-64	2.8	27
62	CD133+CD44+ population efficiently enriches colon cancer initiating cells. <i>Annals of Surgical Oncology</i> , <b>2008</b> , 15, 2927-33	3.1	171
61	A large-scale study of MT1-MMP as a marker for isolated tumor cells in peripheral blood and bone marrow in gastric cancer cases. <i>Annals of Surgical Oncology</i> , <b>2008</b> , 15, 2934-42	3.1	48
60	Prognostic relevance of Tensin4 expression in human gastric cancer. <i>Annals of Surgical Oncology</i> , <b>2008</b> , 15, 2606-13	3.1	32
59	Clinical significance of ApoE expression in human gastric cancer. <i>Oncology Reports</i> , <b>2008</b> , 20, 1313-9	3.5	38
58	Identification of overexpressed genes in hepatocellular carcinoma, with special reference to ubiquitin-conjugating enzyme E2C gene expression. <i>International Journal of Cancer</i> , <b>2007</b> , 121, 33-8	7.5	79
57	Loss of MAL expression in precancerous lesions of the esophagus. <i>Annals of Surgical Oncology</i> , <b>2007</b> , 14, 1670-7	3.1	11
56	Disseminated isolated tumor cells in bone marrow of esophageal cancer cases. <i>Esophagus</i> , <b>2007</b> , 4, 29-33	5.4	
55	Identification of the high-risk group for metastasis of gastric cancer cases by vascular endothelial growth factor receptor-1 overexpression in peripheral blood. <i>British Journal of Cancer</i> , <b>2007</b> , 96, 1723-8	8.7	26
54	Clinical significance of TROP2 expression in colorectal cancer. <i>Clinical Cancer Research</i> , <b>2006</b> , 12, 3057-63	12.9	157
53	Reduced tau expression in gastric cancer can identify candidates for successful Paclitaxel treatment. <i>British Journal of Cancer</i> , <b>2006</b> , 94, 1894-7	8.7	56
52	FHIT is up-regulated by inflammatory stimuli and inhibits prostaglandin E2-mediated cancer progression. <i>Cancer Research</i> , <b>2006</b> , 66, 2683-90	10.1	12
51	Characterization of a side population of cancer cells from human gastrointestinal system. <i>Stem Cells</i> , <b>2006</b> , 24, 506-13	5.8	489
50	Usefulness and clinical significance of quantitative real-time RT-PCR to detect isolated tumor cells in the peripheral blood and tumor drainage blood of patients with colorectal cancer. <i>International Journal of Oncology</i> , <b>2006</b> , 28, 297-306	1	42
49	Gene expression profiling of lymph node metastasis by oligomicroarray analysis using laser microdissection in esophageal squamous cell carcinoma. <i>International Journal of Oncology</i> , <b>2006</b> , 29, 1337-47	1	15
48	Clinical significance of enhancer of zeste homolog 2 expression in colorectal cancer cases. <i>European Journal of Surgical Oncology</i> , <b>2005</b> , 31, 376-80	3.6	62

47	Identification of molecular markers for metastasis-related genes in primary breast cancer cells. <i>Clinical and Experimental Metastasis</i> , <b>2005</b> , 22, 59-67	4.7	38
46	Clinicopathologic and biological significance of kallikrein 6 overexpression in human gastric cancer. <i>Clinical Cancer Research</i> , <b>2005</b> , 11, 6800-6	12.9	67
45	Clinical significance of human kallikrein gene 6 messenger RNA expression in colorectal cancer. <i>Clinical Cancer Research</i> , <b>2005</b> , 11, 2889-93	12.9	90
44	Detection of occult cancer cells in peripheral blood and bone marrow by quantitative RT-PCR assay for cytokeratin-7 in breast cancer patients. <i>International Journal of Oncology</i> , <b>2005</b> , 26, 721-30	1	16
43	Clinical significance of the overexpression of the candidate oncogene CYP24 in esophageal cancer. <i>Annals of Oncology</i> , <b>2004</b> , 15, 236-41	10.3	79
42	Coexpression of matrix metalloproteinase-7 (MMP-7) and epidermal growth factor (EGF) receptor in colorectal cancer: an EGF receptor tyrosine kinase inhibitor is effective against MMP-7-expressing cancer cells. <i>Clinical Cancer Research</i> , <b>2004</b> , 10, 8243-9	12.9	30
41	Analysis of gastric cancer with cDNA microarray. <i>Cancer Chemotherapy and Pharmacology</i> , <b>2004</b> , 54 Suppl 1, S21-4	3.5	4
40	A gene-expression signature can quantify the degree of hepatic fibrosis in the rat. <i>Journal of Hepatology</i> , <b>2004</b> , 41, 399-406	13.4	29
39	Prediction of 5Rdeoxy-5-fluorouridine sensitivity in colorectal cancer cases by thymidine phosphorylase activity and preliminary identification of susceptibility related genes. <i>Oncology Reports</i> , <b>2004</b> , 12, 19-23	3.5	1
38	Microsatellite instability is often observed in esophageal carcinoma patients with allelic loss in the FHIT/FRA3B locus. <i>Oncology</i> , <b>2003</b> , 64, 275-9	3.6	16
37	MAL gene expression in esophageal cancer suppresses motility, invasion and tumorigenicity and enhances apoptosis through the Fas pathway. <i>Oncogene</i> , <b>2003</b> , 22, 3463-71	9.2	63
36	INI-1, a partner gene of ALL-1, is highly conserved in human acute leukemia. <i>Oncology Reports</i> , <b>2003</b> , 10, 551-3	3.5	1
35	Localization of thymidine phosphorylase expression in colorectal carcinoma tissues by in situ RT-PCR assay. <i>Oncology</i> , <b>2002</b> , 62, 327-32	3.6	11
34	A single-nucleotide polymorphism of SMARCB1 in human breast cancers. <i>Genomics</i> , <b>2002</b> , 80, 254-8	4.3	7
33	Analysis of the gene-expression profile regarding the progression of human gastric carcinoma. <i>Surgery</i> , <b>2002</b> , 131, S39-47	3.6	69
32	Prognostic score of gastric cancer determined by cDNA microarray. <i>Clinical Cancer Research</i> , <b>2002</b> , 8, 3475-9	12.9	64
31	Clinical significance of MT1-MMP mRNA expression in breast cancer. <i>Oncology Reports</i> , <b>2001</b> , 8, 401-3	3.5	18
30	Mutation analysis of hBUB1, human mitotic checkpoint gene in multiple carcinomas. <i>Oncology Reports</i> , <b>2001</b> , 8, 39-42	3.5	8

29	Prognostic impact of tissue inhibitor of matrix metalloproteinase-1 in esophageal carcinoma. <i>International Journal of Cancer</i> , <b>2000</b> , 88, 575-8	7.5	19
28	Analysis of the genetic alterations in a case of juvenile multiple colon carcinoma with hypogammaglobulinemia. <i>Annals of Surgical Oncology</i> , <b>2000</b> , 7, 692-5	3.1	3
27	Cancer-specific chromosome alterations in the constitutive fragile region FRA3B. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1999</b> , 96, 7456-61	11.5	106
26	Up-regulated pyrimidine nucleoside phosphorylase in breast carcinoma correlates with lymph node metastasis. <i>Annals of Oncology</i> , <b>1999</b> , 10, 111-3	10.3	7
25	Expression of ornithine decarboxylase mRNA and c-myc mRNA in breast tumours. <i>International Journal of Oncology</i> , <b>1998</b> , 12, 597-601	1	8
24	Clinical significance of molecular detection of carcinoma cells in lymph nodes and peripheral blood by reverse transcription-polymerase chain reaction in patients with gastrointestinal or breast carcinomas. <i>Journal of Clinical Oncology</i> , <b>1998</b> , 16, 128-32	2.2	164
23	p27 expression and gastric carcinoma. <i>Nature Medicine</i> , <b>1997</b> , 3, 593	50.5	196
22	Clinical significance of tissue inhibitor of metalloproteinase expression in gastric carcinoma. <i>British Journal of Cancer</i> , <b>1997</b> , 76, 531-6	8.7	82
21	Analysis of MT1-MMP and MMP2 expression in human gastric cancers. <i>International Journal of Cancer</i> , <b>1997</b> , 74, 316-21	7.5	74
20	Molecular diagnosis of circulating cancer cells using MAGE gene assays. <i>JAMA - Journal of the American Medical Association</i> , <b>1997</b> , 278, 476-7	27.4	2
19	A new approach for acute embolus occlusion of the superior mesenteric artery. <i>Surgery Today</i> , <b>1996</b> , 26, 949-51	3	2
18	Presence of elevated carcinoembryonic antigen on absorbent disks applied to nipple area of breast carcinoma patients. <i>Cancer</i> , <b>1996</b> , 78, 1229-34	6.4	8
17	Relaxation of insulin-like growth factor 2 gene imprinting in esophageal cancer. <i>International Journal of Cancer</i> , <b>1996</b> , 68, 441-6	7.5	24
16	Molecular detection of circulating solid carcinoma cells in the peripheral blood: the concept of early systemic disease. <i>International Journal of Cancer</i> , <b>1996</b> , 68, 739-43	7.5	160
15	Elongation factor 1 gamma mRNA expression in oesophageal carcinoma. <i>Gut</i> , <b>1996</b> , 38, 66-70	19.2	40
14	Expression of MAGE genes in human colorectal carcinoma. <i>Annals of Surgery</i> , <b>1996</b> , 224, 183-8	7.8	52
13	Molecular detection of circulating solid carcinoma cells in the peripheral blood: the concept of early systemic disease <b>1996</b> , 68, 739		1
12	The overexpression of elongation factor 1 gamma mRNA in gastric carcinoma. <i>Cancer</i> , <b>1995</b> , 75, 1446-9	6.4	38

11	Overexpression of matrix metalloproteinase-7 mRNA in human colon carcinomas. <i>Cancer</i> , <b>1995</b> , 75, 1516-9	89
10	The expression of tumor-rejection antigen "MAGE" genes in human gastric carcinoma. <i>Gastroenterology</i> , <b>1995</b> , 109, 1522-5	13.3 91
9	Hyperthermochemoradiotherapy is effective for small cell carcinoma of the esophagus. <i>Journal of Surgical Oncology</i> , <b>1995</b> , 59, 63-6	2.8 9
8	Human esophageal carcinomas frequently express the tumor-rejection antigens of MAGE genes. <i>International Journal of Cancer</i> , <b>1995</b> , 63, 523-6	7.5 47
7	Microsatellite instability in Japanese esophageal carcinoma. <i>International Journal of Cancer</i> , <b>1995</b> , 64, 286-9	7.5 29
6	Detection of cancer micrometastases in lymph nodes by reverse transcriptase-polymerase chain reaction. <i>Cancer Research</i> , <b>1995</b> , 55, 3417-20	10.1 236
5	Overexpression of matrix metalloproteinase-7 mRNA in human colon carcinomas. <i>Cancer</i> , <b>1995</b> , 75, 1516-9	1519 89
4	Univariate and multivariate analyses of the prognostic significance of discontinuous intramural metastasis in patients with esophageal cancer. <i>Journal of Surgical Oncology</i> , <b>1994</b> , 57, 17-21	2.8 30
3	Polypoid carcinoma of the esophagus. <i>Japanese Journal of Cancer Research</i> , <b>1994</b> , 85, 1131-6	15
2	APC-mutant cells exploit compensatory chromosome alterations to restore tumour cell fitness	1
1	Cancer evolution simulation identifies possible principles underlying intratumor heterogeneity	3