

Idalina B Beirão

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9049641/publications.pdf>

Version: 2024-02-01

34
papers

661
citations

686830

13
h-index

580395

25
g-index

35
all docs

35
docs citations

35
times ranked

1025
citing authors

#	ARTICLE	IF	CITATIONS
1	P0739PANEL OF SENSITIVE BIOMARKERS OF THE PRIMARY RESPONSE TO RENAL INJURY FOR AN EARLY DIAGNOSIS OF CHRONIC KIDNEY DISEASE. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.4	0
2	P0052EMERGING CONCEPTS IN KIDNEY ATTR AMYLOIDOSIS: CHRONIC ADMINISTRATION OF TAFAMIDIS. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.4	0
3	Demographic, clinical characteristics and cardiovascular disease burden in a Portuguese cohort of older chronic kidney disease patients. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2019, 41, 29-37.	0.4	3
4	Deleterious effect of anti-angiotensin II type 1 receptor antibodies detected pretransplant on kidney graft outcomes is both proper and synergistic with donor-specific anti-HLA antibodies. <i>Nephrology</i> , 2019, 24, 347-356.	0.7	20
5	Transthyretin (ATTR) amyloidosis nephropathy: lessons from a TTR stabilizer molecule. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2017, 24, 81-82.	1.4	8
6	End-stage renal failure due to transthyretin amyloidosis after liver transplantation: outcomes in 19 registry cases. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2017, 24, 85-86.	1.4	1
7	The ever-growing understanding of transthyretin amyloidosis nephropathy. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2017, 24, 117-118.	1.4	3
8	Impact on mid-term kidney graft outcomes of pretransplant anti-HLA antibodies detected by solid-phase assays: Do donor-specific antibodies tell the whole story?. <i>Human Immunology</i> , 2017, 78, 526-533.	1.2	11
9	Determining donor-specific antibody C1q-binding ability improves the prediction of antibody-mediated rejection in human leucocyte antigen-incompatible kidney transplantation. <i>Transplant International</i> , 2017, 30, 347-359.	0.8	36
10	Biomarkers and Imaging Findings of Anderson-“Fabry Disease”What We Know Now. <i>Diseases (Basel,)</i> Tj ETQq0,0 rgBT /Overlock 1	1.0	18
11	End-Stage Renal Disease versus Death in a Portuguese Cohort of Elderly Patients: An Approach using Competing Event Analysis. <i>Journal of Investigative Medicine</i> , 2017, 65, 1041-1048.	0.7	4
12	Impact of de novo donor-specific anti-HLA antibodies on grafts outcomes in simultaneous pancreas-kidney transplantation. <i>Transplant International</i> , 2016, 29, 173-183.	0.8	21
13	Analysis of preformed donor-specific anti-HLA antibodies characteristics for prediction of antibody-mediated rejection in kidney transplantation. <i>Transplant Immunology</i> , 2015, 32, 66-71.	0.6	53
14	Oligomeric TTR V30M aggregates compromise cell viability, erythropoietin gene expression and promoter activity in the human hepatoma cell line Hep3B. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2015, 22, 93-99.	1.4	7
15	Impact of liver transplantation on the natural history of oculopathy in Portuguese patients with transthyretin (V30M) amyloidosis. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2015, 22, 31-35.	1.4	32
16	Ophthalmological manifestations in hereditary transthyretin (ATTR V30M) carriers: a review of 513 cases. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2015, 22, 117-122.	1.4	71
17	Posttransplant Allosensitization in Low Immunological Risk Kidney and Kidney-Pancreas Graft Recipients. <i>BioMed Research International</i> , 2014, 2014, 1-8.	0.9	5
18	Aqueous humor erythropoietin levels in open-angle glaucoma patients with and without TTR V30M familial amyloid polyneuropathy. <i>Molecular Vision</i> , 2014, 20, 970-6.	1.1	8

#	ARTICLE	IF	CITATIONS
19	THE USE OF INTRAVITREAL RANIBIZUMAB TO TREAT NEOVASCULAR GLAUCOMA BECAUSE OF RETINAL AMYLOID ANGIOPATHY IN FAMILIAL AMYLOIDOSIS TRANSTHYRETIN V30M RELATED. <i>Retinal Cases and Brief Reports</i> , 2013, 7, 114-116.	0.3	8
20	Topical Cyclosporine for Severe Dry Eye Disease in Liver-Transplanted Portuguese Patients with Familial Amyloidotic Polyneuropathy (ATTRV30M). <i>European Journal of Ophthalmology</i> , 2013, 23, 156-163.	0.7	7
21	Spatial visual contrast sensitivity in liver transplanted Portuguese familial amyloidotic polyneuropathy (ATTR V30M) patients. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2012, 19, 152-155.	1.4	8
22	Inability of Mutant Transthyretin V30M to Cross the Blood-Eye Barrier. <i>Transplantation</i> , 2012, 94, e54-e56.	0.5	6
23	No ocular involvement in familial amyloidotic polyneuropathy ATTR V30M domino liver recipients. <i>Transplant International</i> , 2012, 25, 646-651.	0.8	9
24	Progressive myoclonus epilepsy with nephropathy C1q due to SCARB2/LIMP-2 deficiency: Clinical report of two siblings. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2011, 20, 738-740.	0.9	26
25	RECURRENCE OF VITREOUS AMYLOIDOSIS AND NEED OF SURGICAL REINTERVENTION IN PORTUGUESE PATIENTS WITH FAMILIAL AMYLOIDOSIS ATTR V30M. <i>Retina</i> , 2011, 31, 1373-1377.	1.0	25
26	Anticipation of presbyopia in Portuguese familial amyloidosis ATTR V30M. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2011, 18, 92-97.	1.4	9
27	Low serum levels of prohepcidin, but not hepcidin-25, are related to anemia in familial amyloidosis TTR V30M. <i>Blood Cells, Molecules, and Diseases</i> , 2008, 41, 175-178.	0.6	6
28	A nonsense mutation in the LIMP-2 gene associated with progressive myoclonic epilepsy and nephrotic syndrome. <i>Human Molecular Genetics</i> , 2008, 17, 2238-2243.	1.4	99
29	Long-term treatment of anemia with recombinant human erythropoietin in familial amyloidosis TTR V30M. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2008, 15, 205-209.	1.4	8
30	Low Erythropoietin Production in Familial Amyloidosis TTR V30M Is Not Related with Renal Congoilic Amyloid Deposition. <i>Nephron Clinical Practice</i> , 2008, 109, c95-c99.	2.3	6
31	Liver transplantation and anemia in familial amyloidosis ATTR V30M. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2007, 14, 33-37.	1.4	8
32	End-stage renal disease and dialysis in hereditary amyloidosis TTR V30M: presentation, survival and prognostic factors. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2004, 11, 27-37.	1.4	52
33	Kidney and anemia in familial amyloidosis type I. <i>Kidney International</i> , 2004, 66, 2004-2009.	2.6	23
34	Familial ATTR amyloidosis: microalbuminuria as a predictor of symptomatic disease and clinical nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 532-538.	0.4	54