

Binhai Zheng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9051238/publications.pdf>

Version: 2024-02-01

67
papers

12,545
citations

71102

41
h-index

106344

65
g-index

69
all docs

69
docs citations

69
times ranked

12507
citing authors

#	ARTICLE	IF	CITATIONS
1	A Critical Role for DLK and LZK in Axonal Repair in the Mammalian Spinal Cord. <i>Journal of Neuroscience</i> , 2022, 42, 3716-3732.	3.6	14
2	Activation of MAP3K DLK and LZK in Purkinje cells causes rapid and slow degeneration depending on signaling strength. <i>ELife</i> , 2021, 10, .	6.0	8
3	Reactive astrocyte nomenclature, definitions, and future directions. <i>Nature Neuroscience</i> , 2021, 24, 312-325.	14.8	1,098
4	Injured adult neurons regress to an embryonic transcriptional growth state. <i>Nature</i> , 2020, 581, 77-82.	27.8	154
5	Blockade of IL-17 signaling reverses alcohol-induced liver injury and excessive alcohol drinking in mice. <i>JCI Insight</i> , 2020, 5, .	5.0	29
6	Understanding the axonal response to injury by imaging in the mouse spinal cord: A tale of two branches. <i>Experimental Neurology</i> , 2019, 318, 277-285.	4.1	15
7	Multitasking: Dual Leucine Zipper-Bearing Kinases in Neuronal Development and Stress Management. <i>Annual Review of Cell and Developmental Biology</i> , 2019, 35, 501-521.	9.4	25
8	Editorial for "In vivo spinal cord imaging in health, injury and disease". <i>Experimental Neurology</i> , 2019, 322, 113038.	4.1	0
9	To Scar or Not to Scar. <i>Trends in Molecular Medicine</i> , 2018, 24, 522-524.	6.7	7
10	Leucine Zipper-Bearing Kinase Is a Critical Regulator of Astrocyte Reactivity in the Adult Mammalian CNS. <i>Cell Reports</i> , 2018, 22, 3587-3597.	6.4	37
11	Adult rat myelin enhances axonal outgrowth from neural stem cells. <i>Science Translational Medicine</i> , 2018, 10, .	12.4	28
12	Oligodendrocytic but not neuronal Nogo restricts corticospinal axon sprouting after CNS injury. <i>Experimental Neurology</i> , 2018, 309, 32-43.	4.1	15
13	<i>In Vivo</i> Imaging of CNS Injury and Disease. <i>Journal of Neuroscience</i> , 2017, 37, 10808-10816.	3.6	24
14	The age factor in axonal repair after spinal cord injury: A focus on neuron-intrinsic mechanisms. <i>Neuroscience Letters</i> , 2017, 652, 41-49.	2.1	42
15	Leucine Zipper-bearing Kinase promotes axon growth in mammalian central nervous system neurons. <i>Scientific Reports</i> , 2016, 6, 31482.	3.3	32
16	Synaptic Suppression of Axon Regeneration. <i>Neuron</i> , 2016, 92, 267-269.	8.1	7
17	Evidence for an Age-Dependent Decline in Axon Regeneration in the Adult Mammalian Central Nervous System. <i>Cell Reports</i> , 2016, 15, 238-246.	6.4	117
18	Schwann Cell Expressed Nogo-B Modulates Axonal Branching of Adult Sensory Neurons Through the Nogo-B Receptor NgBR. <i>Frontiers in Cellular Neuroscience</i> , 2015, 9, 454.	3.7	14

#	ARTICLE	IF	CITATIONS
19	Myelin-Associated Inhibitors in Axonal Growth after Central Nervous System Injury. , 2015, , 153-170.		1
20	Effects of PTEN and Nogo Codeletion on Corticospinal Axon Sprouting and Regeneration in Mice. Journal of Neuroscience, 2015, 35, 6413-6428.	3.6	95
21	A Surviving Intact Branch Stabilizes Remaining Axon Architecture after Injury as Revealed by InVivo Imaging in the Mouse Spinal Cord. Neuron, 2015, 86, 947-954.	8.1	62
22	Neural Stem Cell Dissemination after Grafting to CNS Injury Sites. Cell, 2014, 156, 388-389.	28.9	35
23	Myelin-associated inhibitors in axonal growth after CNS injury. Current Opinion in Neurobiology, 2014, 27, 31-38.	4.2	153
24	Axon plasticity in the mammalian central nervous system after injury. Trends in Neurosciences, 2014, 37, 583-593.	8.6	43
25	Extrinsic inhibitors in axon sprouting and functional recovery after spinal cord injury. Neural Regeneration Research, 2014, 9, 460.	3.0	10
26	Neurite outgrowth inhibitor Nogo-A establishes spatial segregation and extent of oligodendrocyte myelination. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 1299-1304.	7.1	196
27	Genetic Evidence for a Contribution of EphA:EphrinA Reverse Signaling to Motor Axon Guidance. Journal of Neuroscience, 2012, 32, 5209-5215.	3.6	38
28	Long-Distance Growth and Connectivity of Neural Stem Cells after Severe Spinal Cord Injury. Cell, 2012, 150, 1264-1273.	28.9	760
29	NgR1 and NgR3 are receptors for chondroitin sulfate proteoglycans. Nature Neuroscience, 2012, 15, 703-712.	14.8	392
30	Role of myelin-associated inhibitors in axonal repair after spinal cord injury. Experimental Neurology, 2012, 235, 33-42.	4.1	73
31	Anatomical Coupling of Sensory and Motor Nerve Trajectory via Axon Tracking. Neuron, 2011, 71, 263-277.	8.1	53
32	Generation of an <i>EphA4</i> conditional allele in mice. Genesis, 2010, 48, 101-105.	1.6	19
33	PTEN deletion enhances the regenerative ability of adult corticospinal neurons. Nature Neuroscience, 2010, 13, 1075-1081.	14.8	841
34	Combined Genetic Attenuation of Myelin and Semaphorin-Mediated Growth Inhibition Is Insufficient to Promote Serotonergic Axon Regeneration. Journal of Neuroscience, 2010, 30, 10899-10904.	3.6	69
35	Developmental Expression of the Oligodendrocyte Myelin Glycoprotein in the Mouse Telencephalon. Cerebral Cortex, 2010, 20, 1769-1779.	2.9	28
36	Transient Demyelination Increases the Efficiency of Retrograde AAV Transduction. Molecular Therapy, 2010, 18, 1496-1500.	8.2	17

#	ARTICLE	IF	CITATIONS
37	Assessing Spinal Axon Regeneration and Sprouting in Nogo-, MAG-, and OMgp-Deficient Mice. <i>Neuron</i> , 2010, 66, 663-670.	8.1	281
38	EphA4 deficient mice maintain astroglial fibrotic scar formation after spinal cord injury. <i>Experimental Neurology</i> , 2010, 223, 582-598.	4.1	43
39	Reassessment of Corticospinal Tract Regeneration in Nogo-Deficient Mice. <i>Journal of Neuroscience</i> , 2009, 29, 8649-8654.	3.6	71
40	Generation of an <i>OMgp</i> allelic series in mice. <i>Genesis</i> , 2009, 47, 751-756.	1.6	19
41	Gene Targeting in a HUES Line of Human Embryonic Stem Cells Via Electroporation. <i>Stem Cells</i> , 2009, 27, 1496-1506.	3.2	74
42	Stable in vivo imaging of densely populated glia, axons and blood vessels in the mouse spinal cord using two-photon microscopy. <i>Journal of Neuroscience Methods</i> , 2008, 169, 1-7.	2.5	134
43	White matter inhibitors in CNS axon regeneration failure. <i>Experimental Neurology</i> , 2008, 209, 302-312.	4.1	93
44	Regenerative Growth of Corticospinal Tract Axons via the Ventral Column after Spinal Cord Injury in Mice. <i>Journal of Neuroscience</i> , 2008, 28, 6836-6847.	3.6	79
45	Axon regeneration after spinal cord injury: insight from genetically modified mouse models. <i>Restorative Neurology and Neuroscience</i> , 2008, 26, 175-82.	0.7	11
46	Fibrinogen inhibits neurite outgrowth via $\beta 3$ integrin-mediated phosphorylation of the EGF receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 11814-11819.	7.1	103
47	Response to: Kim et al., "Axon Regeneration in Young Adult Mice Lacking Nogo-A/B." <i>Neuron</i> 38, 187-199. <i>Neuron</i> , 2007, 54, 191-195.	8.1	51
48	Navigating their way to the clinic: Emerging roles for axon guidance molecules in neurological disorders and injury. <i>Developmental Neurobiology</i> , 2007, 67, 1216-1231.	3.0	74
49	Genetic mouse models for studying inhibitors of spinal axon regeneration. <i>Trends in Neurosciences</i> , 2006, 29, 640-646.	8.6	47
50	Genetic deletion of the Nogo receptor does not reduce neurite inhibition in vitro or promote corticospinal tract regeneration in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 1205-1210.	7.1	251
51	Immunity to the Extracellular Domain of Nogo-A Modulates Experimental Autoimmune Encephalomyelitis. <i>Journal of Immunology</i> , 2004, 173, 6981-6992.	0.8	60
52	The neurite outgrowth inhibitor Nogo A is involved in autoimmune-mediated demyelination. <i>Nature Neuroscience</i> , 2004, 7, 736-744.	14.8	216
53	The dorsolateral corticospinal tract in mice: An alternative route for corticospinal input to caudal segments following dorsal column lesions. <i>Journal of Comparative Neurology</i> , 2004, 472, 463-477.	1.6	93
54	False resurrections: Distinguishing regenerated from spared axons in the injured central nervous system. <i>Journal of Comparative Neurology</i> , 2003, 459, 1-8.	1.6	204

#	ARTICLE	IF	CITATIONS
55	Lack of Enhanced Spinal Regeneration in Nogo-Deficient Mice. <i>Neuron</i> , 2003, 38, 213-224.	8.1	347
56	Visual Genotyping of a Coat Color Tagged p53 Mutant Mouse Line. <i>Cancer Biology and Therapy</i> , 2002, 1, 433-435.	3.4	18
57	Homeostatic sleep regulation is preserved in mPer1 and mPer2 mutant mice. <i>European Journal of Neuroscience</i> , 2002, 16, 1099-1106.	2.6	98
58	Nonredundant Roles of the mPer1 and mPer2 Genes in the Mammalian Circadian Clock. <i>Cell</i> , 2001, 105, 683-694.	28.9	802
59	Disruption of an imprinted gene cluster by a targeted chromosomal translocation in mice. <i>Nature Genetics</i> , 2001, 29, 78-82.	21.4	47
60	mPer1 and mPer2 Are Essential for Normal Resetting of the Circadian Clock. <i>Journal of Biological Rhythms</i> , 2001, 16, 100-104.	2.6	337
61	Engineering Mouse Chromosomes with Cre- loxP : Range, Efficiency, and Somatic Applications. <i>Molecular and Cellular Biology</i> , 2000, 20, 648-655.	2.3	182
62	Interacting Molecular Loops in the Mammalian Circadian Clock. <i>Science</i> , 2000, 288, 1013-1019.	12.6	1,223
63	U1 snRNA is cleaved by RNase III and processed through an Sm site-dependent pathway. <i>Nucleic Acids Research</i> , 1999, 27, 587-595.	14.5	71
64	Engineering a mouse balancer chromosome. <i>Nature Genetics</i> , 1999, 22, 375-378.	21.4	145
65	p63 is a p53 homologue required for limb and epidermal morphogenesis. <i>Nature</i> , 1999, 398, 708-713.	27.8	1,870
66	The mPer2 gene encodes a functional component of the mammalian circadian clock. <i>Nature</i> , 1999, 400, 169-173.	27.8	618
67	Tumour susceptibility and spontaneous mutation in mice deficient in Mlh1, Pms1 and Pms2 DNA mismatch repair. <i>Nature Genetics</i> , 1998, 18, 276-279.	21.4	332