

# Elizabeth M Scott

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9051563/publications.pdf>

Version: 2024-02-01

63  
papers

2,674  
citations

186209

28  
h-index

197736

49  
g-index

71  
all docs

71  
docs citations

71  
times ranked

2587  
citing authors

#	ARTICLE	IF	CITATIONS
1	Applying clinical staging to young people who present for mental health care. <i>Microbial Biotechnology</i> , 2013, 7, 31-43.	0.9	173
2	Transdiagnostic clinical staging in youth mental health: a first international consensus statement. <i>World Psychiatry</i> , 2020, 19, 233-242.	4.8	153
3	Targeted primary care-based mental health services for young Australians. <i>Medical Journal of Australia</i> , 2012, 196, 136-140.	0.8	138
4	Delayed sleep phase in young people with unipolar or bipolar affective disorders. <i>Journal of Affective Disorders</i> , 2013, 145, 260-263.	2.0	136
5	Development of a simple screening tool for common mental disorders in general practice. <i>Medical Journal of Australia</i> , 2001, 175, S10-7.	0.8	131
6	Manipulating the sleep-wake cycle and circadian rhythms to improve clinical management of major depression. <i>BMC Medicine</i> , 2013, 11, 79.	2.3	112
7	Sleep-wake cycle and melatonin rhythms in adolescents and young adults with mood disorders: Comparison of unipolar and bipolar phenotypes. <i>European Psychiatry</i> , 2013, 28, 412-416.	0.1	110
8	Clinical Stage Transitions in Persons Aged 12 to 25 Years Presenting to Early Intervention Mental Health Services With Anxiety, Mood, and Psychotic Disorders. <i>JAMA Psychiatry</i> , 2019, 76, 1167.	6.0	105
9	Ambulatory sleep-wake patterns and variability in young people with emerging mental disorders. <i>Journal of Psychiatry and Neuroscience</i> , 2015, 40, 28-37.	1.4	91
10	Right care, first time: a highly personalised and measurement-based care model to manage youth mental health. <i>Medical Journal of Australia</i> , 2019, 211, S3-S46.	0.8	88
11	Circadian rhythm sleep-wake disturbances and depression in young people: implications for prevention and early intervention. <i>Lancet Psychiatry</i> , 2021, 8, 813-823.	3.7	81
12	A Clinical Staging Model for Early Intervention Youth Mental Health Services. <i>Psychiatric Services</i> , 2014, 65, 939-943.	1.1	80
13	Developing a Mental Health eClinic to Improve Access to and Quality of Mental Health Care for Young People: Using Participatory Design as Research Methodologies. <i>Journal of Medical Internet Research</i> , 2018, 20, e188.	2.1	74
14	Using Participatory Design Methodologies to Co-Design and Culturally Adapt the Spanish Version of the Mental Health eClinic: Qualitative Study. <i>Journal of Medical Internet Research</i> , 2019, 21, e14127.	2.1	70
15	Clinical classification in mental health at the cross-roads: which direction next?. <i>BMC Medicine</i> , 2013, 11, 125.	2.3	68
16	An evidence map of psychosocial interventions for the earliest stages of bipolar disorder. <i>Lancet Psychiatry</i> , 2015, 2, 548-563.	3.7	68
17	Sleep-Wake Cycle in Young and Older Persons with a Lifetime History of Mood Disorders. <i>PLoS ONE</i> , 2014, 9, e87763.	1.1	68
18	Circadian rhythms and psychiatric profiles in young adults with unipolar depressive disorders. <i>Translational Psychiatry</i> , 2018, 8, 213.	2.4	65

#	ARTICLE	IF	CITATIONS
19	Disability is already pronounced in young people with early stages of affective disorders: Data from an early intervention service. <i>Journal of Affective Disorders</i> , 2011, 131, 84-91.	2.0	57
20	Circadian depression: A mood disorder phenotype. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 126, 79-101.	2.9	50
21	Functional impairment in adolescents and young adults with emerging mood disorders. <i>British Journal of Psychiatry</i> , 2014, 205, 362-368.	1.7	49
22	Frontal lobe changes occur early in the course of affective disorders in young people. <i>BMC Psychiatry</i> , 2012, 12, 4.	1.1	46
23	Frequent alcohol, nicotine or cannabis use is common in young persons presenting for mental healthcare: a cross-sectional study. <i>BMJ Open</i> , 2013, 3, e002229.	0.8	45
24	Circadian rhythmicity in emerging mood disorders: state or trait marker?. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 3.	0.8	44
25	Evaluating differential developmental trajectories to adolescent-onset mood and psychotic disorders. <i>BMC Psychiatry</i> , 2013, 13, 303.	1.1	39
26	Delineating the trajectories of social and occupational functioning of young people attending early intervention mental health services in Australia: a longitudinal study. <i>BMJ Open</i> , 2018, 8, e020678.	0.8	38
27	Thoughts of death or suicidal ideation are common in young people aged 12 to 30 years presenting for mental health care. <i>BMC Psychiatry</i> , 2012, 12, 234.	1.1	35
28	Parallel Changes in Mood and Melatonin Rhythm Following an Adjunctive Multimodal Chronobiological Intervention With Agomelatine in People With Depression: A Proof of Concept Open Label Study. <i>Frontiers in Psychiatry</i> , 2018, 9, 624.	1.3	32
29	Flip the Clinic: A Digital Health Approach to Youth Mental Health Service Delivery During the COVID-19 Pandemic and Beyond. <i>JMIR Mental Health</i> , 2020, 7, e24578.	1.7	31
30	Using New and Innovative Technologies to Assess Clinical Stage in Early Intervention Youth Mental Health Services: Evaluation Study. <i>Journal of Medical Internet Research</i> , 2018, 20, e259.	2.1	30
31	Neuropsychological profile according to the clinical stage of young persons presenting for mental health care. <i>BMC Psychology</i> , 2013, 1, 8.	0.9	28
32	Sleep-wake profiles and circadian rhythms of core temperature and melatonin in young people with affective disorders. <i>Journal of Psychiatric Research</i> , 2017, 94, 131-138.	1.5	28
33	Prior suicide attempts predict worse clinical and functional outcomes in young people attending a mental health service. <i>Journal of Affective Disorders</i> , 2018, 238, 563-569.	2.0	27
34	Body mass, cardiovascular risk and metabolic characteristics of young persons presenting for mental healthcare in Sydney, Australia. <i>BMJ Open</i> , 2015, 5, e007066-e007066.	0.8	22
35	Cohort profile: the Brain and Mind Centre <i>Optimise</i> cohort: tracking multidimensional outcomes in young people presenting for mental healthcare. <i>BMJ Open</i> , 2020, 10, e030985.	0.8	22
36	Social and occupational outcomes for young people who attend early intervention mental health services: a longitudinal study. <i>Medical Journal of Australia</i> , 2022, 216, 87-93.	0.8	22

#	ARTICLE	IF	CITATIONS
37	Clinical, neurocognitive and demographic factors associated with functional impairment in the Australian Brain and Mind Youth Cohort Study (2008–2016). <i>BMJ Open</i> , 2018, 8, e022659.	0.8	19
38	Informing the Future of Integrated Digital and Clinical Mental Health Care: Synthesis of the Outcomes From Project Synergy. <i>JMIR Mental Health</i> , 2022, 9, e33060.	1.7	19
39	Exploring associations between early substance use and longitudinal socio-occupational functioning in young people engaged in a mental health service. <i>PLoS ONE</i> , 2019, 14, e0210877.	1.1	18
40	Dysregulated sleep–wake cycles in young people are associated with emerging stages of major mental disorders. <i>Microbial Biotechnology</i> , 2016, 10, 63-70.	0.9	17
41	Transdiagnostic neurocognitive subgroups and functional course in young people with emerging mental disorders: a cohort study. <i>BJPsych Open</i> , 2020, 6, e31.	0.3	16
42	Distress and disability in young adults presenting to clinical services with mood disorders. <i>International Journal of Bipolar Disorders</i> , 2013, 1, 23.	0.8	15
43	Neurocognitive clusters: A pilot study of young people with affective disorders in an inpatient facility. <i>Journal of Affective Disorders</i> , 2019, 242, 80-86.	2.0	15
44	Sleep-wake, cognitive and clinical correlates of treatment outcome with repetitive transcranial magnetic stimulation for young adults with depression. <i>Psychiatry Research</i> , 2019, 271, 335-342.	1.7	14
45	What is the prevalence, and what are the clinical correlates, of insulin resistance in young people presenting for mental health care? A cross-sectional study. <i>BMJ Open</i> , 2019, 9, e025674.	0.8	13
46	A data-driven transdiagnostic analysis of white matter integrity in young adults with major psychiatric disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 89, 73-83.	2.5	12
47	Innovative preclinic triage system to guide Australians to the right mental health care first time. <i>Australian Health Review</i> , 2021, 45, 578-583.	0.5	10
48	Right Care, First Time: Developing a Theory-Based Automated Protocol to Help Clinically Stage Young People Based on Severity and Persistence of Mental Illness. <i>Frontiers in Public Health</i> , 2021, 9, 621862.	1.3	10
49	Developing neurocognitive standard clinical care: A study of young adult inpatients. <i>Psychiatry Research</i> , 2019, 276, 232-238.	1.7	6
50	Predicting the emergence of full-threshold bipolar I, bipolar II and psychotic disorders in young people presenting to early intervention mental health services. <i>Psychological Medicine</i> , 2022, 52, 1990-2000.	2.7	6
51	Identifying pathways to early-onset metabolic dysfunction, insulin resistance and inflammation in young adult inpatients with emerging affective and major mood disorders. <i>Microbial Biotechnology</i> , 2022, 16, 1121-1129.	0.9	6
52	Youth Mental Health Tracker: protocol to establish a longitudinal cohort and research database for young people attending Australian mental health services. <i>BMJ Open</i> , 2020, 10, e035379.	0.8	5
53	Early intervention, prevention, and prediction in mood disorders: Tracking multidimensional outcomes in young people presenting for mental health care. , 2020, , 39-62.		4
54	Schizophrenia polygenic risk scores in youth mental health: preliminary associations with diagnosis, clinical stage and functioning. <i>BJPsych Open</i> , 2021, 7, e58.	0.3	4

#	ARTICLE	IF	CITATIONS
55	Effect of an online healthy lifestyle psychoeducation programme to improve cardiometabolic outcomes and affective symptoms in youth receiving mental health care: study protocol for a pilot clinical trial.. BMJ Open, 2021, 11, e044977.	0.8	2
56	Supporting Clinicians to Use Technology to Deliver Highly Personalized and Measurement-Based Mental Health Care to Young People: Protocol for an Evaluation Study. JMIR Research Protocols, 2021, 10, e24697.	0.5	2
57	Premature mortality in early-intervention mental health services: a data linkage study protocol to examine mortality and morbidity outcomes in a cohort of help-seeking young people. BMJ Open, 2022, 12, e054264.	0.8	2
58	Protocol for a young adult mental health (Uspace) cohort: personalising multidimensional care in young people admitted to hospital. BMJ Open, 2021, 11, e038787.	0.8	1
59	Neurobiology Youth Follow-up Study: protocol to establish a longitudinal and prospective research database using multimodal assessments for current and past mental health treatment-seeking young people within an early intervention service. BMJ Open, 2021, 11, e044731.	0.8	1
60	P122â€Worse or just different? Self-reported sleep characteristics of pregnant and non-pregnant women in the UK HoUsehold Longitudinal Study. Journal of Epidemiology and Community Health, 2016, 70, A107.2-A107.	2.0	0
61	Body weight, BMI and gestational weight gain are predictors of short sleep duration amongst pregnant women at risk of gestational diabetes. Proceedings of the Nutrition Society, 2016, 75, .	0.4	0
62	Variation in sleep is associated with diagnosis of late-onset diabetes: a cross-sectional analysis of self-reported data from the first wave of â€Understanding Societyâ€™ (the UK Household Longitudinal) Tj ETQq0 0.0 rgBT /Overlock 10	0.0	0
63	Oral glucose tolerance test results are affected by prior sleep duration: a randomised control crossover trial of normoglycaemic adults. Proceedings of the Nutrition Society, 2016, 75, .	0.4	0