

Jrgen Johansen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9053670/jorgen-johansen-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126
papers

4,925
citations

40
h-index

67
g-index

175
ext. papers

5,818
ext. citations

2.9
avg, IF

5.06
L-index

#	Paper	IF	Citations
126	Target coverage and local recurrences after radiotherapy for sinonasal cancer in Denmark 2008-2015. A DAHANCA study.. <i>Acta Oncologica</i> , 2022 , 1-7	3.2	
125	Hyperbaric oxygen treatment of mandibular osteoradionecrosis: Combined data from the two randomized clinical trials DAHANCA-21 and NWHHT2009-1. <i>Radiotherapy and Oncology</i> , 2021 ,	5.3	1
124	Treatment outcomes and survival following definitive (chemo)radiotherapy in HPV-positive oropharynx cancer: Large-scale comparison of DAHANCA vs PMH cohorts. <i>International Journal of Cancer</i> , 2021 ,	7.5	1
123	Nasal vestibule squamous cell carcinoma: a population-based cohort study from DAHANCA. <i>Acta Oncologica</i> , 2021 , 1-7	3.2	0
122	Surgical treatment of the neck in patients with salivary gland carcinoma. <i>Head and Neck</i> , 2021 , 43, 1898-1911	4.1	5
121	Accuracy of automatic structure propagation for daily magnetic resonance image-guided head and neck radiotherapy. <i>Acta Oncologica</i> , 2021 , 60, 589-597	3.2	2
120	Bloodstream infections in head and neck cancer patients after curative-intent radiotherapy: a population-based study from the Danish Head and Neck Cancer Group database. <i>British Journal of Cancer</i> , 2021 , 125, 458-464	8.7	1
119	Chemotherapy and radiotherapy in locally advanced head and neck cancer: an individual patient data network meta-analysis. <i>Lancet Oncology</i> , 2021 , 22, 727-736	21.7	10
118	Reply to Letter to the Editor regarding "Elective neck dissection and its extent in Salivary gland cancers: A Dilemma". <i>Head and Neck</i> , 2021 , 43, 2861-2862	4.2	
117	Recommendations for postoperative radiotherapy in head & neck squamous cell carcinoma in the presence of flaps: A GORTEC internationally-reviewed HNCIG-endorsed consensus. <i>Radiotherapy and Oncology</i> , 2021 , 160, 140-147	5.3	2
116	Early Mortality after Radical Radiotherapy in Head and Neck Cancer - A Nationwide Analysis from the Danish Head and Neck Cancer Group (DAHANCA) Database. <i>Clinical Oncology</i> , 2021 , 33, 57-63	2.8	2
115	Salivary gland carcinoma in Denmark: a national update and follow-up on incidence, histology, and outcome. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 1179-1188	3.5	5
114	Sinonasal cancer in Denmark 2008-2015: a population-based phase-4 cohort study from DAHANCA. <i>Acta Oncologica</i> , 2021 , 60, 333-342	3.2	3
113	Prognostic scoring models in parotid gland carcinoma. <i>Head and Neck</i> , 2021 , 43, 2081-2090	4.2	1
112	Distant metastases in squamous cell carcinoma of the pharynx and larynx: a population-based DAHANCA study. <i>Acta Oncologica</i> , 2021 , 60, 1472-1480	3.2	
111	Reply to Letter to the Editor regarding "In reference to Surgical treatment of the neck in patients with salivary gland carcinoma". <i>Head and Neck</i> , 2021 , 43, 3699-3700	4.2	
110	Individual patient data meta-analysis of FMISO and FAZA hypoxia PET scans from head and neck cancer patients undergoing definitive radio-chemotherapy. <i>Radiotherapy and Oncology</i> , 2020 , 149, 189-196	5.3	19

109	Systematic use of patient reported outcome during radiotherapy for head and neck cancer: study protocol for the national DAHANCA 38 trial. <i>Acta Oncologica</i> , 2020 , 59, 603-607	3.2	4
108	DAHANCA 33: functional image-guided dose-escalated radiotherapy to patients with hypoxic squamous cell carcinoma of the head and neck (NCT02976051). <i>Acta Oncologica</i> , 2020 , 59, 208-211	3.2	8
107	Influence of FAZA PET hypoxia and HPV-status for the outcome of head and neck squamous cell carcinoma (HNSCC) treated with radiotherapy: Long-term results from the DAHANCA 24 trial (NCT01017224). <i>Radiotherapy and Oncology</i> , 2020 , 151, 126-133	5.3	6
106	A multidimensional cohort study of late toxicity after intensity modulated radiotherapy for sinonasal cancer. <i>Radiotherapy and Oncology</i> , 2020 , 151, 58-65	5.3	3
105	Late toxicity in the brain after radiotherapy for sinonasal cancer: Neurocognitive functioning, MRI of the brain and quality of life. <i>Clinical and Translational Radiation Oncology</i> , 2020 , 25, 52-60	4.6	4
104	Prediction of radiation-induced mucositis of H&N cancer patients based on a large patient cohort. <i>Radiotherapy and Oncology</i> , 2020 , 147, 15-21	5.3	6
103	DAHANCA 9 - a randomized multicenter study to compare accelerated normo-fractionated radiotherapy with accelerated hyperfractionated radiotherapy in patients with primary squamous cell carcinoma of the head and neck (HNSCC). <i>Acta Oncologica</i> , 2019 , 58, 1502-1505	3.2	5
102	NTCP model validation method for DAHANCA patient selection of protons versus photons in head and neck cancer radiotherapy. <i>Acta Oncologica</i> , 2019 , 58, 1410-1415	3.2	12
101	A prospective, multicenter DAHANCA study of hyperfractionated, accelerated radiotherapy for head and neck squamous cell carcinoma. <i>Acta Oncologica</i> , 2019 , 58, 1495-1501	3.2	14
100	Comparing the patients's subjective experiences of acute side effects during radiotherapy for head and neck cancer with four different patient-reported outcomes questionnaires. <i>Acta Oncologica</i> , 2019 , 58, 603-609	3.2	12
99	Awareness and surveillance of radiation treatment schedules reduces head and neck overall treatment time. <i>Technical Innovations and Patient Support in Radiation Oncology</i> , 2019 , 9, 26-30	1.9	2
98	Upfront PET/CT affects management decisions in patients with recurrent head and neck squamous cell carcinoma. <i>Oral Oncology</i> , 2019 , 94, 1-7	4.4	2
97	Impact of age, comorbidity, and WHO performance status on delay of treatment in patients undergoing fast-track work-up for head and neck cancer. <i>Journal of Geriatric Oncology</i> , 2019 , 10, 259-264	3.6	6
96	Osteoradionecrosis of the mandible after radiotherapy for head and neck cancer: risk factors and dose-volume correlations. <i>Acta Oncologica</i> , 2019 , 58, 1373-1377	3.2	45
95	Subglottic squamous cell carcinoma in Denmark 1971-2015 - a national population-based cohort study from DAHANCA, the Danish Head and Neck Cancer group. <i>Acta Oncologica</i> , 2019 , 58, 1509-1513	3.2	1
94	Systematic review of basic oral care for the management of oral mucositis in cancer patients and clinical practice guidelines. <i>Supportive Care in Cancer</i> , 2019 , 27, 3949-3967	3.9	63
93	PET/CT Versus Standard Imaging for Prediction of Survival in Patients with Recurrent Head and Neck Squamous Cell Carcinoma. <i>Journal of Nuclear Medicine</i> , 2019 , 60, 592-599	8.9	10
92	DAHANCA 10 - Effect of darbepeotin alfa and radiotherapy in the treatment of squamous cell carcinoma of the head and neck. A multicenter, open-label, randomized, phase 3 trial by the Danish head and neck cancer group. <i>Radiotherapy and Oncology</i> , 2018 , 127, 12-19	5.3	16

91	The Danish Head and Neck Cancer fast-track program: a tertiary cancer centre experience. <i>European Journal of Cancer</i> , 2018 , 90, 133-139	7.5	16
90	Local recurrences after curative IMRT for HNSCC: Effect of different GTV to high-dose CTV margins. <i>Radiotherapy and Oncology</i> , 2018 , 126, 48-55	5.3	22
89	The management and survival outcomes of nasopharyngeal cancer in the Nordic countries. <i>Acta Oncologica</i> , 2018 , 57, 557-560	3.2	3
88	Consequences of introducing geometric GTV to CTV margin expansion in DAHANCA contouring guidelines for head and neck radiotherapy. <i>Radiotherapy and Oncology</i> , 2018 , 126, 43-47	5.3	28
87	A PET/CT-Based Strategy Is a Stronger Predictor of Survival Than a Standard Imaging Strategy in Patients with Head and Neck Squamous Cell Carcinoma. <i>Journal of Nuclear Medicine</i> , 2018 , 59, 575-581	8.9	5
86	Delineation of the primary tumour Clinical Target Volumes (CTV-P) in laryngeal, hypopharyngeal, oropharyngeal and oral cavity squamous cell carcinoma: AIRO, CACA, DAHANCA, EORTC, GEORCC, GORTEC, HKNPCSG, HNCIG, IAG-KHT, LPRHHT, NCIC CTG, NCRI, NRG Oncology, PHNS, SBRT, SOMEDA, STC, SQUINO, TROG. <i>Radiotherapy and Oncology</i> , 2018 , 126, 3-24	5.3	134
85	Up-front PET/CT changes treatment intent in patients with head and neck squamous cell carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018 , 45, 613-621	8.8	11
84	Associations between skin rash, treatment outcome, and single nucleotide polymorphisms in head and neck cancer patients receiving the EGFR-inhibitor zalutumumab: results from the DAHANCA 19 trial. <i>Acta Oncologica</i> , 2018 , 57, 1159-1164	3.2	5
83	OC-0268: FAZA PET hypoxia as a marker of loco-regional recurrence in HNSCC? Results from the DAHANCA 24 trial. <i>Radiotherapy and Oncology</i> , 2018 , 127, S136	5.3	2
82	Head-to-Head Comparison of Chest X-Ray/Head and Neck MRI, Chest CT/Head and Neck MRI, and F-FDG PET/CT for Detection of Distant Metastases and Synchronous Cancer in Oral, Pharyngeal, and Laryngeal Cancer. <i>Journal of Nuclear Medicine</i> , 2017 , 58, 1919-1924	8.9	48
81	Contouring and dose calculation in head and neck cancer radiotherapy after reduction of metal artifacts in CT images. <i>Acta Oncologica</i> , 2017 , 56, 874-878	3.2	19
80	Head and neck cancer management in the Nordic countries: an effort to harmonize treatment. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017 , 274, 2363-2365	3.5	5
79	Analysis of CT-verified loco-regional recurrences after definitive IMRT for HNSCC using site of origin estimation methods. <i>Acta Oncologica</i> , 2017 , 56, 1554-1561	3.2	14
78	Role of radiotherapy fractionation in head and neck cancers (MARCH): an updated meta-analysis. <i>Lancet Oncology</i> , 2017 , 18, 1221-1237	21.7	156
77	Four synchronous cancers in a patient with tongue pain as the only symptom. <i>BMJ Case Reports</i> , 2016 , 2016,	0.9	1
76	Automatic treatment planning improves the clinical quality of head and neck cancer treatment plans. <i>Clinical and Translational Radiation Oncology</i> , 2016 , 1, 2-8	4.6	69
75	Prediction of critical weight loss during radiation treatment in head and neck cancer patients is dependent on BMI. <i>Supportive Care in Cancer</i> , 2016 , 24, 2101-2109	3.9	29
74	Trends in cancer of the head and neck in the elderly in Denmark, 1980-2012. <i>Acta Oncologica</i> , 2016 , 55 Suppl 1, 13-8	3.2	3

73	Does age affect prognosis in salivary gland carcinoma patients? A national Danish study. <i>Acta Oncologica</i> , 2016 , 55 Suppl 1, 19-22	3.2	11
72	FDG PET/CT in cancer: comparison of actual use with literature-based recommendations. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016 , 43, 695-706	8.8	40
71	Automatic planning of head and neck treatment plans. <i>Journal of Applied Clinical Medical Physics</i> , 2016 , 17, 272-282	2.3	104
70	Pattern of failure in 5001 patients treated for glottic squamous cell carcinoma with curative intent - A population based study from the DAHANCA group. <i>Radiotherapy and Oncology</i> , 2016 , 118, 257-66	5.3	25
69	Incidence of and survival after glottic squamous cell carcinoma in Denmark from 1971 to 2011-A report from the Danish Head and Neck Cancer Group. <i>European Journal of Cancer</i> , 2016 , 59, 46-56	7.5	10
68	Open source deformable image registration system for treatment planning and recurrence CT scans : Validation in the head and neck region. <i>Strahlentherapie Und Onkologie</i> , 2016 , 192, 545-51	4.3	13
67	OC-009: Update of the randomised phase III trial DAHANCA 19: Primary C-RT or RT and zalutumumab for squamous cell carcinomas of head and neck. <i>Radiotherapy and Oncology</i> , 2015 , 114, 10	5.3	5
66	The DAHANCA 6 randomized trial: Effect of 6 vs 5 weekly fractions of radiotherapy in patients with glottic squamous cell carcinoma. <i>Radiotherapy and Oncology</i> , 2015 , 117, 91-8	5.3	44
65	Predictors of continuous tobacco smoking in a clinical cohort study of Danish laryngeal cancer patients smoking before treated with radiotherapy. <i>Acta Oncologica</i> , 2015 , 54, 685-92	3.2	4
64	Quality assurance of radiation therapy for head and neck cancer patients treated in DAHANCA 10 randomized trial. <i>Acta Oncologica</i> , 2015 , 54, 1669-73	3.2	19
63	External validation of a normal tissue complication probability model for radiation-induced hypothyroidism in an independent cohort. <i>Acta Oncologica</i> , 2015 , 54, 1301-9	3.2	16
62	Salivary adenoid cystic carcinoma in Denmark 1990-2005: Outcome and independent prognostic factors including the benefit of radiotherapy. Results of the Danish Head and Neck Cancer Group (DAHANCA). <i>Oral Oncology</i> , 2015 , 51, 1138-42	4.4	55
61	PO-0944: Radiotherapy QA of the DAHANCA 19 protocol. <i>Radiotherapy and Oncology</i> , 2015 , 115, S494-S495	3.3	2
60	Collagen fragment biomarkers as serological biomarkers of lean body mass - a biomarker pilot study from the DAHANCA25B cohort and matched controls. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2015 , 6, 335-42	10.3	11
59	Variation of normal tissue complication probability (NTCP) estimates of radiation-induced hypothyroidism in relation to changes in delineation of the thyroid gland. <i>Acta Oncologica</i> , 2015 , 54, 1188-94	3.2	4
58	¹⁸ F-fluoro-deoxy-glucose-positron emission tomography/computed tomography in diagnosis of head and neck squamous cell carcinoma: a systematic review and meta-analysis. <i>European Journal of Cancer</i> , 2014 , 50, 2271-9	7.5	36
57	OC-0372: DAHANCA19: A randomized phase III study of primary (chemo-) radiotherapy and zalutumumab in head and neck carcinomas. <i>Radiotherapy and Oncology</i> , 2014 , 111, S143-S144	5.3	3
56	Impact of HPV-associated p16-expression on radiotherapy outcome in advanced oropharynx and non-oropharynx cancer. <i>Radiotherapy and Oncology</i> , 2014 , 113, 310-6	5.3	121

55	Comparison of three immobilisation systems for radiation therapy in head and neck cancer. <i>Acta Oncologica</i> , 2014 , 53, 423-7	3.2	17
54	Evaluation of comorbidity in 9388 head and neck cancer patients: a national cohort study from the DAHANCA database. <i>Radiotherapy and Oncology</i> , 2014 , 110, 91-7	5.3	71
53	Evaluation of the EGFR-Inhibitor Zalutumumab Given With Primary Curative (Chemo)radiation Therapy to Patients With Squamous Cell Carcinoma of the Head and Neck: Results of the DAHANCA 19 Randomized Phase 3 Trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 88, 465	4	14
52	A "package solution" fast track program can reduce the diagnostic waiting time in head and neck cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014 , 271, 1163-70	3.5	30
51	FDG-PET/CT can rule out malignancy in patients with vocal cord palsy. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2014 , 4, 193-201	2.2	5
50	Progressive resistance training rebuilds lean body mass in head and neck cancer patients after radiotherapy--results from the randomized DAHANCA 25B trial. <i>Radiotherapy and Oncology</i> , 2013 , 108, 314-9	5.3	70
49	Waiting times for diagnosis and treatment of head and neck cancer in Denmark in 2010 compared to 1992 and 2002. <i>European Journal of Cancer</i> , 2013 , 49, 1627-33	7.5	51
48	Hypothyroidism after primary radiotherapy for head and neck squamous cell carcinoma: normal tissue complication probability modeling with latent time correction. <i>Radiotherapy and Oncology</i> , 2013 , 109, 317-22	5.3	43
47	Affiliation to the work market after curative treatment of head-and-neck cancer: a population-based study from the DAHANCA database. <i>Acta Oncologica</i> , 2013 , 52, 430-9	3.2	19
46	The value of routine follow-up after treatment for head and neck cancer. A national survey from DAHANCA. <i>Acta Oncologica</i> , 2013 , 52, 277-84	3.2	21
45	The impact of comorbidity on outcome in 12 623 Danish head and neck cancer patients: a population based study from the DAHANCA database. <i>Acta Oncologica</i> , 2013 , 52, 285-93	3.2	70
44	Factors associated with acute and late dysphagia in the DAHANCA 6 & 7 randomized trial with accelerated radiotherapy for head and neck cancer. <i>Acta Oncologica</i> , 2013 , 52, 1535-42	3.2	38
43	Lean body mass and muscle function in head and neck cancer patients and healthy individuals--results from the DAHANCA 25 study. <i>Acta Oncologica</i> , 2013 , 52, 1543-51	3.2	34
42	Salivary gland carcinoma in Denmark 1990-2005: outcome and prognostic factors. Results of the Danish Head and Neck Cancer Group (DAHANCA). <i>Oral Oncology</i> , 2012 , 48, 179-85	4.4	48
41	Prevalence and peak incidence of acute and late normal tissue morbidity in the DAHANCA 6&7 randomised trial with accelerated radiotherapy for head and neck cancer. <i>Radiotherapy and Oncology</i> , 2012 , 103, 69-75	5.3	66
40	FAZA PET/CT hypoxia imaging in patients with squamous cell carcinoma of the head and neck treated with radiotherapy: results from the DAHANCA 24 trial. <i>Radiotherapy and Oncology</i> , 2012 , 105, 14-20	5.3	231
39	The importance of haemoglobin level and effect of transfusion in HNSCC patients treated with radiotherapy--results from the randomized DAHANCA 5 study. <i>Radiotherapy and Oncology</i> , 2011 , 98, 28-33	5.3	52
38	The influence of HPV-associated p16-expression on accelerated fractionated radiotherapy in head and neck cancer: evaluation of the randomised DAHANCA 6&7 trial. <i>Radiotherapy and Oncology</i> , 2011 , 100, 49-55	5.3	154

37	Salivary gland carcinoma in Denmark 1990-2005: a national study of incidence, site and histology. Results of the Danish Head and Neck Cancer Group (DAHANCA). <i>Oral Oncology</i> , 2011 , 47, 677-82	4.4	152
36	Does transfusion improve the outcome for HNSCC patients treated with radiotherapy? - results from the randomized DAHANCA 5 and 7 trials. <i>Acta Oncologica</i> , 2011 , 50, 1006-14	3.2	45
35	FDG-PET/CT for detection of the unknown primary head and neck tumor. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2011 , 55, 500-8	1.4	19
34	Carcinoma of the nasal cavity and paranasal sinuses in Denmark 1995-2004. <i>Acta Oncologica</i> , 2010 , 49, 389-94	3.2	62
33	Single Arc Volumetric Modulated Arc Therapy of head and neck cancer. <i>Radiotherapy and Oncology</i> , 2010 , 95, 142-8	5.3	142
32	The prognostic significance of histological features in oral squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2009 , 38, 657-62	3.3	114
31	Long-term results of concurrent radiotherapy and UFT in patients with locally advanced pancreatic cancer. <i>Radiotherapy and Oncology</i> , 2009 , 92, 226-30	5.3	16
30	Randomized study of darbepoetin alfa as modifier of radiotherapy in patients with primary squamous cell carcinoma of the head and neck (HNSCC): Final outcome of the DAHANCA 10 trial. <i>Journal of Clinical Oncology</i> , 2009 , 27, 6007-6007	2.2	16
29	Supportive Therapy Including Nutrition. <i>Medical Radiology</i> , 2009 , 287-298	0.2	
28	Topotecan and cisplatin in combination with concurrent twice-daily chemoradiation in limited disease small cell lung cancer-a Danish Oncological Lung Cancer Group (DOLG) phase II trial. <i>Lung Cancer</i> , 2008 , 60, 252-8	5.9	6
27	Set-up errors in patients undergoing image guided radiation treatment. Relationship to body mass index and weight loss. <i>Acta Oncologica</i> , 2008 , 47, 1454-8	3.2	23
26	Is face-only photographic view enough for the aesthetic evaluation of breast cancer conservative treatment?. <i>Breast Cancer Research and Treatment</i> , 2008 , 112, 565-8	4.4	21
25	Prospective study of 18FDG-PET in the detection and management of patients with lymph node metastases to the neck from an unknown primary tumor. Results from the DAHANCA-13 study. <i>Head and Neck</i> , 2008 , 30, 471-8	4.2	121
24	Effect of adjuvant systemic treatment on cosmetic outcome and late normal-tissue reactions after breast conservation. <i>Acta Oncologica</i> , 2007 , 46, 525-33	3.2	33
23	Chronic Breast Pain after Breast-Conserving Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 69, S74-S75	4	2
22	Factors determining esthetic outcome after breast cancer conservative treatment. <i>Breast Journal</i> , 2007 , 13, 140-6	1.2	49
21	Turning subjective into objective: the BCCT.core software for evaluation of cosmetic results in breast cancer conservative treatment. <i>Breast</i> , 2007 , 16, 456-61	3.6	118
20	The Danish national guidelines for treatment of oral squamous cell carcinoma. <i>Acta Oncologica</i> , 2006 , 45, 294-9	3.2	24

19	Parotid carcinoma: impact of clinical factors on prognosis in a histologically revised series. <i>Laryngoscope</i> , 2003 , 113, 1411-7	3.6	41
18	Five compared with six fractions per week of conventional radiotherapy of squamous-cell carcinoma of head and neck: DAHANCA 6 and 7 randomised controlled trial. <i>Lancet, The</i> , 2003 , 362, 933-40	4.0	506
17	Implication of 18F-fluoro-2-deoxy-D-glucose positron emission tomography on management of carcinoma of unknown primary in the head and neck: a Danish cohort study. <i>Laryngoscope</i> , 2002 , 112, 2009-14	3.6	75
16	Cosmetic outcome and breast morbidity in breast-conserving treatment--results from the Danish DBCG-82TM national randomized trial in breast cancer. <i>Acta Oncologica</i> , 2002 , 41, 369-80	3.2	71
15	Decision-making models in the analysis of portal films: a clinical pilot study. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2000 , 44, 72-83		16
14	Relationship between DNA double-strand breaks, cell killing, and fibrosis studied in confluent skin fibroblasts derived from breast cancer patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2000 , 46, 481-90	4	50
13	Treatment of morbidity associated with the management of the axilla in breast-conserving therapy. <i>Acta Oncologica</i> , 2000 , 39, 349-54	3.2	86
12	Fibroblast differentiation in subcutaneous fibrosis after postmastectomy radiotherapy. <i>Acta Oncologica</i> , 2000 , 39, 383-8	3.2	33
11	Ku70/80 gene expression and DNA-dependent protein kinase (DNA-PK) activity do not correlate with double-strand break (dsb) repair capacity and cellular radiosensitivity in normal human fibroblasts. <i>British Journal of Cancer</i> , 1999 , 79, 1037-41	8.7	31
10	Is there more than one late radiation proctitis syndrome?. <i>Radiotherapy and Oncology</i> , 1999 , 51, 43-53	5.3	133
9	Do acute mucosal reactions lead to consequential late reactions in patients with head and neck cancer?. <i>Radiotherapy and Oncology</i> , 1999 , 52, 157-64	5.3	130
8	Describing patients' normal tissue reactions: concerning the possibility of individualising radiotherapy dose prescriptions based on potential predictive assays of normal tissue radiosensitivity. Steering Committee of the BioMed2 European Union Concerted Action Programme on the Development of Predictive Tests of Normal Tissue Response to Radiation	7.5	78
7	Radiosensitivity of normal fibroblasts from breast cancer patients assessed by the micronucleus and colony assays. <i>International Journal of Radiation Biology</i> , 1998 , 73, 671-8	2.9	19
6	Relationship between the in vitro radiosensitivity of skin fibroblasts and the expression of subcutaneous fibrosis, telangiectasia, and skin erythema after radiotherapy. <i>Radiotherapy and Oncology</i> , 1996 , 40, 101-9	5.3	122
5	Quantitative magnetic resonance for assessment of radiation fibrosis after post-mastectomy radiotherapy. <i>British Journal of Radiology</i> , 1994 , 67, 1238-42	3.4	16
4	Evidence for a positive correlation between in vitro radiosensitivity of normal human skin fibroblasts and the occurrence of subcutaneous fibrosis after radiotherapy. <i>International Journal of Radiation Biology</i> , 1994 , 66, 407-12	2.9	99
3	Lymph node metastases in the neck from unknown primary tumour. <i>Acta Oncologica</i> , 1992 , 31, 653-5	3.2	13
2	Epidermoid carcinoma of the pharynx. Therapeutic results in a series of 221 patients. <i>Acta Oncologica</i> , 1991 , 30, 33-7	3.2	3

1 Pigmented paravenous chorioretinal atrophy. *Acta Ophthalmologica*, **1988**, 66, 474-7

3.7 8