

Seung Yoon Ryu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9054960/publications.pdf>

Version: 2024-02-01

28
papers

416
citations

759233

12
h-index

752698

20
g-index

32
all docs

32
docs citations

32
times ranked

726
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Improved device efficiency and lifetime of perovskite light-emitting diodes by size-controlled polyvinylpyrrolidone-capped gold nanoparticles with dipole formation. <i>Scientific Reports</i> , 2022, 12, 2300. | 3.3 | 3 |
| 2 | Efficient Photon Extraction in Top-Emission Organic Light-Emitting Devices Based on Ampicillin Microstructures. <i>Advanced Materials</i> , 2022, 34, . | 21.0 | 5 |
| 3 | Highly efficient, heat dissipating, stretchable organic light-emitting diodes based on a MoO ₃ /Au/MoO ₃ electrode with encapsulation. <i>Nature Communications</i> , 2021, 12, 2864. | 12.8 | 42 |
| 4 | Y-shaped donor-acceptor based deep-blue electroluminescent material for Non-doped organic light emitting devices. <i>Journal of Luminescence</i> , 2021, 236, 118088. | 3.1 | 2 |
| 5 | Analysis of device performance and thin-film properties of thermally damaged organic light-emitting diodes. <i>Organic Electronics</i> , 2021, 99, 106304. | 2.6 | 3 |
| 6 | Comparison of organic light emitting diode performance using the spectroradiometer and the integrating sphere measurements. <i>AIP Advances</i> , 2020, 10, . | 1.3 | 6 |
| 7 | 6.16% Efficiency of Solid-State Fiber Dye-Sensitized Solar Cells Based on LiTFSI Electrolytes with Novel TEMPOL Derivatives. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 15065-15071. | 6.7 | 14 |
| 8 | Intramolecular charge transfer-based spirobifluorene-coupled heteroaromatic moieties as efficient hole transport layer and host in phosphorescent organic light-emitting diodes. <i>Organic Electronics</i> , 2020, 85, 105825. | 2.6 | 10 |
| 9 | Improved design of highly efficient micro-sized lithium-ion batteries for stretchable electronics. <i>Journal of Micromechanics and Microengineering</i> , 2019, 29, 075008. | 2.6 | 5 |
| 10 | Impact of tunable 2-(1 <i>H</i> -indol-3-yl)acetonitrile based fluorophores towards optical, thermal and electroluminescence properties. <i>RSC Advances</i> , 2019, 9, 14544-14557. | 3.6 | 4 |
| 11 | Replacement of n-type layers with a non-toxic APTES interfacial layer to improve the performance of amorphous Si thin-film solar cells. <i>RSC Advances</i> , 2019, 9, 7536-7542. | 3.6 | 10 |
| 12 | The effect of introducing antibiotics into organic light-emitting diodes. <i>Communications Physics</i> , 2019, 2, . | 5.3 | 3 |
| 13 | Harvesting near- and far-field plasmonic enhancements from large size gold nanoparticles for improved performance in organic bulk heterojunction solar cells. <i>Organic Electronics</i> , 2019, 66, 94-101. | 2.6 | 25 |
| 14 | Recombination Zone Control without Sensing Layer and the Exciton Confinement in Green Phosphorescent OLEDs by Excluding Interface Energy Transfer. <i>Journal of Physical Chemistry C</i> , 2018, 122, 2951-2958. | 3.1 | 36 |
| 15 | Enhanced device efficiency in organic light-emitting diodes by dual oxide buffer layer. <i>Organic Electronics</i> , 2018, 56, 254-259. | 2.6 | 16 |
| 16 | Direction-dependent stretchability of AgNW electrodes on microprism-mediated elastomeric substrates. <i>AIP Advances</i> , 2018, 8, 065227. | 1.3 | 1 |
| 17 | Improvement of charge balance, recombination zone confinement, and low efficiency roll-off in green phosphorescent OLEDs by altering electron transport layer thickness. <i>Materials Research Express</i> , 2018, 5, 076201. | 1.6 | 42 |
| 18 | Improved charge balance in phosphorescent organic light-emitting diodes by different ultraviolet ozone treatments on indium tin oxide. <i>Organic Electronics</i> , 2018, 61, 343-350. | 2.6 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Effects of the Wrinkle Structure and Flat Structure Formed During Static Low-Temperature Annealing of ZnO on the Performance of Inverted Polymer Solar Cells. <i>Journal of Physical Chemistry C</i> , 2017, 121, 9191-9201. | 3.1 | 25 |
| 20 | Improved hydrogenated amorphous silicon thin-film solar cells realized by replacing n-type Si layer with PFN interfacial layer. <i>Synthetic Metals</i> , 2017, 228, 91-98. | 3.9 | 7 |
| 21 | Correlation between interlayer thickness and device performance in blue phosphorescent organic light emitting diodes with a quantum well structure. <i>Organic Electronics</i> , 2017, 42, 343-347. | 2.6 | 9 |
| 22 | Multiaxial wavy top-emission organic light-emitting diodes on thermally prestrained elastomeric substrates. <i>Organic Electronics</i> , 2017, 48, 314-322. | 2.6 | 14 |
| 23 | Effects of Recombination Zone Formation on Optical Path Length and Device Performance in Blue Phosphorescent Organic Light-Emitting Diodes with Quantum Well Structure. <i>ECS Journal of Solid State Science and Technology</i> , 2016, 5, R44-R49. | 1.8 | 7 |
| 24 | Effects of Gold-Nanoparticle Surface and Vertical Coverage by Conducting Polymer between Indium Tin Oxide and the Hole Transport Layer on Organic Light-Emitting Diodes. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 15031-15041. | 8.0 | 27 |
| 25 | Dopant-Free Hydrogenated Amorphous Silicon Thin-Film Solar Cells Using Molybdenum Oxide and Lithium Fluoride. <i>Journal of Physical Chemistry C</i> , 2013, 117, 23459-23468. | 3.1 | 16 |
| 26 | Highly efficient hybrid thin-film solar cells using a solution-processed hole-blocking layer. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 1788-1792. | 2.8 | 13 |
| 27 | Doping-free silicon thin film solar cells using a vanadium pentoxide window layer and a LiF/Al back electrode. <i>Applied Physics Letters</i> , 2013, 103, . | 3.3 | 12 |
| 28 | Self-assembled monolayer as an interfacial modification material for highly efficient and air-stable inverted organic solar cells. <i>Applied Physics Letters</i> , 2013, 102, . | 3.3 | 46 |