

Laura S Gammill

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9055179/publications.pdf>

Version: 2024-02-01

31
papers

1,316
citations

361413

20
h-index

434195

31
g-index

44
all docs

44
docs citations

44
times ranked

1352
citing authors

#	ARTICLE	IF	CITATIONS
1	Chick cranial neural crest cells release extracellular vesicles that are critical for their migration. <i>Journal of Cell Science</i> , 2022, 135, .	2.0	11
2	Profiling NSD3-dependent neural crest gene expression reveals known and novel candidate regulatory factors. <i>Developmental Biology</i> , 2021, 475, 118-130.	2.0	7
3	The lysine methyltransferase <scp>SETD2</scp> is a dynamically expressed regulator of early neural crest development. <i>Genesis</i> , 2021, 59, e23448.	1.6	1
4	Embryological and Genetic Manipulation of Chick Development. <i>Methods in Molecular Biology</i> , 2019, 1920, 75-97.	0.9	10
5	Cytoplasmic protein methylation is essential for neural crest migration. <i>Journal of Cell Biology</i> , 2014, 204, 95-109.	5.2	27
6	Expression of actinâ€binding proteins and requirement for actinâ€depolymerizing factor in chick neural crest cells. <i>Developmental Dynamics</i> , 2014, 243, 730-738.	1.8	12
7	Neural crest specification and migration independently require NSD3-related lysine methyltransferase activity. <i>Molecular Biology of the Cell</i> , 2014, 25, 4174-4186.	2.1	20
8	FoxD3 regulates cranial neural crest EMT via downregulation of tetraspanin18 independent of its functions during neural crest formation. <i>Mechanisms of Development</i> , 2014, 132, 1-12.	1.7	26
9	Insights into neural crest phosphoregulation through the antiphosphatase Paladin (541.8). <i>FASEB Journal</i> , 2014, 28, 541.8.	0.5	0
10	Tetraspanin18 is a FoxD3-responsive antagonist of cranial neural crest epithelial to mesenchymal transition that maintains Cadherin6B protein. <i>Journal of Cell Science</i> , 2013, 126, 1464-76.	2.0	34
11	Using the antiphosphatase Paladin to understand the phosphoregulation of neural crest development. <i>FASEB Journal</i> , 2013, 27, 965.3.	0.5	0
12	Paladin is an antiphosphatase that regulates neural crest cell formation and migration. <i>Developmental Biology</i> , 2012, 371, 180-190.	2.0	24
13	DNA Methyltransferase 3b Is Dispensable for Mouse Neural Crest Development. <i>PLoS ONE</i> , 2012, 7, e47794.	2.5	31
14	Embryological and Genetic Manipulation of Chick Development. <i>Methods in Molecular Biology</i> , 2011, 770, 119-137.	0.9	15
15	Neuropilin receptors direct neural crest cell pathway choice and migratory trajectories. <i>FASEB Journal</i> , 2011, 25, .	0.5	0
16	Division of labor during trunk neural crest development. <i>Developmental Biology</i> , 2010, 344, 555-565.	2.0	67
17	Neural crest migration: Patterns, phases and signals. <i>Developmental Biology</i> , 2010, 344, 566-568.	2.0	78
18	Neuropilin receptors guide distinct phases of sensory and motor neuronal segmentation. <i>Development (Cambridge)</i> , 2009, 136, 1879-1888.	2.5	49

#	ARTICLE	IF	CITATIONS
19	Discovery of transcription factors and other candidate regulators of neural crest development. <i>Developmental Dynamics</i> , 2008, 237, 1021-1033.	1.8	45
20	Chapter 16 Gene Discovery: Microarrays and Microarrays. <i>Methods in Cell Biology</i> , 2008, 87, 297-312.	1.1	2
21	Neuropilin 2/semaphorin 3F signaling is essential for cranial neural crest migration and trigeminal ganglion condensation. <i>Developmental Neurobiology</i> , 2007, 67, 47-56.	3.0	105
22	Neuropilin 2/semaphorin 3F signaling is essential for cranial neural crest migration and trigeminal ganglion condensation. <i>Journal of Neurobiology</i> , 2007, 67, 47-56.	3.6	15
23	Abnormalities in neural crest cell migration in laminin $\hat{1}\pm 5$ mutant mice. <i>Developmental Biology</i> , 2006, 289, 218-228.	2.0	65
24	Guidance of trunk neural crest migration requires neuropilin 2/semaphorin 3F signaling. <i>Development (Cambridge)</i> , 2006, 133, 99-106.	2.5	157
25	Specification of the enveloping layer and lack of autoneuralization in zebrafish embryonic explants. <i>Developmental Dynamics</i> , 2005, 232, 85-97.	1.8	38
26	Discovery of genes implicated in placode formation. <i>Developmental Biology</i> , 2004, 274, 462-477.	2.0	22
27	Neural crest specification: migrating into genomics. <i>Nature Reviews Neuroscience</i> , 2003, 4, 795-805.	10.2	211
28	Genomic analysis of neural crest induction. <i>Development (Cambridge)</i> , 2002, 129, 5731-5741.	2.5	111
29	otx2 Expression in the Ectoderm Activates Anterior Neural Determination and Is Required for Xenopus Cement Gland Formation. <i>Developmental Biology</i> , 2001, 240, 223-236.	2.0	34
30	Coincidence of otx2 and BMP4 signaling correlates with Xenopus cement gland formation. <i>Mechanisms of Development</i> , 2000, 92, 217-226.	1.7	47
31	Aspects of the embryology and neural development of the American lobster. <i>The Journal of Experimental Zoology</i> , 1992, 261, 288-297.	1.4	49