## Sren Schou Olesen

## List of Publications by Citations

Source: https://exaly.com/author-pdf/9056020/soren-schou-olesen-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

121 papers 2,478 citations

28 h-index

46 g-index

134 ext. papers

3,241 ext. citations

4.2 avg, IF

**5.18** L-index

| #   | Paper                                                                                                                                                                                       | IF   | Citations |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 121 | Pregabalin reduces pain in patients with chronic pancreatitis in a randomized, controlled trial. <i>Gastroenterology</i> , <b>2011</b> , 141, 536-43                                        | 13.3 | 149       |
| 120 | Opioid-induced bowel dysfunction: pathophysiology and management. <i>Drugs</i> , <b>2012</b> , 72, 1847-65                                                                                  | 12.1 | 144       |
| 119 | Guidelines for the understanding and management of pain in chronic pancreatitis. <i>Pancreatology</i> , <b>2017</b> , 17, 720-731                                                           | 3.8  | 120       |
| 118 | Descending inhibitory pain modulation is impaired in patients with chronic pancreatitis. <i>Clinical Gastroenterology and Hepatology</i> , <b>2010</b> , 8, 724-30                          | 6.9  | 98        |
| 117 | Gastrointestinal pain. <i>Nature Reviews Disease Primers</i> , <b>2020</b> , 6, 1                                                                                                           | 51.1 | 92        |
| 116 | Quantitative sensory testing predicts pregabalin efficacy in painful chronic pancreatitis. <i>PLoS ONE</i> , <b>2013</b> , 8, e57963                                                        | 3.7  | 87        |
| 115 | Acid hypersensitivity in patients with eosinophilic oesophagitis. <i>Scandinavian Journal of Gastroenterology</i> , <b>2010</b> , 45, 273-81                                                | 2.4  | 74        |
| 114 | Recommendations from the United European Gastroenterology evidence-based guidelines for the diagnosis and therapy of chronic pancreatitis. <i>Pancreatology</i> , <b>2018</b> , 18, 847-854 | 3.8  | 71        |
| 113 | Effects of pregabalin on central sensitization in patients with chronic pancreatitis in a randomized, controlled trial. <i>PLoS ONE</i> , <b>2012</b> , 7, e42096                           | 3.7  | 65        |
| 112 | Reduced cortical thickness of brain areas involved in pain processing in patients with chronic pancreatitis. <i>Clinical Gastroenterology and Hepatology</i> , <b>2012</b> , 10, 434-8.e1   | 6.9  | 61        |
| 111 | Nutrition in chronic pancreatitis. World Journal of Gastroenterology, 2013, 19, 7267-75                                                                                                     | 5.6  | 61        |
| 110 | Altered brain microstructure assessed by diffusion tensor imaging in patients with chronic pancreatitis. <i>Gut</i> , <b>2011</b> , 60, 1554-62                                             | 19.2 | 60        |
| 109 | Pain and chronic pancreatitis: a complex interplay of multiple mechanisms. <i>World Journal of Gastroenterology</i> , <b>2013</b> , 19, 7282-91                                             | 5.6  | 60        |
| 108 | Pain severity reduces life quality in chronic pancreatitis: Implications for design of future outcome trials. <i>Pancreatology</i> , <b>2014</b> , 14, 497-502                              | 3.8  | 59        |
| 107 | Guidelines for the Diagnostic Cross Sectional Imaging and Severity Scoring of Chronic Pancreatitis. <i>Pancreatology</i> , <b>2018</b> , 18, 764-773                                        | 3.8  | 51        |
| 106 | Systematic mechanism-orientated approach to chronic pancreatitis pain. <i>World Journal of Gastroenterology</i> , <b>2015</b> , 21, 47-59                                                   | 5.6  | 49        |
| 105 | Is altered central pain processing related to disease stage in chronic pancreatitis patients with pain? An exploratory study. <i>PLoS ONE</i> , <b>2013</b> , 8, e55460                     | 3.7  | 46        |

| 104 | Pain-associated adaptive cortical reorganisation in chronic pancreatitis. <i>Pancreatology</i> , <b>2010</b> , 10, 742-51                                                                              | 3.8  | 46 |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 103 | The analgesic effect of pregabalin in patients with chronic pain is reflected by changes in pharmaco-EEG spectral indices. <i>British Journal of Clinical Pharmacology</i> , <b>2012</b> , 73, 363-72  | 3.8  | 45 |
| 102 | Fibrosis, atrophy, and ductal pathology in chronic pancreatitis are associated with pancreatic function but independent of symptoms. <i>Pancreas</i> , <b>2013</b> , 42, 1182-7                        | 2.6  | 45 |
| 101 | Reliability of static and dynamic quantitative sensory testing in patients with painful chronic pancreatitis. <i>Regional Anesthesia and Pain Medicine</i> , <b>2012</b> , 37, 530-6                   | 3.4  | 41 |
| 100 | Slowed EEG rhythmicity in patients with chronic pancreatitis: evidence of abnormal cerebral pain processing?. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2011</b> , 23, 418-24    | 2.2  | 40 |
| 99  | Sarcopenia associates with increased hospitalization rates and reduced survival in patients with chronic pancreatitis. <i>Pancreatology</i> , <b>2019</b> , 19, 245-251                                | 3.8  | 35 |
| 98  | Pain in pancreatic ductal adenocarcinoma: A multidisciplinary, International guideline for optimized management. <i>Pancreatology</i> , <b>2018</b> , 18, 446-457                                      | 3.8  | 32 |
| 97  | Pharmacological pain management in chronic pancreatitis. <i>World Journal of Gastroenterology</i> , <b>2013</b> , 19, 7292-301                                                                         | 5.6  | 32 |
| 96  | Controversies on the endoscopic and surgical management of pain in patients with chronic pancreatitis: pros and cons!. <i>Gut</i> , <b>2019</b> , 68, 1343-1351                                        | 19.2 | 31 |
| 95  | Proximal and distal esophageal sensitivity is decreased in patients with Barrett's esophagus. <i>World Journal of Gastroenterology</i> , <b>2011</b> , 17, 514-21                                      | 5.6  | 31 |
| 94  | Brain activity in rectosigmoid pain: unravelling conditioning pain modulatory pathways. <i>Clinical Neurophysiology</i> , <b>2012</b> , 123, 829-37                                                    | 4.3  | 30 |
| 93  | Fermentable Sugar Ingestion, Gas Production, and Gastrointestinal and Central Nervous System Symptoms in Patients With Functional Disorders. <i>Gastroenterology</i> , <b>2018</b> , 155, 1034-1044.e6 | 13.3 | 28 |
| 92  | Towards a neurobiological understanding of pain in chronic pancreatitis: mechanisms and implications for treatment. <i>Pain Reports</i> , <b>2017</b> , 2, e625                                        | 3.5  | 27 |
| 91  | Secretin-stimulated MRI characterization of pancreatic morphology and function in patients with chronic pancreatitis. <i>Pancreatology</i> , <b>2017</b> , 17, 228-236                                 | 3.8  | 26 |
| 90  | The prevalence of underweight is increased in chronic pancreatitis outpatients and associates with reduced life quality. <i>Nutrition</i> , <b>2017</b> , 43-44, 1-7                                   | 4.8  | 25 |
| 89  | Development and Validation of a Chronic Pancreatitis Prognosis Score in 2 Independent Cohorts. <i>Gastroenterology</i> , <b>2017</b> , 153, 1544-1554.e2                                               | 13.3 | 23 |
| 88  | The Scandinavian baltic pancreatic club (SBPC) database: design, rationale and characterisation of the study cohort. <i>Scandinavian Journal of Gastroenterology</i> , <b>2017</b> , 52, 909-915       | 2.4  | 22 |
| 87  | Brain source connectivity reveals the visceral pain network. <i>NeuroImage</i> , <b>2012</b> , 60, 37-46                                                                                               | 7.9  | 22 |

| 86 | Chronic Pancreatitis Is Characterized by Distinct Complication Clusters That Associate With Etiological Risk Factors. <i>American Journal of Gastroenterology</i> , <b>2019</b> , 114, 656-664                           | 0.7  | 21 |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 85 | Neuroimaging of the human visceral pain system-A methodological review. <i>Scandinavian Journal of Pain</i> , <b>2018</b> , 2, 95-104                                                                                    | 1.9  | 19 |
| 84 | Management of chronic visceral pain. Pain Management, <b>2016</b> , 6, 469-86                                                                                                                                            | 2.3  | 19 |
| 83 | Opioid treatment and hypoalbuminemia are associated with increased hospitalisation rates in chronic pancreatitis outpatients. <i>Pancreatology</i> , <b>2016</b> , 16, 807-13                                            | 3.8  | 18 |
| 82 | Secretin-Stimulated Magnetic Resonance Imaging Assessment of the Benign Pancreatic Disorders: Systematic Review and Proposal for a Standardized Protocol. <i>Pancreas</i> , <b>2016</b> , 45, 1092-103                   | 2.6  | 18 |
| 81 | Acute physiological and electrical accentuation of vagal tone has no effect on pain or gastrointestinal motility in chronic pancreatitis. <i>Journal of Pain Research</i> , <b>2017</b> , 10, 1347-1355                  | 2.9  | 17 |
| 80 | Electroencephalogram variability in patients with cirrhosis associates with the presence and severity of hepatic encephalopathy. <i>Journal of Hepatology</i> , <b>2016</b> , 65, 517-23                                 | 13.4 | 16 |
| 79 | Quantification of parenchymal calcifications in chronic pancreatitis: relation to atrophy, ductal changes, fibrosis and clinical parameters. <i>Scandinavian Journal of Gastroenterology</i> , <b>2018</b> , 53, 218-224 | 2.4  | 16 |
| 78 | Mechanism-based pain management in chronic pancreatitis - is it time for a paradigm shift?. <i>Expert Review of Clinical Pharmacology</i> , <b>2019</b> , 12, 249-258                                                    | 3.8  | 15 |
| 77 | Pregabalin and placebo responders show different effects on central pain processing in chronic pancreatitis patients. <i>Journal of Pain Research</i> , <b>2015</b> , 8, 375-86                                          | 2.9  | 15 |
| 76 | Repeatability and effect of blinding of fructose breath tests in patients with functional gastrointestinal disorders. <i>Neurogastroenterology and Motility</i> , <b>2019</b> , 31, e13497                               | 4    | 14 |
| 75 | A clinically feasible method for the assessment and characterization of pain in patients with chronic pancreatitis. <i>Pancreatology</i> , <b>2020</b> , 20, 25-34                                                       | 3.8  | 13 |
| 74 | MRI assessed pancreatic morphology and exocrine function are associated with disease burden in chronic pancreatitis. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2017</b> , 29, 1269-1275            | 2.2  | 12 |
| 73 | The pain system in oesophageal disorders: mechanisms, clinical characteristics, and treatment. <i>Gastroenterology Research and Practice</i> , <b>2011</b> , 2011, 910420                                                | 2    | 12 |
| 72 | Breath methane concentrations and markers of obesity in patients with functional gastrointestinal disorders. <i>United European Gastroenterology Journal</i> , <b>2018</b> , 6, 595-603                                  | 5.3  | 12 |
| 71 | Integrity of central nervous function in diabetes mellitus assessed by resting state EEG frequency analysis and source localization. <i>Journal of Diabetes and Its Complications</i> , <b>2017</b> , 31, 400-406        | 3.2  | 11 |
| 70 | Acupuncture for Pain in Chronic Pancreatitis: A Single-Blinded Randomized Crossover Trial. <i>Pancreas</i> , <b>2017</b> , 46, 170-176                                                                                   | 2.6  | 11 |
| 69 | Secretin-stimulated MRI assessment of exocrine pancreatic function in patients with cystic fibrosis and healthy controls. <i>Abdominal Radiology</i> , <b>2017</b> , 42, 890-899                                         | 3    | 11 |

## (2021-2010)

| 68 | Abnormal brain processing in hepatic encephalopathy: evidence of cerebral reorganization?. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2010</b> , 22, 1323-30                                 | 2.2 | 11 |  |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|--|
| 67 | The cortical responses to evoked clinical pain in patients with hip osteoarthritis. <i>PLoS ONE</i> , <b>2017</b> , 12, e0186400                                                                                  | 3.7 | 11 |  |
| 66 | Electrophysiology as a tool to unravel the origin of pancreatic pain. World Journal of Gastrointestinal Pathophysiology, <b>2014</b> , 5, 33-9                                                                    | 3.2 | 11 |  |
| 65 | Patient and Disease Characteristics Associate With Sensory Testing Results in Chronic Pancreatitis. <i>Clinical Journal of Pain</i> , <b>2019</b> , 35, 786-793                                                   | 3.5 | 11 |  |
| 64 | Normal pancreatic volume in adults is influenced by visceral fat, vertebral body width and age. <i>Abdominal Radiology</i> , <b>2019</b> , 44, 958-966                                                            | 3   | 11 |  |
| 63 | A New Method for Sham-Controlled Acupuncture in Experimental Visceral Pain - a Randomized, Single-Blinded Study. <i>Pain Practice</i> , <b>2016</b> , 16, 669-79                                                  | 3   | 10 |  |
| 62 | Spectral and dynamic electroencephalogram abnormalities are correlated to psychometric test performance in hepatic encephalopathy. <i>Scandinavian Journal of Gastroenterology</i> , <b>2011</b> , 46, 988-96     | 2.4 | 10 |  |
| 61 | Association of multiple patient and disease characteristics with the presence and type of pain in chronic pancreatitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2020</b> , 35, 326-333 | 4   | 9  |  |
| 60 | Body composition predicts clinical outcome in patients with intestinal failure on long-term home parenteral nutrition. <i>Clinical Nutrition ESPEN</i> , <b>2018</b> , 28, 193-200                                | 1.3 | 9  |  |
| 59 | Multiple risk factors for diabetes mellitus in patients with chronic pancreatitis: A multicentre study of 1117 cases. <i>United European Gastroenterology Journal</i> , <b>2020</b> , 8, 453-461                  | 5.3 | 8  |  |
| 58 | Psychiatric Comorbidity in Patients With Chronic Pancreatitis Associates With Pain and Reduced Quality of Life. <i>American Journal of Gastroenterology</i> , <b>2020</b> , 115, 2077-2085                        | 0.7 | 8  |  |
| 57 | Progression of Structural Brain Changes in Patients With Chronic Pancreatitis and Its Association to Chronic Pain: A 7-Year Longitudinal Follow-up Study. <i>Pancreas</i> , <b>2018</b> , 47, 1267-1276           | 2.6 | 8  |  |
| 56 | Pancreas-specific plasma amylase for assessment and diagnosis of chronic pancreatitis: New insights on an old topic. <i>United European Gastroenterology Journal</i> , <b>2019</b> , 7, 955-964                   | 5.3 | 7  |  |
| 55 | Progression of parenchymal and ductal findings in patients with chronic pancreatitis: A 4-year follow-up MRI study. <i>European Journal of Radiology</i> , <b>2020</b> , 125, 108868                              | 4.7 | 7  |  |
| 54 | The absorption profile of pregabalin in chronic pancreatitis. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2012</b> , 111, 385-90                                                                   | 3.1 | 7  |  |
| 53 | Update of exocrine functional diagnostics in chronic pancreatitis. <i>Clinical Physiology and Functional Imaging</i> , <b>2013</b> , 33, 167-72                                                                   | 2.4 | 7  |  |
| 52 | Is Preoperative Quantitative Sensory Testing Related to Persistent Postsurgical Pain? A Systematic Literature Review. <i>Anesthesia and Analgesia</i> , <b>2020</b> , 131, 1146-1155                              | 3.9 | 7  |  |
| 51 | Hypertriglyceridemia is often under recognized as an aetiologic risk factor for acute pancreatitis: A population-based cohort study. <i>Pancreatology</i> , <b>2021</b> , 21, 334-341                             | 3.8 | 7  |  |

| 50 | Pancreatic calcifications associate with diverse aetiological risk factors in patients with chronic pancreatitis: A multicentre study of 1500 cases. <i>Pancreatology</i> , <b>2019</b> , 19, 922-928                                     | 3.8   | 6 |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|---|
| 49 | A Clinical Feasible Method for Computed Tomography-Based Assessment of Sarcopenia in Patients With Chronic Pancreatitis. <i>Pancreas</i> , <b>2019</b> , 48, 1354-1359                                                                    | 2.6   | 6 |
| 48 | Patient reported exposure to smoking and alcohol abuse are associated with pain and other complications in patients with chronic pancreatitis. <i>Pancreatology</i> , <b>2020</b> , 20, 844-851                                           | 3.8   | 5 |
| 47 | Systematic approach for assessment of imaging features in chronic pancreatitis: a feasibility and validation study from the Scandinavian Baltic Pancreatic Club (SBPC) database. <i>Abdominal Radiology</i> , <b>2020</b> , 45, 1468-1480 | 3     | 5 |
| 46 | Pancreatic magnetic resonance imaging texture analysis in chronic pancreatitis: a feasibility and validation study. <i>Abdominal Radiology</i> , <b>2020</b> , 45, 1497-1506                                                              | 3     | 5 |
| 45 | Pain and aetiological risk factors determine quality of life in patients with chronic pancreatitis, but a brick in the puzzle is missing. <i>Pancreatology</i> , <b>2020</b> , 20, 1347-1353                                              | 3.8   | 5 |
| 44 | Is Timing of Medical Therapy Related to Outcome in Painful Chronic Pancreatitis?. <i>Pancreas</i> , <b>2016</b> , 45, 381-7                                                                                                               | 2.6   | 5 |
| 43 | Study protocol for a randomised double-blinded, sham-controlled, prospective, cross-over clinical trial of vagal neuromodulation for pain treatment in patients with chronic pancreatitis. <i>BMJ Open</i> , <b>2019</b> , 9, e029546     | 3     | 5 |
| 42 | A Pragmatic Utility Function to Describe the Risk-Benefit Composite of Opioid and Nonopioid Analgesic Medication. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2019</b> , 371, 416-421                               | 4.7   | 5 |
| 41 | Time trends in incidence and prevalence of chronic pancreatitis: A 25-year population-based nationwide study. <i>United European Gastroenterology Journal</i> , <b>2021</b> , 9, 82-90                                                    | 5.3   | 5 |
| 40 | Tools and tactics for improving the diagnosis of hepatic encephalopathy. <i>Journal of Hepatology</i> , <b>2017</b> , 66, 1327-1328                                                                                                       | 13.4  | 4 |
| 39 | Cingulate glutamate levels associate with pain in chronic pancreatitis patients. <i>NeuroImage: Clinical</i> , <b>2019</b> , 23, 101925                                                                                                   | 5.3   | 4 |
| 38 | The sentinel acute pancreatitis event hypothesis revisited. <i>Pancreatology</i> , <b>2019</b> , 19, 614-615                                                                                                                              | 3.8   | 4 |
| 37 | Predicting Persistent Pain After Surgery: Can Predicting the Weather Serve as an Example?. <i>Anesthesia and Analgesia</i> , <b>2018</b> , 127, 1264-1267                                                                                 | 3.9   | 4 |
| 36 | Symptoms of mast cell activation syndrome in functional gastrointestinal disorders. <i>Scandinavian Journal of Gastroenterology</i> , <b>2019</b> , 54, 1322-1325                                                                         | 2.4   | 4 |
| 35 | Micronutrient deficits in patients with chronic pancreatitis: prevalence, risk factors and pitfalls. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2020</b> , 32, 1328-1334                                             | 2.2   | 4 |
| 34 | Characterisation of the fibroinflammatory process involved in progression from acute to chronic pancreatitis: study protocol for a multicentre, prospective cohort study. <i>BMJ Open</i> , <b>2019</b> , 9, e028999                      | 3     | 4 |
| 33 | Combined extracorporeal shock wave lithotripsy and endoscopic treatment for pain in chronic pancreatitis (SCHOKE trial): study protocol for a randomized, sham-controlled trial. <i>Trials</i> , <b>2020</b> , 21, 338                    | 3 2.8 | 4 |

| 32 | Disrupted functional connectivity of default mode and salience networks in chronic pancreatitis patients. <i>Clinical Neurophysiology</i> , <b>2020</b> , 131, 1021-1029                                               | 4.3              | 3 |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|---|
| 31 | A pilot-study of hypnotherapy as complementary treatment for pain in chronic pancreatitis. <i>Journal of Complementary and Integrative Medicine</i> , <b>2018</b> , 15,                                                | 1.5              | 3 |
| 30 | Progression of pancreatic morphology in chronic pancreatitis is not associated with changes in quality of life and pain. <i>Scandinavian Journal of Gastroenterology</i> , <b>2020</b> , 55, 1099-1107                 | 2.4              | 3 |
| 29 | Development of the Comprehensive Pain Assessment Tool Short Form for Chronic Pancreatitis: Validity and Reliability Testing. <i>Clinical Gastroenterology and Hepatology</i> , <b>2021</b> ,                           | 6.9              | 3 |
| 28 | Complications to Chronic Pancreatitis and Etiological Risk Factors: A Continental Divide?. <i>American Journal of Gastroenterology</i> , <b>2019</b> , 114, 1353                                                       | 0.7              | 3 |
| 27 | Can we rely on predicted basal metabolic rate in chronic pancreatitis outpatients?. <i>Clinical Nutrition ESPEN</i> , <b>2015</b> , 10, e66-e70                                                                        | 1.3              | 2 |
| 26 | Pancreatic QST Differentiates Chronic Pancreatitis Patients into Distinct Pain Phenotypes Independent of Psychiatric Comorbidities. <i>Clinical Gastroenterology and Hepatology</i> , <b>2020</b> ,                    | 6.9              | 2 |
| 25 | Practical and clinical applications of pancreatic magnetic resonance elastography: a systematic review. <i>Abdominal Radiology</i> , <b>2021</b> , 46, 4744-4764                                                       | 3                | 2 |
| 24 | Glucose-Lowering Therapy in Patients With Postpancreatitis Diabetes Mellitus: A Nationwide Population-Based Cohort Study. <i>Diabetes Care</i> , <b>2021</b> , 44, 2045-2052                                           | 14.6             | 2 |
| 23 | A Quantitative Sensory Testing Paradigm to Obtain Measures of Pain Processing in Patients Undergoing Breast Cancer Surgery. <i>Journal of Visualized Experiments</i> , <b>2018</b> ,                                   | 1.6              | 1 |
| 22 | Rationale for and Development of the Pancreatic Quantitative Sensory Testing Consortium to Study Pain in Chronic Pancreatitis. <i>Pancreas</i> , <b>2021</b> , 50, 1298-1304                                           | 2.6              | 1 |
| 21 | Extragastrointestinal Symptoms and Sensory Responses During Breath Tests Distinguish Patients With Functional Gastrointestinal Disorders. <i>Clinical and Translational Gastroenterology</i> , <b>2020</b> , 11, e0019 | 2 <sup>4.2</sup> | 1 |
| 20 | Altered brain morphology in chronic pancreatitis patients and its association with pain and other disease characteristics. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2019</b> , 31, 1092-1098    | 2.2              | 1 |
| 19 | Cortical networks are disturbed in people with cirrhosis even in the absence of neuropsychometric impairment. <i>Clinical Neurophysiology</i> , <b>2019</b> , 130, 419-427                                             | 4.3              | 1 |
| 18 | Is Cambridge scoring in chronic pancreatitis the same using ERCP and MRCP?: A need for revision of standards. <i>Abdominal Radiology</i> , <b>2021</b> , 46, 647-654                                                   | 3                | 1 |
| 17 | Clinical and biochemical characteristics of postpancreatitis diabetes mellitus: A cross-sectional study from the Danish nationwide DD2 cohort. <i>Journal of Diabetes</i> , <b>2021</b> , 13, 960-974                  | 3.8              | 1 |
| 16 | Impact of age on the diagnostic performance of pancreatic ductal diameters in detecting chronic pancreatitis. <i>Abdominal Radiology</i> , <b>2020</b> , 45, 1488-1494                                                 | 3                | 0 |
| 15 | Confusion with the definition and diagnostic criteria for acute on chronic pancreatitis: review and recommendations <i>Scandinavian Journal of Gastroenterology</i> , <b>2022</b> , 1-7                                | 2.4              | О |

| 14 | Pancreatic atrophy and exocrine insufficiency associate with the presence of diabetes in chronic pancreatitis patients, but additional mediators are operative. <i>Scandinavian Journal of Gastroenterology</i> , <b>2021</b> , 56, 321-328                                                            | 2.4  | О |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---|
| 13 | Aetiological risk factors are associated with distinct imaging findings in patients with chronic pancreatitis: A study of 959 cases from the Scandinavian Baltic Pancreatic Club (SBPC) imaging database. <i>Pancreatology</i> , <b>2021</b> , 21, 688-697                                             | 3.8  | O |
| 12 | Cervical transcutaneous vagal neuromodulation in chronic pancreatitis patients with chronic pain: A randomised sham controlled clinical trial. <i>PLoS ONE</i> , <b>2021</b> , 16, e0247653                                                                                                            | 3.7  | O |
| 11 | Assessment of pain associated with chronic pancreatitis: An international consensus guideline. <i>Pancreatology</i> , <b>2021</b> , 21, 1256-1284                                                                                                                                                      | 3.8  | O |
| 10 | T1 relaxation times and MR elastography-derived stiffness: new potential imaging biomarkers for the assessment of chronic pancreatitis. <i>Abdominal Radiology</i> , <b>2021</b> , 46, 5598-5608                                                                                                       | 3    | О |
| 9  | Reply. <i>Gastroenterology</i> , <b>2019</b> , 156, 1221-1222                                                                                                                                                                                                                                          | 13.3 |   |
| 8  | Bias towards surgery for pain in chronic pancreatitis. <i>Pancreatology</i> , <b>2020</b> , 20, 305-306                                                                                                                                                                                                | 3.8  |   |
| 7  | Altered cortical causality after remifentanil administration in healthy volunteers: a novel approach for pharmaco-EEG. Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2014, | 0.9  |   |
| 6  | The Pathogenesis of Chronic Pancreatitis <b>2017</b> , 29-62                                                                                                                                                                                                                                           |      |   |
| 5  | In Reply. Anesthesiology, <b>2015</b> , 123, 486                                                                                                                                                                                                                                                       | 4.3  |   |
| 4  | Lessons Learned from Visceral Sensory Stimulation: Implications for Treatment of Chronic Abdominal Pain <b>2015</b> , 45-58                                                                                                                                                                            |      |   |
| 3  | Reply. <i>Pancreas</i> , <b>2020</b> , 49, e82-e83                                                                                                                                                                                                                                                     | 2.6  |   |
| 2  | Medical Treatment of Pain in Chronic Pancreatitis <b>2021</b> , 273-282                                                                                                                                                                                                                                |      |   |
| 1  | Simple Quantitative Sensory Testing Reveals Paradoxical Co-existence of Hypoesthesia and Hyperalgesia in Diabetes <i>Frontiers in Pain Research</i> , <b>2021</b> , 2, 701172                                                                                                                          | 1.4  |   |