
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9056846/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	High levels of autoantibodies against apoB100 p210 are associated with lower incidence of atrial fibrillation in women. Journal of Internal Medicine, 2022, 291, 207-217.	6.0	3
2	Circulating Interleukin-6 Levels and Incident Ischemic Stroke. Neurology, 2022, 98, .	1.1	29
3	Atherosclerosis: cell biology and lipoproteins. Current Opinion in Lipidology, 2022, 33, 208-210.	2.7	0
4	Association of Circulating Monocyte Chemoattractant Protein–1 Levels With Cardiovascular Mortality. JAMA Cardiology, 2021, 6, 587.	6.1	35
5	Atherosclerosis: cell biology and lipoproteins. Current Opinion in Lipidology, 2021, 32, 74-75.	2.7	2
6	Immune responses against oxidized LDL as possible targets for prevention of atherosclerosis in systemic lupus erythematosus. Vascular Pharmacology, 2021, 140, 106863.	2.1	4
7	Legumain is upregulated in acute cardiovascular events and associated with improved outcome - potentially related to anti-inflammatory effects on macrophages. Atherosclerosis, 2020, 296, 74-82.	0.8	14
8	Low Levels of CD4 ⁺ CD28 ^{null} T Cells at Baseline Are Associated With First-Time Coronary Events in a Prospective Population-Based Case-Control Cohort. Arteriosclerosis, Thrombosis, and Vascular Biology, 2020, 40, 426-436.	2.4	11
9	CD163+ macrophages are associated with a vulnerable plaque phenotype in human carotid plaques. Scientific Reports, 2020, 10, 14362.	3.3	25
10	Circulating Monocyte Chemoattractant Protein-1 and Risk of Stroke. Circulation Research, 2019, 125, 773-782.	4.5	78
11	Cartilage Oligomeric Matrix Protein Associates With a Vulnerable Plaque Phenotype in Human Atherosclerotic Plaques. Stroke, 2019, 50, 3289-3292.	2.0	10
12	Lack of Ability to Present Antigens on Major Histocompatibility Complex Class II Molecules Aggravates Atherosclerosis in ApoE ^{â^' â^'} Mice. Circulation, 2019, 139, 2554-2566.	1.6	35
13	High Levels of Soluble Lectinlike Oxidized Lowâ€Density Lipoprotein Receptorâ€1 Are Associated With Carotid Plaque Inflammation and Increased Risk of Ischemic Stroke. Journal of the American Heart Association, 2019, 8, e009874.	3.7	37
14	Associations of Interleukin-5 With Plaque Development and Cardiovascular Events. JACC Basic To Translational Science, 2019, 4, 891-902.	4.1	16
15	ILC2 transfers to apolipoprotein E deficient mice reduce the lipid content of atherosclerotic lesions. BMC Immunology, 2019, 20, 47.	2.2	10
16	Elevated circulating effector memory T cells but similar levels of regulatory T cells in patients with type 2 diabetes mellitus and cardiovascular disease. Diabetes and Vascular Disease Research, 2019, 16, 270-280.	2.0	29
17	Atherosclerosis. Current Opinion in Lipidology, 2019, 30, 50-52.	2.7	1
18	Altered metabolism distinguishes high-risk from stable carotid atherosclerotic plaques. European Heart Journal, 2018, 39, 2301-2310.	2.2	104

#	Article	IF	CITATIONS
19	Interleukin-25 (IL-25) has a protective role in atherosclerosis development in the aortic arch in mice. Journal of Biological Chemistry, 2018, 293, 6791-6801.	3.4	14
20	IL-1R and MyD88 signalling in CD4+ T cells promote Th17 immunity and atherosclerosis. Cardiovascular Research, 2018, 114, 180-187.	3.8	44
21	B cells treated with CTB-p210 acquire a regulatory phenotype in vitro and reduce atherosclerosis in apolipoprotein E deficient mice. Vascular Pharmacology, 2018, 111, 54-61.	2.1	6
22	Use of Vascular Assessments and Novel Biomarkers to Predict Cardiovascular Events in Type 2 Diabetes: The SUMMIT VIP Study. Diabetes Care, 2018, 41, 2212-2219.	8.6	28
23	Interleukin-25 reduces Th17 cells and inflammatory responses in human peripheral blood mononuclear cells. Human Immunology, 2018, 79, 685-692.	2.4	5
24	IL-16/miR-125a axis controls neutrophil recruitment in pristane-induced lung inflammation. JCI Insight, 2018, 3, .	5.0	34
25	Circulating GDF-15 levels predict future secondary manifestations of cardiovascular disease explicitly in women but not men with atherosclerosis. International Journal of Cardiology, 2017, 241, 430-436.	1.7	24
26	High circulating levels of LOX-1 are associated with elevated risk of ischemic stroke. Atherosclerosis, 2017, 263, e47.	0.8	0
27	Plasma stem cell factor levels are associated with risk of cardiovascular disease and death. Journal of Internal Medicine, 2017, 282, 508-521.	6.0	27
28	High Levels of (Un)Switched Memory B Cells Are Associated With Better Outcome in Patients With Advanced Atherosclerotic Disease. Journal of the American Heart Association, 2017, 6, .	3.7	22
29	Elevated Markers of Death Receptor-Activated Apoptosis are Associated with Increased Risk for Development of Diabetes and Cardiovascular Disease. EBioMedicine, 2017, 26, 187-197.	6.1	43
30	Atherosclerosis. Current Opinion in Lipidology, 2016, 27, 94-96.	2.7	0
31	Decreased levels of stem cell factor in subjects with incident coronary events. Journal of Internal Medicine, 2016, 279, 180-191.	6.0	15
32	High levels of cathepsin D and cystatin B are associated with increased risk of coronary events. Open Heart, 2016, 3, e000353.	2.3	39
33	Genetic loci on chromosome 5 are associated with circulating levels of interleukin-5 and eosinophil count in a European population with high risk for cardiovascular disease. Cytokine, 2016, 81, 1-9.	3.2	12
34	Can Circulating Regulatory T Cells Predict Cardiovascular Disease?. EBioMedicine, 2016, 11, 15-16.	6.1	3
35	Endarterectomy patients with elevated levels of circulating IL-16 have fewer cardiovascular events during follow-up. Cytokine, 2016, 85, 137-139.	3.2	6
36	<scp>CD</scp> 4 ⁺ <scp>CD</scp> 56 ⁺ natural killer Tâ€like cells secreting interferonâ€l³ are associated with incident coronary events. Journal of Internal Medicine, 2016, 279, 78-88.	6.0	6

#	Article	IF	CITATIONS
37	Associations Between Macrophage Colonyâ€Stimulating Factor and Monocyte Chemotactic Protein 1 in Plasma and Firstâ€Time Coronary Events: A Nested Case–Control Study. Journal of the American Heart Association, 2016, 5, .	3.7	17
38	Association between renin and atherosclerotic burden in subjects with and without type 2 diabetes. BMC Cardiovascular Disorders, 2016, 16, 171.	1.7	13
39	Low Levels of Apolipoprotein B-100 Autoantibodies Are Associated With Increased Risk of Coronary Events. Arteriosclerosis, Thrombosis, and Vascular Biology, 2016, 36, 765-771.	2.4	43
40	Apolipoprotein B-100 Antibody Interaction With Atherosclerotic Plaque Inflammation and Repair Processes. Stroke, 2016, 47, 1140-1143.	2.0	11
41	High Plasma Levels of Galectin-3 Are Associated with Increased Risk for Stroke after Carotid Endarterectomy. Cerebrovascular Diseases, 2016, 41, 199-203.	1.7	26
42	Low Levels of IgM Antibodies against an Advanced Glycation Endproduct–Modified Apolipoprotein B100 Peptide Predict Cardiovascular Events in Nondiabetic Subjects. Journal of Immunology, 2015, 195, 3020-3025.	0.8	30
43	Duffy antigen receptor genetic variant and the association with Interleukin 8 levels. Cytokine, 2015, 72, 178-184.	3.2	9
44	High Plasma Levels of Heparin-Binding Epidermal Growth Factor Are Associated With a More Stable Plaque Phenotype and Reduced Incidence of Coronary Events. Arteriosclerosis, Thrombosis, and Vascular Biology, 2015, 35, 222-228.	2.4	15
45	Atherosclerosis. Current Opinion in Lipidology, 2015, 26, 67-69.	2.7	2
46	IL-22 affects smooth muscle cell phenotype and plaque formation in apolipoprotein E knockout mice. Atherosclerosis, 2015, 242, 506-514.	0.8	43
47	Elevated Plasma Levels of MMP-12 Are Associated With Atherosclerotic Burden and Symptomatic Cardiovascular Disease in Subjects With Type 2 Diabetes. Arteriosclerosis, Thrombosis, and Vascular Biology, 2015, 35, 1723-1731.	2.4	86
48	Human Carotid Plaques With High Levels of Interleukin-16 Are Associated With Reduced Risk for Cardiovascular Events. Stroke, 2015, 46, 2748-2754.	2.0	13
49	A high quality diet is associated with reduced systemic inflammation in middle-aged individuals. Atherosclerosis, 2015, 238, 38-44.	0.8	48
50	IL-25 Inhibits Atherosclerosis Development in Apolipoprotein E Deficient Mice. PLoS ONE, 2015, 10, e0117255.	2.5	40
51	Atherosclerosis. Current Opinion in Lipidology, 2014, 25, 319-320.	2.7	1
52	Impaired Fibrous Repair. Arteriosclerosis, Thrombosis, and Vascular Biology, 2014, 34, 2143-2150.	2.4	49
53	Plasma S100A8/A9 Correlates With Blood Neutrophil Counts, Traditional Risk Factors, and Cardiovascular Disease in Middle-Aged Healthy Individuals. Arteriosclerosis, Thrombosis, and Vascular Biology, 2014, 34, 202-210.	2.4	90
54	Is Toll-like receptor responsiveness a marker and predictor of coronary artery disease?. Atherosclerosis, 2014, 232, 197-198.	0.8	4

#	Article	IF	CITATIONS
55	Circulating CD40 ⁺ and CD86 ⁺ B Cell Subsets Demonstrate Opposing Associations With Risk of Stroke. Arteriosclerosis, Thrombosis, and Vascular Biology, 2014, 34, 211-218.	2.4	44
56	Induction of T helper 2 responses against human apolipoprotein B100 does not affect atherosclerosis in ApoEâ°'/âr' mice. Cardiovascular Research, 2014, 103, 304-312.	3.8	18
57	Evidence for altered inflammatory and repair responses in symptomatic carotid plaques from elderly patients. Atherosclerosis, 2014, 237, 177-182.	0.8	15
58	Low levels of igm antibodies against an age-modified apoliprotein b100 peptide predict cardiovascular events in non-diabetics. Atherosclerosis, 2014, 235, e44-e45.	0.8	0
59	Emerging biomarkers and intervention targets for immune-modulation of atherosclerosis – A review of the experimental evidence. Atherosclerosis, 2013, 227, 9-17.	0.8	46
60	T-Helper 2 Immunity Is Associated With Reduced Risk of Myocardial Infarction and Stroke. Arteriosclerosis, Thrombosis, and Vascular Biology, 2013, 33, 637-644.	2.4	93
61	Atherosclerosis. Current Opinion in Lipidology, 2013, 24, 279-280.	2.7	1
62	Association between <scp>CD</scp> 8 ⁺ T ell subsets and cardiovascular disease. Journal of Internal Medicine, 2013, 274, 41-51.	6.0	50
63	Atherosclerosis. Current Opinion in Lipidology, 2012, 23, 505-508.	2.7	0
64	Apolipoprotein B100 autoimmunity and atherosclerosis – disease mechanisms and therapeutic potential. Current Opinion in Lipidology, 2012, 23, 422-428.	2.7	42
65	Elevated CD14 ⁺⁺ CD16 ^{â^'} Monocytes Predict Cardiovascular Events. Circulation: Cardiovascular Genetics, 2012, 5, 122-131.	5.1	217
66	Evidence Supporting a Key Role of Lp-PLA2-Generated Lysophosphatidylcholine in Human Atherosclerotic Plaque Inflammation. Arteriosclerosis, Thrombosis, and Vascular Biology, 2012, 32, 1505-1512.	2.4	157
67	Soluble Urokinase Plasminogen Activator Receptor is Associated With Inflammation in the Vulnerable Human Atherosclerotic Plaque. Stroke, 2012, 43, 3305-3312.	2.0	81
68	Soluble urokinase plasminogen activator receptor in plasma is associated with incidence of CVD. Results from the Malmö Diet and Cancer Study. Atherosclerosis, 2012, 220, 502-505.	0.8	83
69	Apolipoprotein M binds oxidized phospholipids and increases the antioxidant effect of HDL. Atherosclerosis, 2012, 221, 91-97.	0.8	92
70	Low Levels of Circulating CD4+FoxP3+ T Cells Are Associated With an Increased Risk for Development of Myocardial Infarction But Not for Stroke. Arteriosclerosis, Thrombosis, and Vascular Biology, 2012, 32, 2000-2004.	2.4	139
71	Mobilization of Regulatory T Cells in Response to Carotid Injury Does Not Influence Subsequent Neointima Formation. PLoS ONE, 2012, 7, e51556.	2.5	8
72	Total and differential leucocyte counts in relation to incidence of stroke subtypes and mortality: a prospective cohort study. Journal of Internal Medicine, 2012, 272, 298-304.	6.0	42

#	Article	IF	CITATIONS
73	TAP1-Deficiency Does Not Alter Atherosclerosis Development in Apoeâ^'/â^' Mice. PLoS ONE, 2012, 7, e33932.	2.5	34
74	Immunization of apoE–/– mice with aldehyde-modified fibronectin inhibits the development of atherosclerosis. Cardiovascular Research, 2011, 91, 528-536.	3.8	34
75	Immunization with cationized BSA inhibits progression of disease in ApoBec-1/LDL receptor deficient mice with manifest atherosclerosis. Immunobiology, 2011, 216, 663-669.	1.9	9
76	Atherosclerosis: cell biology and lipoproteins. Current Opinion in Lipidology, 2011, 22, 74-75.	2.7	1
77	Atherosclerosis. Current Opinion in Lipidology, 2011, 22, 430-432.	2.7	0
78	The vascular repair process after injury of the carotid artery is regulated by IL-1RI and MyD88 signalling. Cardiovascular Research, 2011, 91, 350-357.	3.8	27
79	Evidence for a role of regulatory T cells in mediating the atheroprotective effect of apolipoprotein B peptide vaccine. Journal of Internal Medicine, 2011, 269, 546-556.	6.0	82
80	Genome-Wide Expression Profiling and Mutagenesis Studies Reveal that Lipopolysaccharide Responsiveness Appears To Be Absolutely Dependent on TLR4 and MD-2 Expression and Is Dependent upon Intermolecular Ionic Interactions. Journal of Immunology, 2011, 187, 3683-3693.	0.8	46
81	<i>Rip2</i> Deficiency Leads to Increased Atherosclerosis Despite Decreased Inflammation. Circulation Research, 2011, 109, 1210-1218.	4.5	39
82	Laminin isoforms in atherosclerotic arteries from mice and man. Histology and Histopathology, 2011, 26, 711-24.	0.7	22
83	Atherosclerosis: cell biology and lipoproteins. Current Opinion in Lipidology, 2010, 21, 97-98.	2.7	1
84	Detecting microRNA activity from gene expression data. BMC Bioinformatics, 2010, 11, 257.	2.6	42
85	CD8+ T cell activation predominate early immune responses to hypercholesterolemia in Apoe-/- mice. BMC Immunology, 2010, 11, 58.	2.2	74
86	Weak associations between human leucocyte antigen genotype and acute myocardial infarction. Journal of Internal Medicine, 2010, 268, 50-58.	6.0	36
87	FcγRIIB Inhibits the Development of Atherosclerosis in Low-Density Lipoprotein Receptor-Deficient Mice. Journal of Immunology, 2010, 184, 2253-2260.	0.8	44
88	Innate Immunity in Atherosclerosis. Journal of Innate Immunity, 2010, 2, 305-306.	3.8	6
89	Immune responses against aldehyde-modified laminin accelerate atherosclerosis in Apoeâ^'/â^' mice. Atherosclerosis, 2010, 212, 457-465.	0.8	23
90	Atheroprotective Effects of Alum Are Associated With Capture of Oxidized LDL Antigens and Activation of Regulatory T Cells. Circulation Research, 2009, 104, e62-70.	4.5	59

#	Article	IF	CITATIONS
91	Malaria primes the innate immune response due to interferon-Î ³ induced enhancement of toll-like receptor expression and function. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 5789-5794.	7.1	179
92	Marked upregulation of cholesterol 25-hydroxylase expression by lipopolysaccharide. Journal of Lipid Research, 2009, 50, 2258-2264.	4.2	166
93	Vaccines modulating lipoprotein autoimmunity as a possible future therapy for cardiovascular disease. Journal of Internal Medicine, 2009, 266, 221-231.	6.0	35
94	Atherosclerosis: cell biology and lipoproteins. Current Opinion in Lipidology, 2009, 20, 82-84.	2.7	1
95	Atherosclerosis: cell biology and lipoproteins. Current Opinion in Lipidology, 2009, 20, 355-356.	2.7	0
96	Microarray Experiments to Uncover Toll-Like Receptor Function. Methods in Molecular Biology, 2009, 517, 253-275.	0.9	0
97	Treatment with apo B peptide vaccines inhibits atherosclerosis in human apo Bâ€100 transgenic mice without inducing an increase in peptideâ€specific antibodies. Journal of Internal Medicine, 2008, 264, 563-570.	6.0	86
98	Nanomolar concentrations of lysophosphatidylcholine recruit monocytes and induce pro-inflammatory cytokine production in macrophages. Biochemical and Biophysical Research Communications, 2008, 370, 348-352.	2.1	83
99	Atherosclerosis: cell biology and lipoproteins. Current Opinion in Lipidology, 2008, 19, 548-549.	2.7	1
100	Atherosclerosis: cell biology and lipoproteins. Current Opinion in Lipidology, 2008, 19, 215-217.	2.7	1
101	Inflammation and immunity in diabetic vascular complications. Current Opinion in Lipidology, 2008, 19, 519-524.	2.7	34
102	Oxidized lipoprotein autoimmunity: an emerging drug target in cardiovascular disease. Future Lipidology, 2006, 1, 321-330.	0.5	0
103	Multiple roles of Toll-like receptor signaling in atherosclerosis. Current Opinion in Lipidology, 2006, 17, 527-533.	2.7	88
104	Generalized Rank Tests for Replicated Microarray Data. Statistical Applications in Genetics and Molecular Biology, 2005, 4, Article3.	0.6	8
105	Nonparametric Methods for Microarray Data Based on Exchangeability and Borrowed Power. Journal of Biopharmaceutical Statistics, 2005, 15, 783-797.	0.8	6
106	Reduced atherosclerosis in MyD88-null mice links elevated serum cholesterol levels to activation of innate immunity signaling pathways. Nature Medicine, 2004, 10, 416-421.	30.7	579
107	The induction of macrophage gene expression by LPS predominantly utilizes Myd88-independent signaling cascades. Physiological Genomics, 2004, 19, 319-330.	2.3	270
108	Gene Expression in Autumn Leaves. Plant Physiology, 2003, 131, 430-442.	4.8	271

#	Article	IF	CITATIONS
109	Possible Roles for His 208 in the Active-Site Region of Chloroplast Carbonic Anhydrase fromPisum sativum. Archives of Biochemistry and Biophysics, 1999, 361, 17-24.	3.0	19
110	Intracellular β-Carbonic Anhydrase of the Unicellular Green Alga Coccomyxa1. Plant Physiology, 1998, 117, 1341-1349.	4.8	46
111	The Sulfhydryl Groups of Cys 269 and Cys 272 Are Critical for the Oligomeric State of Chloroplast Carbonic Anhydrase from Pisum sativum. Biochemistry, 1997, 36, 4287-4294.	2.5	23
112	Molecular cloning and biochemical characterization of carbonic anhydrase from Populus tremula x tremuloides. Plant Molecular Biology, 1997, 34, 583-592.	3.9	12