Stefan Dullinger

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9057335/stefan-dullinger-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

134
papers

9,377
citations

46
p-index

9-index

142
ext. papers

12,127
ext. citations

7.1
avg, IF

L-index

#	Paper	IF	Citations
134	Climate warming may increase the frequency of cold-adapted haplotypes in alpine plants. <i>Nature Climate Change</i> , 2022 , 12, 77-82	21.4	1
133	Relative effects of land conversion and land-use intensity on terrestrial vertebrate diversity <i>Nature Communications</i> , 2022 , 13, 615	17.4	4
132	Taxonomic, functional and phylogenetic bird diversity response to coffee farming intensity along an elevational gradient in Costa Rica. <i>Agriculture, Ecosystems and Environment</i> , 2022 , 326, 107801	5.7	
131	Biodiversity models need to represent land-use intensity more comprehensively. <i>Global Ecology and Biogeography</i> , 2021 , 30, 924-932	6.1	9
130	Alternative futures for global biological invasions. Sustainability Science, 2021, 16, 1637-1650	6.4	4
129	Recovery of aboveground biomass, species richness and composition in tropical secondary forests in SW Costa Rica. <i>Forest Ecology and Management</i> , 2021 , 479, 118580	3.9	6
128	Resident vegetation modifies climate-driven elevational shift of a mountain sedge. <i>Alpine Botany</i> , 2021 , 131, 13-25	2.5	2
127	Role of diversification rates and evolutionary history as a driver of plant naturalization success. <i>New Phytologist</i> , 2021 , 229, 2998-3008	9.8	5
126	Post-glacial determinants of regional species pools in alpine grasslands. <i>Global Ecology and Biogeography</i> , 2021 , 30, 1101-1115	6.1	7
125	Deadwood volumes matter in epixylic bryophyte conservation, but precipitation limits the establishment of substrate-specific communities. <i>Forest Ecology and Management</i> , 2021 , 493, 119285	3.9	0
124	Future Representation of Species©limatic Niches in Protected Areas: A Case Study With Austrian Endemics. <i>Frontiers in Ecology and Evolution</i> , 2021 , 9,	3.7	1
123	Epigenetic Patterns and Geographical Parthenogenesis in the Alpine Plant Species (Ranunculaceae). <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	4
122	Habitat availability disproportionally amplifies climate change risks for lowland compared to alpine species. <i>Global Ecology and Conservation</i> , 2020 , 23, e01113	2.8	6
121	Climatic and edaphic controls over tropical forest diversity and vegetation carbon storage. <i>Scientific Reports</i> , 2020 , 10, 5066	4.9	21
120	Monitoring biodiversity in the Anthropocene using remote sensing in species distribution models. <i>Remote Sensing of Environment</i> , 2020 , 239, 111626	13.2	70
119	Distinct Biogeographic Phenomena Require a Specific Terminology: A Reply to Wilson and Sagoff. <i>BioScience</i> , 2020 , 70, 112-114	5.7	2
118	A socio-ecological model for predicting impacts of land-use and climate change on regional plant diversity in the Austrian Alps. <i>Global Change Biology</i> , 2020 , 26, 2336	11.4	15

(2018-2020)

117	Projecting the continental accumulation of alien species through to 2050. <i>Global Change Biology</i> , 2020 , 27, 970	11.4	108
116	TRY plant trait database - enhanced coverage and open access. <i>Global Change Biology</i> , 2020 , 26, 119-18	8811.4	399
115	Hiking trails as conduits for the spread of non-native species in mountain areas. <i>Biological Invasions</i> , 2020 , 22, 1121-1134	2.7	16
114	Drivers of future alien species impacts: An expert-based assessment. <i>Global Change Biology</i> , 2020 , 26, 4880-4893	11.4	45
113	Snapshot isolation and isolation history challenge the analogy between mountains and islands used to understand endemism. <i>Global Ecology and Biogeography</i> , 2020 , 29, 1651-1673	6.1	20
112	What Will the Future Bring for Biological Invasions on Islands? An Expert-Based Assessment. <i>Frontiers in Ecology and Evolution</i> , 2020 , 8,	3.7	14
111	Extinction debts and colonization credits of non-forest plants in the European Alps. <i>Nature Communications</i> , 2019 , 10, 4293	17.4	32
110	A Conceptual Framework for Range-Expanding Species that Track Human-Induced Environmental Change. <i>BioScience</i> , 2019 , 69, 908-919	5.7	53
109	Evaluating climatic threats to habitat types based on co-occurrence patterns of characteristic species. <i>Basic and Applied Ecology</i> , 2019 , 38, 23-35	3.2	1
108	Effects of climate change and horticultural use on the spread of naturalized alien garden plants in Europe. <i>Ecography</i> , 2019 , 42, 1548-1557	6.5	O
107	Of niches and distributions: range size increases with niche breadth both globally and regionally but regional estimates poorly relate to global estimates. <i>Ecography</i> , 2019 , 42, 467-477	6.5	21
106	Drivers of the relative richness of naturalized and invasive plant species on Earth. <i>AoB PLANTS</i> , 2019 , 11, plz051	2.9	31
105	A Framework for Global Twenty-First Century Scenarios and Models of Biological Invasions. <i>BioScience</i> , 2019 , 69, 697-710	5.7	18
104	Elevational rear edges shifted at least as much as leading edges over the last century. <i>Global Ecology and Biogeography</i> , 2019 , 28, 533-543	6.1	30
103	The Global Naturalized Alien Flora (GloNAF) database. <i>Ecology</i> , 2019 , 100, e02542	4.6	75
102	An integrated, spatio-temporal modelling framework for analysing biological invasions. <i>Diversity and Distributions</i> , 2018 , 24, 652-665	5	3
101	Effects of cold treatments on fitness and mode of reproduction in the diploid and polyploid alpine plant Ranunculus kuepferi (Ranunculaceae). <i>Annals of Botany</i> , 2018 , 121, 1287-1298	4.1	21
100	The changing role of ornamental horticulture in alien plant invasions. <i>Biological Reviews</i> , 2018 , 93, 142	1- 14 .37	131

99	Invasive alien pests threaten the carbon stored in Europe's forests. <i>Nature Communications</i> , 2018 , 9, 1626	17.4	46
98	Accelerated increase in plant species richness on mountain summits is linked to warming. <i>Nature</i> , 2018 , 556, 231-234	50.4	329
97	Global rise in emerging alien species results from increased accessibility of new source pools. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E2264-E227.	3 ^{11.5}	238
96	Traits indicating a conservative resource strategy are weakly related to narrow range size in a group of neotropical trees. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2018 , 32, 30-37	3	5
95	Range dynamics of mountain plants decrease with elevation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 1848-1853	11.5	146
94	Reconstructing geographical parthenogenesis: effects of niche differentiation and reproductive mode on Holocene range expansion of an alpine plant. <i>Ecology Letters</i> , 2018 , 21, 392-401	10	21
93	Functional trait differences and trait plasticity mediate biotic resistance to potential plant invaders. Journal of Ecology, 2018 , 106, 1607-1620	6	36
92	Integrating invasive species policies across ornamental horticulture supply chains to prevent plant invasions. <i>Journal of Applied Ecology</i> , 2018 , 55, 92-98	5.8	62
91	Simulating plant invasion dynamics in mountain ecosystems under global change scenarios. <i>Global Change Biology</i> , 2018 , 24, e289-e302	11.4	33
90	European ornamental garden flora as an invasion debt under climate change. <i>Journal of Applied Ecology</i> , 2018 , 55, 2386-2395	5.8	23
89	Is local trait variation related to total range size of tropical trees?. PLoS ONE, 2018, 13, e0193268	3.7	7
88	Tundra Trait Team: A database of plant traits spanning the tundra biome. <i>Global Ecology and Biogeography</i> , 2018 , 27, 1402-1411	6.1	27
87	Plant functional trait change across a warming tundra biome. <i>Nature</i> , 2018 , 562, 57-62	50.4	264
86	A new method for jointly assessing effects of climate change and nitrogen deposition on habitats. <i>Biological Conservation</i> , 2018 , 228, 52-61	6.2	6
85	Remoteness promotes biological invasions on islands worldwide. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 9270-9275	11.5	66
84	No saturation in the accumulation of alien species worldwide. <i>Nature Communications</i> , 2017 , 8, 14435	17.4	863
83	A dynamic eco-evolutionary model predicts slow response of alpine plants to climate warming. <i>Nature Communications</i> , 2017 , 8, 15399	17.4	99
82	Will climate change increase hybridization risk between potential plant invaders and their congeners in Europe?. <i>Diversity and Distributions</i> , 2017 , 23, 934-943	5	12

(2016-2017)

81	Habitat-based conservation strategies cannot compensate for climate-change-induced range loss. <i>Nature Climate Change</i> , 2017 , 7, 823-827	21.4	35
80	Diversity, biogeography and the global flows of alien amphibians and reptiles. <i>Diversity and Distributions</i> , 2017 , 23, 1313-1322	5	46
79	Pluralism in grassland management promotes butterfly diversity in a large Central European conservation area. <i>Journal of Insect Conservation</i> , 2017 , 21, 277-285	2.1	8
78	Pathways to polyploidy: indications of a female triploid bridge in the alpine species (Ranunculaceae). <i>Plant Systematics and Evolution</i> , 2017 , 303, 1093-1108	1.3	33
77	Climate change will increase the naturalization risk from garden plants in Europe. <i>Global Ecology and Biogeography</i> , 2017 , 26, 43-53	6.1	63
76	Accounting for imperfect observation and estimating true species distributions in modelling biological invasions. <i>Ecography</i> , 2017 , 40, 1187-1197	6.5	7
75	Naturalized alien flora of the world. <i>Preslia</i> , 2017 , 89, 203-274	3.9	230
74	Recent changes in alpine vegetation differ among plant communities. <i>Journal of Vegetation Science</i> , 2016 , 27, 1177-1186	3.1	14
73	Benefits and costs of controlling three allergenic alien species under climate change and dispersal scenarios in Central Europe. <i>Environmental Science and Policy</i> , 2016 , 56, 9-21	6.2	5
72	A Source Area Approach Demonstrates Moderate Predictive Ability but Pronounced Variability of Invasive Species Traits. <i>PLoS ONE</i> , 2016 , 11, e0155547	3.7	4
71	Uncertainty in predicting range dynamics of endemic alpine plants under climate warming. <i>Global Change Biology</i> , 2016 , 22, 2608-19	11.4	28
70	Benchmarking novel approaches for modelling species range dynamics. <i>Global Change Biology</i> , 2016 , 22, 2651-64	11.4	137
69	Scientific and Normative Foundations for the Valuation of Alien-Species Impacts: Thirteen Core Principles. <i>BioScience</i> , 2016 , biw160	5.7	16
68	Correlations of polyploidy and apomixis with elevation and associated environmental gradients in an alpine plant. <i>AoB PLANTS</i> , 2016 , 8,	2.9	48
67	A matter of scale: apparent niche differentiation of diploid and tetraploid plants may depend on extent and grain of analysis. <i>Journal of Biogeography</i> , 2016 , 43, 716-726	4.1	49
66	Niche dynamics of alien species do not differ among sexual and apomictic flowering plants. <i>New Phytologist</i> , 2016 , 209, 1313-23	9.8	33
65	The role of habitat, landscape structure and residence time on plant species invasions in a neotropical landscape. <i>Journal of Tropical Ecology</i> , 2016 , 32, 240-249	1.3	2
64	Vegetation classification and biogeography of European floodplain forests and alder carrs. <i>Applied Vegetation Science</i> , 2016 , 19, 147-163	3.3	68

63	Validation of and comparison between a semidistributed rainfallunoff hydrological model (PREVAH) and a spatially distributed snow-evolution model (SnowModel) for snow cover prediction in mountain ecosystems. <i>Ecohydrology</i> , 2015 , 8, 1181-1193	2.5	4
62	Biological Flora of the British Isles: Ambrosia artemisiifolia. <i>Journal of Ecology</i> , 2015 , 103, 1069-1098	6	111
61	Historical legacies accumulate to shape future biodiversity in an era of rapid global change. <i>Diversity and Distributions</i> , 2015 , 21, 534-547	5	88
60	Macroecology of global bryophyte invasions at different invasion stages. <i>Ecography</i> , 2015 , 38, 488-498	6.5	9
59	Tree cover at fine and coarse spatial grains interacts with shade tolerance to shape plant species distributions across the Alps. <i>Ecography</i> , 2015 , 38, 578-589	6.5	30
58	Identifying alien bryophytes taking into account uncertainties: a reply to Pati ll & Vanderpoorten (2015). <i>Journal of Biogeography</i> , 2015 , 42, 1362-1363	4.1	3
57	Modelling the effect of habitat fragmentation on climate-driven migration of European forest understorey plants. <i>Diversity and Distributions</i> , 2015 , 21, 1375-1387	5	23
56	Disjunct populations of European vascular plant species keep the same climatic niches. <i>Global Ecology and Biogeography</i> , 2015 , 24, 1401-1412	6.1	26
55	Changes in plant life-form, pollination syndrome and breeding system at a regional scale promoted by land use intensity. <i>Diversity and Distributions</i> , 2015 , 21, 1319-1328	5	7
54	Insect herbivory in alpine grasslands is constrained by community and host traits. <i>Journal of Vegetation Science</i> , 2015 , 26, 663-673	3.1	4
53	An analysis of weed floras in nurseries: Do polytunnels serve as ports of entry for alien plant species?. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2015 , 213, 6-11	1.9	2
52	Delayed biodiversity change: no time to waste. <i>Trends in Ecology and Evolution</i> , 2015 , 30, 375-8	10.9	73
51	A new high-resolution habitat distribution map for Austria, Liechtenstein, southern Germany, South Tyrol and Switzerland. <i>Eco Mont</i> , 2015 , 7, 18-29	2	5
50	Little, but increasing evidence of impacts by alien bryophytes. <i>Biological Invasions</i> , 2014 , 16, 1175-1184	2.7	20
49	Scale decisions can reverse conclusions on community assembly processes. <i>Global Ecology and Biogeography</i> , 2014 , 23, 620-632	6.1	51
48	The influence of interspecific interactions on species range expansion rates. <i>Ecography</i> , 2014 , 37, 1198-	1299	154
47	Does probability of occurrence relate to population dynamics?. <i>Ecography</i> , 2014 , 37, 1155-1166	6.5	98
46	Different factors affect the local distribution, persistence and spread of alien tree species in floodplain forests. <i>Basic and Applied Ecology</i> , 2014 , 15, 426-434	3.2	18

(2011-2014)

45	Escaping to the summits: phylogeography and predicted range dynamics of Cerastium dinaricum, an endangered high mountain plant endemic to the western Balkan Peninsula. <i>Molecular Phylogenetics and Evolution</i> , 2014 , 78, 365-74	4.1	40
44	Idiosyncratic responses of high Arctic plants to changing snow regimes. <i>PLoS ONE</i> , 2014 , 9, e86281	3.7	33
43	Space matters when defining effective management for invasive plants. <i>Diversity and Distributions</i> , 2014 , 20, 1029-1043	5	27
42	Modelling the Holocene migrational dynamics of Fagus sylvatica L. and Picea abies (L.) H. Karst. <i>Global Ecology and Biogeography</i> , 2014 , 23, 658-668	6.1	16
41	Revisiting tree-migration rates: Abies alba (Mill.), a case study. <i>Vegetation History and Archaeobotany</i> , 2014 , 23, 113-122	2.6	28
40	How well do we know species richness in a well-known continent? Temporal patterns of endemic and widespread species descriptions in the European fauna. <i>Global Ecology and Biogeography</i> , 2013 , 22, 29-39	6.1	29
39	Telling a different story: a global assessment of bryophyte invasions. <i>Biological Invasions</i> , 2013 , 15, 19	33 <u>2</u> 1 9 46	5 21
38	Significant decrease in epiphytic lichen diversity in a remote area in the European Alps, Austria. <i>Basic and Applied Ecology</i> , 2013 , 14, 396-403	3.2	12
37	Native, alien, endemic, threatened, and extinct species diversity in European countries. <i>Biological Conservation</i> , 2013 , 164, 90-97	6.2	26
36	Spread of invasive ragweed: climate change, management and how to reduce allergy costs. <i>Journal of Applied Ecology</i> , 2013 , 50, 1422-1430	5.8	53
35	Europe's other debt crisis caused by the long legacy of future extinctions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 7342-7	11.5	90
34	Critical Scales for Long-Term Socio-ecological Biodiversity Research 2013 , 123-138		1
33	Post-glacial migration lag restricts range filling of plants in the European Alps. <i>Global Ecology and Biogeography</i> , 2012 , 21, 829-840	6.1	77
32	Vulnerability of mires under climate change: implications for nature conservation and climate change adaptation. <i>Biodiversity and Conservation</i> , 2012 , 21, 655-669	3.4	50
31	Extinction debt of high-mountain plants under twenty-first-century climate change. <i>Nature Climate Change</i> , 2012 , 2, 619-622	21.4	444
30	Recent plant diversity changes on Europe's mountain summits. <i>Science</i> , 2012 , 336, 353-5	33.3	561
29	The Alps Vegetation Database a geo-referenced community-level archive of all terrestrial plants occurring in the Alps. <i>Biodiversity and Ecology = Biodiversitat Und Okologie</i> , 2012 , 4, 331-332		8
28	Late snowmelt delays plant development and results in lower reproductive success in the High Arctic. <i>Plant Science</i> , 2011 , 180, 157-67	5.3	107

27	Effects of snowmelt timing and competition on the performance of alpine snowbed plants. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2011 , 13, 15-26	3	34
26	Imprints of glacial history and current environment on correlations between endemic plant and invertebrate species richness. <i>Journal of Biogeography</i> , 2011 , 38, 604-614	4.1	24
25	21st century climate change threatens mountain flora unequally across Europe. <i>Global Change Biology</i> , 2011 , 17, 2330-2341	11.4	377
24	Patch configuration affects alpine plant distribution. <i>Ecography</i> , 2011 , 34, 576-587	6.5	18
23	Macroecological drivers of alien conifer naturalizations worldwide. <i>Ecography</i> , 2011 , 34, 1076-1084	6.5	27
22	Do metal concentrations in moss from the Zackenberg area, Northeast Greenland, provide a baseline for monitoring?. <i>Environmental Science and Pollution Research</i> , 2011 , 18, 91-8	5.1	8
21	Setup, efforts and practical experiences of a monitoring program for genetically modified plants - an Austrian case study for oilseed rape and maize. <i>Environmental Sciences Europe</i> , 2011 , 23,		23
20	Socioeconomic legacy yields an invasion debt. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 203-7	11.5	338
19	Experimental evaluation of seed limitation in alpine snowbed plants. <i>PLoS ONE</i> , 2011 , 6, e21537	3.7	25
18	Selection for commercial forestry determines global patterns of alien conifer invasions. <i>Diversity and Distributions</i> , 2010 , 16, 911-921	5	53
17	Going against the flow: potential mechanisms for unexpected downslope range shifts in a warming climate. <i>Ecography</i> , 2010 , 33, 295	6.5	219
16	Cross-scale analysis of the region effect on vascular plant species diversity in southern and northern European mountain ranges. <i>PLoS ONE</i> , 2010 , 5, e15734	3.7	43
15	Effect of nitrogen availability on forest understorey cover and its consequences for tree regeneration in the Austrian limestone Alps. <i>Plant Ecology</i> , 2010 , 209, 11-22	1.7	16
14	Microclimatic patterns correlate with the distribution of epiphyllous bryophytes in a tropical lowland rain forest in Costa Rica. <i>Journal of Tropical Ecology</i> , 2009 , 25, 321-330	1.3	40
13	Niche based distribution modelling of an invasive alien plant: effects of population status, propagule pressure and invasion history. <i>Biological Invasions</i> , 2009 , 11, 2401-2414	2.7	65
12	Organic matter accumulation following Pinus mugo Turra establishment in subalpine pastures. <i>Plant Ecology and Diversity</i> , 2008 , 1, 59-66	2.2	6
11	Long-term impacts of nitrogen and sulphur deposition on forest floor vegetation in the Northern limestone Alps, Austria. <i>Applied Vegetation Science</i> , 2008 , 11, 395-404	3.3	19
10	Mating systems of snowbed plant species of the northeastern Calcareous Alps of Austria. <i>Acta Oecologica</i> , 2007 , 31, 203-209	1.7	7

LIST OF PUBLICATIONS

9	Are niche-based species distribution models transferable in space?. <i>Journal of Biogeography</i> , 2006 , 33, 1689-1703	4.1	527	
8	Pilot study on road traffic emissions (PAHs, heavy metals) measured by using mosses in a tunnel experiment in Vienna, Austria. <i>Environmental Science and Pollution Research</i> , 2006 , 13, 398-405	5.1	86	
7	Environmental determinants of vascular plant species richness in the Austrian Alps. <i>Journal of Biogeography</i> , 2005 , 32, 1117-1127	4.1	105	
6	Modelling climate change-driven treeline shifts: relative effects of temperature increase, dispersal and invasibility. <i>Journal of Ecology</i> , 2004 , 92, 241-252	6	280	
5	A regional impact assessment of climate and land-use change on alpine vegetation. <i>Journal of Biogeography</i> , 2003 , 30, 401-417	4.1	287	
4	A resampling approach for evaluating effects of pasture abandonment on subalpine plant species diversity. <i>Journal of Vegetation Science</i> , 2003 , 14, 243-252	3.1	99	
3	A resampling approach for evaluating effects of pasture abandonment on subalpine plant species diversity 2003 , 14, 243		6	
2	Introducing AlienScenarios: a project to develop scenarios and models of biological invasions for the 21 st century. <i>NeoBiota</i> ,45, 1-17	4.2	10	
1	What is valued in conservation? A framework to compare ethical perspectives. NeoBiota,72, 45-80	4.2	О	