
Toru Kubota

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/905827/publications.pdf Version: 2024-02-01



TODU KUROTA

#	Article	IF	CITATIONS
1	Early use of V2 receptor antagonists is associated with a shorter hospital stay and reduction in in in in in in hospital death in patients with decompensated heart failure. Heart and Vessels, 2016, 31, 1650-1658.	1.2	29
2	Utility of ^{99 m} Tc-Pyrophosphate Scintigraphy in Diagnosing Transthyretin Cardiac Amyloidosis in Real-World Practice. Circulation Reports, 2019, 1, 277-285.	1.0	13
3	Efficacy and safety of the early use of V2 receptor antagonists in elderly patients with decompensated heart failure. Heart and Vessels, 2018, 33, 145-154.	1.2	8
4	Successful percutaneous retrieval of a micra transcatheter pacing system at 8Âweeks after implantation. Journal of Arrhythmia, 2018, 34, 653-655.	1.2	8
5	Accumulation of gold nano-rods in the failing heart of transgenic mice with the cardiac-specific expression of TNF-1±. Heart and Vessels, 2019, 34, 538-544.	1.2	7
6	Successful bipolar ablation for ventricular tachycardia with potential substrate identification by pre-procedural cardiac magnetic resonance imaging. International Medical Case Reports Journal, 2017, Volume 10, 167-171.	0.8	4
7	Effects of Patient Background and Treatment Strategy on Clinical Outcomes After Coronary Intervention for Calcified Nodule Lesions. Circulation Reports, 2021, 3, 699-706.	1.0	4
8	Utility of Kumamoto Criteria in Diagnosing Transthyretin Cardiac Amyloidosis in Real-World Practice. Circulation Journal, 2020, 84, 680.	1.6	3
9	Ventricular premature complexes successfully ablated from the non-coronary cusp: a case report. European Heart Journal - Case Reports, 2022, 6, ytac129.	0.6	3
10	Construction of a Heart Failure Database Collating Administrative Claims Data and Electronic Medical Record Data to Evaluate Risk Factors for In-Hospital Death and Prolonged Hospitalization. Circulation Reports, 2019, 1, 582-592.	1.0	2
11	Very late perforation by a Riata implantable cardioverter-defibrillator lead-A case report. Journal of Arrhythmia, 2018, 34, 319-321.	1.2	1
12	Successful Catheter Ablation for Multiple Atrial Arrhythmias in a Patient with Situs Inversus Totalis. Internal Medicine, 2021, 60, 563-567.	0.7	0