

Zbigniew Kalarus

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9058534/publications.pdf>

Version: 2024-02-01

182
papers

3,840
citations

159585

30
h-index

144013

57
g-index

197
all docs

197
docs citations

197
times ranked

5403
citing authors

#	ARTICLE	IF	CITATIONS
1	A prospective survey in European Society of Cardiology member countries of atrial fibrillation management: baseline results of EURObservational Research Programme Atrial Fibrillation (EORP-AF) Pilot General Registry. <i>Europace</i> , 2014, 16, 308-319.	1.7	280
2	European Heart Rhythm Association (EHRA) international consensus document on how to prevent, diagnose, and treat cardiac implantable electronic device infectionsâ€”endorsed by the Heart Rhythm Society (HRS), the Asia Pacific Heart Rhythm Society (APHRS), the Latin American Heart Rhythm Society (LAHRS), International Society for Cardiovascular Infectious Diseases (ISCVID) and the European Society of Clinical Microbiology and Infectious Diseases (ESCMID) in collaboration with the European Association for Cardio- <i>Europace</i> , 2020, 22, 515-549.	1.7	216
3	The Atrial Fibrillation Ablation Pilot Study: an European Survey on Methodology and results of catheter ablation for atrial fibrillation conducted by the European Heart Rhythm Association. <i>European Heart Journal</i> , 2014, 35, 1466-1478.	2.2	180
4	Sex-related differences in presentation, treatment, and outcome of patients with atrial fibrillation in Europe: a report from the Euro Observational Research Programme Pilot survey on Atrial Fibrillation. <i>Europace</i> , 2015, 17, 24-31.	1.7	164
5	EHRA/EAPCI expert consensus statement on catheter-based left atrial appendage occlusion â€” an update. <i>Europace</i> , 2020, 22, 184-184.	1.7	160
6	2010 Focused Update of ESC Guidelines on device therapy in heart failure. <i>European Journal of Heart Failure</i> , 2010, 12, 1143-1153.	7.1	152
7	â€”Real-Worldâ€™ Antithrombotic Treatment in Atrial Fibrillation: The EORP-AF Pilot Survey. <i>American Journal of Medicine</i> , 2014, 127, 519-529.e1.	1.5	144
8	Improved outcomes with European Society of Cardiology guideline-adherent antithrombotic treatment in high-risk patients with atrial fibrillation: a report from the EORP-AF General Pilot Registry. <i>Europace</i> , 2015, 17, 1777-1786.	1.7	128
9	ESC-EURObservational Research Programme: the Atrial Fibrillation Ablation Pilot Study, conducted by the European Heart Rhythm Association. <i>Europace</i> , 2012, 14, 1094-1103.	1.7	123
10	Contemporary stroke prevention strategies in 11â€”%096 European patients with atrial fibrillation: a report from the EURObservational Research Programme on Atrial Fibrillation (EORP-AF) Long-Term General Registry. <i>Europace</i> , 2018, 20, 747-757.	1.7	118
11	Left atrial appendage occlusion with the AMPLATZER Amulet device: an expert consensus step-by-step approach. <i>EuroIntervention</i> , 2016, 11, 1512-1521.	3.2	105
12	Effects of a 9-Week Hybrid Comprehensive Telerehabilitation Program on Long-term Outcomes in Patients With Heart Failure. <i>JAMA Cardiology</i> , 2020, 5, 300.	6.1	104
13	Optimized implementation of cardiac resynchronization therapy: a call for action for referral and optimization of care. <i>European Journal of Heart Failure</i> , 2020, 22, 2349-2369.	7.1	101
14	Novel Genetic Triggers and Genotypeâ€”Phenotype Correlations in Patients With Left Ventricular Noncompaction. <i>Circulation: Cardiovascular Genetics</i> , 2017, 10, .	5.1	99
15	Importance of complete revascularization in patients with acute myocardial infarction treated with percutaneous coronary intervention. <i>American Heart Journal</i> , 2007, 153, 304-312.	2.7	74
16	Relation of outcomes to ABC (Atrial Fibrillation Better Care) pathway adherent care in European patients with atrial fibrillation: an analysis from the ESC-EHRA EORP Atrial Fibrillation General Long-Term (AFGen LT) Registry. <i>Europace</i> , 2021, 23, 174-183.	1.7	74
17	European Heart Rhythm Association (EHRA) consensus document on management of arrhythmias and cardiac electronic devices in the critically ill and post-surgery patient, endorsed by Heart Rhythm Society (HRS), Asia Pacific Heart Rhythm Society (APHRS), Cardiac Arrhythmia Society of Southern Africa (CASSA), and Latin American Heart Rhythm Society (LAHRS). <i>Europace</i> , 2019, 21, 7-8.	1.7	72
18	Heart failure in patients with atrial fibrillation in Europe: a report from the <sc>EURObservational</sc> Research Programme Pilot survey on Atrial Fibrillation. <i>European Journal of Heart Failure</i> , 2015, 17, 570-582.	7.1	68

#	ARTICLE	IF	CITATIONS
19	Incidence, treatment, in-hospital mortality and one-year outcomes of acute myocardial infarction in Poland in 2009–2012 nationwide AMI-PL database. <i>Kardiologia Polska</i> , 2015, 73, 142-158.	0.6	62
20	Real-world™ management and outcomes of patients with paroxysmal vs. non-paroxysmal atrial fibrillation in Europe: the EURObservational Research Programme Atrial Fibrillation (EORP-AF) General Pilot Registry. <i>Europace</i> , 2016, 18, 648.1-657.	1.7	61
21	Cardiac arrhythmias in the emergency settings of acute coronary syndrome and revascularization: an European Heart Rhythm Association (EHRA) consensus document, endorsed by the European Association of Percutaneous Cardiovascular Interventions (EAPCI), and European Acute Cardiovascular Care Association (ACCA). <i>Europace</i> , 2019, 21, 1603-1604.	1.7	61
22	2019 APHRS expert consensus statement on three-dimensional mapping systems for tachycardia developed in collaboration with HRS, EHRA, and LAHRS. <i>Journal of Arrhythmia</i> , 2020, 36, 215-270.	1.2	57
23	Association between antithrombotic treatment and outcomes at 1-year follow-up in patients with atrial fibrillation: the EORP-AF General Long-Term Registry. <i>Europace</i> , 2019, 21, 1013-1022.	1.7	47
24	Implantation Feasibility, Procedure-Related Adverse Events and Lead Performance During 1-Year Follow-Up in Patients Undergoing Triple-Site Cardiac Resynchronization Therapy: A Substudy of TRUST CRT Randomized Trial. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 1228-1236.	1.7	43
25	Minimally invasive hybrid ablation procedure for the treatment of persistent atrial fibrillation: one year results. <i>Kardiologia Polska</i> , 2012, 70, 819-28.	0.6	43
26	Regional differences in presentation and treatment of patients with atrial fibrillation in Europe: a report from the EURObservational Research Programme Atrial Fibrillation (EORP-AF) Pilot General Registry. <i>Europace</i> , 2015, 17, 194-206.	1.7	41
27	Many response criteria are poor predictors of outcomes after cardiac resynchronization therapy: validation using data from the randomized trial. <i>Europace</i> , 2013, 15, 835-844.	1.7	38
28	Stroke prevention strategies in high-risk patients with atrial fibrillation. <i>Nature Reviews Cardiology</i> , 2021, 18, 276-290.	13.7	36
29	2019 Guidelines on the management of diabetic patients. A position of Diabetes Poland. <i>Clinical Diabetology</i> , 2019, 8, 1-95.	0.6	34
30	In-hospital and 12-month follow-up outcome from the ESC-EORP EHRA Atrial Fibrillation Ablation Long-Term registry: sex differences. <i>Europace</i> , 2020, 22, 66-73.	1.7	33
31	Triple-Site Versus Standard Cardiac Resynchronization Therapy Study (TRUST CRT): Clinical Rationale, Design, and Implementation. <i>Journal of Cardiovascular Electrophysiology</i> , 2009, 20, 658-662.	1.7	30
32	Staged hybrid ablation for persistent and longstanding persistent atrial fibrillation effectively restores sinus rhythm in long-term observation. <i>Archives of Medical Science</i> , 2017, 1, 109-117.	0.9	30
33	Therapy From a Novel Substernal Lead. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 186-196.	3.2	30
34	The prognostic value of different glucose abnormalities in patients with acute myocardial infarction treated invasively. <i>Cardiovascular Diabetology</i> , 2012, 11, 78.	6.8	27
35	Remote Supervision to Decrease Hospitalization Rate (RESULT) study in patients with implanted cardioverter-defibrillator. <i>Europace</i> , 2020, 22, 769-776.	1.7	26
36	Outcomes of invasive treatment in very elderly Polish patients with non-ST-segment-elevation myocardial infarction from 2003–2009 (from the PL-ACS registry). <i>Cardiology Journal</i> , 2013, 20, 34-43.	1.2	25

#	ARTICLE	IF	CITATIONS
37	Prognostic significance of HbA1c in patients with AMI treated invasively and newly detected glucose abnormalities. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 798-806.	1.8	24
38	Stroke and death prediction with CHA2DS2-vasc score after myocardial infarction in patients without atrial fibrillation. <i>Journal of Cardiovascular Medicine</i> , 2015, 16, 497-502.	1.5	22
39	Clinical Characteristics, Treatments, and Outcomes of Patients with Myocardial Infarction with Non-Obstructive Coronary Arteries (MINOCA): Results from a Multicenter National Registry. <i>Journal of Clinical Medicine</i> , 2020, 9, 2779.	2.4	21
40	Optimized implementation of cardiac resynchronization therapy: a call for action for referral and optimization of care. <i>Europace</i> , 2021, 23, 1324-1342.	1.7	18
41	Treatment of patients with acute coronary syndrome: Recommendations for medical emergency teams: Focus on antiplatelet therapies. Updated experts'™ standpoint. <i>Cardiology Journal</i> , 2018, 25, 291-300.	1.2	18
42	Device-related infective endocarditis in cardiac resynchronization therapy recipients – Single center registry with over 2500 person-years follow up. <i>International Journal of Cardiology</i> , 2017, 227, 18-24.	1.7	17
43	Prognostic Significance of Complex Ventricular Arrhythmias Complicating ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2018, 121, 805-809.	1.6	17
44	Contrast-induced acute kidney injury in patients undergoing cardiac resynchronization therapy – incidence and prognostic importance. Sub-analysis of data from randomized TRUST CRT trial. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2014, 40, 1-8.	1.3	16
45	Long-term outcome of catheter ablation and other form of therapy for electrical storm in patients with implantable cardioverter-defibrillators. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017, 50, 227-234.	1.3	16
46	Relationship between diabetes mellitus and atrial fibrillation prevalence in the Polish population: a report from the Non-invasive Monitoring for Early Detection of Atrial Fibrillation (NOMED-AF) prospective cross-sectional observational study. <i>Cardiovascular Diabetology</i> , 2021, 20, 128.	6.8	14
47	Long-term outcomes of cardiac resynchronization therapy are worse in patients who require atrioventricular junction ablation for atrial fibrillation than in those with sinus rhythm. <i>Cardiology Journal</i> , 2014, 21, 309-315.	1.2	14
48	The Incremental Value of Right Ventricular Indices for Predicting Response to Cardiac Resynchronization Therapy. <i>Journal of the American Society of Echocardiography</i> , 2011, 24, 170-179.e3.	2.8	13
49	Refractory chronic spontaneous urticaria and permanent atrial fibrillation associated with dental infection: Mere coincidence or something more to it?. <i>International Journal of Immunopathology and Pharmacology</i> , 2016, 29, 112-120.	2.1	13
50	Significance of Atrial Fibrillation Complicating ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2017, 120, 517-521.	1.6	13
51	Catheter ablation of atrial fibrillation: current status, techniques, outcomes and challenges. <i>Kardiologia Polska</i> , 2018, 76, 1680-1686.	0.6	13
52	ESC Working Group on e-Cardiology Position Paper: accuracy and reliability of electrocardiogram monitoring in the detection of atrial fibrillation in cryptogenic stroke patients. <i>European Heart Journal Digital Health</i> , 2022, 3, 341-358.	1.7	13
53	Can we rely on machines? Device-detected atrial high rates correspond well with atrial arrhythmias in cardiac resynchronization recipients. <i>Europace</i> , 2016, 18, 436-444.	1.7	12
54	Prognostic value of collagen turnover biomarkers in cardiac resynchronization therapy: A subanalysis of the TRUST CRT randomized trial population. <i>Heart Rhythm</i> , 2016, 13, 1088-1095.	0.7	12

#	ARTICLE	IF	CITATIONS
55	<p>Cardiac Electronic Devices: Future Directions and Challenges</p>. Medical Devices: Evidence and Research, 2020, Volume 13, 325-338.	0.8	12
56	Causes of hospitalisation and prognosis in patients with cardiovascular diseases â€“ secular trends 2006-2014. SILesian CARDiovascular (SILCARD) database covering a population of 4.6 million subjects. Polish Archives of Internal Medicine, 2016, 126, 754-762.	0.4	12
57	Cryoballoon ablation of atrial fibrillation in patients with advanced systolic heart failure and cardiac implantable electronic devices. Kardiologia Polska, 2018, 76, 1081-1088.	0.6	12
58	Sleep apnoea as a predictor of mid- and long-term outcome in patients undergoing cardiac resynchronization therapy. Europace, 2008, 11, 106-114.	1.7	10
59	The impact of unsuccessful percutaneous coronary intervention on shortâ€“and longâ€“term prognosis in STEMI and NSTEMI. Catheterization and Cardiovascular Interventions, 2011, 78, 514-522.	1.7	10
60	Quality of life in heart failure patients undergoing hybrid comprehensive telerehabilitation versus usual care â€“ results of the Telerehabilitation in Heart Failure Patients (TELEREH-HF) Randomized Clinical Trial. Archives of Medical Science, 2020, 17, 1599-1612.	0.9	10
61	Effects of hybrid comprehensive telerehabilitation on cardiopulmonary capacity in heart failure patients depending on diabetes mellitus: subanalysis of the TELEREH-HF randomized clinical trial. Cardiovascular Diabetology, 2021, 20, 106.	6.8	10
62	Different Types of Renal Dysfunction in Patients with Acute Myocardial Infarction Treated with Percutaneous Coronary Intervention. Journal of Interventional Cardiology, 2007, 20, 143-152.	1.2	9
63	Quality of Life in Cardiac Resynchronization Recipients: Association with Response and Impact on Outcome. PACE - Pacing and Clinical Electrophysiology, 2015, 38, 8-17.	1.2	9
64	Managed Care after Acute Myocardial Infarction (MC-AMI) Reduces Total Mortality in 12-Month Follow-Upâ€“Results from a Polandâ€™s National Health Fund Program of Comprehensive Post-MI Careâ€“A Population-Wide Analysis. Journal of Clinical Medicine, 2020, 9, 3178.	2.4	9
65	Predicting Silent Atrial Fibrillation in the Elderly: A Report from the NOMED-AF Cross-Sectional Study. Journal of Clinical Medicine, 2021, 10, 2321.	2.4	9
66	NONinvasive Monitoring for Early Detection of Atrial Fibrillation: rationale and design of the NOMED-AF study. Kardiologia Polska, 2018, 76, 1482-1485.	0.6	9
67	Remote Monitoring of Cardiac Implantable Electronic Devices in Patients Undergoing Hybrid Comprehensive Telerehabilitation in Comparison to the Usual Care. Subanalysis from Telerehabilitation in Heart Failure Patients (TELEREH-HF) Randomised Clinical Trial. Journal of Clinical Medicine, 2020, 9, 3729.	2.4	8
68	Pacemakerâ€“Based Cardiac Neuromodulation Therapy in Patients With Hypertension: A Pilot Study. Journal of the American Heart Association, 2021, 10, e020492.	3.7	8
69	The Incidence, Clinical Significance, and Treatment Effects of Depression in Cardiac Resynchronization Therapy Recipients. Cardiology, 2017, 138, 115-121.	1.4	7
70	An aetiologyâ€“based subanalysis of the Telerehabilitation in Heart Failure Patients (TELEREHâ€“HF) trial. ESC Heart Failure, 2021, 8, 1263-1273.	3.1	7
71	Readmissions and repeat procedures after catheter ablation for atrial fibrillation. Cardiology Journal, 2015, 22, 630-636.	1.2	7
72	Immediate and 6-month outcomes of transapical and transfemoral Edwards-Sapien prosthesis implantation in patients with aortic stenosis. Kardiologia Polska, 2010, 68, 1124-31.	0.6	7

#	ARTICLE	IF	CITATIONS
73	<sc>RE</sc>mote <sc>SU</sc>pervision to Decrease Hospitalization RaTe. Unified and integrated platform for data collected from devices manufactured by different companies: Design and rationale of the <sc>RESULT</sc> study. Annals of Noninvasive Electrocardiology, 2017, 22, .	1.1	6
74	Percutaneous Occlusion of the Left Atrial Appendage with Thrombus Irresponsive to Antithrombotic Therapy. Journal of Clinical Medicine, 2021, 10, 726.	2.4	6
75	Telehealth visits in a tertiary cardiovascular centre as a response of the healthcare system to the pandemic of SARS-CoV-2 in Poland. Polish Archives of Internal Medicine, 2020, 130, 700-703.	0.4	6
76	The effect of sacubitril / valsartan on the occurrence of ventricular arrhythmia and the risk of sudden cardiac death in patients with chronic heart failure with reduced left ventricular ejection fraction. Expert opinion of the Heart Rhythm and Heart Failure Sections of the Polish Cardiac Society. Kardiologia Polska, 2019, 77, 987-993.	0.6	6
77	Atrial fibrillation in cardiac resynchronization recipients with and without prior arrhythmic history. How much of arrhythmia is too much?. Cardiology Journal, 2015, 22, 267-275.	1.2	6
78	Impact of CoreValve size selection based on multi-slice computed tomography on paravalvular leak after transcatheter aortic valve implantation. Cardiology Journal, 2017, 24, 467-476.	1.2	6
79	Day by day telemetric care of patients treated with cardiac resynchronisation therapy: first Polish experience. Kardiologia Polska, 2016, 74, 741-748.	0.6	6
80	Impact of malignancy on outcomes in European patients with atrial fibrillation: A report from the ESCâ€EHRA EURObservational research programme in atrial fibrillation general longâ€eterm registry. European Journal of Clinical Investigation, 2022, 52, e13773.	3.4	6
81	Do we need to monitor the percentage of biventricular pacing day by day?. International Journal of Cardiology, 2016, 221, 81-89.	1.7	5
82	The Impact of Routine Angiographic Follow-Up in a Population of Patients Undergoing Percutaneous Coronary Intervention Within the Left Main Coronary Artery. Angiology, 2016, 67, 742-748.	1.8	5
83	Considerations when restarting anticoagulants in patients with atrial fibrillation after bleeding. Expert Review of Hematology, 2019, 12, 845-855.	2.2	5
84	Upgrade from implantable cardioverter-defibrillator vs. <i>de novo</i> implantation of cardiac resynchronization therapy: long-term outcomes. Europace, 2021, 23, 113-122.	1.7	5
85	Prevalence, management and outcomes of cardiac tamponade complicating 66,812 invasive cardiac procedures: single-center clinical registry. Postepy W Kardiologii Interwencyjnej, 2021, 17, 193-199.	0.2	5
86	Assessment of ECG during hybrid comprehensive telerehabilitation in heart failure patientsâ€™ Subanalysis of the Telerehabilitation in Heart Failure Patients (TELEREHâ€HF) randomized clinical trial. Annals of Noninvasive Electrocardiology, 2021, 26, e12887.	1.1	5
87	Temporal trends in the availability and efficacy of catheter ablation for atrial fibrillation and atrial flutter in a highly populated urban area. Kardiologia Polska, 2020, 78, 537-544.	0.6	5
88	Efficacy of cardiac resynchronisation therapy in the treatment of end-stage inotrope-dependent heart failure patients. Kardiologia Polska, 2014, 72, 777-782.	0.6	5
89	Anti-aggregation therapy in patients with acute coronary syndrome â€™ recommendations for medical emergency teams. Expertsâ€™ standpoint. Kardiologia Polska, 2017, 75, 399-408.	0.6	5
90	Polish and European management strategies in patients with atrial fibrillation. Data from the EURObservational Research Programme-Atrial Fibrillation General Registry Pilot Phase (EORP-AF) Tj ETQq0 0 0 rgBTQ Overlocks10 Tf 50 5		

#	ARTICLE	IF	CITATIONS
91	The intracardiac concentrations of the N-terminal-pro B-type natriuretic peptide (NT-proBNP) and the determinants of its secretion in patients with atrial fibrillation. <i>Kardiologia Polska</i> , 2018, 76, 433-439.	0.6	5
92	Trends in antithrombotic management in patients with atrial fibrillation: a report from Polish participants in the EURObservational Research Programme "Atrial Fibrillation General Long-Term Registry. <i>Polish Archives of Internal Medicine</i> , 2020, 130, 196-205.	0.4	5
93	Cardiac implantable electronic devices procedures and their recipients characteristic during COVID-19 pandemic: 3.8 million population analysis. <i>Cardiology Journal</i> , 2022, 29, 27-32.	1.2	5
94	Cardiac troponins and adverse outcomes in European patients with atrial fibrillation: A report from the ESC-EHRA EORP atrial fibrillation general long-term registry. <i>European Journal of Internal Medicine</i> , 2022, 99, 45-56.	2.2	5
95	Hybrid dual stage closed chest ablation of persistent atrial fibrillation. <i>Cor Et Vasa</i> , 2017, 59, e337-e344.	0.1	4
96	The impact of the aortic cusps fusion pattern and valve disease severity on the aortic wall mechanics in patients with bicuspid aortic valve. <i>International Journal of Cardiovascular Imaging</i> , 2020, 36, 1429-1436.	1.5	4
97	Assessment of cardiovascular function following transcatheter aortic valve implantation based on six-minute walk test. <i>Cardiology Journal</i> , 2017, 24, 167-175.	1.2	4
98	Alternating left and right bundle branch block. <i>Kardiologia Polska</i> , 2014, 72, 987-987.	0.6	4
99	Percutaneous left atrial appendage occlusion procedures in patients with heart failure. <i>Kardiologia Polska</i> , 2017, 75, 868-876.	0.6	4
100	Outcomes in patients undergoing cardiac resynchronisation therapy complicated by device-related infective endocarditis. <i>Kardiologia Polska</i> , 2018, 76, 1525-1533.	0.6	4
101	Trying to predict the unpredictable: Variations in device-based daily monitored diagnostic parameters can predict malignant arrhythmic events in patients undergoing cardiac resynchronization therapy. <i>Cardiology Journal</i> , 2014, 21, 405-412.	1.2	4
102	Fragmentation of the QRS complex in patients with acute coronary syndrome treated invasively. <i>Kardiologia Polska</i> , 2016, 74, 644-649.	0.6	4
103	Relationship between physical capacity and depression in heart failure patients undergoing hybrid comprehensive telerehabilitation vs. usual care: subanalysis from the TELEREH-HF Randomized Clinical Trial. <i>European Journal of Cardiovascular Nursing</i> , 2022, 21, 568-577.	0.9	4
104	Prognosis in diabetic patients with acute myocardial infarction treated invasively is related to renal function. <i>Medical Science Monitor</i> , 2010, 16, CR67-74.	1.1	4
105	Bridge to recovery in two cases of dilated cardiomyopathy after long-term mechanical circulatory support. <i>Kardiochirurgia I Torakochirurgia Polska</i> , 2014, 2, 169-172.	0.1	3
106	Impact of coronary artery disease on outcomes of severe aortic stenosis treatment with transcatheter aortic valve implantation. <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 167-175.	0.2	3
107	Comparison of transesophageal and intracardiac echocardiography in guiding percutaneous left atrial appendage closure with an Amplatzer A-mulet device. <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 446-454.	0.2	3
108	Successful implantation of leadless pacemakers in children: a case series. <i>European Heart Journal - Case Reports</i> , 2020, 4, 1-6.	0.6	3

#	ARTICLE	IF	CITATIONS
109	Vascular disease in patients with atrial fibrillation. A report from Polish participants in the EORP- <i>AF</i> General Long-Term Registry. <i>International Journal of Clinical Practice</i> , 2021, 75, e13701.	1.7	3
110	New hope for patients and challenges for the multidisciplinary arrhythmia team: a hybrid convergent approach for atrial fibrillation treatment. <i>Kardiologia Polska</i> , 2020, 78, 1243-1253.	0.6	3
111	Platelet count and volume indices in patients with contrast-induced acute kidney injury and acute myocardial infarction treated invasively. <i>Kardiologia Polska</i> , 2015, 73, 520-526.	0.6	3
112	Gender-dependent profile of heart rate turbulence parameters in patients after acute myocardial infarction treated invasively. <i>Kardiologia Polska</i> , 2016, 74, 274-279.	0.6	3
113	Pre-hospital treatment of patients with acute coronary syndrome: Recommendations for medical emergency teams. Expert position update 2022. <i>Cardiology Journal</i> , 2022, 29, 540-552.	1.2	3
114	Impact of anthropometric factors on outcomes in atrial fibrillation patients: analysis on 10%220 patients from the European Society of Cardiology (ESC)-European Heart Rhythm Association (EHRA) EurObservational Research Programme on Atrial Fibrillation (EORP- <i>AF</i>) general long-term registry. <i>European Journal of Preventive Cardiology</i> , 0, , .	1.8	3
115	Early therapy following myocardial infarction: arguments for and against implantable cardioverter-defibrillators. <i>Future Cardiology</i> , 2010, 6, 315-323.	1.2	2
116	Randomized placebo controlled blinded study to assess valsartan efficacy in preventing left ventricle remodeling in patients with dual chamber pacemaker - Rationale and design of the trial. <i>Contemporary Clinical Trials</i> , 2015, 42, 239-243.	1.8	2
117	POL-TAVI - Polish Registry of Transcatheter Aortic Valve Implantation - simple tool, great value, rationale and design. <i>Kardiologia I Torakochirurgia Polska</i> , 2016, 4, 309-315.	0.1	2
118	Clinical manifestations of device-related infective endocarditis in cardiac resynchronization therapy recipients. <i>Archives of Medical Science</i> , 2021, 17, 638-645.	0.9	2
119	Withdrawn as duplicate: Optimized Implementation of cardiac resynchronization therapy - a call for action for referral and optimization of care. <i>Europace</i> , 2023, 25, .	1.7	2
120	Patients with heart failure and an implanted cardioverter-defibrillator during the COVID-19 pandemic: insights from a multicentre registry in Poland. <i>Kardiologia Polska</i> , 2021, 79, 562-565.	0.6	2
121	<i>De novo</i> and pre-existing atrial fibrillation in acute coronary syndromes: impact on prognosis and cardiovascular events in long-term follow-up. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 1129-1139.	1.0	2
122	Factors determining the choice between subcutaneous or transvenous implantable cardioverter-defibrillators in Poland in comparison with other European countries: a sub-study of the European Heart Rhythm Association prospective survey. <i>Kardiologia Polska</i> , 2018, 76, 1507-1515.	0.6	2
123	Long-term prognosis is related to mid-term changes of glucometabolic status in patients with acute myocardial infarction treated invasively. <i>Kardiologia Polska</i> , 2017, 75, 117-125.	0.6	2
124	Ferritin as a potential biomarker of efficacy of treatment of atrial fibrillation - preliminary report. <i>Postepy Higieny I Medycyny Doswiadczalnej</i> , 2017, 71, 0-0.	0.1	2
125	Two-dimensional versus three-dimensional transesophageal echocardiography in percutaneous left atrial appendage occlusion. <i>Cardiology Journal</i> , 2020, 26, 687-695.	1.2	2
126	Transcatheter mitral valve repair and replacement. Expert consensus statement of the Polish Cardiac Society and the Polish Society of Cardiothoracic Surgeons. <i>Kardiologia Polska</i> , 2021, 79, 1165-1177.	0.6	2

#	ARTICLE	IF	CITATIONS
127	Interictal heart rate in patients with epilepsy. <i>Wiadomości Lekarskie</i> , 2016, 69, 443-448.	0.3	2
128	Long-term outcomes in patients after left atrial appendage occlusion: The results from the LAAO SILESIA registry. <i>Kardiologia Polska</i> , 2022, 80, 332-338.	0.6	2
129	Quality of life in patients with a subcutaneous vs. transvenous implantable cardioverter-defibrillator. <i>Kardiologia Polska</i> , 2022, 80, 679-684.	0.6	2
130	Ostial stenosis of the left main coronary artery as the result of the previous percutaneous coronary intervention on the left coronary artery. <i>Postępy W Kardiologii Interwencyjnej</i> , 2013, 3, 317-320.	0.2	1
131	Evaluation of the usefulness of coronary catheters and 4 Fr insertion sets for transradial access coronarography in comparison with catheters and 5 Fr sets. <i>Postępy W Kardiologii Interwencyjnej</i> , 2013, 4, 332-336.	0.2	1
132	Impact of ventricular arrhythmias on survival in patients after myocardial infarction. <i>International Journal of Diagnostic Imaging</i> , 2014, 1, 21.	0.1	1
133	Sleep-disordered breathing and echocardiographic measures of function and dyssynchrony. <i>Journal of Cardiovascular Medicine</i> , 2016, 17, 886-895.	1.5	1
134	Gender-related differences in long-term outcome among high-risk patients with myocardial infarction treated invasively. <i>Postępy W Kardiologii Interwencyjnej</i> , 2017, 2, 107-116.	0.2	1
135	Early and long-term outcomes of bioresorbable vascular scaffolds in the treatment of patients with coronary artery disease in real-world clinical practice – insights from the ZABRZE-BVS registry. <i>Postępy W Kardiologii Interwencyjnej</i> , 2018, 14, 338-346.	0.2	1
136	The first successful implantation of an intravenous AAIR pacemaker into autologous extracardiac lateral tunnel Fontan in the child. <i>Journal of Electrocardiology</i> , 2018, 51, 1015-1018.	0.9	1
137	Comparison of the results of transcatheter aortic valve implantation in patients with bicuspid and tricuspid aortic valve. <i>Postępy W Kardiologii Interwencyjnej</i> , 2021, 17, 82-92.	0.2	1
138	Impact of the COVID-19 pandemic on atrial fibrillation and atrial flutter ablation rates. The analysis of nearly 5 million Polish population. <i>Kardiologia Polska</i> , 2021, 79, 687-689.	0.6	1
139	Clinical characteristics of patients with atrial fibrillation or atrial flutter hospitalized during the COVID-19 pandemic. The population analysis of nearly 5 million people. <i>Polish Archives of Internal Medicine</i> , 2021, 131, 574-577.	0.4	1
140	The incidence and risk factors of stroke in patients with acute myocardial infarction treated invasively and concomitant impaired renal function. <i>Cardiology Journal</i> , 2013, 20, 672-678.	1.2	1
141	Long QT syndrome and left ventricular non-compaction. <i>Kardiologia Polska</i> , 2014, 72, 556-556.	0.6	1
142	Evaluation of factors affecting persistence of atrial fibrillation in patients with concomitant atrial flutter treated with percutaneous radiofrequency current ablation of the right atrial cavotricuspid isthmus. <i>Kardiologia Polska</i> , 2013, 71, 247-252.	0.6	1
143	Role of impaired glucose tolerance in patients with acute myocardial infarction in relation to sex. <i>Polish Archives of Internal Medicine</i> , 2014, 124, 467-473.	0.4	1
144	Poprawa skuteczności osiągnięcia celu terapeutycznego w zakresie docelowego stężenia cholesterolu frakcji LDL u pacjentów po ostrym zespole wieńcowym. Stanowisko grupy ekspertów. <i>Folia Cardiologica</i> , 2016, 11, 310-317.	0.1	1

#	ARTICLE	IF	CITATIONS
145	Prevention of sudden cardiac death by the implantable cardioverter-defibrillator. Polish Archives of Internal Medicine, 2018, 128, 764-770.	0.4	1
146	Implantation of a leadless pacemaker in a patient after Senning procedure – a case report.. Anatolian Journal of Cardiology, 2020, 25, 278-279.	0.9	1
147	Rationale for cerebral protection in patients with left atrial appendage thrombus during percutaneous left atrial appendage closure: a single-center initial experience. Polish Archives of Internal Medicine, 2020, 131, 202-204.	0.4	1
148	Association between electrocardiographic and electroencephalographic changes in patients with epilepsy. Archives of Medical Science, 2020, 16, 1472-1473.	0.9	1
149	The impact of complications related to transvenous lead extraction on the 12-month prognosis: Insights from the SILCARD registry. Kardiologia Polska, 2022, 80, 64-71.	0.6	1
150	ATRIAL FIBRILLATION IN PATIENTS WITH CONCOMITANT DIABETES MELLITUS – WHAT DO WE ALREADY KNOW AND WHAT DO WE NEED TO DISCOVER?. Wiadomości Lekarskie, 2022, 75, 123-127.	0.3	1
151	Heart Failure Patients’ Adherence to Hybrid Comprehensive Telerehabilitation and Its Impact on Prognosis Based on Data from TELEREH-HF Randomized Clinical Trial. Applied Sciences (Switzerland), 2022, 12, 2595.	2.5	1
152	Transcatheter Versus Surgical Valve Replacement: A 24-months Propensity-matched Analysis of the SILCARD Registry. , 2022, 26, 172-179.		1
153	Methods and Techniques Transfemoral transcatheter aortic valve implantation in a patient with a severe aortic stenosis and cardiogenic shock requiring intra-aortic balloon pump support. Postępy W Kardiologii Interwencyjnej, 2015, 1, 55-57.	0.2	0
154	Technical solution during challenging implantation of CoreValve Evolut R 34 prosthesis in patient with bicuspid aortic valve with large annulus. Postępy W Kardiologii Interwencyjnej, 2018, 14, 433-434.	0.2	0
155	The influence of iatrogenic interatrial septum leaks after left atrial appendage closure on cardiac function test results. Journal of Interventional Cardiology, 2018, 31, 679-684.	1.2	0
156	Percutaneous access to coronary arteries in patients after transcatheter aortic valve implantation procedures – is it a real problem?. Postępy W Kardiologii Interwencyjnej, 2019, 15, 274-282.	0.2	0
157	The Extended Utility of CHA2DS2VASc and HAS-BLED Scores in the Selection for Transcatheter Left Atrial Appendage Closure. Journal of Clinical Medicine, 2020, 9, 3438.	2.4	0
158	Wearable cardioverter-defibrillator in patients at risk of sudden cardiac death: consensus document from Kalarus et al. contradicts current guideline recommendations – Authors’ reply. Europace, 2020, 22, 1442-1443.	1.7	0
159	Wearable cardioverter-defibrillator to reduce the transient risk of sudden cardiac death in coronary artery disease: Authors’ reply. Europace, 2020, 22, 1600-1601.	1.7	0
160	Defibrillators for prevention from sudden cardiac death: is it that easy? – Authors’ reply. Europace, 2020, 22, 1298-1299.	1.7	0
161	Professor Stanisław Pasyk (1931–2020). Kardiologia Polska, 2021, 79, 106-108.	0.6	0
162	Leczenie przeciwkrzepliwie w ramach profilaktyki udaru niedokrwinnego u osób starszych z migotaniem przedsionków. , 2021, 18, 20-26.	0.1	0

#	ARTICLE	IF	CITATIONS
163	Antiarrhythmic effect of 9-week hybrid comprehensive telerehabilitation and its influence on cardiovascular mortality in long-term follow-up – subanalysis of the TELEREhabilitation in Heart Failure Patients randomized clinical trial. Archives of Medical Science, 2021, 18, 293-306.	0.9	0
164	Intracardiac ultrasound two-dimensional and three-dimensional reconstruction for navigating percutaneous left atrial appendage occlusion. Cardiology Journal, 2021, 28, 986-988.	1.2	0
165	Characteristics of hospital admissions and invasive cardiology procedures in the Silesian Voivodeship in 2019 and 2020. Kardiologia Polska, 2021, 79, 1022-1024.	0.6	0
166	Ultra-fast, high-density 3D mapping system for catheter ablation of infrequent, “nonmappable” idiopathic ventricular arrhythmia – a case report.. Heart Beat Journal, 2016, 1, 6-8.	0.2	0
167	Ultra-fast, high density 3D mapping (Rhythmia Mapping System) and catheter radiofrequency ablation for electrical storm – early single centre experience. Heart Beat Journal, 2017, 1, 35-40.	0.2	0
168	Major adverse cardiovascular events in patients after acute myocardial infarction treated invasively and different patterns of glucometabolic disturbances evaluated at mid-term follow-up. Journal of Medical Science, 2017, 86, 17-22.	0.7	0
169	Glucose abnormalities detected by oral glucose tolerance test in patients with acute myocardial infarction: clinical significance, epidemiology, natural course and therapeutic concerns. Annales Academiae Medicae Silesiensis, 2017, 72, 33-44.	0.1	0
170	2017 Monitoring and Teletransmission of Medical-Data in Heart Failure. First Report. Advances in Intelligent Systems and Computing, 2018, , 117-124.	0.6	0
171	Ventricular fibrillation induced by a radiofrequency energy delivery for premature ventricular contractions arising from the right ventricular outflow tract – is ICD indicated?. Polish Archives of Internal Medicine, 2018, 128, 166-170.	0.4	0
172	Usefulness of N-terminal-pro B-type natriuretic peptide as a heart failure marker in patients undergoing percutaneous left atrial appendage occlusion. Kardiologia Polska, 2018, 76, 166-172.	0.6	0
173	Percutaneous catheter ablation of atrial fibrillation in heart failure. In A Good Rythm, 2018, 3, 8-11.	0.0	0
174	Ultra-fast, high density 3D mapping system for catheter ablation of atypical atrial flutter.. Heart Beat Journal, 2018, 3, 80-82.	0.2	0
175	Komentarz – riwaroksaban 2,5 mg + ASA w wytycznych ESC 2019. , 2019, 16, 220-221.	0.1	0
176	The concept of a novel transcatheter aortic valve. Postepy W Kardiologii Interwencyjnej, 2020, 16, 482-485.	0.2	0
177	Female gender and the clinical and periprocedural profile and clinical outcomes of transcatheter aortic valve implantation: experiences of a tertiary Polish centre. Postepy W Kardiologii Interwencyjnej, 2020, 16, 436-443.	0.2	0
178	Leadless pacemaker implantation in a 102-year old patient – a case report. In A Good Rythm, 2020, 4, 23-24.	0.0	0
179	Implantation of a leadless pacemaker in a young adult patient with repaired tetralogy of Fallot. Cardiology Journal, 2020, 27, 652-653.	1.2	0
180	Interictal heart rate in patients with epilepsy. Wiadomości Lekarskie, 2016, 69, 443-448.	0.3	0

#	ARTICLE	IF	CITATIONS
181	Therapeutic hypothermia and postreperfusion myocardial injury in myocardial infarction. Polski Merkurusz Lekarski, 2020, 48, 365-369.	0.3	0
182	Prognostic Impact of Hybrid Comprehensive Telerehabilitation Regarding Diastolic Dysfunction in Patients with Heart Failure with Reduced Ejection Fractionâ€”Subanalysis of the TELEREH-HF Randomized Clinical Trial. Journal of Clinical Medicine, 2022, 11, 1844.	2.4	0