

Zbigniew Kalarus

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9058534/publications.pdf>

Version: 2024-02-01

182
papers

3,840
citations

159585

30
h-index

144013

57
g-index

197
all docs

197
docs citations

197
times ranked

5403
citing authors

#	ARTICLE	IF	CITATIONS
1	Withdrawn as duplicate: Optimized Implementation of cardiac resynchronization therapy – a call for action for referral and optimization of care. <i>Europace</i> , 2023, 25, .	1.7	2
2	Relationship between physical capacity and depression in heart failure patients undergoing hybrid comprehensive telerehabilitation vs. usual care: subanalysis from the TELEREH-HF Randomized Clinical Trial. <i>European Journal of Cardiovascular Nursing</i> , 2022, 21, 568-577.	0.9	4
3	The impact of complications related to transvenous lead extraction on the 12-month prognosis: Insights from the SILCARD registry. <i>Kardiologia Polska</i> , 2022, 80, 64-71.	0.6	1
4	ATRIAL FIBRILLATION IN PATIENTS WITH CONCOMITANT DIABETES MELLITUS – WHAT DO WE ALREADY KNOW AND WHAT DO WE NEED TO DISCOVER?. <i>Wiadomości Lekarskie</i> , 2022, 75, 123-127.	0.3	1
5	Cardiac implantable electronic devices procedures and their recipients characteristic during COVID-19 pandemic: 3.8 million population analysis. <i>Cardiology Journal</i> , 2022, 29, 27-32.	1.2	5
6	Cardiac troponins and adverse outcomes in European patients with atrial fibrillation: A report from the ESC-EHRA EORP atrial fibrillation general long-term registry. <i>European Journal of Internal Medicine</i> , 2022, 99, 45-56.	2.2	5
7	Long-term outcomes in patients after left atrial appendage occlusion: The results from the LAOO SILESIA registry. <i>Kardiologia Polska</i> , 2022, 80, 332-338.	0.6	2
8	Prognostic Impact of Hybrid Comprehensive Telerehabilitation Regarding Diastolic Dysfunction in Patients with Heart Failure with Reduced Ejection Fraction – Subanalysis of the TELEREH-HF Randomized Clinical Trial. <i>Journal of Clinical Medicine</i> , 2022, 11, 1844.	2.4	0
9	Impact of malignancy on outcomes in European patients with atrial fibrillation: A report from the ESC-EHRA EURObservational research programme in atrial fibrillation general long-term registry. <i>European Journal of Clinical Investigation</i> , 2022, 52, e13773.	3.4	6
10	Heart Failure Patients – Adherence to Hybrid Comprehensive Telerehabilitation and Its Impact on Prognosis Based on Data from TELEREH-HF Randomized Clinical Trial. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 2595.	2.5	1
11	Transcatheter Versus Surgical Valve Replacement: A 24-months Propensity-matched Analysis of the SILCARD Registry. , 2022, 26, 172-179.		1
12	Pre-hospital treatment of patients with acute coronary syndrome: Recommendations for medical emergency teams. Expert position update 2022. <i>Cardiology Journal</i> , 2022, 29, 540-552.	1.2	3
13	Quality of life in patients with a subcutaneous vs. transvenous implantable cardioverter-defibrillator. <i>Kardiologia Polska</i> , 2022, 80, 679-684.	0.6	2
14	ESC Working Group on e-Cardiology Position Paper: accuracy and reliability of electrocardiogram monitoring in the detection of atrial fibrillation in cryptogenic stroke patients. <i>European Heart Journal Digital Health</i> , 2022, 3, 341-358.	1.7	13
15	Relation of outcomes to ABC (Atrial Fibrillation Better Care) pathway adherent care in European patients with atrial fibrillation: an analysis from the ESC-EHRA EORP Atrial Fibrillation General Long-Term (AFGen LT) Registry. <i>Europace</i> , 2021, 23, 174-183.	1.7	74
16	Upgrade from implantable cardioverter-defibrillator vs. <i>de novo</i> implantation of cardiac resynchronization therapy: long-term outcomes. <i>Europace</i> , 2021, 23, 113-122.	1.7	5
17	Vascular disease in patients with atrial fibrillation. A report from Polish participants in the EORP – AF General Long-Term Registry. <i>International Journal of Clinical Practice</i> , 2021, 75, e13701.	1.7	3
18	Clinical manifestations of device-related infective endocarditis in cardiac resynchronization therapy recipients. <i>Archives of Medical Science</i> , 2021, 17, 638-645.	0.9	2

#	ARTICLE	IF	CITATIONS
19	Stroke prevention strategies in high-risk patients with atrial fibrillation. <i>Nature Reviews Cardiology</i> , 2021, 18, 276-290.	13.7	36
20	Professor Stanisław Pasyk (1931–2020). <i>Kardiologia Polska</i> , 2021, 79, 106-108.	0.6	0
21	Comparison of the results of transcatheter aortic valve implantation in patients with bicuspid and tricuspid aortic valve. <i>Postepy W Kardiologii Interwencyjnej</i> , 2021, 17, 82-92.	0.2	1
22	Prevalence, management and outcomes of cardiac tamponade complicating 66,812 invasive cardiac procedures: single-center clinical registry. <i>Postepy W Kardiologii Interwencyjnej</i> , 2021, 17, 193-199.	0.2	5
23	An aetiology-based subanalysis of the Telerehabilitation in Heart Failure Patients (TELEREH-HF) trial. <i>ESC Heart Failure</i> , 2021, 8, 1263-1273.	3.1	7
24	Percutaneous Occlusion of the Left Atrial Appendage with Thrombus Irresponsive to Antithrombotic Therapy. <i>Journal of Clinical Medicine</i> , 2021, 10, 726.	2.4	6
25	Patients with heart failure and an implanted cardioverter-defibrillator during the COVID-19 pandemic: insights from a multicentre registry in Poland. <i>Kardiologia Polska</i> , 2021, 79, 562-565.	0.6	2
26	Impact of the COVID-19 pandemic on atrial fibrillation and atrial flutter ablation rates. The analysis of nearly 5 million Polish population. <i>Kardiologia Polska</i> , 2021, 79, 687-689.	0.6	1
27	Optimized implementation of cardiac resynchronization therapy: a call for action for referral and optimization of care. <i>Europace</i> , 2021, 23, 1324-1342.	1.7	18
28	Effects of hybrid comprehensive telerehabilitation on cardiopulmonary capacity in heart failure patients depending on diabetes mellitus: subanalysis of the TELEREH-HF randomized clinical trial. <i>Cardiovascular Diabetology</i> , 2021, 20, 106.	6.8	10
29	Predicting Silent Atrial Fibrillation in the Elderly: A Report from the NOMED-AF Cross-Sectional Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 2321.	2.4	9
30	Clinical characteristics of patients with atrial fibrillation or atrial flutter hospitalized during the COVID-19 pandemic. The population analysis of nearly 5 million people. <i>Polish Archives of Internal Medicine</i> , 2021, 131, 574-577.	0.4	1
31	Leczenie przeciwkrzepliwne w ramach profilaktyki udaru niedokrwiennego u osób starszych z migotaniem przedsionkowym. <i>Postepy W Kardiologii Interwencyjnej</i> , 2021, 18, 20-26.	0.1	0
32	Antiarrhythmic effect of 9-week hybrid comprehensive telerehabilitation and its influence on cardiovascular mortality in long-term follow-up – subanalysis of the TELEREH-HF randomized clinical trial. <i>Archives of Medical Science</i> , 2021, 18, 293-306.	0.9	0
33	Relationship between diabetes mellitus and atrial fibrillation prevalence in the Polish population: a report from the Non-invasive Monitoring for Early Detection of Atrial Fibrillation (NOMED-AF) prospective cross-sectional observational study. <i>Cardiovascular Diabetology</i> , 2021, 20, 128.	6.8	14
34	Pacemaker-Based Cardiac Neuromodulation Therapy in Patients With Hypertension: A Pilot Study. <i>Journal of the American Heart Association</i> , 2021, 10, e020492.	3.7	8
35	Assessment of ECG during hybrid comprehensive telerehabilitation in heart failure patients – Subanalysis of the Telerehabilitation in Heart Failure Patients (TELEREH-HF) randomized clinical trial. <i>Annals of Noninvasive Electrocardiology</i> , 2021, 26, e12887.	1.1	5
36	Intracardiac ultrasound two-dimensional and three-dimensional reconstruction for navigating percutaneous left atrial appendage occlusion. <i>Cardiology Journal</i> , 2021, 28, 986-988.	1.2	0

#	ARTICLE	IF	CITATIONS
37	<i>De novo</i> and pre-existing atrial fibrillation in acute coronary syndromes: impact on prognosis and cardiovascular events in long-term follow-up. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 1129-1139.	1.0	2
38	Characteristics of hospital admissions and invasive cardiology procedures in the Silesian Voivodeship in 2019 and 2020. <i>Kardiologia Polska</i> , 2021, 79, 1022-1024.	0.6	0
39	Transcatheter mitral valve repair and replacement. Expert consensus statement of the Polish Cardiac Society and the Polish Society of Cardiothoracic Surgeons. <i>Kardiologia Polska</i> , 2021, 79, 1165-1177.	0.6	2
40	EHRA/EAPCI expert consensus statement on catheter-based left atrial appendage occlusion “an update. <i>Europace</i> , 2020, 22, 184-184.	1.7	160
41	In-hospital and 12-month follow-up outcome from the ESC-EORP EHRA Atrial Fibrillation Ablation Long-Term registry: sex differences. <i>Europace</i> , 2020, 22, 66-73.	1.7	33
42	European Heart Rhythm Association (EHRA) international consensus document on how to prevent, diagnose, and treat cardiac implantable electronic device infections” endorsed by the Heart Rhythm Society (HRS), the Asia Pacific Heart Rhythm Society (APHRS), the Latin American Heart Rhythm Society (LAHRS), International Society for Cardiovascular Infectious Diseases (ISCVID) and the European Society of Clinical Microbiology and Infectious Diseases (ESCMID) in collaboration with the European Association for Cardio. <i>Europace</i> , 2020, 22, 515-549.	1.7	216
43	Effects of a 9-Week Hybrid Comprehensive Telerehabilitation Program on Long-term Outcomes in Patients With Heart Failure. <i>JAMA Cardiology</i> , 2020, 5, 300.	6.1	104
44	Managed Care after Acute Myocardial Infarction (MC-AMI) Reduces Total Mortality in 12-Month Follow-Up” Results from a Poland’s National Health Fund Program of Comprehensive Post-MI Care” A Population-Wide Analysis. <i>Journal of Clinical Medicine</i> , 2020, 9, 3178.	2.4	9
45	<p>Cardiac Electronic Devices: Future Directions and Challenges</p>. <i>Medical Devices: Evidence and Research</i> , 2020, Volume 13, 325-338.	0.8	12
46	Quality of life in heart failure patients undergoing hybrid comprehensive telerehabilitation versus usual care “ results of the Telerehabilitation in Heart Failure Patients (TELEREH-HF) Randomized Clinical Trial. <i>Archives of Medical Science</i> , 2020, 17, 1599-1612.	0.9	10
47	Remote Monitoring of Cardiac Implantable Electronic Devices in Patients Undergoing Hybrid Comprehensive Telerehabilitation in Comparison to the Usual Care. Subanalysis from Telerehabilitation in Heart Failure Patients (TELEREH-HF) Randomised Clinical Trial. <i>Journal of Clinical Medicine</i> , 2020, 9, 3729.	2.4	8
48	Optimized implementation of cardiac resynchronization therapy: a call for action for referral and optimization of care. <i>European Journal of Heart Failure</i> , 2020, 22, 2349-2369.	7.1	101
49	Clinical Characteristics, Treatments, and Outcomes of Patients with Myocardial Infarction with Non-Obstructive Coronary Arteries (MINOCA): Results from a Multicenter National Registry. <i>Journal of Clinical Medicine</i> , 2020, 9, 2779.	2.4	21
50	The Extended Utility of CHA2DS2VASc and HAS-BLED Scores in the Selection for Transcatheter Left Atrial Appendage Closure. <i>Journal of Clinical Medicine</i> , 2020, 9, 3438.	2.4	0
51	Wearable cardioverter-defibrillator in patients at risk of sudden cardiac death: consensus document from Kalarus et al. contradicts current guideline recommendations” Authors” reply. <i>Europace</i> , 2020, 22, 1442-1443.	1.7	0
52	2019 APHRS expert consensus statement on three-dimensional mapping systems for tachycardia developed in collaboration with HRS, EHRA, and LAHRS. <i>Journal of Arrhythmia</i> , 2020, 36, 215-270.	1.2	57
53	Successful implantation of leadless pacemakers in children: a case series. <i>European Heart Journal - Case Reports</i> , 2020, 4, 1-6.	0.6	3
54	Wearable cardioverter-defibrillator to reduce the transient risk of sudden cardiac death in coronary artery disease: Authors” reply. <i>Europace</i> , 2020, 22, 1600-1601.	1.7	0

#	ARTICLE	IF	CITATIONS
55	The impact of the aortic cusps fusion pattern and valve disease severity on the aortic wall mechanics in patients with bicuspid aortic valve. <i>International Journal of Cardiovascular Imaging</i> , 2020, 36, 1429-1436.	1.5	4
56	Defibrillators for prevention from sudden cardiac death: is it that easy?â€™Authorsâ€™™ reply. <i>Europace</i> , 2020, 22, 1298-1299.	1.7	0
57	Remote Supervision to Decrease Hospitalization Rate (RESULT) study in patients with implanted cardioverter-defibrillator. <i>Europace</i> , 2020, 22, 769-776.	1.7	26
58	Telehealth visits in a tertiary cardiovascular centre as a response of the healthcare system to the pandemic of SARS-CoV-2 in Poland. <i>Polish Archives of Internal Medicine</i> , 2020, 130, 700-703.	0.4	6
59	Temporal trends in the availability and efficacy of catheter ablation for atrial fibrillation and atrial flutter in a highly populated urban area. <i>Kardiologia Polska</i> , 2020, 78, 537-544.	0.6	5
60	New hope for patients and challenges for the multidisciplinary arrhythmia team: a hybrid convergent approach for atrial fibrillation treatment. <i>Kardiologia Polska</i> , 2020, 78, 1243-1253.	0.6	3
61	Two-dimensional versus three-dimensional transesophageal echocardiography in percutaneous left atrial appendage occlusion. <i>Cardiology Journal</i> , 2020, 26, 687-695.	1.2	2
62	Implantation of a leadless pacemaker in a patient after Senning procedure â€™ a case report.. <i>Anatolian Journal of Cardiology</i> , 2020, 25, 278-279.	0.9	1
63	The concept of a novel transcatheter aortic valve. <i>Postepy W Kardiologii Interwencyjnej</i> , 2020, 16, 482-485.	0.2	0
64	Rationale for cerebral protection in patients with left atrial appendage thrombus during percutaneous left atrial appendage closure: a single-center initial experience. <i>Polish Archives of Internal Medicine</i> , 2020, 131, 202-204.	0.4	1
65	Female gender and the clinical and periprocedural profile and clinical outcomes of transcatheter aortic valve implantation: experiences of a tertiary Polish centre. <i>Postepy W Kardiologii Interwencyjnej</i> , 2020, 16, 436-443.	0.2	0
66	Association between electrocardiographic and electroencephalographic changes in patients with epilepsy. <i>Archives of Medical Science</i> , 2020, 16, 1472-1473.	0.9	1
67	Trends in antithrombotic management in patients with atrial fibrillation: a report from Polish participants in the EURObservational Research Programme â€™ Atrial Fibrillation General Long-Term Registry. <i>Polish Archives of Internal Medicine</i> , 2020, 130, 196-205.	0.4	5
68	Leadless pacemaker implantation in a 102-year old patient â€™ a case report. In <i>A Good Rythm</i> , 2020, 4, 23-24.	0.0	0
69	Implantation of a leadless pacemaker in a young adult patient with repaired tetralogy of Fallot. <i>Cardiology Journal</i> , 2020, 27, 652-653.	1.2	0
70	Therapeutic hypothermia and postreperfusion myocardial injury in myocardial infarction. <i>Polski Merkuriusz Lekarski</i> , 2020, 48, 365-369.	0.3	0
71	European Heart Rhythm Association (EHRA) consensus document on management of arrhythmias and cardiac electronic devices in the critically ill and post-surgery patient, endorsed by Heart Rhythm Society (HRS), Asia Pacific Heart Rhythm Society (APHRs), Cardiac Arrhythmia Society of Southern Africa (CASSA), and Latin American Heart Rhythm Society (LAHRS). <i>Europace</i> , 2019, 21, 7-8.	1.7	72
72	Considerations when restarting anticoagulants in patients with atrial fibrillation after bleeding. <i>Expert Review of Hematology</i> , 2019, 12, 845-855.	2.2	5

#	ARTICLE	IF	CITATIONS
73	Cardiac arrhythmias in the emergency settings of acute coronary syndrome and revascularization: an European Heart Rhythm Association (EHRA) consensus document, endorsed by the European Association of Percutaneous Cardiovascular Interventions (EAPCI), and European Acute Cardiovascular Care Association (ACCA). <i>Europace</i> , 2019, 21, 1603-1604.	1.7	61
74	Impact of coronary artery disease on outcomes of severe aortic stenosis treatment with transcatheter aortic valve implantation. <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 167-175.	0.2	3
75	Percutaneous access to coronary arteries in patients after transcatheter aortic valve implantation procedures – is it a real problem?. <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 274-282.	0.2	0
76	Association between antithrombotic treatment and outcomes at 1-year follow-up in patients with atrial fibrillation: the EORP-AF General Long-Term Registry. <i>Europace</i> , 2019, 21, 1013-1022.	1.7	47
77	Comparison of transesophageal and intracardiac echocardiography in guiding percutaneous left atrial appendage closure with an Amplatzer Amulet device. <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 446-454.	0.2	3
78	Therapy From a Novel Substernal Lead. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 186-196.	3.2	30
79	The effect of sacubitril / valsartan on the occurrence of ventricular arrhythmia and the risk of sudden cardiac death in patients with chronic heart failure with reduced left ventricular ejection fraction. Expert opinion of the Heart Rhythm and Heart Failure Sections of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2019, 77, 987-993.	0.6	6
80	2019 Guidelines on the management of diabetic patients. A position of Diabetes Poland. <i>Clinical Diabetology</i> , 2019, 8, 1-95.	0.6	34
81	Komentarz – riwaroksaban 2,5 mg + ASA w wytycznych ESC 2019. , 2019, 16, 220-221.	0.1	0
82	Contemporary stroke prevention strategies in 11% European patients with atrial fibrillation: a report from the EURObservational Research Programme on Atrial Fibrillation (EORP-AF) Long-Term General Registry. <i>Europace</i> , 2018, 20, 747-757.	1.7	118
83	Prognostic Significance of Complex Ventricular Arrhythmias Complicating ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2018, 121, 805-809.	1.6	17
84	Early and long-term outcomes of bioresorbable vascular scaffolds in the treatment of patients with coronary artery disease in real-world clinical practice – insights from the ZABRZE-BVS registry. <i>Postepy W Kardiologii Interwencyjnej</i> , 2018, 14, 338-346.	0.2	1
85	Technical solution during challenging implantation of CoreValve Evolut R 34 prosthesis in patient with bicuspid aortic valve with large annulus. <i>Postepy W Kardiologii Interwencyjnej</i> , 2018, 14, 433-434.	0.2	0
86	The influence of iatrogenic interatrial septum leaks after left atrial appendage closure on cardiac function test results. <i>Journal of Interventional Cardiology</i> , 2018, 31, 679-684.	1.2	0
87	The first successful implantation of an intravenous AAIR pacemaker into autologous extracardiac lateral tunnel Fontan in the child. <i>Journal of Electrocardiology</i> , 2018, 51, 1015-1018.	0.9	1
88	Treatment of patients with acute coronary syndrome: Recommendations for medical emergency teams: Focus on antiplatelet therapies. Updated experts™ standpoint. <i>Cardiology Journal</i> , 2018, 25, 291-300.	1.2	18
89	Cryoballoon ablation of atrial fibrillation in patients with advanced systolic heart failure and cardiac implantable electronic devices. <i>Kardiologia Polska</i> , 2018, 76, 1081-1088.	0.6	12
90	Factors determining the choice between subcutaneous or transvenous implantable cardioverter-defibrillators in Poland in comparison with other European countries: a sub-study of the European Heart Rhythm Association prospective survey. <i>Kardiologia Polska</i> , 2018, 76, 1507-1515.	0.6	2

#	ARTICLE	IF	CITATIONS
91	Outcomes in patients undergoing cardiac resynchronisation therapy complicated by device-related infective endocarditis. <i>Kardiologia Polska</i> , 2018, 76, 1525-1533.	0.6	4
92	NONinvasive Monitoring for Early Detection of Atrial Fibrillation: rationale and design of the NOMED-AF study. <i>Kardiologia Polska</i> , 2018, 76, 1482-1485.	0.6	9
93	Catheter ablation of atrial fibrillation: current status, techniques, outcomes and challenges. <i>Kardiologia Polska</i> , 2018, 76, 1680-1686.	0.6	13
94	2017 Monitoring and Teletransmission of Medical-Data in Heart Failure. First Report. <i>Advances in Intelligent Systems and Computing</i> , 2018, , 117-124.	0.6	0
95	Ventricular fibrillation induced by a radiofrequency energy delivery for premature ventricular contractions arising from the right ventricular outflow tract " is ICD indicated?. <i>Polish Archives of Internal Medicine</i> , 2018, 128, 166-170.	0.4	0
96	Usefulness of N-terminal-pro B-type natriuretic peptide as a heart failure marker in patients undergoing percutaneous left atrial appendage occlusion. <i>Kardiologia Polska</i> , 2018, 76, 166-172.	0.6	0
97	The intracardiac concentrations of the N-terminal-pro B-type natriuretic peptide (NT-proBNP) and the determinants of its secretion in patients with atrial fibrillation. <i>Kardiologia Polska</i> , 2018, 76, 433-439.	0.6	5
98	Percutaneous catheter ablation of atrial fibrillation in heart failure. In <i>A Good Rythm</i> , 2018, 3, 8-11.	0.0	0
99	Ultra"fast, high density 3D mapping system for catheter ablation of atypical atrial flutter.. <i>Heart Beat Journal</i> , 2018, 3, 80-82.	0.2	0
100	Prevention of sudden cardiac death by the implantable cardioverter-defibrillator. <i>Polish Archives of Internal Medicine</i> , 2018, 128, 764-770.	0.4	1
101	Remote supervision to Decrease Hospitalization Rate. Unified and integrated platform for data collected from devices manufactured by different companies: Design and rationale of the RESULT study. <i>Annals of Noninvasive Electrocardiology</i> , 2017, 22, .	1.1	6
102	Hybrid dual stage closed chest ablation of persistent atrial fibrillation. <i>Cor Et Vasa</i> , 2017, 59, e337-e344.	0.1	4
103	Novel Genetic Triggers and Genotype"Phenotype Correlations in Patients With Left Ventricular Noncompaction. <i>Circulation: Cardiovascular Genetics</i> , 2017, 10, .	5.1	99
104	Long-term outcome of catheter ablation and other form of therapy for electrical storm in patients with implantable cardioverter-defibrillators. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017, 50, 227-234.	1.3	16
105	Significance of Atrial Fibrillation Complicating ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2017, 120, 517-521.	1.6	13
106	The Incidence, Clinical Significance, and Treatment Effects of Depression in Cardiac Resynchronization Therapy Recipients. <i>Cardiology</i> , 2017, 138, 115-121.	1.4	7
107	Device-related infective endocarditis in cardiac resynchronization therapy recipients " Single center registry with over 2500 person-years follow up. <i>International Journal of Cardiology</i> , 2017, 227, 18-24.	1.7	17
108	Gender-related differences in long-term outcome among high-risk patients with myocardial infarction treated invasively. <i>Postepy W Kardiologii Interwencyjnej</i> , 2017, 2, 107-116.	0.2	1

#	ARTICLE	IF	CITATIONS
109	Staged hybrid ablation for persistent and longstanding persistent atrial fibrillation effectively restores sinus rhythm in long-term observation. <i>Archives of Medical Science</i> , 2017, 1, 109-117.	0.9	30
110	Assessment of cardiovascular function following transcatheter aortic valve implantation based on six-minute walk test. <i>Cardiology Journal</i> , 2017, 24, 167-175.	1.2	4
111	Impact of CoreValve size selection based on multi-slice computed tomography on paravalvular leak after transcatheter aortic valve implantation. <i>Cardiology Journal</i> , 2017, 24, 467-476.	1.2	6
112	Anti-aggregation therapy in patients with acute coronary syndrome – recommendations for medical emergency teams. Experts’ standpoint. <i>Kardiologia Polska</i> , 2017, 75, 399-408.	0.6	5
113	Percutaneous left atrial appendage occlusion procedures in patients with heart failure. <i>Kardiologia Polska</i> , 2017, 75, 868-876.	0.6	4
114	Ultra-fast, high density 3D mapping (Rhythmia Mapping System) and catheter radiofrequency ablation for electrical storm – early single centre experience. <i>Heart Beat Journal</i> , 2017, 1, 35-40.	0.2	0
115	Long-term prognosis is related to mid-term changes of glucometabolic status in patients with acute myocardial infarction treated invasively. <i>Kardiologia Polska</i> , 2017, 75, 117-125.	0.6	2
116	Major adverse cardiovascular events in patients after acute myocardial infarction treated invasively and different patterns of glucometabolic disturbances evaluated at mid-term follow-up. <i>Journal of Medical Science</i> , 2017, 86, 17-22.	0.7	0
117	Glucose abnormalities detected by oral glucose tolerance test in patients with acute myocardial infarction: clinical significance, epidemiology, natural course and therapeutic concerns. <i>Annales Academiae Medicae Silesiensis</i> , 2017, 72, 33-44.	0.1	0
118	Ferritin as a potential biomarker of efficacy of treatment of atrial fibrillation - preliminary report. <i>Postepy Higieny I Medycyny Doswiadczalnej</i> , 2017, 71, 0-0.	0.1	2
119	POL-TAVI – Polish Registry of Transcatheter Aortic Valve Implantation – simple tool, great value, rationale and design. <i>Kardiochirurgia I Torakochirurgia Polska</i> , 2016, 4, 309-315.	0.1	2
120	Sleep-disordered breathing and echocardiographic measures of function and dyssynchrony. <i>Journal of Cardiovascular Medicine</i> , 2016, 17, 886-895.	1.5	1
121	Do we need to monitor the percentage of biventricular pacing day by day?. <i>International Journal of Cardiology</i> , 2016, 221, 81-89.	1.7	5
122	Can we rely on machines? Device-detected atrial high rates correspond well with atrial arrhythmias in cardiac resynchronization recipients. <i>Europace</i> , 2016, 18, 436-444.	1.7	12
123	Refractory chronic spontaneous urticaria and permanent atrial fibrillation associated with dental infection: Mere coincidence or something more to it?. <i>International Journal of Immunopathology and Pharmacology</i> , 2016, 29, 112-120.	2.1	13
124	Prognostic value of collagen turnover biomarkers in cardiac resynchronization therapy: A subanalysis of the TRUST CRT randomized trial population. <i>Heart Rhythm</i> , 2016, 13, 1088-1095.	0.7	12
125	–Real-world– management and outcomes of patients with paroxysmal vs. non-paroxysmal atrial fibrillation in Europe: the EURObservational Research Programme – Atrial Fibrillation (EORP-AF) General Pilot Registry. <i>Europace</i> , 2016, 18, 648.1-657.	1.7	61
126	The Impact of Routine Angiographic Follow-Up in a Population of Patients Undergoing Percutaneous Coronary Intervention Within the Left Main Coronary Artery. <i>Angiology</i> , 2016, 67, 742-748.	1.8	5

#	ARTICLE	IF	CITATIONS
127	Causes of hospitalisation and prognosis in patients with cardiovascular diseases – secular trends 2006-2014. Silesian Cardiovascular (SILCARD) database covering a population of 4.6 million subjects. Polish Archives of Internal Medicine, 2016, 126, 754-762.	0.4	12
128	Left atrial appendage occlusion with the AMPLATZER Amulet device: an expert consensus step-by-step approach. EuroIntervention, 2016, 11, 1512-1521.	3.2	105
129	Gender-dependent profile of heart rate turbulence parameters in patients after acute myocardial infarction treated invasively. Kardiologia Polska, 2016, 74, 274-279.	0.6	3
130	Day by day telemetric care of patients treated with cardiac resynchronisation therapy: first Polish experience. Kardiologia Polska, 2016, 74, 741-748.	0.6	6
131	Polish and European management strategies in patients with atrial fibrillation. Data from the EURObservational Research Programme Atrial Fibrillation General Registry Pilot Phase (EORP-AF) Tj ETQq1 1 0.784314 rgBT /@verlock	1.4	10
132	Fragmentation of the QRS complex in patients with acute coronary syndrome treated invasively. Kardiologia Polska, 2016, 74, 644-649.	0.6	4
133	Poprawa skuteczności osiągnięcia celu terapeutycznego w zakresie docelowego stężenia cholesterolu frakcji LDL u pacjentów po ostrym zespole wieńcowym. Stanowisko grupy ekspertów. Folia Cardiologica, 2016, 11, 310-317.	0.1	1
134	Ultra-fast, high-density 3D mapping system for catheter ablation of infrequent, unmappable idiopathic ventricular arrhythmia – a case report.. Heart Beat Journal, 2016, 1, 6-8.	0.2	0
135	Interictal heart rate in patients with epilepsy. Wiadomości Lekarskie, 2016, 69, 443-448.	0.3	0
136	Interictal heart rate in patients with epilepsy. Wiadomości Lekarskie, 2016, 69, 443-448.	0.3	2
137	Stroke and death prediction with CHA2DS2-vasc score after myocardial infarction in patients without atrial fibrillation. Journal of Cardiovascular Medicine, 2015, 16, 497-502.	1.5	22
138	Methods and Techniques Transfemoral transcatheter aortic valve implantation in a patient with severe aortic stenosis and cardiogenic shock requiring intra-aortic balloon pump support. Postępy W Kardiologii Interwencyjnej, 2015, 1, 55-57.	0.2	0
139	Randomized placebo controlled blinded study to assess valsartan efficacy in preventing left ventricle remodeling in patients with dual chamber pacemaker – Rationale and design of the trial. Contemporary Clinical Trials, 2015, 42, 239-243.	1.8	2
140	Regional differences in presentation and treatment of patients with atrial fibrillation in Europe: a report from the EURObservational Research Programme Atrial Fibrillation (EORP-AF) Pilot General Registry. Europace, 2015, 17, 194-206.	1.7	41
141	Heart failure in patients with atrial fibrillation in Europe: a report from the EURObservational Research Programme Pilot survey on Atrial Fibrillation. European Journal of Heart Failure, 2015, 17, 570-582.	7.1	68
142	Improved outcomes with European Society of Cardiology guideline-adherent antithrombotic treatment in high-risk patients with atrial fibrillation: a report from the EORP-AF General Pilot Registry. Europace, 2015, 17, 1777-1786.	1.7	128
143	Prognostic significance of HbA1c in patients with AMI treated invasively and newly detected glucose abnormalities. European Journal of Preventive Cardiology, 2015, 22, 798-806.	1.8	24
144	Quality of Life in Cardiac Resynchronization Recipients: Association with Response and Impact on Outcome. PACE - Pacing and Clinical Electrophysiology, 2015, 38, 8-17.	1.2	9

#	ARTICLE	IF	CITATIONS
145	Sex-related differences in presentation, treatment, and outcome of patients with atrial fibrillation in Europe: a report from the Euro Observational Research Programme Pilot survey on Atrial Fibrillation. <i>Europace</i> , 2015, 17, 24-31.	1.7	164
146	Atrial fibrillation in cardiac resynchronization recipients with and without prior arrhythmic history. How much of arrhythmia is too much?. <i>Cardiology Journal</i> , 2015, 22, 267-275.	1.2	6
147	Readmissions and repeat procedures after catheter ablation for atrial fibrillation. <i>Cardiology Journal</i> , 2015, 22, 630-636.	1.2	7
148	Incidence, treatment, in-hospital mortality and one-year outcomes of acute myocardial infarction in Poland in 2009-2012 nationwide AMI-PL database. <i>Kardiologia Polska</i> , 2015, 73, 142-158.	0.6	62
149	Platelet count and volume indices in patients with contrast-induced acute kidney injury and acute myocardial infarction treated invasively. <i>Kardiologia Polska</i> , 2015, 73, 520-526.	0.6	3
150	Bridge to recovery in two cases of dilated cardiomyopathy after long-term mechanical circulatory support. <i>Kardiochirurgia i Torakochirurgia Polska</i> , 2014, 2, 169-172.	0.1	3
151	Impact of ventricular arrhythmias on survival in patients after myocardial infarction. <i>International Journal of Diagnostic Imaging</i> , 2014, 1, 21.	0.1	1
152	Real-World™ Antithrombotic Treatment in Atrial Fibrillation: The EORP-AF Pilot Survey. <i>American Journal of Medicine</i> , 2014, 127, 519-529.e1.	1.5	144
153	A prospective survey in European Society of Cardiology member countries of atrial fibrillation management: baseline results of EURObservational Research Programme Atrial Fibrillation (EORP-AF) Pilot General Registry. <i>Europace</i> , 2014, 16, 308-319.	1.7	280
154	The Atrial Fibrillation Ablation Pilot Study: an European Survey on Methodology and results of catheter ablation for atrial fibrillation conducted by the European Heart Rhythm Association. <i>European Heart Journal</i> , 2014, 35, 1466-1478.	2.2	180
155	Contrast-induced acute kidney injury in patients undergoing cardiac resynchronization therapy—incidence and prognostic importance. Sub-analysis of data from randomized TRUST CRT trial. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2014, 40, 1-8.	1.3	16
156	Long-term outcomes of cardiac resynchronization therapy are worse in patients who require atrioventricular junction ablation for atrial fibrillation than in those with sinus rhythm. <i>Cardiology Journal</i> , 2014, 21, 309-315.	1.2	14
157	Long QT syndrome and left ventricular non-compaction. <i>Kardiologia Polska</i> , 2014, 72, 556-556.	0.6	1
158	Alternating left and right bundle branch block. <i>Kardiologia Polska</i> , 2014, 72, 987-987.	0.6	4
159	Efficacy of cardiac resynchronisation therapy in the treatment of end-stage inotrope-dependent heart failure patients. <i>Kardiologia Polska</i> , 2014, 72, 777-782.	0.6	5
160	Role of impaired glucose tolerance in patients with acute myocardial infarction in relation to sex. <i>Polish Archives of Internal Medicine</i> , 2014, 124, 467-473.	0.4	1
161	Trying to predict the unpredictable: Variations in device-based daily monitored diagnostic parameters can predict malignant arrhythmic events in patients undergoing cardiac resynchronization therapy. <i>Cardiology Journal</i> , 2014, 21, 405-412.	1.2	4
162	Many response criteria are poor predictors of outcomes after cardiac resynchronization therapy: validation using data from the randomized trial. <i>Europace</i> , 2013, 15, 835-844.	1.7	38

#	ARTICLE	IF	CITATIONS
163	Ostial stenosis of the left main coronary artery as the result of the previous percutaneous coronary intervention on the left coronary artery. <i>Postepy W Kardiologii Interwencyjnej</i> , 2013, 3, 317-320.	0.2	1
164	Evaluation of the usefulness of coronary catheters and 4 Fr insertion sets for transradial access coronarography in comparison with catheters and 5 Fr sets. <i>Postepy W Kardiologii Interwencyjnej</i> , 2013, 4, 332-336.	0.2	1
165	Outcomes of invasive treatment in very elderly Polish patients with non-ST-segment-elevation myocardial infarction from 2003–2009 (from the PL-ACS registry). <i>Cardiology Journal</i> , 2013, 20, 34-43.	1.2	25
166	The incidence and risk factors of stroke in patients with acute myocardial infarction treated invasively and concomitant impaired renal function. <i>Cardiology Journal</i> , 2013, 20, 672-678.	1.2	1
167	Evaluation of factors affecting persistence of atrial fibrillation in patients with concomitant atrial flutter treated with percutaneous radiofrequency current ablation of the right atrial cavotricuspid isthmus. <i>Kardiologia Polska</i> , 2013, 71, 247-252.	0.6	1
168	ESC-EURObservational Research Programme: the Atrial Fibrillation Ablation Pilot Study, conducted by the European Heart Rhythm Association. <i>Europace</i> , 2012, 14, 1094-1103.	1.7	123
169	The prognostic value of different glucose abnormalities in patients with acute myocardial infarction treated invasively. <i>Cardiovascular Diabetology</i> , 2012, 11, 78.	6.8	27
170	Implantation Feasibility, Procedureâ€Related Adverse Events and Lead Performance During 1â€Year Followâ€up in Patients Undergoing Tripleâ€Site Cardiac Resynchronization Therapy: A Substudy of TRUST CRT Randomized Trial. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 1228-1236.	1.7	43
171	Minimally invasive hybrid ablation procedure for the treatment of persistent atrial fibrillation: one year results. <i>Kardiologia Polska</i> , 2012, 70, 819-28.	0.6	43
172	The Incremental Value of Right Ventricular Indices for Predicting Response to Cardiac Resynchronization Therapy. <i>Journal of the American Society of Echocardiography</i> , 2011, 24, 170-179.e3.	2.8	13
173	The impact of unsuccessful percutaneous coronary intervention on shortâ€and longâ€term prognosis in STEMI and NSTEMI. <i>Catheterization and Cardiovascular Interventions</i> , 2011, 78, 514-522.	1.7	10
174	2010 Focused Update of ESC Guidelines on device therapy in heart failure. <i>European Journal of Heart Failure</i> , 2010, 12, 1143-1153.	7.1	152
175	Early therapy following myocardial infarction: arguments for and against implantable cardioverter-defibrillators. <i>Future Cardiology</i> , 2010, 6, 315-323.	1.2	2
176	Prognosis in diabetic patients with acute myocardial infarction treated invasively is related to renal function. <i>Medical Science Monitor</i> , 2010, 16, CR67-74.	1.1	4
177	Immediate and 6-month outcomes of transapical and transfemoral Edwards-Sapien prosthesis implantation in patients with aortic stenosis. <i>Kardiologia Polska</i> , 2010, 68, 1124-31.	0.6	7
178	Tripleâ€Site Versus Standard Cardiac Resynchronization Therapy Study (TRUST CRT): Clinical Rationale, Design, and Implementation. <i>Journal of Cardiovascular Electrophysiology</i> , 2009, 20, 658-662.	1.7	30
179	Sleep apnoea as a predictor of mid- and long-term outcome in patients undergoing cardiac resynchronization therapy. <i>Europace</i> , 2008, 11, 106-114.	1.7	10
180	Importance of complete revascularization in patients with acute myocardial infarction treated with percutaneous coronary intervention. <i>American Heart Journal</i> , 2007, 153, 304-312.	2.7	74

#	ARTICLE	IF	CITATIONS
181	Different Types of Renal Dysfunction in Patients with Acute Myocardial Infarction Treated with Percutaneous Coronary Intervention. <i>Journal of Interventional Cardiology</i> , 2007, 20, 143-152.	1.2	9
182	Impact of anthropometric factors on outcomes in atrial fibrillation patients: analysis on 10 220 patients from the European Society of Cardiology (ESC)-European Heart Rhythm Association (EHRA) EurObservational Research Programme on Atrial Fibrillation (EORP-AF) general long-term registry. <i>European Journal of Preventive Cardiology</i> , 0, , .	1.8	3