
## Ian K Greaves

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9059604/publications.pdf

Version: 2024-02-01



| #  | Article                                                                                                                                                                                                                        | IF  | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1  | Changes in 24-nt siRNA levels in Arabidopsis hybrids suggest an epigenetic contribution to hybrid<br>vigor. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108,<br>2617-2622.          | 3.3 | 310       |
| 2  | RNA interference demonstrates a novel role for H2A.Z in chromosome segregation. Nature Structural and Molecular Biology, 2004, 11, 650-655.                                                                                    | 3.6 | 205       |
| 3  | Trans Chromosomal Methylation in <i>Arabidopsis</i> hybrids. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 3570-3575.                                                            | 3.3 | 202       |
| 4  | H2A.Z contributes to the unique 3D structure of the centromere. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 525-530.                                                           | 3.3 | 153       |
| 5  | The replacement histone H2A.Z in a hyperacetylated form is a feature of active genes in the chicken.<br>Nucleic Acids Research, 2005, 33, 5633-5639.                                                                           | 6.5 | 150       |
| 6  | The role of epigenetics in hybrid vigour. Trends in Genetics, 2013, 29, 684-690.                                                                                                                                               | 2.9 | 137       |
| 7  | The X and Y Chromosomes Assemble into H2A.Z, Containing Facultative Heterochromatin, following<br>Meiosis. Molecular and Cellular Biology, 2006, 26, 5394-5405.                                                                | 1.1 | 111       |
| 8  | Hormone-regulated defense and stress response networks contribute to heterosis<br>in <i>Arabidopsis</i> F1 hybrids. Proceedings of the National Academy of Sciences of the United States<br>of America, 2015, 112, E6397-406.  | 3.3 | 110       |
| 9  | Epigenetic Changes in Hybrids. Plant Physiology, 2015, 168, 1197-1205.                                                                                                                                                         | 2.3 | 102       |
| 10 | Intraspecific Arabidopsis Hybrids Show Different Patterns of Heterosis Despite the Close Relatedness<br>of the Parental Genomes  Â. Plant Physiology, 2014, 166, 265-280.                                                      | 2.3 | 77        |
| 11 | Inheritance of Trans Chromosomal Methylation patterns from <i>Arabidopsis</i> F1 hybrids.<br>Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 2017-2022.                            | 3.3 | 69        |
| 12 | Epigenetics in plants—vernalisation and hybrid vigour. Biochimica Et Biophysica Acta - Gene Regulatory<br>Mechanisms, 2011, 1809, 427-437.                                                                                     | 0.9 | 61        |
| 13 | Hybrid mimics and hybrid vigor in <i>Arabidopsis</i> . Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, E4959-67.                                                                   | 3.3 | 51        |
| 14 | Conservation of chromosome arrangement and position of the X in mammalian sperm suggests functional significance. Chromosome Research, 2003, 11, 503-512.                                                                      | 1.0 | 49        |
| 15 | Specific patterns of histone marks accompany X chromosome inactivation in a marsupial. Chromosome<br>Research, 2009, 17, 115-26.                                                                                               | 1.0 | 48        |
| 16 | Early changes of gene activity in developing seedlings of Arabidopsis hybrids relative to parents may contribute to hybrid vigour. Plant Journal, 2016, 88, 597-607.                                                           | 2.8 | 37        |
| 17 | Twenty-four–nucleotide siRNAs produce heritable trans-chromosomal methylation in F1<br><i>Arabidopsis</i> hybrids. Proceedings of the National Academy of Sciences of the United States of<br>America, 2016, 113, E6895-E6902. | 3.3 | 36        |
| 18 | PIF4-controlled auxin pathway contributes to hybrid vigor in <i>Arabidopsis thaliana</i> . Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E3555-E3562.                            | 3.3 | 35        |

IAN K GREAVES

| #  | Article                                                                                                                                                                         | IF  | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Trans-chromosomal methylation. Epigenetics, 2012, 7, 800-805.                                                                                                                   | 1.3 | 24        |
| 20 | Genome-wide analyses of four major histone modifications in Arabidopsis hybrids at the germinating seed stage. BMC Genomics, 2017, 18, 137.                                     | 1.2 | 23        |
| 21 | Gene knockdown by ecdysone-based inducible RNAi in stable mammalian cell lines. Nature Protocols, 2008, 3, 79-88.                                                               | 5.5 | 22        |
| 22 | Senescence and Defense Pathways Contribute to Heterosis. Plant Physiology, 2019, 180, 240-252.                                                                                  | 2.3 | 21        |
| 23 | Chromosomal painting detects non-random chromosome arrangement in dasyurid marsupial sperm.<br>Chromosome Research, 2001, 9, 251-259.                                           | 1.0 | 19        |
| 24 | Core-SINE blocks comprise a large fraction of monotreme genomes; implications for vertebrate chromosome evolution. Chromosome Research, 2007, 15, 975-984.                      | 1.0 | 6         |
| 25 | In Arabidopsis hybrids and Hybrid Mimics, upâ€regulation of cell wall biogenesis is associated with the increased plant size. Plant Direct, 2019, 3, e00174.                    | 0.8 | 6         |
| 26 | Arabidopsis Col/Ler and Ws/Ler hybrids and Hybrid Mimics produce seed yield heterosis through increased height, inflorescence branch and silique number. Planta, 2020, 252, 40. | 1.6 | 5         |
| 27 | Strategies to improve field establishment of canola: A review. Advances in Agronomy, 2022, , 133-177.                                                                           | 2.4 | 3         |