

# Fernanda Cássio

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9059762/publications.pdf>

Version: 2024-02-01

113  
papers

3,647  
citations

126907

33  
h-index

161849

54  
g-index

114  
all docs

114  
docs citations

114  
times ranked

3074  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Contribution of Fungi and Bacteria to Leaf Litter Decomposition in a Polluted River. <i>Applied and Environmental Microbiology</i> , 2004, 70, 5266-5273.                                     | 3.1  | 308       |
| 2  | Aquatic hyphomycete diversity and identity affect leaf litter decomposition in microcosms. <i>Oecologia</i> , 2006, 147, 658-666.   | 2.0  | 159       |
| 3  | Assessing structural and functional ecosystem condition using leaf breakdown: studies on a polluted river. <i>Freshwater Biology</i> , 2003, 48, 2033-2044.                                   | 2.4  | 120       |
| 4  | Can Metal Nanoparticles Be a Threat to Microbial Decomposers of Plant Litter in Streams?. <i>Microbial Ecology</i> , 2011, 62, 58-68.   | 2.8  | 116       |
| 5  | Anthropogenic stress may affect aquatic hyphomycete diversity more than leaf decomposition in a low-order stream. <i>Archiv Für Hydrobiologie</i> , 2005, 162, 481-496.                       | 1.1  | 112       |
| 6  | Role of fungi, bacteria, and invertebrates in leaf litter breakdown in a polluted river. <i>Journal of the North American Benthological Society</i> , 2005, 24, 784-797.                      | 3.1  | 111       |
| 7  | Responses of antioxidant defenses to Cu and Zn stress in two aquatic fungi. <i>Science of the Total Environment</i> , 2007, 377, 233-243.   | 8.0  | 92        |
| 8  | Pollution-induced community tolerance (PICT): towards an ecologically relevant risk assessment of chemicals in aquatic systems. <i>Freshwater Biology</i> , 2016, 61, 2141-2151.              | 2.4  | 86        |
| 9  | Stream-dwelling fungal decomposer communities along a gradient of eutrophication unraveled by 454 pyrosequencing. <i>Fungal Diversity</i> , 2015, 70, 127-148.                                | 12.3 | 80        |
| 10 | Elevated temperature may intensify the positive effects of nutrients on microbial decomposition in streams. <i>Freshwater Biology</i> , 2014, 59, 2390-2399.                                  | 2.4  | 72        |
| 11 | Biogeography of aquatic hyphomycetes: Current knowledge and future perspectives. <i>Fungal Ecology</i> , 2016, 19, 169-181.   | 1.6  | 68        |
| 12 | Intraspecific traits change biodiversity effects on ecosystem functioning under metal stress. <i>Oecologia</i> , 2011, 166, 1019-1028.  | 2.0  | 66        |
| 13 | Microbial Decomposer Communities Are Mainly Structured by Trophic Status in Circumneutral and Alkaline Streams. <i>Applied and Environmental Microbiology</i> , 2009, 75, 6211-6221.          | 3.1  | 65        |
| 14 | Assessing the dynamic of microbial communities during leaf decomposition in a low-order stream by microscopic and molecular techniques. <i>Microbiological Research</i> , 2010, 165, 351-362. | 5.3  | 62        |
| 15 | Higher temperature reduces the effects of litter quality on decomposition by aquatic fungi. <i>Freshwater Biology</i> , 2012, 57, 2306-2317.  | 2.4  | 58        |
| 16 | Effects of increased temperature and aquatic fungal diversity on litter decomposition. <i>Fungal Ecology</i> , 2012, 5, 734-740.  | 1.6  | 58        |
| 17 | Copper and zinc mixtures induce shifts in microbial communities and reduce leaf litter decomposition in streams. <i>Freshwater Biology</i> , 2008, 53, 91-101.                                | 2.4  | 52        |
| 18 | Responses of primary production, leaf litter decomposition and associated communities to stream eutrophication. <i>Environmental Pollution</i> , 2015, 202, 32-40.                            | 7.5  | 52        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Differences in the sensitivity of fungi and bacteria to season and invertebrates affect leaf litter decomposition in a Mediterranean stream. <i>FEMS Microbiology Ecology</i> , 2016, 92, fiw121.                  | 2.7  | 51        |
| 20 | Leaf Breakdown Rates: a Measure of Water Quality?. <i>International Review of Hydrobiology</i> , 2001, 86, 407-416.  | 0.9  | 49        |
| 21 | Copper oxide nanoparticles can induce toxicity to the freshwater shredder <i>Allogamus ligonifer</i> . <i>Chemosphere</i> , 2012, 89, 1142-1150.   | 8.2  | 49        |
| 22 | Effects of Zinc on Leaf Decomposition by Fungi in Streams: Studies in Microcosms. <i>Microbial Ecology</i> , 2004, 48, 366-374.  | 2.8  | 47        |
| 23 | Realized Fungal Diversity Increases Functional Stability of Leaf Litter Decomposition Under Zinc Stress. <i>Microbial Ecology</i> , 2010, 59, 84-93.   | 2.8  | 47        |
| 24 | DNA barcoding of fungi: a case study using ITS sequences for identifying aquatic hyphomycete species. <i>Fungal Diversity</i> , 2010, 44, 77-87.   | 12.3 | 47        |
| 25 | A comparative study on the transport of L(-)malic acid and other short-chain carboxylic acids in the yeast <i>Candida utilis</i> : Evidence for a general organic acid permease. <i>Yeast</i> , 1993, 9, 743-752.  | 1.7  | 45        |
| 26 | Effects of heavy metals on the production of thiol compounds by the aquatic fungi <i>Fontanospora fusiramosa</i> and <i>Flagellospora curta</i> . <i>Ecotoxicology and Environmental Safety</i> , 2007, 66, 36-43. | 6.0  | 44        |
| 27 | Impacts of warming on aquatic decomposers along a gradient of cadmium stress. <i>Environmental Pollution</i> , 2012, 169, 35-41.   | 7.5  | 43        |
| 28 | High Diversity of Fungi may Mitigate the Impact of Pollution on Plant Litter Decomposition in Streams. <i>Microbial Ecology</i> , 2008, 56, 688-695.   | 2.8  | 42        |
| 29 | Responses of Aquatic Fungal Communities on Leaf Litter to Temperature Change Events. <i>International Review of Hydrobiology</i> , 2009, 94, 410-418.  | 0.9  | 42        |
| 30 | Mixtures of zinc and phosphate affect leaf litter decomposition by aquatic fungi in streams. <i>Science of the Total Environment</i> , 2009, 407, 4283-4288.   | 8.0  | 39        |
| 31 | Wildfire impacts on freshwater detrital food webs depend on runoff load, exposure time and burnt forest type. <i>Science of the Total Environment</i> , 2019, 692, 691-700.  | 8.0  | 38        |
| 32 | Functional stability of stream-dwelling microbial decomposers exposed to copper and zinc stress. <i>Freshwater Biology</i> , 2009, 54, 1683-1691.  | 2.4  | 37        |
| 33 | Effects of metals on growth and sporulation of aquatic fungi. <i>Drug and Chemical Toxicology</i> , 2010, 33, 269-278.   | 2.3  | 37        |
| 34 | Structural and functional measures of leaf-associated invertebrates and fungi as predictors of stream eutrophication. <i>Ecological Indicators</i> , 2016, 69, 648-656.  | 6.3  | 37        |
| 35 | Microbial decomposition is highly sensitive to leaf litter emersion in a permanent temperate stream. <i>Science of the Total Environment</i> , 2018, 621, 486-496.   | 8.0  | 36        |
| 36 | Functional expression of the lactate permease Jen1p of <i>Saccharomyces cerevisiae</i> in <i>Pichia pastoris</i> . <i>Biochemical Journal</i> , 2003, 376, 781-787.  | 3.7  | 35        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Effects of Cadmium and Phenanthrene Mixtures on Aquatic Fungi and Microbially Mediated Leaf Litter Decomposition. Archives of Environmental Contamination and Toxicology, 2011, 61, 211-219.                  | 4.1 | 34        |
| 38 | Temperature modulates AgNP impacts on microbial decomposer activity. Science of the Total Environment, 2017, 601-602, 1324-1332.  | 8.0 | 33        |
| 39 | The Role of Early Fungal Colonizers in Leaf Litter Decomposition in Portuguese Streams Impacted by Agricultural Runoff. International Review of Hydrobiology, 2009, 94, 399-409.                              | 0.9 | 31        |
| 40 | Intraspecific Variation of the Aquatic Fungus Articulospora tetracladia: An Ubiquitous Perspective. PLoS ONE, 2012, 7, e35884.  | 2.5 | 31        |
| 41 | Fungi from metal-polluted streams may have high ability to cope with the oxidative stress induced by copper oxide nanoparticles. Environmental Toxicology and Chemistry, 2015, 34, 923-930.                   | 4.3 | 31        |
| 42 | Metal-binding proteins and peptides in the aquatic fungi Fontanospora fusiramosa and Flagellospora curta exposed to severe metal stress. Science of the Total Environment, 2006, 372, 148-156.                | 8.0 | 30        |
| 43 | Assessing the Contribution of Micro-Organisms and Macrofauna to Biodiversity Ecosystem Functioning Relationships in Freshwater Microcosms. Advances in Ecological Research, 2010, , 151-176.                  | 2.7 | 29        |
| 44 | Physiological responses to nanoCuO in fungi from non-polluted and metal-polluted streams. Science of the Total Environment, 2014, 466-467, 556-563.   | 8.0 | 29        |
| 45 | Humic acid can mitigate the toxicity of small copper oxide nanoparticles to microbial decomposers and leaf decomposition in streams. Freshwater Biology, 2016, 61, 2197-2210.                                 | 2.4 | 29        |
| 46 | How do physicochemical properties influence the toxicity of silver nanoparticles on freshwater decomposers of plant litter in streams?. Ecotoxicology and Environmental Safety, 2017, 140, 148-155.           | 6.0 | 29        |
| 47 | Potential of Yeasts as Biocontrol Agents of the Phytopathogen Causing Cacao Witches' Broom Disease: Is Microbial Warfare a Solution?. Frontiers in Microbiology, 2019, 10, 1766.                              | 3.5 | 29        |
| 48 | Proteomics and antioxidant enzymes reveal different mechanisms of toxicity induced by ionic and nanoparticulate silver in bacteria. Environmental Science: Nano, 2019, 6, 1207-1218.                          | 4.3 | 29        |
| 49 | Metal stress induces programmed cell death in aquatic fungi. Aquatic Toxicology, 2009, 92, 264-270.   | 4.0 | 27        |
| 50 | Fsy1, the sole hexose-proton transporter characterized in Saccharomyces yeasts, exhibits a variable fructose:H <sup>+</sup> stoichiometry. Biochimica Et Biophysica Acta - Biomembranes, 2013, 1828, 201-207. | 2.6 | 26        |
| 51 | Effects of Zn, Fe and Mn on Leaf Litter Breakdown by Aquatic Fungi: a Microcosm Study. International Review of Hydrobiology, 2010, 95, 12-26.   | 0.9 | 24        |
| 52 | Temperature alters interspecific relationships among aquatic fungi. Fungal Ecology, 2013, 6, 187-191.   | 1.6 | 24        |
| 53 | Seasonal Variability May Affect Microbial Decomposers and Leaf Decomposition More Than Warming in Streams. Microbial Ecology, 2016, 72, 263-276.  | 2.8 | 24        |
| 54 | Utilization and Transport of Acetic Acid in Dekkera anomala and Their Implications on the Survival of the Yeast in Acidic Environments. Journal of Food Protection, 2000, 63, 96-101.                         | 1.7 | 22        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Enzymatic biomarkers can portray nanoCuO-induced oxidative and neuronal stress in freshwater shredders. <i>Aquatic Toxicology</i> , 2016, 180, 227-235.  | 4.0 | 22        |
| 56 | Preliminary Insights into the Phylogeography of Six Aquatic Hyphomycete Species. <i>PLoS ONE</i> , 2012, 7, e45289.  | 2.5 | 22        |
| 57 | A decade's perspective on the impact of DNA sequencing on aquatic hyphomycete research. <i>Fungal Biology Reviews</i> , 2013, 27, 19-24.   | 4.7 | 21        |
| 58 | Assessing effects of eutrophication in streams based on breakdown of eucalypt leaves. <i>Fundamental and Applied Limnology</i> , 2007, 168, 221-230.   | 0.7 | 20        |
| 59 | Effects of Riparian Plant Diversity Loss on Aquatic Microbial Decomposers Become More Pronounced with Increasing Time. <i>Microbial Ecology</i> , 2013, 66, 763-772.   | 2.8 | 19        |
| 60 | Responses of microbial decomposers to drought in streams may depend on the environmental context. <i>Environmental Microbiology Reports</i> , 2017, 9, 756-765.  | 2.4 | 18        |
| 61 | Legacy of Summer Drought on Autumnal Leaf Litter Processing in a Temporary Mediterranean Stream. <i>Ecosystems</i> , 2020, 23, 989-1003.   | 3.4 | 18        |
| 62 | Proteomic responses to silver nanoparticles vary with the fungal ecotype. <i>Science of the Total Environment</i> , 2020, 704, 135385.   | 8.0 | 18        |
| 63 | Biochemical and functional responses of stream invertebrate shredders to post-wildfire contamination. <i>Environmental Pollution</i> , 2020, 267, 115433.  | 7.5 | 18        |
| 64 | Plastic Interactions with Pollutants and Consequences to Aquatic Ecosystems: What We Know and What We Do Not Know. <i>Biomolecules</i> , 2022, 12, 798.  | 4.0 | 18        |
| 65 | When Microscopic Organisms Inform General Ecological Theory. <i>Advances in Ecological Research</i> , 2010, 43, 45-85.   | 2.7 | 17        |
| 66 | Some new DNA barcodes of aquatic hyphomycete species. <i>Mycoscience</i> , 2015, 56, 102-108.  | 0.8 | 17        |
| 67 | Fungistatic effect of agrochemical and pharmaceutical fungicides on non-target aquatic decomposers does not translate into decreased fungi- or invertebrate-mediated decomposition. <i>Science of the Total Environment</i> , 2020, 712, 135676. | 8.0 | 17        |
| 68 | Plant litter diversity affects invertebrate shredder activity and the quality of fine particulate organic matter in streams. <i>Marine and Freshwater Research</i> , 2015, 66, 449.  | 1.3 | 16        |
| 69 | Direct and indirect effects of an invasive omnivore crayfish on leaf litter decomposition. <i>Science of the Total Environment</i> , 2016, 541, 714-720.   | 8.0 | 16        |
| 70 | New climatic targets against global warming: will the maximum 2â€°C temperature rise affect estuarine benthic communities?. <i>Scientific Reports</i> , 2017, 7, 3918.   | 3.3 | 16        |
| 71 | Natural organic matter alters size-dependent effects of nanoCuO on the feeding behaviour of freshwater invertebrate shredders. <i>Science of the Total Environment</i> , 2015, 535, 94-101.  | 8.0 | 15        |
| 72 | Microscopy- or DNA-based analyses: Which methodology gives a truer picture of stream-dwelling decomposer fungal diversity?. <i>Fungal Ecology</i> , 2015, 18, 130-134.   | 1.6 | 15        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Taxa-area relationship of aquatic fungi on deciduous leaves. PLoS ONE, 2017, 12, e0181545.  | 2.5 | 15        |
| 74 | Eutrophication modulates plant-litter diversity effects on litter decomposition in streams. Freshwater Science, 2015, 34, 31-41.  | 1.8 | 14        |
| 75 | Effects of metal nanoparticles on freshwater rotifers may persist across generations. Aquatic Toxicology, 2020, 229, 105652.  | 4.0 | 14        |
| 76 | Quantitative analysis of proton movements associated with the uptake of weak carboxylic acids. The yeast <i>Candida utilis</i> as a model. Biochimica Et Biophysica Acta - Biomembranes, 1993, 1153, 59-66. | 2.6 | 13        |
| 77 | The Use of Attached Microbial Communities to Assess Ecological Risks of Pollutants in River Ecosystems: The Role of Heterotrophs. Handbook of Environmental Chemistry, 2012, , 55-83.                       | 0.4 | 13        |
| 78 | The role of the freshwater shrimp <i>Atyaephyra desmarestii</i> in leaf litter breakdown in streams. Hydrobiologia, 2012, 680, 149-157.   | 2.0 | 13        |
| 79 | Spring stimulates leaf decomposition in moderately eutrophic streams. Aquatic Sciences, 2017, 79, 197-207.  | 1.5 | 13        |
| 80 | Does the developmental stage and composition of riparian forest stand affect ecosystem functioning in streams?. Science of the Total Environment, 2017, 609, 1500-1511.                                     | 8.0 | 13        |
| 81 | Riparian land use and stream habitat regulate water quality. Limnologia, 2020, 82, 125762.  | 1.5 | 13        |
| 82 | Transcriptomics reveals the action mechanisms and cellular targets of citrate-coated silver nanoparticles in a ubiquitous aquatic fungus. Environmental Pollution, 2021, 268, 115913.                       | 7.5 | 13        |
| 83 | Polyhydroxyfullerene Binds Cadmium Ions and Alleviates Metal-Induced Oxidative Stress in <i>Saccharomyces cerevisiae</i> . Applied and Environmental Microbiology, 2014, 80, 5874-5881.                     | 3.1 | 12        |
| 84 | Effects of inter and intraspecific diversity and genetic divergence of aquatic fungal communities on leaf litter decomposition – a microcosm experiment. FEMS Microbiology Ecology, 2016, 92, fiw102.       | 2.7 | 12        |
| 85 | Reconstitution of lactate proton symport activity in plasma membrane vesicles from the yeast <i>Candida utilis</i> . , 1996, 12, 1263-1272.   |     | 11        |
| 86 | Nanosilver impacts on aquatic microbial decomposers and litter decomposition assessed as pollution-induced community tolerance (PICT). Environmental Science: Nano, 2020, 7, 2130-2139.                     | 4.3 | 11        |
| 87 | Combined per capita and abundance effects of an invasive species on native invertebrate diversity and a key ecosystem process. Freshwater Biology, 2022, 67, 828-841.                                       | 2.4 | 11        |
| 88 | Can photocatalytic and magnetic nanoparticles be a threat to aquatic detrital food webs?. Science of the Total Environment, 2021, 769, 144576.  | 8.0 | 9         |
| 89 | Base Nacional Comum Curricular: ponto de saturaÃ§Ã£o e retrocesso na educaÃ§Ã£o. Revista Retratos Da Escola, 2018, 12, 239.   | 0.2 | 9         |
| 90 | Elevated temperature may reduce functional but not taxonomic diversity of fungal assemblages on decomposing leaf litter in streams. Global Change Biology, 2022, 28, 115-127.                               | 9.5 | 9         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 91  | Denaturing Gradient Gel Electrophoresis (DGGE) in Microbial Ecology - Insights from Freshwaters. , 2012, , .   |      | 8         |
| 92  | Intraspecific diversity affects stress response and the ecological performance of a cosmopolitan aquatic fungus. Fungal Ecology, 2019, 41, 218-223.  | 1.6  | 8         |
| 93  | Priority effects of stream eutrophication and assembly history on beta diversity across aquatic consumers, decomposers and producers. Science of the Total Environment, 2021, 797, 149106. | 8.0  | 8         |
| 94  | Evidence of micro and macroplastic toxicity along a stream detrital food-chain. Journal of Hazardous Materials, 2022, 436, 129064.   | 12.4 | 8         |
| 95  | The Increase in Temperature Overwhelms Silver Nanoparticle Effects on the Aquatic Invertebrate Limnephilus sp.. Environmental Toxicology and Chemistry, 2020, 39, 1429-1437.               | 4.3  | 7         |
| 96  | Can microplastics from personal care products affect stream microbial decomposers in the presence of silver nanoparticles?. Science of the Total Environment, 2022, 832, 155038.           | 8.0  | 7         |
| 97  | Individual and mixed effects of anticancer drugs on freshwater rotifers: A multigenerational approach. Ecotoxicology and Environmental Safety, 2021, 227, 112893.                          | 6.0  | 6         |
| 98  | Effects of intrapopulation phenotypic traits of invasive crayfish on leaf litter processing. Hydrobiologia, 2018, 819, 67-75.  | 2.0  | 5         |
| 99  | Antiparasitic potential of agrochemical fungicides on a non-target aquatic model (Daphnia Å—) Tj ETQq1 1 0.784314 rgBT /Overlock 1   | 8.0  | 5         |
| 100 | Assessment of Candida utilis growth by voltammetric reduction of acids using microelectrodes. Journal of Electroanalytical Chemistry, 2004, 566, 139-145.                                  | 3.8  | 4         |
| 101 | Ethanol and phenanthrene increase the biomass of fungal assemblages and decrease plant litter decomposition in streams. Science of the Total Environment, 2016, 565, 489-495.              | 8.0  | 4         |
| 102 | Linking Microbial Decomposer Diversity to Plant Litter Decomposition and Associated Processes in Streams. , 2021, , 163-192.   |      | 4         |
| 103 | Evaluation of the Lactic Acid Consumption in Yeast Cultures by Voltammetric Means. Electroanalysis, 2005, 17, 483-488.   | 2.9  | 3         |
| 104 | Functional Purification of the Monocarboxylate Transporter of the Yeast Candida utilis. Biotechnology Letters, 2006, 28, 1221-1226.  | 2.2  | 3         |
| 105 | Importance of exposure route in determining nanosilver impacts on a stream detrital processing chain. Environmental Pollution, 2021, 290, 118088.  | 7.5  | 3         |
| 106 | Aquatic Hyphomycete Taxonomic Relatedness Translates into Lower Genetic Divergence of the Nitrate Reductase Gene. Journal of Fungi (Basel, Switzerland), 2021, 7, 1066.                    | 3.5  | 3         |
| 107 | Eco-physiological Responses of Aquatic Fungi to Three Global Change Stressors Highlight the Importance of Intraspecific Trait Variability. Microbial Ecology, 2022, , 1.                   | 2.8  | 3         |
| 108 | Leaf Breakdown Rates: a Measure of Water Quality?. International Review of Hydrobiology, 2001, 86, 407-416.  | 0.9  | 2         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | lâ€™[Uâ€™14C]Lactate binding to a 43kDa protein in plasma membranes of <i>Candida utilis</i> . <i>Microbiology</i> (United Kingdom), 2000, 146, 695-699.  | 1.8 | 1         |
| 110 | Temperature and interspecific competition alter the impacts of two invasive crayfish species on a key ecosystem process. <i>Biological Invasions</i> , 2022, 24, 3757-3768.   | 2.4 | 1         |
| 111 | Reply to the “Letter to the editor, Proteomic responses to silver nanoparticles vary with the fungal ecotype” by Huang et al.. <i>Science of the Total Environment</i> , 2020, 748, 142402.                                 | 8.0 | 0         |
| 112 | O efeito da complexidade estrutural da fonte de nitrogênio no transporte de amônio em <i>Saccharomyces cerevisiae</i> . <i>Ecletica Quimica</i> , 2001, 26, 157-173.  | 0.5 | 0         |
| 113 | Comparative performance and ecotoxicity assessment of $Y_{2O_3}$ ( $CO_3$ ), $ZnO/TiO_2$ , and $Fe_3O_4$ nanoparticles for arsenic removal from water. <i>Environmental Science: Water Research and Technology</i> , 0, ... | 2.4 | 0         |