

Hisanori Kanazawa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9060195/publications.pdf>

Version: 2024-02-01

42
papers

438
citations

840776

11
h-index

794594

19
g-index

42
all docs

42
docs citations

42
times ranked

754
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Outcome of current and history of cancer on the risk of cardiovascular events following percutaneous coronary intervention: a Kumamoto University Malignancy and Atherosclerosis (KUMA) study. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2018, 4, 290-300. | 4.0 | 53 |
| 2 | H2FPEF Score as a Prognostic Value in HFpEF Patients. <i>American Journal of Hypertension</i> , 2019, 32, 1082-1090. | 2.0 | 50 |
| 3 | Total Thrombus-Formation Analysis System (T _{TFAS}) Can Predict Periprocedural Bleeding Events in Patients Undergoing Catheter Ablation for Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2016, 5, . | 3.7 | 39 |
| 4 | Importance of pericardial fat in the formation of complex fractionated atrial electrogram region in atrial fibrillation. <i>International Journal of Cardiology</i> , 2014, 174, 557-564. | 1.7 | 36 |
| 5 | Clinical characteristics and natural history of wild-type transthyretin amyloid cardiomyopathy in Japan. <i>ESC Heart Failure</i> , 2020, 7, 2829-2837. | 3.1 | 32 |
| 6 | Prevalence and mechanism of rotor activation identified during atrial fibrillation by noncontact mapping: Lack of evidence for a role in the maintenance of atrial fibrillation. <i>Heart Rhythm</i> , 2016, 13, 2323-2330. | 0.7 | 21 |
| 7 | Demonstration of Anatomic Reentrant Circuit in Verapamil-Sensitive Atrial Tachycardia Originating from the Atrioventricular Annulus Other than the Vicinity of the Atrioventricular Node. <i>American Journal of Cardiology</i> , 2014, 113, 1822-1828. | 1.6 | 19 |
| 8 | Total Thrombus-Formation Analysis System can Predict 1-Year Bleeding Events in Patients with Coronary Artery Disease. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 215-225. | 2.0 | 16 |
| 9 | H 2 FPEF score for predicting future heart failure in stable outpatients with cardiovascular risk factors. <i>ESC Heart Failure</i> , 2020, 7, 66-75. | 3.1 | 16 |
| 10 | Novel Diagnostic Observations of Nodoventricular/Nodofascicular Pathway-Related Orthodromic Reciprocating Tachycardia Differentiating From Atrioventricular Nodal Re-Entrant Tachycardia. <i>JACC: Clinical Electrophysiology</i> , 2020, 6, 1797-1807. | 3.2 | 13 |
| 11 | Prognostic significance of polyvascular disease in heart failure with preserved left ventricular ejection fraction. <i>Medicine (United States)</i> , 2019, 98, e15959. | 1.0 | 12 |
| 12 | Clinical Significance of Brachial-Ankle Pulse Wave Velocity in Patients With Heart Failure With Reduced Left Ventricular Ejection Fraction. <i>American Journal of Hypertension</i> , 2019, 32, 657-667. | 2.0 | 11 |
| 13 | Cardioprotective Effects of Rivaroxaban on Cardiac Remodeling After Experimental Myocardial Infarction in Mice. <i>Circulation Reports</i> , 2020, 2, 158-166. | 1.0 | 10 |
| 14 | Development and assessment of total thrombus-formation analysis system-based bleeding risk model in patients undergoing percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2021, 325, 121-126. | 1.7 | 9 |
| 15 | Clinical significance of reactive oxidative metabolites in patients with heart failure with reduced left ventricular ejection fraction. <i>Journal of Cardiac Failure</i> , 2021, 27, 57-66. | 1.7 | 9 |
| 16 | Difference in the maintenance mechanism of atrial fibrillation perpetuated after pulmonary vein isolation between paroxysmal and persistent atrial fibrillation: Effects of subsequent stepwise ablation. <i>International Journal of Cardiology</i> , 2016, 210, 109-118. | 1.7 | 8 |
| 17 | Left atrial electrophysiologic feature specific for the genesis of complex fractionated atrial electrogram during atrial fibrillation. <i>Heart and Vessels</i> , 2016, 31, 773-782. | 1.2 | 7 |
| 18 | A Randomized, Double-Blind Comparison Study of Royal Jelly to Augment Vascular Endothelial Function in Healthy Volunteers. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 1285-1294. | 2.0 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Improvement of Vascular Endothelial Function Reflects Nonrecurrence After Catheter Ablation for Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2021, 10, e021551. | 3.7 | 7 |
| 20 | Hemodialysis-related low thrombogenicity measured by total thrombus-formation analysis system in patients undergoing percutaneous coronary intervention.. <i>Thrombosis Research</i> , 2021, 200, 141-148. | 1.7 | 6 |
| 21 | Successful treatment of deep vein thrombosis caused by iliac vein compression syndrome with a single-dose direct oral anti-coagulant. <i>Thrombosis Journal</i> , 2017, 15, 4. | 2.1 | 5 |
| 22 | Slow Potential at the Entrance of the Slow Conduction Zone in the Reentry Circuit of a Verapamil-sensitive Atrial Tachycardia Originating From the Atrioventricular Annulus. <i>Journal of the American Heart Association</i> , 2018, 7, . | 3.7 | 5 |
| 23 | Elongation of the high right atrium to coronary sinus conduction time predicts the recurrence of atrial fibrillation after radiofrequency catheter ablation. <i>International Journal of Cardiology</i> , 2020, 300, 147-153. | 1.7 | 5 |
| 24 | Clinical significance of diastolic late mitral annular velocity in heart failure with preserved ejection fraction. <i>International Journal of Cardiology</i> , 2020, 316, 145-151. | 1.7 | 5 |
| 25 | Increased soluble programmed cell death-ligand 1 is associated with acute coronary syndrome. <i>International Journal of Cardiology</i> , 2022, 349, 1-6. | 1.7 | 5 |
| 26 | A simple staging system using biomarkers for wild-type transthyretin amyloid cardiomyopathy in Japan. <i>ESC Heart Failure</i> , 2022, 9, 1731-1739. | 3.1 | 5 |
| 27 | Accumulation of coronary risk factors is associated with progression of mitral annular calcification in patients undergoing dialysis therapy: A long-term follow-up study. <i>International Journal of Cardiology</i> , 2019, 293, 248-253. | 1.7 | 4 |
| 28 | Malnutrition-associated high bleeding risk with low thrombogenicity in patients undergoing percutaneous coronary intervention. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 1227-1235. | 2.6 | 4 |
| 29 | Reduced trans-mitral A-wave velocity predicts the presence of wild-type transthyretin amyloidosis in elderly patients with left ventricular hypertrophy. <i>Heart and Vessels</i> , 2017, 32, 708-713. | 1.2 | 3 |
| 30 | Analysis of the preferable site and stability of rotational reentry: its role for the maintenance of atrial fibrillation. <i>Heart and Vessels</i> , 2019, 34, 1014-1023. | 1.2 | 3 |
| 31 | Coherent mapping helps identify abnormal potentials and improves the treatment of multiple ventricular tachycardia: A case report. <i>HeartRhythm Case Reports</i> , 2021, 7, 408-412. | 0.4 | 3 |
| 32 | Analysis for the primary predictive factor for the incidence of esophageal injury after ablation of atrial fibrillation. <i>Journal of Cardiology</i> , 2018, 72, 480-487. | 1.9 | 2 |
| 33 | Identification of Wild-Type Transthyretin Cardiac Amyloidosis by Quantifying Myocardial Extracellular Volume Using Cardiac Computed Tomography in Atrial Arrhythmias. <i>Circulation: Cardiovascular Imaging</i> , 2020, 13, e010261. | 2.6 | 2 |
| 34 | Usefulness of non-contact mapping for catheter ablation of ventricular tachycardias originating at the right ventricular outflow tract. <i>Journal of Arrhythmia</i> , 2014, 30, 305-311. | 1.2 | 1 |
| 35 | Coronary blood flow volume change is negatively associated with platelet aggregability in patients with non-obstructive ischemic heart disease who have no anti-platelet agents. <i>International Journal of Cardiology</i> , 2019, 277, 3-7. | 1.7 | 1 |
| 36 | Analysis of the driving mechanism in paroxysmal atrial fibrillation: comparison of the activation sequence between the left atrial body and pulmonary vein. <i>Journal of Cardiology</i> , 2020, 75, 673-681. | 1.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Assessment of cardiac implantable electric device lead perforation using a metal artifact reduction algorithm in cardiac computed tomography. <i>European Journal of Radiology</i> , 2021, 136, 109530. | 2.6 | 1 |
| 38 | Elevated C-reactive protein is significantly associated with left ventricular dysfunction in patients with aortic regurgitation and concomitant collagen disease. <i>International Journal of Cardiology</i> , 2021, 328, 152-157. | 1.7 | 1 |
| 39 | Multiple focal atrial tachycardia as a characteristic finding of intractable arrhythmia associated with wild-type transthyretin amyloid cardiomyopathy. <i>HeartRhythm Case Reports</i> , 2022, , . | 0.4 | 1 |
| 40 | Catheter ablation of multiple focal atrial tachycardias originating from the tricuspid annulus using non-contact mapping system. <i>Journal of Cardiology Cases</i> , 2010, 2, e170-e173. | 0.5 | 0 |
| 41 | Importance of Atrial Fibrillation in Heart Failure Patients With Preserved Ejection Fraction Without Coronary Artery Disease. <i>Circulation Journal</i> , 2020, 84, 374-375. | 1.6 | 0 |
| 42 | Abstract 16663: Importance of Assessment for Diffuse Ventricular Fibrosis in Atrial Fibrillation Using Cardiac Ct-Derived Myocardial Extracellular Volume Fraction. <i>Circulation</i> , 2020, 142, . | 1.6 | 0 |