
Hisanori Kanazawa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9060195/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A Randomized, Double-Blind Comparison Study of Royal Jelly to Augment Vascular Endothelial Function in Healthy Volunteers. Journal of Atherosclerosis and Thrombosis, 2022, 29, 1285-1294.	2.0	7
2	Increased soluble programed cell death-ligand 1 is associated with acute coronary syndrome. International Journal of Cardiology, 2022, 349, 1-6.	1.7	5
3	Malnutrition-associated high bleeding risk with low thrombogenicity in patients undergoing percutaneous coronary intervention. Nutrition, Metabolism and Cardiovascular Diseases, 2022, 32, 1227-1235.	2.6	4
4	Multiple focal atrial tachycardia as a characteristic finding of intractable arrhythmia associated with wild-type transthyretin amyloid cardiomyopathy. HeartRhythm Case Reports, 2022, , .	0.4	1
5	A simple staging system using biomarkers for wildâ€ŧype transthyretin amyloid cardiomyopathy in Japan. ESC Heart Failure, 2022, 9, 1731-1739.	3.1	5
6	Development and assessment of total thrombus-formation analysis system-based bleeding risk model in patients undergoing percutaneous coronary intervention. International Journal of Cardiology, 2021, 325, 121-126.	1.7	9
7	Clinical significance of reactive oxidative metabolites in patients with heart failure with reduced left ventricular ejection fraction. Journal of Cardiac Failure, 2021, 27, 57-66.	1.7	9
8	Assessment of cardiac implantable electric device lead perforation using a metal artifact reduction algorithm in cardiac computed tomography. European Journal of Radiology, 2021, 136, 109530.	2.6	1
9	Hemodialysis-related low thrombogenicity measured by total thrombus-formation analysis system in patients undergoing percutaneous coronary intervention Thrombosis Research, 2021, 200, 141-148.	1.7	6
10	Elevated C-reactive protein is significantly associated with left ventricular dysfunction in patients with aortic regurgitation and concomitant collagen disease. International Journal of Cardiology, 2021, 328, 152-157.	1.7	1
11	Coherent mapping helps identify abnormal potentials and improves the treatment of multiple ventricular tachycardia: A case report. HeartRhythm Case Reports, 2021, 7, 408-412.	0.4	3
12	Improvement of Vascular Endothelial Function Reflects Nonrecurrence After Catheter Ablation for Atrial Fibrillation. Journal of the American Heart Association, 2021, 10, e021551.	3.7	7
13	Total Thrombus-Formation Analysis System can Predict 1-Year Bleeding Events in Patients with Coronary Artery Disease. Journal of Atherosclerosis and Thrombosis, 2020, 27, 215-225.	2.0	16
14	Elongation of the high right atrium to coronary sinus conduction time predicts the recurrence of atrial fibrillation after radiofrequency catheter ablation. International Journal of Cardiology, 2020, 300, 147-153.	1.7	5
15	Novel Diagnostic Observations of Nodoventricular/Nodofascicular Pathway-Related Orthodromic Reciprocating Tachycardia Differentiating From Atrioventricular Nodal Re-Entrant Tachycardia. JACC: Clinical Electrophysiology, 2020, 6, 1797-1807.	3.2	13
16	Analysis of the driving mechanism in paroxysmal atrial fibrillation: comparison of the activation sequence between the left atrial body and pulmonary vein. Journal of Cardiology, 2020, 75, 673-681.	1.9	1
17	Clinical characteristics and natural history of wildâ€ŧype transthyretin amyloid cardiomyopathy in Japan. ESC Heart Failure, 2020, 7, 2829-2837.	3.1	32
18	Clinical significance of diastolic late mitral annular velocity in heart failure with preserved ejection fraction. International Journal of Cardiology, 2020, 316, 145-151.	1.7	5

HISANORI KANAZAWA

#	Article	IF	CITATIONS
19	Importance of Atrial Fibrillation in Heart Failure Patients With Preserved Ejection Fraction Without Coronary Artery Disease. Circulation Journal, 2020, 84, 374-375.	1.6	0
20	H 2 FPEF score for predicting future heart failure in stable outpatients with cardiovascular risk factors. ESC Heart Failure, 2020, 7, 66-75.	3.1	16
21	Cardioprotective Effects of Rivaroxaban on Cardiac Remodeling After Experimental Myocardial Infarction in Mice. Circulation Reports, 2020, 2, 158-166.	1.0	10
22	Identification of Wild-Type Transthyretin Cardiac Amyloidosis by Quantifying Myocardial Extracellular Volume Using Cardiac Computed Tomography in Atrial Arrhythmias. Circulation: Cardiovascular Imaging, 2020, 13, e010261.	2.6	2
23	Abstract 16663: Importance of Assessment for Diffuse Ventricular Fibrosis in Atrial Fibrillation Using Cardiac Ct-Derived Myocardial Extracellular Volume Fraction. Circulation, 2020, 142, .	1.6	0
24	H2FPEF Score as a Prognostic Value in HFpEF Patients. American Journal of Hypertension, 2019, 32, 1082-1090.	2.0	50
25	Accumulation of coronary risk factors is associated with progression of mitral annular calcification in patients undergoing dialysis therapy: A long-term follow-up study. International Journal of Cardiology, 2019, 293, 248-253.	1.7	4
26	Clinical Significance of Brachial-Ankle Pulse Wave Velocity in Patients With Heart Failure With Reduced Left Ventricular Ejection Fraction. American Journal of Hypertension, 2019, 32, 657-667.	2.0	11
27	Prognostic significance of polyvascular disease in heart failure with preserved left ventricular ejection fraction. Medicine (United States), 2019, 98, e15959.	1.0	12
28	Coronary blood flow volume change is negatively associated with platelet aggregability in patients with non-obstructive ischemic heart disease who have no anti-platelet agents. International Journal of Cardiology, 2019, 277, 3-7.	1.7	1
29	Analysis of the preferable site and stability of rotational reentry: its role for the maintenance of atrial fibrillation. Heart and Vessels, 2019, 34, 1014-1023.	1.2	3
30	Outcome of current and history of cancer on the risk of cardiovascular events following percutaneous coronary intervention: a Kumamoto University Malignancy and Atherosclerosis (KUMA) study. European Heart Journal Quality of Care & Clinical Outcomes, 2018, 4, 290-300.	4.0	53
31	Analysis for the primary predictive factor for the incidence of esophageal injury after ablation of atrial fibrillation. Journal of Cardiology, 2018, 72, 480-487.	1.9	2
32	Slow Potential at the Entrance of the Slow Conduction Zone in the Reentry Circuit of a Verapamilâ€5ensitive Atrial Tachycardia Originating From the Atrioventricular Annulus. Journal of the American Heart Association, 2018, 7, .	3.7	5
33	Successful treatment of deep vein thrombosis caused by iliac vein compression syndrome with a single-dose direct oral anti-coagulant. Thrombosis Journal, 2017, 15, 4.	2.1	5
34	Reduced trans-mitral A-wave velocity predicts the presence of wild-type transthyretin amyloidosis in elderly patients with left ventricular hypertrophy. Heart and Vessels, 2017, 32, 708-713.	1.2	3
35	Difference in the maintenance mechanism of atrial fibrillation perpetuated after pulmonary vein isolation between paroxysmal and persistent atrial fibrillation: Effects of subsequent stepwise ablation. International Journal of Cardiology, 2016, 210, 109-118.	1.7	8
36	Prevalence and mechanism of rotor activation identified during atrial fibrillation by noncontact mapping: Lack of evidence for a role in the maintenance of atrial fibrillation. Heart Rhythm, 2016, 13, 2323-2330.	0.7	21

HISANORI KANAZAWA

#	Article	IF	CITATIONS
37	Total Thrombusâ€Formation Analysis System (Tâ€TAS) Can Predict Periprocedural Bleeding Events in Patients Undergoing Catheter Ablation for Atrial Fibrillation. Journal of the American Heart Association, 2016, 5, .	3.7	39
38	Left atrial electrophysiologic feature specific for the genesis of complex fractionated atrial electrogram during atrial fibrillation. Heart and Vessels, 2016, 31, 773-782.	1.2	7
39	Demonstration of Anatomic Reentrant Circuit in Verapamil-Sensitive Atrial Tachycardia Originating from the Atrioventricular Annulus Other than the Vicinity of the Atrioventricular Node. American Journal of Cardiology, 2014, 113, 1822-1828.	1.6	19
40	Importance of pericardial fat in the formation of complex fractionated atrial electrogram region in atrial fibrillation. International Journal of Cardiology, 2014, 174, 557-564.	1.7	36
41	Usefulness of nonâ€contact mapping for catheter ablation of ventricular tachycardias originating at the right ventricular outflow tract. Journal of Arrhythmia, 2014, 30, 305-311.	1.2	1
42	Catheter ablation of multiple focal atrial tachycardias originating from the tricuspid annulus using non-contact mapping system. Journal of Cardiology Cases, 2010, 2, e170-e173.	0.5	0