Elena V Ivanova

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9060564/elena-v-ivanova-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,625 46 15 40 h-index g-index papers citations 2.6 1,722 4.04 54 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
46	Contourite systems around the northern exit from the Vema Channel. <i>Marine Geology</i> , 2022 , 449, 1068	33 5 .3	
45	History of the Ioffe Drift. <i>Springer Geology</i> , 2021 , 161-182	0.8	
44	Hiatuses and Core Correlations. <i>Springer Geology</i> , 2021 , 145-159	0.8	
43	Micropaleontology and Biostratigraphy. Springer Geology, 2021 , 99-129	0.8	
42	Regional Stratigraphic Frameworks Based on Calcareous Microfossils. <i>Springer Geology</i> , 2021 , 21-29	0.8	
41	General Methods. <i>Springer Geology</i> , 2021 , 31-35	0.8	
40	Intermediate- and Deep-Water Oxygenation History in the Subarctic North Pacific During the Last Deglacial Period. <i>Frontiers in Earth Science</i> , 2021 , 9,	3.5	3
39	Palynological evidence of sea-surface conditions in the Barents Sea off northeast Svalbard during the postglacial period. <i>Quaternary Research</i> , 2020 , 1-15	1.9	4
38	Multidisciplinary Investigation of the Transform Fault Zones Doldrums and Vema during Cruise 45 of the R/V Akademik Nikolaj Strakhov (Oceanology, 2020, 60, 424-426)	0.7	1
37	Hiatuses in the late Pliocene Pleistocene stratigraphy of the Ioffe calcareous contourite drift, western South Atlantic. <i>Marine and Petroleum Geology</i> , 2020 , 111, 624-637	4.7	15
36	The Holocene history of the NE Black Sea and surrounding areas: An integrated record of marine and terrestrial palaeoenvironmental change. <i>Holocene</i> , 2019 , 29, 648-661	2.6	3
35	Postglacial paleoceanography and paleoenvironments in the northwestern Barents Sea. <i>Quaternary Research</i> , 2019 , 92, 430-449	1.9	10
34	GlacialInterglacial interplay of southern- and northern-origin deep waters in the SB Paulo Plateau IVema Channel area of the western South Atlantic. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019 , 514, 349-360	2.9	9
33	Geological and Geophysical Investigation of Contourite Systems from the Central and Southern Atlantic during Cruise 52 of the R/V Akademik Ioffe. <i>Oceanology</i> , 2018 , 58, 322-324	0.7	5
32	Study of Lateral Sedimentation in the Western Atlantic on Cruise 53 of the R/V Akademik Ioffe. <i>Oceanology</i> , 2018 , 58, 932-934	0.7	4
31	Bioproductivity Changes at Low and High Latitudes of the Pacific as a Response to Reorganization of Oceanic Circulation during Termination I. <i>Oceanology</i> , 2018 , 58, 879-891	0.7	3
30	Origin, migration pathways, and paleoenvironmental significance of Holocene ostracod records from the northeastern Black Sea shelf. <i>Quaternary Research</i> , 2017 , 87, 49-65	1.9	15

(2008-2016)

29	Study of the contourite systems of the west Atlantic in the 50th cruise of research vessel Akademik loffe. <i>Oceanology</i> , 2016 , 56, 888-889	0.7	3
28	Investigation of contourite systems in the South Atlantic during cruise 46 of the R/V Akademik Ioffe. <i>Oceanology</i> , 2016 , 56, 754-756	0.7	3
27	Late PliocenePleistocene stratigraphy and history of formation of the Ioffe calcareous contourite drift, Western South Atlantic. <i>Marine Geology</i> , 2016 , 372, 17-30	3.3	21
26	Postglacial paleoceanographic environments in the Barents and Baltic seas. <i>Oceanology</i> , 2016 , 56, 118-	1307	6
25	The Holocene Black Sea reconnection to the Mediterranean Sea: New insights from the northeastern Caucasian shelf. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015 , 427, 41-61	2.9	15
24	Environmental changes on the inner northeastern Black Sea shelf, off@the town of Gelendzhik, over the last 140 years. <i>Quaternary International</i> , 2014 , 328-329, 338-348	2	6
23	Sea-surface bioproductivity changes in the Northwest Pacific over the last 25 kyr. <i>Oceanology</i> , 2014 , 54, 505-518	0.7	2
22	Late quaternary oceanographic conditions in the Western Bering Sea. <i>Oceanology</i> , 2013 , 53, 211-222	0.7	9
21	Contourite systems in the region of the southern SB Paulo Plateau escarpment, South Atlantic. <i>Oceanology</i> , 2013 , 53, 460-471	0.7	16
20	Paleoenvironmental changes on the northeastern and southwestern Black Sea shelves during the Holocene. <i>Quaternary International</i> , 2012 , 261, 91-104	2	16
19	Precession forcing of productivity in the Eastern Equatorial Pacific during the last glacial cycle. <i>Quaternary Science Reviews</i> , 2012 , 40, 64-77	3.9	10
18	Early Holocene temperature variability in the Nordic Seas: The role of oceanic heat advection versus changes in orbital forcing. <i>Paleoceanography</i> , 2011 , 26,		80
17	Reconstruction of the postglacial environments in the southwestern Barents Sea based on foraminiferal assemblages. <i>Oceanology</i> , 2010 , 50, 573-581	0.7	31
16	The Global Thermohaline Paleocirculation 2009 ,		11
15	Benthic foraminiferal assemblages as indicators of the paleoceanographic conditions in the eastern Equatorial Pacific. <i>Oceanology</i> , 2009 , 49, 121-129	0.7	9
14	Influence of the Global Thermohaline Circulation on Paleoceanographic Events in the Eurasian Arctic Seas 2009 , 61-106		2
13	Holocene paleoceanography of the northern Barents Sea and variations of the northward heat transport by the Atlantic Ocean. <i>Boreas</i> , 2008 , 30, 2-16	2.4	7
12	DOWNCORE DISTRIBUTION OF LIVING CALCAREOUS FORAMINIFERA AND STABLE ISOTOPES IN THE WESTERN BARENTS SEA. <i>Journal of Foraminiferal Research</i> , 2008 , 38, 337-356	1.1	23

11	Atlantic meridional overturning circulation during the Last Glacial Maximum. Science, 2007, 316, 66-9	33.3	291
10	Holocene sea-level oscillations and environmental changes on the Eastern Black Sea shelf. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007 , 246, 228-259	2.9	33
9	Facies system of the Eastern Barents Sea since the last glaciation to present. <i>Marine Geology</i> , 2006 , 230, 275-303	3.3	30
8	A high-resolution, 800-year glaciomarine record from Russkaya Gavan', a Novaya Zemlya fjord, eastern Barents Sea. <i>Holocene</i> , 2004 , 14, 628-634	2.6	12
7	Paleoenvironments in Russkaya Gavan' Fjord (NW Novaya Zemlya, Barents Sea) during the last millennium. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2004 , 209, 141-154	2.9	15
6	Primary production in the Arabian Sea during the last 135 000 years. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2003 , 197, 61-82	2.9	82
5	Late Weichselian to Holocene paleoenvironments in the Barents Sea. <i>Global and Planetary Change</i> , 2002 , 34, 209-218	4.2	31
4	Holocene paleoceanography of the northern Barents Sea and variations of the northward heat transport by the Atlantic Ocean. <i>Boreas</i> , 2001 , 30, 2-16	2.4	113
3	East Asian monsoon climate during the Late Pleistocene: high-resolution sediment records from the South China Sea. <i>Marine Geology</i> , 1999 , 156, 245-284	3.3	574
2	Late Quaternary biostratigraphy and paleotemperatures of the Red Sea and the Gulf of Aden based on planktonic foraminifera and pteropods. <i>Marine Micropaleontology</i> , 1985 , 9, 335-364	1.7	29
1	Recent and Last Glacial deep-sea facies: Response to global climatic oscillations. <i>Palaeogeography, Palaeoecology, Palaeoecology, 1985</i> , 50, 285-290	2.9	1