## Hanan Hasan Sabry

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9064073/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The impact of coexisting sperm DNA fragmentation and seminal oxidative stress on the outcome of varicocelectomy in infertile patients: A prospective controlled study. Arab Journal of Urology Arab Association of Urology, 2017, 15, 131-139.	1.5	50
2	The Efficacy of Combining Fractional Carbon Dioxide Laser With Verapamil Hydrochloride or 5-Fluorouracil in the Treatment of Hypertrophic Scars and Keloids: A Clinical and Immunohistochemical Study. Dermatologic Surgery, 2019, 45, 536-546.	0.8	26
3	Topical kinase inhibitors induce regression of cutaneous squamous cell carcinoma. Experimental Dermatology, 2019, 28, 609-613.	2.9	12
4	Vitamin D levels in patients with Behçet's disease: Significance and impact on disease measures. Egyptian Rheumatologist, 2013, 35, 151-157.	1.0	10
5	Comparative study between intralesional injection of bleomycin and 5-fluorouracil in the treatment of keloids and hypertrophic scars. Journal of Dermatology & Dermatologic Surgery, 2016, 20, 32-38.	0.2	9
6	Intralesional injection of bevacizumab versus triamcinolone acetonide in infantile hemangioma. Journal of Dermatological Treatment, 2020, 31, 279-284.	2.2	9
7	Assessment of laserâ€essisted delivery vs intralesional injection of botulinum toxin A in treatment of hypertrophic scars and keloids. Dermatologic Therapy, 2020, 33, e13980.	1.7	9
8	Vascular endothelial growth factor and subclinical atherosclerosis by carotid ultrasonography in Egyptian patients with Behçet's disease. Egyptian Rheumatologist, 2013, 35, 87-94.	1.0	8
9	Serum markers for asymptomatic atherosclerosis in Egyptian psoriatic patients: study controlled by Doppler estimation of carotid intima-media thickness. Vascular Health and Risk Management, 2018, Volume 14, 145-152.	2.3	8
10	Serum levels of homocysteine, vitamin B12, and folic acid in vitiligo. Egyptian Journal of Dermatology and Venerology, 2014, 34, 65.	0.2	8
11	Peripheral blood toll-like receptor 4 correlates response to candida immunotherapy of warts. Dermatologic Therapy, 2018, 31, e12691.	1.7	7
12	Clinimetric analysis of recently applied quantitative tools in evaluation of vitiligo treatment. Indian Journal of Dermatology, Venereology and Leprology, 2019, 85, 466.	0.6	7
13	Evaluation of biomarkers of oxidant–antioxidant balance in patients with acne vulgaris. Journal of the Egyptian Women's Dermatologic Society, 2015, 12, 136-141.	0.1	4
14	Independent of DAZL-T54A variant and AZF microdeletion in a sample of Egyptian patients with idiopathic non-obstructed azoospermia. The Application of Clinical Genetics, 2018, Volume 11, 81-87.	3.0	4
15	Treatment of atrophic acne scars: Topical or intralesional plasma gel?. Photodermatology Photoimmunology and Photomedicine, 2022, 38, 29-37.	1.5	4
16	Factors affecting vitiligo response to treatment: do MiRNA 196a2C/T gene polymorphism and serum tyrosinase levels have any role?. Journal of Dermatological Treatment, 2022, 33, 1351-1355.	2.2	3
17	MMPâ€1 (519 A/C) and TIMPâ€1 (372 T/C) genes polymorphism in an Egyptian sample of Acne vulgaris patients. Journal of Cosmetic Dermatology, 2021, , .	1.6	3
18	Qâ€Switched 1064â€nm Nd: YAG laser versus fractional carbon dioxide laser for post acne scarring: A splitâ€face comparative study. Photodermatology Photoimmunology and Photomedicine, 2022, 38, 465-470.	1.5	2

#	Article	IF	CITATIONS
19	Endothelial dysfunction marker YKL-40 is elevated in male patients with idiopathic infertility. Andrologia, 2018, 50, e12988.	2.1	1
20	YKL-40: An Emerging Biomarker of Endothelial Dysfunction in Arteriogenic Erectile Dysfunction. Human Andrology, 2017, 7, 98-104.	0.2	1
21	Apoptotic markers in spongiotic dermatitis. Journal of the Egyptian Women's Dermatologic Society, 2014, 11, 201-207.	0.1	0