

Kaoruko Iida

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9065151/publications.pdf>

Version: 2024-02-01

24
papers

559
citations

686830

13
h-index

642321

23
g-index

24
all docs

24
docs citations

24
times ranked

982
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Terminalia bellirica</i> (Gaertn.) Roxb. Extract and Gallic Acid Attenuate LPS-Induced Inflammation and Oxidative Stress via MAPK/NF- κ B and Akt/AMPK/Nrf2 Pathways. <i>Oxidative Medicine and Cellular Longevity</i> , 2018, 2018, 1-15.	1.9	93
2	The Dietary Isoflavone Daidzein Reduces Expression of Pro-Inflammatory Genes through PPAR α and JNK Pathways in Adipocyte and Macrophage Co-Cultures. <i>PLoS ONE</i> , 2016, 11, e0149676.	1.1	74
3	Daidzein regulates proinflammatory adipokines thereby improving obesity-related inflammation through PPAR α . <i>Molecular Nutrition and Food Research</i> , 2014, 58, 718-726.	1.5	54
4	Milk-derived peptide Val-Pro-Pro (VPP) inhibits obesity-induced adipose inflammation via an angiotensin-converting enzyme (ACE) dependent cascade. <i>Molecular Nutrition and Food Research</i> , 2015, 59, 2502-2510.	1.5	43
5	Lactate Promotes Myoblast Differentiation and Myotube Hypertrophy via a Pathway Involving MyoD In Vitro and Enhances Muscle Regeneration In Vivo. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3649.	1.8	42
6	Gallic Acid Inhibits Lipid Accumulation via AMPK Pathway and Suppresses Apoptosis and Macrophage-Mediated Inflammation in Hepatocytes. <i>Nutrients</i> , 2020, 12, 1479.	1.7	38
7	No association between fruits or vegetables and non-alcoholic fatty liver disease in middle-aged men and women. <i>Nutrition</i> , 2019, 61, 119-124.	1.1	34
8	Association between rice, bread, and noodle intake and the prevalence of non-alcoholic fatty liver disease in Japanese middle-aged men and women. <i>Clinical Nutrition</i> , 2017, 36, 1601-1608.	2.3	33
9	Dietary isoflavone daidzein promotes Tfam expression that increases mitochondrial biogenesis in C2C12 muscle cells. <i>Journal of Nutritional Biochemistry</i> , 2015, 26, 1193-1199.	1.9	26
10	Gallic acid regulates adipocyte hypertrophy and suppresses inflammatory gene expression induced by the paracrine interaction between adipocytes and macrophages in vitro and in vivo. <i>Nutrition Research</i> , 2020, 73, 58-66.	1.3	23
11	Short-term and long-term ketogenic diet therapy and the addition of exercise have differential impacts on metabolic gene expression in the mouse energy-consuming organs heart and skeletal muscle. <i>Nutrition Research</i> , 2018, 60, 77-86.	1.3	20
12	<i>Terminalia bellirica</i> Extract Inhibits Low-Density Lipoprotein Oxidation and Macrophage Inflammatory Response in Vitro. <i>Antioxidants</i> , 2016, 5, 20.	2.2	19
13	Daidzein promotes the expression of oxidative phosphorylation- and fatty acid oxidation-related genes via an estrogen-related receptor α pathway to decrease lipid accumulation in muscle cells. <i>Journal of Nutritional Biochemistry</i> , 2020, 77, 108315.	1.9	19
14	Associations between nutritional adequacy and insomnia symptoms in Japanese men and women aged 18-69 years: a cross-sectional study. <i>Sleep Health</i> , 2020, 6, 197-204.	1.3	10
15	Protective effect of <i>Bacteroides fragilis</i> LPS on <i>Escherichia coli</i> LPS-induced inflammatory changes in human monocytic cells and in a rheumatoid arthritis mouse model. <i>Immunology Letters</i> , 2021, 233, 48-56.	1.1	9
16	Carbohydrate intake during early pregnancy is inversely associated with abnormal glucose challenge test results in Japanese pregnant women. <i>Diabetes/Metabolism Research and Reviews</i> , 2017, 33, e2898.	1.7	6
17	Associations Between Health Literacy and Underweight and Overweight Among Japanese Adults Aged 20 to 39 Years: A Cross-Sectional Study. <i>Health Education and Behavior</i> , 2020, 47, 631-639.	1.3	4
18	Relationship between vitamin D receptor gene polymorphisms (BsmI, TaqI, Apal, and FokI) and calcium intake on bone mass in young Japanese women. <i>BMC Women's Health</i> , 2021, 21, 76.	0.8	3

#	ARTICLE	IF	CITATIONS
19	Association of alcohol consumption with prevalence of fatty liver after adjustment for dietary patterns: Cross-sectional analysis of Japanese middle-aged adults. <i>Clinical Nutrition</i> , 2020, 39, 1580-1586.	2.3	2
20	Effect of Cdx2 Polymorphism on the Relationship between Dietary Calcium Intake and Peak Bone Mass in Young Japanese Women. <i>Nutrients</i> , 2020, 12, 191.	1.7	2
21	Association of Hours of Paid Work with Dietary Intake and Quality in Japanese Married Women: A Cross-Sectional Study. <i>Nutrients</i> , 2021, 13, 3005.	1.7	2
22	Impact of Exercise and Nutrition on Bone Mass. <i>Journal of Hard Tissue Biology</i> , 2017, 26, 381-385.	0.2	1
23	Relation of Bone Mass to Vitamin D Receptor Gene Polymorphism and Lifestyle Factors in Japanese Female College Students. <i>Journal of Hard Tissue Biology</i> , 2018, 27, 281-286.	0.2	1
24	Isonitrogenous low-carbohydrate diet elicits specific changes in metabolic gene expression in the skeletal muscle of exercise-trained mice. <i>PLoS ONE</i> , 2022, 17, e0262875.	1.1	1