## Maria João Forjaz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9065412/publications.pdf

Version: 2024-02-01

141 papers 4,666 citations

94433 37 h-index 61 g-index

152 all docs

152 docs citations

times ranked

152

7001 citing authors

| #  | Article  | IF         | CITATIONS     |
|----|--|------------|---------------|
| 1  | Caregiver burden in Parkinson's disease. Movement Disorders, 2007, 22, 924-931.  | 3.9        | 208           |
| 2  | Multimorbidity care model: Recommendations from the consensus meeting of the Joint Action on Chronic Diseases and Promoting Healthy Ageing across the Life Cycle (JA-CHRODIS). Health Policy, 2018, 122, 4-11. | 3.0        | 176           |
| 3  | Factors Associated With Loneliness of Noninstitutionalized and Institutionalized Older Adults.<br>Journal of Aging and Health, 2011, 23, 177-194.  | 1.7        | 174           |
| 4  | Neuropsychiatric symptoms and caregiver's burden in Parkinson's disease. Parkinsonism and Related Disorders, 2015, 21, 629-634.  | 2.2        | 166           |
| 5  | A validation study of an Italian version of the brief pain inventory (Breve questionario per la) Tj ETQq $1\ 1\ 0.78431$   | 4 rgBT /Ov | verlock 10 Tf |
| 6  | Effectiveness of comprehensive care programs for patients with multiple chronic conditions or frailty: A systematic literature review. Health Policy, 2016, 120, 818-832.                                      | 3.0        | 149           |
| 7  | Mental health impact of the first wave of COVID-19 pandemic on Spanish healthcare workers: A large cross-sectional survey. Revista De PsiquiatrÃa Y Salud Mental, 2021, 14, 90-105.                            | 1.8        | 133           |
| 8  | Task force report: Scales for screening and evaluating tremor: Critique and recommendations. Movement Disorders, 2013, 28, 1793-1800.  | 3.9        | 124           |
| 9  | Psychometric properties of the EQ-5D-5L in patients with hip or knee osteoarthritis: reliability, validity and responsiveness. Quality of Life Research, 2018, 27, 2897-2908.                                  | 3.1        | 121           |
| 10 | Quality of life and burden in caregivers for patients with Parkinson's disease: concepts, assessment and related factors. Expert Review of Pharmacoeconomics and Outcomes Research, 2012, 12, 221-230.         | 1.4        | 112           |
| 11 | Health related quality of life in colorectal cancer patients: state of the art. BMC Surgery, 2013, 13, S15.  | 1.3        | 107           |
| 12 | Active ageing and quality of life: factors associated with participation in leisure activities among institutionalized older adults, with and without dementia. Aging and Mental Health, 2015, 19, 1031-1041.  | 2.8        | 105           |
| 13 | Residential satisfaction, sense of belonging and loneliness among older adults living in the community and in care facilities. Health and Place, 2011, 17, 1183-1190.  | 3.3        | 92            |
| 14 | Chronic musculoskeletal pain in European older adults: Crossâ€national and gender differences.<br>European Journal of Pain, 2018, 22, 333-345.   | 2.8        | 90            |
| 15 | Motor laterality asymmetry and nonmotor symptoms in Parkinson's disease. Movement Disorders, 2010, 25, 70-75.  | 3.9        | 79            |
| 16 | Psychometric characteristics of the Spanish version of the Barthel Index. Aging Clinical and Experimental Research, 2018, 30, 489-497.   | 2.9        | 77            |
| 17 | Independent validation of the scales for outcomes in Parkinson's diseaseâ€autonomic (SCOPAâ€AUT).<br>European Journal of Neurology, 2010, 17, 194-201.   | 3.3        | 74            |
| 18 | Chronic conditions, disability, and quality of life in older adults with multimorbidity in Spain. European Journal of Internal Medicine, 2015, 26, 176-181.  | 2.2        | 71            |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Thirtyâ€day suicidal thoughts and behaviors among hospital workers during the first wave of the Spain COVIDâ€19 outbreak. Depression and Anxiety, 2021, 38, 528-544.                          | 4.1 | 70        |
| 20 | Global versus factor-related impression of severity in Parkinson's disease: A new clinimetric index (CISI-PD). Movement Disorders, 2006, 21, 208-214.   | 3.9 | 69        |
| 21 | Psychometric attributes of the Hospital Anxiety and Depression Scale in Parkinson's disease.<br>Movement Disorders, 2009, 24, 519-525.  | 3.9 | 68        |
| 22 | Measurement properties of the Community Wellbeing Index in older adults. Quality of Life Research, 2011, 20, 733-743.   | 3.1 | 65        |
| 23 | Transducer-based evaluation of tremor. Movement Disorders, 2016, 31, 1327-1336.   | 3.9 | 64        |
| 24 | The clinical impression of severity index for Parkinson's disease: International validation study. Movement Disorders, 2009, 24, 211-217.   | 3.9 | 56        |
| 25 | Estimating the direct and indirect costs associated with Parkinson's disease. Expert Review of Pharmacoeconomics and Outcomes Research, 2015, 15, 889-911.                                    | 1.4 | 56        |
| 26 | Metric attributes of the unified Parkinson's disease rating scale 3.0 battery: Part I, feasibility, scaling assumptions, reliability, and precision. Movement Disorders, 2006, 21, 1182-1188. | 3.9 | 49        |
| 27 | A Review of Scales to Evaluate Sleep Disturbances in Movement Disorders. Frontiers in Neurology, 2018, 9, 369.  | 2.4 | 48        |
| 28 | Anxiety, Depression and Quality of Life in Older Adults: Trajectories of Influence across Age. International Journal of Environmental Research and Public Health, 2020, 17, 9039.             | 2.6 | 48        |
| 29 | Psychometric properties of the International Wellbeing Index in community-dwelling older adults. International Psychogeriatrics, 2011, 23, 161-169.   | 1.0 | 46        |
| 30 | Relationship between the <scp>MDSâ€UPDRS</scp> domains and the healthâ€related quality of life of <scp>P</scp> arkinson's disease patients. European Journal of Neurology, 2014, 21, 519-524. | 3.3 | 46        |
| 31 | Longitudinal Metric Properties of Disability Rating Scales for Parkinson's Disease. Value in Health, 2006, 9, 386-393.  | 0.3 | 45        |
| 32 | Health-related quality of life and mental health in the medium-term aftermath of the Prestige oil spill in Galiza (Spain): a cross-sectional study. BMC Public Health, 2007, 7, 245.          | 2.9 | 45        |
| 33 | Multimorbidity and functional status in community-dwelling older adults. European Journal of Internal Medicine, 2014, 25, 610-616.  | 2.2 | 42        |
| 34 | Heath-related quality of life in Spanish breast cancer patients: a systematic review. Health and Quality of Life Outcomes, 2011, 9, 3.  | 2.4 | 41        |
| 35 | Health status and wellâ€being of older adults living in the community and in residential care settings:<br>Are differences influenced by age?. Aging and Mental Health, 2012, 16, 884-891.    | 2.8 | 41        |
| 36 | <scp>EQâ€5D</scp> rated by proxy in institutionalized older adults with dementia: Psychometric pros and cons. Geriatrics and Gerontology International, 2014, 14, 346-353.                    | 1.5 | 41        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Are Loneliness and Social Isolation Associated with Quality of Life in Older Adults? Insights from Northern and Southern Europe. International Journal of Environmental Research and Public Health, 2020, 17, 8637. | 2.6  | 39        |
| 38 | Effect of heat waves on morbidity and mortality due to Parkinson's disease in Madrid: A time-series analysis. Environment International, 2016, 89-90, 1-6.  | 10.0 | 37        |
| 39 | Components and determinants of quality of life in community-dwelling older adults. European Journal of Ageing, 2012, 9, 255-263.  | 2.8  | 36        |
| 40 | Association between mental health comorbidity and health outcomes in type 2 diabetes mellitus patients. Scientific Reports, 2020, 10, 19583.  | 3.3  | 36        |
| 41 | Parkinson Symptoms and Health Related Quality of Life as Predictors of Costs: A Longitudinal Observational Study with Linear Mixed Model Analysis. PLoS ONE, 2015, 10, e0145310.                                    | 2.5  | 35        |
| 42 | Impact of Pharmacotherapy on Quality of Life in Patients with Parkinson's Disease. CNS Drugs, 2015, 29, 397-413.  | 5.9  | 35        |
| 43 | A Spanish version of the Family Assessment Device. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 1051-1065.   | 3.1  | 33        |
| 44 | Self-perceived health status in older adults: regional and sociodemographic inequalities in Spain. Revista De Saude Publica, 2012, 46, 310-319.   | 1.7  | 32        |
| 45 | Sense of coherence and health of community-dwelling older adults in Spain. International Psychogeriatrics, 2015, 27, 621-628.   | 1.0  | 32        |
| 46 | Compliance with the main preventive measures of COVID $\hat{a}$ in Spain: The role of knowledge, attitudes, practices, and risk perception. Transboundary and Emerging Diseases, 2022, 69, .                        | 3.0  | 32        |
| 47 | Assessing autonomic symptoms of Parkinson's disease with the SCOPAâ€AUT: a new perspective from Rasch analysis. European Journal of Neurology, 2010, 17, 273-279.   | 3.3  | 31        |
| 48 | Design, measures and sample characteristics of the CadeViMa-Spain survey on quality of life in community-dwelling older adults. International Psychogeriatrics, 2012, 24, 425-438.                                  | 1.0  | 31        |
| 49 | Quality of life in older people with dementia: A multilevel study of individual attributes and residential care center characteristics. Geriatrics and Gerontology International, 2015, 15, 104-110.                | 1.5  | 31        |
| 50 | Health related quality of life of women at the sixth week and sixth month postpartum by mode of birth. Women and Birth, 2017, 30, 29-39.  | 2.0  | 30        |
| 51 | Rasch analysis of the hospital anxiety and depression scale in Parkinson's disease. Movement Disorders, 2009, 24, 526-532.  | 3.9  | 29        |
| 52 | Metric attributes of the unified Parkinson's disease rating scale 3.0 battery: Part II, construct and content validity. Movement Disorders, 2006, 21, 1892-1898.  | 3.9  | 28        |
| 53 | Comorbidity, health status, and quality of life in institutionalized older people with and without dementia. International Psychogeriatrics, 2013, 25, 1077-1084.   | 1.0  | 27        |
| 54 | Change and predictors of quality of life in institutionalized older adults with dementia. Quality of Life Research, 2014, 23, 2595-2601.  | 3.1  | 27        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Rating Scales for Motor Symptoms and Signs in Huntington's Disease: Critique and Recommendations. Movement Disorders Clinical Practice, 2018, 5, 111-117.  | 1.5 | 27        |
| 56 | Two questionnaires for Parkinson's disease: are the PDQ-39 and PDQL equivalent?. Quality of Life Research, 2007, 16, 1221-1230.  | 3.1 | 26        |
| 57 | Rasch analysis of anxiety scales in Parkinson's disease. Journal of Psychosomatic Research, 2013, 74, 414-419.   | 2.6 | 26        |
| 58 | Quality of life across three groups of older adults differing in cognitive status and place of residence. Geriatrics and Gerontology International, 2015, 15, 627-635.   | 1.5 | 26        |
| 59 | What impacts on the stress symptoms of Parkinson's carers? Results from the Parkinson's UK<br>Members' Survey. Disability and Rehabilitation, 2014, 36, 199-204.   | 1.8 | 23        |
| 60 | Resumption of intercourse, selfâ€reported decline in sexual intercourse and dyspareunia in women by mode of birth: AÂprospective followâ€up study. Journal of Advanced Nursing, 2018, 74, 637-650.   | 3.3 | 22        |
| 61 | A Methodological Approach for Implementing an Integrated Multimorbidity Care Model: Results from the Pre-Implementation Stage of Joint Action CHRODIS-PLUS. International Journal of Environmental Research and Public Health, 2019, 16, 5044. | 2.6 | 22        |
| 62 | Selfâ€perceived health and quality of life by activity status in communityâ€dwelling older adults. Geriatrics and Gerontology International, 2014, 14, 464-473.  | 1.5 | 21        |
| 63 | Mental health impact of the first wave of COVID-19 pandemic on Spanish healthcare workers: A large cross-sectional survey. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2021, 14, 90-105.  | 0.3 | 21        |
| 64 | Scales to Assess Clinical Features of Progressive Supranuclear Palsy: MDS Task Force Report. Movement Disorders Clinical Practice, 2015, 2, 127-134.   | 1.5 | 20        |
| 65 | Comorbidity in an Older Population with Type-2 Diabetes Mellitus: Identification of the Characteristics and Healthcare Utilization of High-Cost Patients. Frontiers in Pharmacology, 2020, 11, 586187.   | 3.5 | 20        |
| 66 | The WHO active ageing pillars and its association with survival: Findings from a population-based study in Spain. Archives of Gerontology and Geriatrics, 2020, 90, 104114.  | 3.0 | 20        |
| 67 | Parkinson's Disease Severity at 3 Years Can Be Predicted from Non-Motor Symptoms at Baseline.<br>Frontiers in Neurology, 2017, 8, 551.   | 2.4 | 19        |
| 68 | Confirmatory Factor Analysis, Reliability, and Validity of a Spanish Version of FACES III. American Journal of Family Therapy, The, 2002, 30, 439-449.   | 1.1 | 18        |
| 69 | Measurement of Nonmotor Symptoms in Clinical Practice. International Review of Neurobiology, 2017, 133, 291-345.   | 2.0 | 18        |
| 70 | Rasch analysis of the International Wellbeing Index in older adults. International Psychogeriatrics, 2012, 24, 324-332.  | 1.0 | 17        |
| 71 | Designing a new scale to measure anxiety symptoms in <scp>P</scp> arkinson's disease: item selection based on canonical correlation analysis. European Journal of Neurology, 2013, 20, 1198-1203.  | 3.3 | 17        |
| 72 | Quality of life of institutionalized older adults by dementia severity. International Psychogeriatrics, 2016, 28, 83-92.   | 1.0 | 17        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Dating Violence Victimization among Adolescents in Europe: Baseline Results from the Lights4Violence Project. International Journal of Environmental Research and Public Health, 2021, 18, 1414.   | 2.6 | 17        |
| 74 | The COSMO-Spain Survey: Three First Rounds of the WHO Behavioral Insights Tool. Frontiers in Public Health, 2021, 9, 678926.   | 2.7 | 17        |
| 75 | How to Evaluate Validation Data. , 2012, , 16-41.  |     | 17        |
| 76 | The Relative Contribution of Health Status and Quality of Life Domains in Subjective Health in Old Age. Social Indicators Research, 2012, 106, 27-39.  | 2.7 | 16        |
| 77 | Individual's perspective of local community environment and health indicators in older adults.<br>Geriatrics and Gerontology International, 2013, 13, 130-138.   | 1.5 | 16        |
| 78 | Perceived Social Support of Older Adults in Spain. Applied Research in Quality of Life, 2013, 8, 183-200.  | 2.4 | 16        |
| 79 | Associations between chronic conditions, body functions, activity limitations and participation restrictions: a cross-sectional approach in Spanish non-clinical populations. BMJ Open, 2016, 6, e010446.                                | 1.9 | 16        |
| 80 | Self-perceived health status, gender, and work status. Journal of Women and Aging, 2016, 28, 386-394.  | 1.0 | 16        |
| 81 | ICF-Based Disability Survey in a Rural Population of Adults and Older Adults Living in Cinco Villas,<br>Northeastern Spain: Design, Methods and Population Characteristics. Neuroepidemiology, 2010, 35,<br>72-82.                       | 2.3 | 15        |
| 82 | Quality of life by proxy and mortality in institutionalized older adults with dementia. Geriatrics and Gerontology International, 2015, 15, 38-44.   | 1.5 | 15        |
| 83 | Proposing a Parkinson's disease–specific tremor scale from the MDSâ€UPDRS. Movement Disorders, 2015, 30, 1139-1143.  | 3.9 | 14        |
| 84 | Should the SCOPAâ€COG be modified?: a Rasch analysis perspective. European Journal of Neurology, 2010, 17, 202-207.  | 3.3 | 13        |
| 85 | The patient satisfaction questionnaire of EUprimecare project: measurement properties. International Journal for Quality in Health Care, 2016, 28, 275-280.  | 1.8 | 13        |
| 86 | Leisure Activities and Quality of Life Among Older Adults in Spain. Social Indicators Research Series, 2015, , 163-189.  | 0.3 | 13        |
| 87 | Validation of the De Jong Gierveld Loneliness Scale, 6â€item version, in a multiethnic population of Chilean older adults. Australasian Journal on Ageing, 2021, 40, e100-e108.  | 0.9 | 12        |
| 88 | Hematological cancer patients' quality of life: self versus intimate or non-intimate confidant reports. , 1999, 8, 546-552.  |     | 11        |
| 89 | A comparison of Portuguese and American patients with hematological malignancies: a cross-cultural survey of health-related quality of life. Psycho-Oncology, 2001, 10, 251-258.   | 2.3 | 10        |
| 90 | Assessing the Pilot Implementation of the Integrated Multimorbidity Care Model in Five European Settings: Results from the Joint Action CHRODIS-PLUS. International Journal of Environmental Research and Public Health, 2020, 17, 5268. | 2.6 | 10        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 91  | Influence of Active and Healthy Ageing on Quality of Life Changes: Insights from the Comparison of Three European Countries. International Journal of Environmental Research and Public Health, 2021, 18, 4152. | 2.6 | 10        |
| 92  | Quality of life of mothers at the sixth week and sixth month post partum and type of infant feeding. Midwifery, 2016, 34, 230-238.  | 2.3 | 9         |
| 93  | Rasch analysis of the living with chronic illness scale in Parkinson's disease. BMC Neurology, 2020, 20, 346.   | 1.8 | 9         |
| 94  | Sexism and its associated factors among adolescents in Europe: Lights4Violence baseline results. Aggressive Behavior, 2021, 47, 354-363.  | 2.4 | 9         |
| 95  | Which factors are associated with mortality in institutionalized older adults with dementia?. Archives of Gerontology and Geriatrics, 2014, 59, 522-527.  | 3.0 | 8         |
| 96  | Associative participation of older adults and subjective quality of life: exploring self-selection bias. Ageing and Society, 2015, 35, 1343-1363.   | 1.7 | 8         |
| 97  | Is the Parkinson anxiety scale comparable across raters?. Movement Disorders, 2015, 30, 545-551.  | 3.9 | 7         |
| 98  | Short-term association between road traffic noise and healthcare demand generated by Parkinson's disease in Madrid, Spain. Gaceta Sanitaria, 2018, 32, 553-558.   | 1.5 | 7         |
| 99  | Rating Scales for Movement Disorders With Sleep Disturbances: A Narrative Review. Frontiers in Neurology, 2018, 9, 435.   | 2.4 | 7         |
| 100 | Psychometric Properties of the CASP-12 Scale in Portugal: An Analysis Using SHARE Data. International Journal of Environmental Research and Public Health, 2020, 17, 6610.                                      | 2.6 | 7         |
| 101 | Multimorbidity and functional status in institutionalized older adults. European Geriatric Medicine, 2016, 7, 34-39.  | 2.8 | 6         |
| 102 | Physical activity, body functions and disability among middle-aged and older Spanish adults. BMC Geriatrics, 2017, 17, 150.   | 2.7 | 6         |
| 103 | Application of the JA-CHRODIS Integrated Multimorbidity Care Model (IMCM) to a Case Study of Diabetes and Mental Health. International Journal of Environmental Research and Public Health, 2019, 16, 5151.     | 2.6 | 6         |
| 104 | The Disease Burden Morbidity Assessment in older adults and its association with mortality and other health outcomes. European Journal of Ageing, 2019, 16, 193-203.  | 2.8 | 6         |
| 105 | Guide to Assessment Scales in Parkinson's Disease. , 2014, , .  |     | 5         |
| 106 | Hierarchical nature of activities of daily living in the Spanish Disability Survey. Rheumatology International, 2015, 35, 1581-1589.  | 3.0 | 5         |
| 107 | Design and validation of an oral health questionnaire for preoperative anaesthetic evaluation. Brazilian Journal of Anesthesiology (Elsevier), 2017, 67, 6-14.  | 0.4 | 5         |
| 108 | Disease burden morbidity assessment by selfâ€report: Psychometric properties in older adults in Spain. Geriatrics and Gerontology International, 2017, 17, 1102-1108.   | 1.5 | 5         |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 109 | Living with Chronic Illness Scale: International validation through the classic test theory and Rasch analysis among Spanishâ€speaking populations with longâ€term conditions. Health Expectations, 2021, 24, 2065-2077. | 2.6 | 5         |
| 110 | Scale invariance and longitudinal stability of the Physical Functioning Western Ontario and MacMaster Universities Osteoarthritis Index using the Rasch model. Rheumatology International, 2018, 38, 473-479.            | 3.0 | 4         |
| 111 | Rasch Analysis and Construct Validity of the Disease Burden Morbidity Assessment in Older Adults.<br>Gerontologist, The, 2018, 58, e302-e310.  | 3.9 | 4         |
| 112 | How patients with COVID-19 managed the disease at home during the first wave in Spain: a cross-sectional study. BMJ Open, 2021, 11, e048702.   | 1.9 | 4         |
| 113 | Rating Scales in Movement Disorders. , 2017, , 65-75.  |     | 4         |
| 114 | Which Scale Best Detects Treatment Response of Tremor in Parkinsonism?. Journal of Parkinson's Disease, 2020, 10, 275-282.   | 2.8 | 3         |
| 115 | Ageing Perception as a Key Predictor of Self-Rated Health by Rural Older People—A Study with Gender and Inclusive Perspectives. Land, 2022, 11, 323.   | 2.9 | 3         |
| 116 | Response Mapping Methods to Estimate the EQ-5D-5L From the Western Ontario McMaster Universities Osteoarthritis in Patients With Hip or Knee Osteoarthritis. Value in Health, 2021, 24, 874-883.                         | 0.3 | 2         |
| 117 | Multi-domain Scales. , 2014, , 13-23.  |     | 2         |
| 118 | Multi-ethnic validation of 15-item Geriatric Depression Scale in Chile. Psicologia: Reflexao E Critica, 2020, 33, 7.   | 0.9 | 2         |
| 119 | Older Women Images and Technologies to Increase Gender Peace in Crisis and COVID-19 Times. Lecture<br>Notes in Computer Science, 2022, , 427-440.  | 1.3 | 2         |
| 120 | Quality of Life of Community-Dwelling Older Adults in Spain. Community Quality-of-life and Well-being, 2017, , 269-286.  | 0.2 | 1         |
| 121 | Information Sources and Decision-Making in Neurosurgery: Results of a Survey of Members of the Brazilian Neurosurgery Society. Brazilian Neurosurgery, 2018, 37, 081-087.  | 0.1 | 1         |
| 122 | Features and impact of missing values in the association of self-rated health with mortality in care homes: a longitudinal study. Health and Quality of Life Outcomes, 2019, 17, 111.                                    | 2.4 | 1         |
| 123 | Embarrassment and Shame in People With Parkinson's Disease: A New Tool for Self-Assessment. Frontiers in Neurology, 2020, 11, 779.   | 2.4 | 1         |
| 124 | Use of Sham Interventions in Randomized Controlled Trials in Neurosurgery. Journal of Neurological Surgery, Part A: Central European Neurosurgery, 2020, 81, 456-462.  | 0.8 | 1         |
| 125 | Cognition and Neuropsychiatric Symptoms. , 2014, , 67-89.  |     | 1         |
| 126 | Quality of Life Scales. , 2014, , 91-102.  |     | 1         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 127 | Motor Impairment and Disability Scales. , 2014, , 31-42.  |     | 1         |
| 128 | Validation of the Spanish version of the Memory Failures of Everyday questionnaire in older adults using Rasch analysis. Geriatrics and Gerontology International, 2022, 22, 332-337.                             | 1.5 | 1         |
| 129 | Health-Related Quality Of Life (HRQoL) In Adult Patients With Hereditary Angioedema Due To C1 Inhibitor Deficiency (HAE-C1-INH) Assessed By SF-36v2. Journal of Allergy and Clinical Immunology, 2014, 133, AB34. | 2.9 | 0         |
| 130 | Erratum - Information Sources and Decision-Making in Neurosurgery: Results of a Survey of Members of the Brazilian Neurosurgery Society. Brazilian Neurosurgery, 2018, 37, 162-162.                               | 0.1 | 0         |
| 131 | Electronic search strategies fail to identify randomized controlled trials (RCTs) in neurosurgery. Clinical Neurology and Neurosurgery, 2019, 184, 105446.  | 1.4 | 0         |
| 132 | Quality of Life of Older People with Dementia. International Handbooks of Quality-of-life, 2021, , 135-146.   | 0.5 | 0         |
| 133 | Active Ageing and Quality of Life. International Handbooks of Quality-of-life, 2021, , 273-283.   | 0.5 | 0         |
| 134 | Editorial: Measurement Tools for Clinical Assessment, Characterization and Neurorehabilitation of Parkinson's Disease. Frontiers in Neurology, 2021, 12, 700581.  | 2.4 | 0         |
| 135 | Community Well-Being Index. , 2021, , 1-3.  |     | 0         |
| 136 | Global Severity Assessments. , 2014, , 25-29.   |     | 0         |
| 137 | Quality of Life in Parkinson's Disease. , 2017, , 165-180.  |     | 0         |
| 138 | Patient information role in integrated health care. International Journal of Integrated Care, 2019, 19, 350.  | 0.2 | 0         |
| 139 | Spain, Personal Well-Being Index; Validation with Older Adults. , 2020, , 1-4.  |     | 0         |
| 140 | Measuring quality of life in Parkinson's disease., 2020,, 387-407.  |     | 0         |
| 141 | Social relations and health in older people in Spain using SHARE survey data. BMC Geriatrics, 2022, 22, 276.  | 2.7 | 0         |