## Maria João Forjaz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9065412/publications.pdf

Version: 2024-02-01

141 papers 4,666 citations

94415 37 h-index 61 g-index

152 all docs

152 docs citations

152 times ranked

7001 citing authors

#	Article	IF	CITATIONS
1	Caregiver burden in Parkinson's disease. Movement Disorders, 2007, 22, 924-931.	3.9	208
2	Multimorbidity care model: Recommendations from the consensus meeting of the Joint Action on Chronic Diseases and Promoting Healthy Ageing across the Life Cycle (JA-CHRODIS). Health Policy, 2018, 122, 4-11.	3.0	176
3	Factors Associated With Loneliness of Noninstitutionalized and Institutionalized Older Adults. Journal of Aging and Health, 2011, 23, 177-194.	1.7	174
4	Neuropsychiatric symptoms and caregiver's burden in Parkinson's disease. Parkinsonism and Related Disorders, 2015, 21, 629-634.	2.2	166
5	A validation study of an Italian version of the brief pain inventory (Breve questionario per la) Tj ETQq1 1 0.78431	4 rgBT /Ov	verlock 10 Tf
6	Effectiveness of comprehensive care programs for patients with multiple chronic conditions or frailty: A systematic literature review. Health Policy, 2016, 120, 818-832.	3.0	149
7	Mental health impact of the first wave of COVID-19 pandemic on Spanish healthcare workers: A large cross-sectional survey. Revista De PsiquiatrÃa Y Salud Mental, 2021, 14, 90-105.	1.8	133
8	Task force report: Scales for screening and evaluating tremor: Critique and recommendations. Movement Disorders, 2013, 28, 1793-1800.	3.9	124
9	Psychometric properties of the EQ-5D-5L in patients with hip or knee osteoarthritis: reliability, validity and responsiveness. Quality of Life Research, 2018, 27, 2897-2908.	3.1	121
10	Quality of life and burden in caregivers for patients with Parkinson's disease: concepts, assessment and related factors. Expert Review of Pharmacoeconomics and Outcomes Research, 2012, 12, 221-230.	1.4	112
11	Health related quality of life in colorectal cancer patients: state of the art. BMC Surgery, 2013, 13, S15.	1.3	107
12	Active ageing and quality of life: factors associated with participation in leisure activities among institutionalized older adults, with and without dementia. Aging and Mental Health, 2015, 19, 1031-1041.	2.8	105
13	Residential satisfaction, sense of belonging and loneliness among older adults living in the community and in care facilities. Health and Place, 2011, 17, 1183-1190.	3.3	92
14	Chronic musculoskeletal pain in European older adults: Crossâ€national and gender differences. European Journal of Pain, 2018, 22, 333-345.	2.8	90
15	Motor laterality asymmetry and nonmotor symptoms in Parkinson's disease. Movement Disorders, 2010, 25, 70-75.	3.9	79
16	Psychometric characteristics of the Spanish version of the Barthel Index. Aging Clinical and Experimental Research, 2018, 30, 489-497.	2.9	77
17	Independent validation of the scales for outcomes in Parkinson's diseaseâ€autonomic (SCOPAâ€AUT). European Journal of Neurology, 2010, 17, 194-201.	3.3	74
18	Chronic conditions, disability, and quality of life in older adults with multimorbidity in Spain. European Journal of Internal Medicine, 2015, 26, 176-181.	2.2	71

#	Article	IF	CITATIONS
19	Thirtyâ€day suicidal thoughts and behaviors among hospital workers during the first wave of the Spain COVIDâ€19 outbreak. Depression and Anxiety, 2021, 38, 528-544.	4.1	70
20	Global versus factor-related impression of severity in Parkinson's disease: A new clinimetric index (CISI-PD). Movement Disorders, 2006, 21, 208-214.	3.9	69
21	Psychometric attributes of the Hospital Anxiety and Depression Scale in Parkinson's disease. Movement Disorders, 2009, 24, 519-525.	3.9	68
22	Measurement properties of the Community Wellbeing Index in older adults. Quality of Life Research, 2011, 20, 733-743.	3.1	65
23	Transducer-based evaluation of tremor. Movement Disorders, 2016, 31, 1327-1336.	3.9	64
24	The clinical impression of severity index for Parkinson's disease: International validation study. Movement Disorders, 2009, 24, 211-217.	3.9	56
25	Estimating the direct and indirect costs associated with Parkinson's disease. Expert Review of Pharmacoeconomics and Outcomes Research, 2015, 15, 889-911.	1.4	56
26	Metric attributes of the unified Parkinson's disease rating scale 3.0 battery: Part I, feasibility, scaling assumptions, reliability, and precision. Movement Disorders, 2006, 21, 1182-1188.	3.9	49
27	A Review of Scales to Evaluate Sleep Disturbances in Movement Disorders. Frontiers in Neurology, 2018, 9, 369.	2.4	48
28	Anxiety, Depression and Quality of Life in Older Adults: Trajectories of Influence across Age. International Journal of Environmental Research and Public Health, 2020, 17, 9039.	2.6	48
29	Psychometric properties of the International Wellbeing Index in community-dwelling older adults. International Psychogeriatrics, 2011, 23, 161-169.	1.0	46
30	Relationship between the <scp>MDSâ€UPDRS</scp> domains and the healthâ€related quality of life of <scp>P</scp> arkinson's disease patients. European Journal of Neurology, 2014, 21, 519-524.	3.3	46
31	Longitudinal Metric Properties of Disability Rating Scales for Parkinson's Disease. Value in Health, 2006, 9, 386-393.	0.3	45
32	Health-related quality of life and mental health in the medium-term aftermath of the Prestige oil spill in Galiza (Spain): a cross-sectional study. BMC Public Health, 2007, 7, 245.	2.9	45
33	Multimorbidity and functional status in community-dwelling older adults. European Journal of Internal Medicine, 2014, 25, 610-616.	2.2	42
34	Heath-related quality of life in Spanish breast cancer patients: a systematic review. Health and Quality of Life Outcomes, 2011, 9, 3.	2.4	41
35	Health status and wellâ€being of older adults living in the community and in residential care settings: Are differences influenced by age?. Aging and Mental Health, 2012, 16, 884-891.	2.8	41
36	<scp>EQâ€5D</scp> rated by proxy in institutionalized older adults with dementia: Psychometric pros and cons. Geriatrics and Gerontology International, 2014, 14, 346-353.	1.5	41

#	Article	IF	CITATIONS
37	Are Loneliness and Social Isolation Associated with Quality of Life in Older Adults? Insights from Northern and Southern Europe. International Journal of Environmental Research and Public Health, 2020, 17, 8637.	2.6	39
38	Effect of heat waves on morbidity and mortality due to Parkinson's disease in Madrid: A time-series analysis. Environment International, 2016, 89-90, 1-6.	10.0	37
39	Components and determinants of quality of life in community-dwelling older adults. European Journal of Ageing, 2012, 9, 255-263.	2.8	36
40	Association between mental health comorbidity and health outcomes in type 2 diabetes mellitus patients. Scientific Reports, 2020, 10, 19583.	3.3	36
41	Parkinson Symptoms and Health Related Quality of Life as Predictors of Costs: A Longitudinal Observational Study with Linear Mixed Model Analysis. PLoS ONE, 2015, 10, e0145310.	2.5	35
42	Impact of Pharmacotherapy on Quality of Life in Patients with Parkinson's Disease. CNS Drugs, 2015, 29, 397-413.	5.9	35
43	A Spanish version of the Family Assessment Device. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 1051-1065.	3.1	33
44	Self-perceived health status in older adults: regional and sociodemographic inequalities in Spain. Revista De Saude Publica, 2012, 46, 310-319.	1.7	32
45	Sense of coherence and health of community-dwelling older adults in Spain. International Psychogeriatrics, 2015, 27, 621-628.	1.0	32
46	Compliance with the main preventive measures of COVIDâ€19 in Spain: The role of knowledge, attitudes, practices, and risk perception. Transboundary and Emerging Diseases, 2022, 69, .	3.0	32
47	Assessing autonomic symptoms of Parkinson's disease with the SCOPAâ€AUT: a new perspective from Rasch analysis. European Journal of Neurology, 2010, 17, 273-279.	3.3	31
48	Design, measures and sample characteristics of the CadeViMa-Spain survey on quality of life in community-dwelling older adults. International Psychogeriatrics, 2012, 24, 425-438.	1.0	31
49	Quality of life in older people with dementia: A multilevel study of individual attributes and residential care center characteristics. Geriatrics and Gerontology International, 2015, 15, 104-110.	1.5	31
50	Health related quality of life of women at the sixth week and sixth month postpartum by mode of birth. Women and Birth, 2017, 30, 29-39.	2.0	30
51	Rasch analysis of the hospital anxiety and depression scale in Parkinson's disease. Movement Disorders, 2009, 24, 526-532.	3.9	29
52	Metric attributes of the unified Parkinson's disease rating scale 3.0 battery: Part II, construct and content validity. Movement Disorders, 2006, 21, 1892-1898.	3.9	28
53	Comorbidity, health status, and quality of life in institutionalized older people with and without dementia. International Psychogeriatrics, 2013, 25, 1077-1084.	1.0	27
54	Change and predictors of quality of life in institutionalized older adults with dementia. Quality of Life Research, 2014, 23, 2595-2601.	3.1	27

#	Article	IF	CITATIONS
55	Rating Scales for Motor Symptoms and Signs in Huntington's Disease: Critique and Recommendations. Movement Disorders Clinical Practice, $2018, 5, 111-117$ .	1.5	27
56	Two questionnaires for Parkinson's disease: are the PDQ-39 and PDQL equivalent?. Quality of Life Research, 2007, 16, 1221-1230.	3.1	26
57	Rasch analysis of anxiety scales in Parkinson's disease. Journal of Psychosomatic Research, 2013, 74, 414-419.	2.6	26
58	Quality of life across three groups of older adults differing in cognitive status and place of residence. Geriatrics and Gerontology International, 2015, 15, 627-635.	1.5	26
59	What impacts on the stress symptoms of Parkinson's carers? Results from the Parkinson's UK Members' Survey. Disability and Rehabilitation, 2014, 36, 199-204.	1.8	23
60	Resumption of intercourse, selfâ€reported decline in sexual intercourse and dyspareunia in women by mode of birth: AÂprospective followâ€up study. Journal of Advanced Nursing, 2018, 74, 637-650.	3.3	22
61	A Methodological Approach for Implementing an Integrated Multimorbidity Care Model: Results from the Pre-Implementation Stage of Joint Action CHRODIS-PLUS. International Journal of Environmental Research and Public Health, 2019, 16, 5044.	2.6	22
62	Selfâ€perceived health and quality of life by activity status in communityâ€dwelling older adults. Geriatrics and Gerontology International, 2014, 14, 464-473.	1.5	21
63	Mental health impact of the first wave of COVID-19 pandemic on Spanish healthcare workers: A large cross-sectional survey. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2021, 14, 90-105.	0.3	21
64	Scales to Assess Clinical Features of Progressive Supranuclear Palsy: MDS Task Force Report. Movement Disorders Clinical Practice, 2015, 2, 127-134.	1.5	20
65	Comorbidity in an Older Population with Type-2 Diabetes Mellitus: Identification of the Characteristics and Healthcare Utilization of High-Cost Patients. Frontiers in Pharmacology, 2020, 11, 586187.	3.5	20
66	The WHO active ageing pillars and its association with survival: Findings from a population-based study in Spain. Archives of Gerontology and Geriatrics, 2020, 90, 104114.	3.0	20
67	Parkinson's Disease Severity at 3 Years Can Be Predicted from Non-Motor Symptoms at Baseline. Frontiers in Neurology, 2017, 8, 551.	2.4	19
68	Confirmatory Factor Analysis, Reliability, and Validity of a Spanish Version of FACES III. American Journal of Family Therapy, The, 2002, 30, 439-449.	1.1	18
69	Measurement of Nonmotor Symptoms in Clinical Practice. International Review of Neurobiology, 2017, 133, 291-345.	2.0	18
70	Rasch analysis of the International Wellbeing Index in older adults. International Psychogeriatrics, 2012, 24, 324-332.	1.0	17
71	Designing a new scale to measure anxiety symptoms in <scp>P</scp> arkinson's disease: item selection based on canonical correlation analysis. European Journal of Neurology, 2013, 20, 1198-1203.	3.3	17
72	Quality of life of institutionalized older adults by dementia severity. International Psychogeriatrics, 2016, 28, 83-92.	1.0	17

#	Article	IF	CITATIONS
73	Dating Violence Victimization among Adolescents in Europe: Baseline Results from the Lights4Violence Project. International Journal of Environmental Research and Public Health, 2021, 18, 1414.	2.6	17
74	The COSMO-Spain Survey: Three First Rounds of the WHO Behavioral Insights Tool. Frontiers in Public Health, 2021, 9, 678926.	2.7	17
75	How to Evaluate Validation Data. , 2012, , 16-41.		17
76	The Relative Contribution of Health Status and Quality of Life Domains in Subjective Health in Old Age. Social Indicators Research, 2012, 106, 27-39.	2.7	16
77	Individual's perspective of local community environment and health indicators in older adults. Geriatrics and Gerontology International, 2013, 13, 130-138.	1.5	16
78	Perceived Social Support of Older Adults in Spain. Applied Research in Quality of Life, 2013, 8, 183-200.	2.4	16
79	Associations between chronic conditions, body functions, activity limitations and participation restrictions: a cross-sectional approach in Spanish non-clinical populations. BMJ Open, 2016, 6, e010446.	1.9	16
80	Self-perceived health status, gender, and work status. Journal of Women and Aging, 2016, 28, 386-394.	1.0	16
81	ICF-Based Disability Survey in a Rural Population of Adults and Older Adults Living in Cinco Villas, Northeastern Spain: Design, Methods and Population Characteristics. Neuroepidemiology, 2010, 35, 72-82.	2.3	15
82	Quality of life by proxy and mortality in institutionalized older adults with dementia. Geriatrics and Gerontology International, 2015, 15, 38-44.	1.5	15
83	Proposing a Parkinson's disease–specific tremor scale from the MDSâ€UPDRS. Movement Disorders, 2015, 30, 1139-1143.	3.9	14
84	Should the SCOPA OG be modified?: a Rasch analysis perspective. European Journal of Neurology, 2010, 17, 202-207.	3.3	13
85	The patient satisfaction questionnaire of EUprimecare project: measurement properties. International Journal for Quality in Health Care, 2016, 28, 275-280.	1.8	13
86	Leisure Activities and Quality of Life Among Older Adults in Spain. Social Indicators Research Series, 2015, , 163-189.	0.3	13
87	Validation of the De Jong Gierveld Loneliness Scale, 6â€item version, in a multiethnic population of Chilean older adults. Australasian Journal on Ageing, 2021, 40, e100-e108.	0.9	12
88	Hematological cancer patients' quality of life: self versus intimate or non-intimate confidant reports. , 1999, 8, 546-552.		11
89	A comparison of Portuguese and American patients with hematological malignancies: a cross-cultural survey of health-related quality of life. Psycho-Oncology, 2001, 10, 251-258.	2.3	10
90	Assessing the Pilot Implementation of the Integrated Multimorbidity Care Model in Five European Settings: Results from the Joint Action CHRODIS-PLUS. International Journal of Environmental Research and Public Health, 2020, 17, 5268.	2.6	10

#	Article	IF	Citations
91	Influence of Active and Healthy Ageing on Quality of Life Changes: Insights from the Comparison of Three European Countries. International Journal of Environmental Research and Public Health, 2021, 18, 4152.	2.6	10
92	Quality of life of mothers at the sixth week and sixth month post partum and type of infant feeding. Midwifery, 2016, 34, 230-238.	2.3	9
93	Rasch analysis of the living with chronic illness scale in Parkinson's disease. BMC Neurology, 2020, 20, 346.	1.8	9
94	Sexism and its associated factors among adolescents in Europe: Lights4Violence baseline results. Aggressive Behavior, 2021, 47, 354-363.	2.4	9
95	Which factors are associated with mortality in institutionalized older adults with dementia?. Archives of Gerontology and Geriatrics, 2014, 59, 522-527.	3.0	8
96	Associative participation of older adults and subjective quality of life: exploring self-selection bias. Ageing and Society, 2015, 35, 1343-1363.	1.7	8
97	Is the Parkinson anxiety scale comparable across raters?. Movement Disorders, 2015, 30, 545-551.	3.9	7
98	Short-term association between road traffic noise and healthcare demand generated by Parkinson's disease in Madrid, Spain. Gaceta Sanitaria, 2018, 32, 553-558.	1.5	7
99	Rating Scales for Movement Disorders With Sleep Disturbances: A Narrative Review. Frontiers in Neurology, 2018, 9, 435.	2.4	7
100	Psychometric Properties of the CASP-12 Scale in Portugal: An Analysis Using SHARE Data. International Journal of Environmental Research and Public Health, 2020, 17, 6610.	2.6	7
101	Multimorbidity and functional status in institutionalized older adults. European Geriatric Medicine, 2016, 7, 34-39.	2.8	6
102	Physical activity, body functions and disability among middle-aged and older Spanish adults. BMC Geriatrics, 2017, 17, 150.	2.7	6
103	Application of the JA-CHRODIS Integrated Multimorbidity Care Model (IMCM) to a Case Study of Diabetes and Mental Health. International Journal of Environmental Research and Public Health, 2019, 16, 5151.	2.6	6
104	The Disease Burden Morbidity Assessment in older adults and its association with mortality and other health outcomes. European Journal of Ageing, 2019, 16, 193-203.	2.8	6
105	Guide to Assessment Scales in Parkinson's Disease. , 2014, , .		5
106	Hierarchical nature of activities of daily living in the Spanish Disability Survey. Rheumatology International, 2015, 35, 1581-1589.	3.0	5
107	Design and validation of an oral health questionnaire for preoperative anaesthetic evaluation. Brazilian Journal of Anesthesiology (Elsevier), 2017, 67, 6-14.	0.4	5
108	Disease burden morbidity assessment by selfâ€report: Psychometric properties in older adults in Spain. Geriatrics and Gerontology International, 2017, 17, 1102-1108.	1.5	5

#	Article	IF	Citations
109	Living with Chronic Illness Scale: International validation through the classic test theory and Rasch analysis among Spanishâ€speaking populations with longâ€term conditions. Health Expectations, 2021, 24, 2065-2077.	2.6	5
110	Scale invariance and longitudinal stability of the Physical Functioning Western Ontario and MacMaster Universities Osteoarthritis Index using the Rasch model. Rheumatology International, 2018, 38, 473-479.	3.0	4
111	Rasch Analysis and Construct Validity of the Disease Burden Morbidity Assessment in Older Adults. Gerontologist, The, 2018, 58, e302-e310.	3.9	4
112	How patients with COVID-19 managed the disease at home during the first wave in Spain: a cross-sectional study. BMJ Open, 2021, 11, e048702.	1.9	4
113	Rating Scales in Movement Disorders. , 2017, , 65-75.		4
114	Which Scale Best Detects Treatment Response of Tremor in Parkinsonism?. Journal of Parkinson's Disease, 2020, 10, 275-282.	2.8	3
115	Ageing Perception as a Key Predictor of Self-Rated Health by Rural Older People—A Study with Gender and Inclusive Perspectives. Land, 2022, 11, 323.	2.9	3
116	Response Mapping Methods to Estimate the EQ-5D-5L From the Western Ontario McMaster Universities Osteoarthritis in Patients With Hip or Knee Osteoarthritis. Value in Health, 2021, 24, 874-883.	0.3	2
117	Multi-domain Scales. , 2014, , 13-23.		2
118	Multi-ethnic validation of 15-item Geriatric Depression Scale in Chile. Psicologia: Reflexao E Critica, 2020, 33, 7.	0.9	2
119	Older Women Images and Technologies to Increase Gender Peace in Crisis and COVID-19 Times. Lecture Notes in Computer Science, 2022, , 427-440.	1.3	2
120	Quality of Life of Community-Dwelling Older Adults in Spain. Community Quality-of-life and Well-being, 2017, , 269-286.	0.2	1
121	Information Sources and Decision-Making in Neurosurgery: Results of a Survey of Members of the Brazilian Neurosurgery Society. Brazilian Neurosurgery, 2018, 37, 081-087.	0.1	1
122	Features and impact of missing values in the association of self-rated health with mortality in care homes: a longitudinal study. Health and Quality of Life Outcomes, 2019, 17, 111.	2.4	1
123	Embarrassment and Shame in People With Parkinson's Disease: A New Tool for Self-Assessment. Frontiers in Neurology, 2020, 11, 779.	2.4	1
124	Use of Sham Interventions in Randomized Controlled Trials in Neurosurgery. Journal of Neurological Surgery, Part A: Central European Neurosurgery, 2020, 81, 456-462.	0.8	1
125	Cognition and Neuropsychiatric Symptoms. , 2014, , 67-89.		1
126	Quality of Life Scales. , 2014, , 91-102.		1

#	Article	IF	Citations
127	Motor Impairment and Disability Scales. , 2014, , 31-42.		1
128	Validation of the Spanish version of the Memory Failures of Everyday questionnaire in older adults using Rasch analysis. Geriatrics and Gerontology International, 2022, 22, 332-337.	1.5	1
129	Health-Related Quality Of Life (HRQoL) In Adult Patients With Hereditary Angioedema Due To C1 Inhibitor Deficiency (HAE-C1-INH) Assessed By SF-36v2. Journal of Allergy and Clinical Immunology, 2014, 133, AB34.	2.9	0
130	Erratum - Information Sources and Decision-Making in Neurosurgery: Results of a Survey of Members of the Brazilian Neurosurgery Society. Brazilian Neurosurgery, 2018, 37, 162-162.	0.1	0
131	Electronic search strategies fail to identify randomized controlled trials (RCTs) in neurosurgery. Clinical Neurology and Neurosurgery, 2019, 184, 105446.	1.4	0
132	Quality of Life of Older People with Dementia. International Handbooks of Quality-of-life, 2021, , 135-146.	0.5	0
133	Active Ageing and Quality of Life. International Handbooks of Quality-of-life, 2021, , 273-283.	0.5	0
134	Editorial: Measurement Tools for Clinical Assessment, Characterization and Neurorehabilitation of Parkinson's Disease. Frontiers in Neurology, 2021, 12, 700581.	2.4	0
135	Community Well-Being Index. , 2021, , 1-3.		0
136	Global Severity Assessments. , 2014, , 25-29.		0
137	Quality of Life in Parkinson's Disease. , 2017, , 165-180.		0
138	Patient information role in integrated health care. International Journal of Integrated Care, 2019, 19, 350.	0.2	0
139	Spain, Personal Well-Being Index; Validation with Older Adults. , 2020, , 1-4.		0
140	Measuring quality of life in Parkinson's disease., 2020,, 387-407.		0
141	Social relations and health in older people in Spain using SHARE survey data. BMC Geriatrics, 2022, 22, 276.	2.7	0