

# Hans Carl Hasselbalch

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9065850/publications.pdf>

Version: 2024-02-01

264  
papers

10,009  
citations

47004

47  
h-index

46795

89  
g-index

268  
all docs

268  
docs citations

268  
times ranked

6979  
citing authors

#	ARTICLE	IF	CITATIONS
1	Philadelphia-Negative Classical Myeloproliferative Neoplasms: Critical Concepts and Management Recommendations From European LeukemiaNet. <i>Journal of Clinical Oncology</i> , 2011, 29, 761-770.	1.6	724
2	Classification and Personalized Prognosis in Myeloproliferative Neoplasms. <i>New England Journal of Medicine</i> , 2018, 379, 1416-1430.	27.0	442
3	Philadelphia chromosome-negative classical myeloproliferative neoplasms: revised management recommendations from European LeukemiaNet. <i>Leukemia</i> , 2018, 32, 1057-1069.	7.2	415
4	MPL mutations in myeloproliferative disorders: analysis of the PT-1 cohort. <i>Blood</i> , 2008, 112, 141-149.	1.4	371
5	Perspectives on chronic inflammation in essential thrombocythemia, polycythemia vera, and myelofibrosis: is chronic inflammation a trigger and driver of clonal evolution and development of accelerated atherosclerosis and second cancer?. <i>Blood</i> , 2012, 119, 3219-3225.	1.4	255
6	Response criteria for essential thrombocythemia and polycythemia vera: result of a European LeukemiaNet consensus conference. <i>Blood</i> , 2009, 113, 4829-4833.	1.4	229
7	Ropeginterferon alfa-2b versus standard therapy for polycythaemia vera (PROUD-PV and) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 Haematology,the, 2020, 7, e196-e208.	4.6	199
8	Chronic inflammation as a promotor of mutagenesis in essential thrombocythemia, polycythemia vera and myelofibrosis. A human inflammation model for cancer development?. <i>Leukemia Research</i> , 2013, 37, 214-220.	0.8	198
9	V617F mutation in JAK2 is associated with poorer survival in idiopathic myelofibrosis. <i>Blood</i> , 2006, 107, 2098-2100.	1.4	194
10	MPNs as Inflammatory Diseases: The Evidence, Consequences, and Perspectives. <i>Mediators of Inflammation</i> , 2015, 2015, 1-16.	3.0	155
11	Chronic myeloproliferative neoplasms and subsequent cancer risk: a Danish population-based cohort study. <i>Blood</i> , 2011, 118, 6515-6520.	1.4	149
12	The JAK2 V617F mutation involves B and T lymphocyte lineages in a subgroup of patients with Philadelphia chromosome negative chronic myeloproliferative disorders. <i>British Journal of Haematology</i> , 2007, 136, 745-751.	2.5	148
13	Rituximab and dexamethasone vs dexamethasone monotherapy in newly diagnosed patients with primary immune thrombocytopenia. <i>Blood</i> , 2013, 121, 1976-1981.	1.4	146
14	A unified definition of clinical resistance and intolerance to hydroxycarbamide in polycythaemia vera and primary myelofibrosis: results of a European LeukemiaNet (ELN) consensus process. <i>British Journal of Haematology</i> , 2010, 148, 961-963.	2.5	144
15	Prevalence and phenotypes of JAK2 V617F and calreticulin mutations in a Danish general population. <i>Blood</i> , 2019, 134, 469-479.	1.4	139
16	A phase III randomized trial comparing glucocorticoid monotherapy versus glucocorticoid and rituximab in patients with autoimmune haemolytic anaemia. <i>British Journal of Haematology</i> , 2013, 163, 393-399.	2.5	135
17	B Lymphocyte Depletion with the Monoclonal Antibody Rituximab in Graves Disease: A Controlled Pilot Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 1769-1772.	3.6	133
18	The JAK2 V617F allele burden in essential thrombocythemia, polycythemia vera and primary myelofibrosis: impact on disease phenotype. <i>European Journal of Haematology</i> , 2007, 79, 508-515.	2.2	130

#	ARTICLE	IF	CITATIONS
19	The role of cytokines in the initiation and progression of myelofibrosis. <i>Cytokine and Growth Factor Reviews</i> , 2013, 24, 133-145.	7.2	128
20	Rituximab chimeric anti-CD20 monoclonal antibody treatment for adult refractory idiopathic thrombocytopenic purpura. <i>American Journal of Hematology</i> , 2005, 78, 275-280.	4.1	121
21	Does primary myelofibrosis involve a defective stem cell niche? From concept to evidence. <i>Blood</i> , 2008, 112, 3026-3035.	1.4	119
22	Incidence, clinical features and outcome of essential thrombocythaemia in a well defined geographical area. <i>European Journal of Haematology</i> , 2000, 65, 132-139.	2.2	118
23	Increased circulating platelet-leukocyte aggregates in myeloproliferative disorders is correlated to previous thrombosis, platelet activation and platelet count. <i>European Journal of Haematology</i> , 2001, 66, 143-151.	2.2	115
24	Treatment-Resistant Severe, Active Graves' Ophthalmopathy Successfully Treated with B Lymphocyte Depletion. <i>Thyroid</i> , 2006, 16, 709-710.	4.5	110
25	A phase II trial of pegylated interferon $\beta$ 2b therapy for polycythemia vera and essential thrombocythemia. <i>Cancer</i> , 2006, 106, 2397-2405.	4.1	104
26	Activated Platelets Enhance IL-10 Secretion and Reduce TNF- $\alpha$ Secretion by Monocytes. <i>Journal of Immunology</i> , 2013, 191, 4059-4067.	0.8	104
27	Increased platelet activation and abnormal membrane glycoprotein content and redistribution in myeloproliferative disorders. <i>British Journal of Haematology</i> , 2000, 110, 116-124.	2.5	100
28	Smoking and Increased White and Red Blood Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019, 39, 965-977.	2.4	98
29	Interferon and the treatment of polycythemia vera, essential thrombocythemia and myelofibrosis. <i>Expert Review of Hematology</i> , 2013, 6, 49-58.	2.2	96
30	Long term molecular responses in a cohort of Danish patients with essential thrombocythemia, polycythemia vera and myelofibrosis treated with recombinant interferon alpha. <i>Leukemia Research</i> , 2013, 37, 1041-1045.	0.8	84
31	Idiopathic myelofibrosis: A clinical study of 80 patients. <i>American Journal of Hematology</i> , 1990, 34, 291-300.	4.1	79
32	Minimal residual disease and normalization of the bone marrow after long-term treatment with alpha-interferon2b in polycythemia vera. A report on molecular response patterns in seven patients in sustained complete hematological remission. <i>Hematology</i> , 2009, 14, 331-334.	1.5	76
33	Response criteria for myelofibrosis with myeloid metaplasia: results of an initiative of the European Myelofibrosis Network (EUMNET). <i>Blood</i> , 2005, 106, 2849-2853.	1.4	75
34	Hydroxycarbamide: a user's guide for chronic myeloproliferative disorders. <i>Expert Review of Anticancer Therapy</i> , 2011, 11, 403-414.	2.4	72
35	The rationale for B lymphocyte depletion in Graves' disease. <i>Monoclonal anti-CD20 antibody therapy as a novel treatment option. European Journal of Endocrinology</i> , 2006, 154, 623-632.	3.7	71
36	Perspectives on interferon-alpha in the treatment of polycythemia vera and related myeloproliferative neoplasms: minimal residual disease and cure?. <i>Seminars in Immunopathology</i> , 2019, 41, 5-19.	6.1	71

#	ARTICLE	IF	CITATIONS
37	Ruxolitinib and interferon- $\gamma$ combination therapy for patients with polycythemia vera or myelofibrosis: a phase II study. <i>Haematologica</i> , 2020, 105, 2262-2272.	3.5	67
38	A new era for IFN- $\gamma$ in the treatment of Philadelphia-negative chronic myeloproliferative neoplasms. <i>Expert Review of Hematology</i> , 2011, 4, 637-655.	2.2	66
39	A phase II study of vorinostat (MK-0683) in patients with polycythaemia vera and essential thrombocythaemia. <i>British Journal of Haematology</i> , 2013, 162, 498-508.	2.5	65
40	The Role of Reactive Oxygen Species in Myelofibrosis and Related Neoplasms. <i>Mediators of Inflammation</i> , 2015, 2015, 1-11.	3.0	63
41	Acute leukemia and myelodysplasia in patients with a Philadelphia chromosome negative chronic myeloproliferative disorder treated with hydroxyurea alone or with hydroxyurea after busulphan. <i>American Journal of Hematology</i> , 2003, 74, 26-31.	4.1	61
42	Molecular profiling of peripheral blood cells from patients with polycythemia vera and related neoplasms: Identification of deregulated genes of significance for inflammation and immune surveillance. <i>Leukemia Research</i> , 2012, 36, 1387-1392.	0.8	60
43	Increase in circulating CD4+CD25+Foxp3+ T cells in patients with Philadelphia-negative chronic myeloproliferative neoplasms during treatment with IFN- $\gamma$ . <i>Blood</i> , 2011, 118, 2170-2173.	1.4	59
44	Whole Blood Transcriptional Profiling Reveals Deregulation of Oxidative and Antioxidative Defence Genes in Myelofibrosis and Related Neoplasms. Potential Implications of Downregulation of Nrf2 for Genomic Instability and Disease Progression. <i>PLoS ONE</i> , 2014, 9, e112786.	2.5	59
45	Gene expression profiling with principal component analysis depicts the biological continuum from essential thrombocythemia over polycythemia vera to myelofibrosis. <i>Experimental Hematology</i> , 2012, 40, 771-780.e19.	0.4	55
46	Whole-blood transcriptional profiling of interferon-inducible genes identifies highly upregulated IFI27 in primary myelofibrosis. <i>European Journal of Haematology</i> , 2011, 87, 54-60.	2.2	53
47	The pathobiology of thrombosis, microvascular disease, and hemorrhage in the myeloproliferative neoplasms. <i>Blood</i> , 2021, 137, 2152-2160.	1.4	51
48	Mathematical modelling as a proof of concept for MPNs as a human inflammation model for cancer development. <i>PLoS ONE</i> , 2017, 12, e0183620.	2.5	51
49	Increased gene expression of histone deacetylases in patients with Philadelphia-negative chronic myeloproliferative neoplasms. <i>Leukemia and Lymphoma</i> , 2012, 53, 123-129.	1.3	50
50	High rate of abnormal blood values and vascular complications before diagnosis of myeloproliferative neoplasms. <i>European Journal of Internal Medicine</i> , 2015, 26, 344-347.	2.2	49
51	World Health Organization-defined classification of myeloproliferative neoplasms: Morphological reproducibility and clinical correlations—The Danish experience. <i>American Journal of Hematology</i> , 2013, 88, 1012-1016.	4.1	48
52	B-cell depletion with rituximab in the treatment of autoimmune diseases. <i>Expert Opinion on Biological Therapy</i> , 2007, 7, 1061-1078.	3.1	46
53	FLT3-Mediated p38 <sup>MAPK</sup> Activation Participates in the Control of Megakaryopoiesis in Primary Myelofibrosis. <i>Cancer Research</i> , 2011, 71, 2901-2915.	0.9	46
54	Expansion of circulating CD56 <sup>bright</sup> natural killer cells in patients with JAK2 <sup>positive</sup> chronic myeloproliferative neoplasms during treatment with interferon- $\gamma$ . <i>European Journal of Haematology</i> , 2015, 94, 227-234.	2.2	45

#	ARTICLE	IF	CITATIONS
55	JAK2V617F but not CALR mutations confer increased molecular responses to interferon- $\alpha$ via JAK1/STAT1 activation. <i>Leukemia</i> , 2019, 33, 995-1010.	7.2	43
56	Sustained remission of platelet counts following monoclonal anti-CD20 antibody therapy in two cases of idiopathic autoimmune thrombocytopenia and neutropenia. <i>European Journal of Haematology</i> , 2001, 66, 408-411.	2.2	41
57	Myelofibrosis with myeloid metaplasia: The advanced phase of an untreated disseminated hematological cancer. <i>Leukemia Research</i> , 2009, 33, 11-18.	0.8	40
58	Whole blood transcriptional profiling reveals significant down-regulation of human leukocyte antigen class I and II genes in essential thrombocythemia, polycythemia vera and myelofibrosis. <i>Leukemia and Lymphoma</i> , 2013, 54, 2269-2273.	1.3	40
59	Perspectives on the impact of JAK-inhibitor therapy upon inflammation-mediated comorbidities in myelofibrosis and related neoplasms. <i>Expert Review of Hematology</i> , 2014, 7, 203-216.	2.2	40
60	Minimal residual disease after long-term interferon-alpha2 treatment: a report on hematological, molecular and histomorphological response patterns in 10 patients with essential thrombocythemia and polycythemia vera. <i>Leukemia and Lymphoma</i> , 2016, 57, 348-354.	1.3	40
61	Chronic kidney disease in patients with the Philadelphia-negative chronic myeloproliferative neoplasms. <i>Leukemia Research</i> , 2014, 38, 490-495.	0.8	38
62	Differential Dynamics of CALR Mutant Allele Burden in Myeloproliferative Neoplasms during Interferon Alfa Treatment. <i>PLoS ONE</i> , 2016, 11, e0165336.	2.5	38
63	Safety and efficacy of combination therapy of interferon- $\alpha$ 2 and ruxolitinib in polycythemia vera and myelofibrosis. <i>Cancer Medicine</i> , 2018, 7, 3571-3581.	2.8	38
64	B-cell depletion with rituximab a targeted therapy for Graves disease and autoimmune thyroiditis. <i>Immunology Letters</i> , 2003, 88, 85-86.	2.5	37
65	Long-term outcomes of polycythemia vera patients treated with ropeginterferon Alfa-2b. <i>Leukemia</i> , 2022, 36, 1408-1411.	7.2	37
66	Frequent occurrence of anticardiolipin antibodies, Factor V Leiden mutation, and perturbed endothelial function in chronic myeloproliferative disorders. <i>American Journal of Hematology</i> , 2002, 69, 185-191.	4.1	36
67	Smoking as a contributing factor for development of polycythemia vera and related neoplasms. <i>Leukemia Research</i> , 2015, 39, 1137-1145.	0.8	36
68	Smoking and philadelphia-negative chronic myeloproliferative neoplasms. <i>European Journal of Haematology</i> , 2016, 97, 63-69.	2.2	36
69	Imatinib mesylate in idiopathic and postpolycythemic myelofibrosis. <i>American Journal of Hematology</i> , 2003, 74, 238-242.	4.1	35
70	Statins in the treatment of polycythaemia vera and allied disorders: An antithrombotic and cyto-reductive potential?. <i>Leukemia Research</i> , 2006, 30, 1217-1225.	0.8	34
71	Fibroproliferative activity in patients with immune thrombocytopenia (ITP) treated with thrombopoietic agents. <i>British Journal of Haematology</i> , 2011, 155, 248-255.	2.5	34
72	<p>&lt;p>Vascular Diseases In Patients With Chronic Myeloproliferative Neoplasms – Impact Of Comorbidity</p>&lt;/p>. <i>Clinical Epidemiology</i> , 2019, Volume 11, 955-967.	3.0	34

#	ARTICLE	IF	CITATIONS
73	Interferon-Alpha in the Treatment of Philadelphia-Negative Chronic Myeloproliferative Neoplasms. Status and Perspectives. <i>Current Drug Targets</i> , 2011, 12, 392-419.	2.1	34
74	Bone marrow stroma in idiopathic myelofibrosis and other haematological diseases.. <i>Apmis</i> , 1991, 99, 171-178.	2.0	33
75	Eosinophilia in routine blood samples and the subsequent risk of hematological malignancies and death. <i>American Journal of Hematology</i> , 2013, 88, 843-847.	4.1	33
76	Second malignancies in hydroxyurea and interferon- $\alpha$ -treated Philadelphia- $\alpha$ -negative myeloproliferative neoplasms. <i>European Journal of Haematology</i> , 2017, 98, 75-84.	2.2	33
77	Idiopathic myelofibrosis " an update with particular reference to clinical aspects and prognosis. <i>International Journal of Clinical and Laboratory Research</i> , 1993, 23, 124-138.	1.0	32
78	Pericyte coverage of abnormal blood vessels in myelofibrotic bone marrows. <i>Haematologica</i> , 2007, 92, 597-604.	3.5	31
79	Prevalence and clinical significance of neutropenia discovered in routine complete blood cell counts: a longitudinal study. <i>Journal of Internal Medicine</i> , 2016, 279, 566-575.	6.0	31
80	Smoking is associated with increased risk of myeloproliferative neoplasms: A general population-based cohort study. <i>Cancer Medicine</i> , 2018, 7, 5796-5802.	2.8	31
81	Somatic mutations of the CREBBP and EP300 genes affect response to histone deacetylase inhibition in malignant DLBCL clones. <i>Leukemia Research Reports</i> , 2013, 2, 1-3.	0.4	30
82	Interferon- $\alpha$ induces marked alterations in circulating regulatory T cells, $\text{NK}$ cell subsets, and dendritic cells in patients with $\text{JAK}2\text{V617F}$ -positive essential thrombocythemia and polycythemia vera. <i>European Journal of Haematology</i> , 2016, 97, 83-92.	2.2	30
83	Spontaneous T-cell responses against the immune check point programmed-death-ligand 1 (PD-L1) in patients with chronic myeloproliferative neoplasms correlate with disease stage and clinical response. <i>OncImmunology</i> , 2018, 7, e1433521.	4.6	30
84	INTERFERON IN MYELOFIBROSIS. <i>Lancet</i> , The, 1988, 331, 355.	13.7	29
85	Age-Related Macular Degeneration in Patients With Chronic Myeloproliferative Neoplasms. <i>JAMA Ophthalmology</i> , 2017, 135, 835.	2.5	29
86	Therapeutic Cancer Vaccination With a Peptide Derived From the Calreticulin Exon 9 Mutations Induces Strong Cellular Immune Responses in Patients With CALR-Mutant Chronic Myeloproliferative Neoplasms. <i>Frontiers in Oncology</i> , 2021, 11, 637420.	2.8	29
87	Successful treatment of anemia in idiopathic myelofibrosis with recombinant human erythropoietin. <i>American Journal of Hematology</i> , 2002, 70, 92-99.	4.1	27
88	Prognostic factors in idiopathic myelofibrosis: A simple scoring system with prognostic significance. <i>European Journal of Haematology</i> , 1990, 44, 172-178.	2.2	27
89	High frequencies of circulating memory T cells specific for calreticulin exon 9 mutations in healthy individuals. <i>Blood Cancer Journal</i> , 2019, 9, 8.	6.2	27
90	Smoking, blood cells and myeloproliferative neoplasms: meta-analysis and Mendelian randomization of 2.3 million people. <i>British Journal of Haematology</i> , 2020, 189, 323-334.	2.5	27

#	ARTICLE	IF	CITATIONS
91	A sequential histological study of bone marrow fibrosis in idiopathic myelofibrosis. <i>European Journal of Haematology</i> , 1991, 46, 285-289.	2.2	26
92	Idiopathic myelofibrosis: A review. <i>European Journal of Haematology</i> , 1990, 45, 65-72.	2.2	26
93	The platelet-cancer loop in myeloproliferative cancer. Is thrombocytopenia an enhancer of cancer invasiveness and metastasis in essential thrombocythemia, polycythemia vera and myelofibrosis?. <i>Leukemia Research</i> , 2014, 38, 1230-1236.	0.8	26
94	Genomic profiling of a randomized trial of interferon- $\alpha$ vs hydroxyurea in MPN reveals mutation-specific responses. <i>Blood Advances</i> , 2022, 6, 2107-2119.	5.2	26
95	Minimal residual disease or cure in MPNs? Rationales and perspectives on combination therapy with interferon-alpha2 and ruxolitinib. <i>Expert Review of Hematology</i> , 2017, 10, 393-404.	2.2	25
96	Antecedent cardiovascular disease and autoimmunity in Philadelphia-negative chronic myeloproliferative neoplasms. <i>Leukemia Research</i> , 2016, 41, 27-35.	0.8	24
97	Phase 1b/2 Study of the Efficacy and Safety of Sonidegib (LDE225) in Combination with Ruxolitinib (INC424) in Patients with Myelofibrosis. <i>Blood</i> , 2015, 126, 825-825.	1.4	24
98	Final Results from PROUD-PV a Randomized Controlled Phase 3 Trial Comparing Ropoginterferon Alfa-2b to Hydroxyurea in Polycythemia Vera Patients. <i>Blood</i> , 2016, 128, 475-475.	1.4	24
99	A distinct subtype of idiopathic myelofibrosis with bone marrow features mimicking hairy cell leukemia: Evidence of an autoimmune pathogenesis. <i>American Journal of Hematology</i> , 1987, 25, 225-229.	4.1	23
100	Evidence for an association between hairy cell leukemia and renal cell and colorectal carcinoma. <i>Cancer</i> , 1992, 70, 2087-2090.	4.1	23
101	Thrombopoietin-receptor agonists in haematological disorders: The Danish experience. <i>Platelets</i> , 2012, 23, 423-429.	2.3	23
102	A role of NF-E2 in chronic inflammation and clonal evolution in essential thrombocythemia, polycythemia vera and myelofibrosis?. <i>Leukemia Research</i> , 2014, 38, 263-266.	0.8	23
103	Limited efficacy of hydroxyurea in lowering of the JAK2 V617F allele burden. <i>Hematology</i> , 2009, 14, 11-15.	1.5	22
104	A phase II study of vorinostat (MK-0683) in patients with primary myelofibrosis and post-polycythemia vera myelofibrosis. <i>Haematologica</i> , 2014, 99, e5-e7.	3.5	22
105	Circulating $\text{YKL-40}$ in myelofibrosis a potential novel biomarker of disease activity and the inflammatory state. <i>European Journal of Haematology</i> , 2014, 93, 224-228.	2.2	21
106	Non-invasive imaging of retinal blood flow in myeloproliferative neoplasms. <i>Acta Ophthalmologica</i> , 2017, 95, 146-152.	1.1	21
107	Inflammatory functional iron deficiency common in myelofibrosis, contributes to anaemia and impairs quality of life. From the Nordic MPN study Group. <i>European Journal of Haematology</i> , 2019, 102, 235-240.	2.2	21
108	Effect of thrombopoietin receptor agonists on markers of coagulation and P-selectin in patients with immune thrombocytopenia. <i>Platelets</i> , 2019, 30, 206-212.	2.3	21

#	ARTICLE	IF	CITATIONS
109	COVID-19 as a mediator of interferon deficiency and hyperinflammation: Rationale for the use of JAK1/2 inhibitors in combination with interferon. <i>Cytokine and Growth Factor Reviews</i> , 2021, 60, 28-45.	7.2	21
110	Data-driven analysis of JAK2 V617F kinetics during interferon- $\alpha$ 2 treatment of patients with polycythemia vera and related neoplasms. <i>Cancer Medicine</i> , 2020, 9, 2039-2051.	2.8	21
111	Serum Prolactin and Thyrotropin Responses to Thyrotropin-Releasing Hormone in Men with Alcoholic Cirrhosis. <i>Acta Medica Scandinavica</i> , 1981, 209, 37-40.	0.0	20
112	Interferon Alfa in the Treatment of Philadelphia-Negative Chronic Myeloproliferative Neoplasms. <i>Journal of Clinical Oncology</i> , 2011, 29, e564-e565.	1.6	20
113	Association of the blood eosinophil count with hematological malignancies and mortality. <i>American Journal of Hematology</i> , 2015, 90, 225-229.	4.1	20
114	Circulating immune complexes in myelofibrosis. <i>Scandinavian Journal of Haematology</i> , 1985, 34, 177-180.	0.0	19
115	Molecular mechanisms associated with leukemic transformation of MPL-mutant myeloproliferative neoplasms. <i>Haematologica</i> , 2010, 95, 2153-2156.	3.5	19
116	Survival of patients with chronic myeloproliferative neoplasms and new primary cancers: a population-based cohort study. <i>Lancet Haematology</i> , 2015, 2, e289-e296.	4.6	19
117	Chronic inflammation and autoimmunity as risk factors for the development of chronic myelomonocytic leukemia?. <i>Leukemia and Lymphoma</i> , 2016, 57, 1793-1799.	1.3	19
118	Loss-of-function polymorphism in IL6R reduces risk of JAK2V617F somatic mutation and myeloproliferative neoplasm: A Mendelian randomization study. <i>EClinicalMedicine</i> , 2020, 21, 100280.	7.1	19
119	Serum hyaluronan is increased in malignant lymphoma. <i>American Journal of Hematology</i> , 1995, 50, 231-233.	4.1	18
120	Serum procollagen III peptide in chronic myeloproliferative disorders. <i>Scandinavian Journal of Haematology</i> , 1985, 35, 550-557.	0.0	18
121	Perspectives on the increased risk of second cancer in patients with essential thrombocythemia, polycythemia vera and myelofibrosis. <i>European Journal of Haematology</i> , 2015, 94, 96-98.	2.2	18
122	Anxiety and depression in patients with Philadelphia-negative myeloproliferative neoplasms: a nationwide population-based survey in Denmark. <i>Clinical Epidemiology</i> , 2019, Volume 11, 23-33.	3.0	18
123	A Highly Sensitive Quantitative Real-Time PCR Assay for Determination of Mutant JAK2 Exon 12 Allele Burden. <i>PLoS ONE</i> , 2012, 7, e33100.	2.5	18
124	Elevated plasma levels of TIMP-1 correlate with plasma suPAR/uPA in patients with chronic myeloproliferative disorders. <i>European Journal of Haematology</i> , 2003, 71, 377-384.	2.2	17
125	Recombinant interferon- $\alpha$ 2b treatment of hairy-cell leukaemia: Experience with a low-dose schedule. <i>European Journal of Haematology</i> , 1988, 41, 438-444.	2.2	17
126	The impact of interferon- $\alpha$ 2 on HLA genes in patients with polycythemia vera and related neoplasms. <i>Leukemia and Lymphoma</i> , 2017, 58, 1914-1921.	1.3	17



#	ARTICLE	IF	CITATIONS
127	Associations between fatigue, physical activity, and QoL in patients with myeloproliferative neoplasms. <i>European Journal of Haematology</i> , 2018, 100, 550-559.	2.2	17
128	Cancer Immune Therapy for Philadelphia Chromosome-Negative Chronic Myeloproliferative Neoplasms. <i>Cancers</i> , 2020, 12, 1763.	3.7	17
129	New Perspectives of Interferon-alpha2 and Inflammation in Treating Philadelphia-negative Chronic Myeloproliferative Neoplasms. <i>HemaSphere</i> , 2021, 5, e645.	2.7	17
130	Aberrations of chromosome 6 in 193 newly diagnosed untreated cases of chronic lymphocytic leukemia. <i>Cancer Genetics and Cytogenetics</i> , 1991, 53, 35-43.	1.0	16
131	High prevalence of arterial thrombosis in JAK2 mutated essential thrombocythaemia: independence of the V617F allele burden. <i>Hematology</i> , 2008, 13, 71-76.	1.5	16
132	Angiogenesis in pulmonary hypertension with myelofibrosis. <i>Haematologica</i> , 2008, 93, 945-946.	3.5	16
133	The Copenhagen Primary Care Differential Count (CopDiff) database. <i>Clinical Epidemiology</i> , 2014, 6, 199.	3.0	16
134	Ruxolitinib is manageable in patients with myelofibrosis and severe thrombocytopenia: a report on 12 Danish patients. <i>Leukemia and Lymphoma</i> , 2016, 57, 125-128.	1.3	16
135	Epigenetic changes in myelofibrosis: Distinct methylation changes in the myeloid compartments and in cases with ASXL1 mutations. <i>Scientific Reports</i> , 2017, 7, 6774.	3.3	16
136	Cancer immune therapy for myeloid malignancies: present and future. <i>Seminars in Immunopathology</i> , 2019, 41, 97-109.	6.1	16
137	A new internet-based tool for reporting and analysing patient-reported outcomes and the feasibility of repeated data collection from patients with myeloproliferative neoplasms. <i>Quality of Life Research</i> , 2016, 25, 835-846.	3.1	15
138	Sorted peripheral blood cells identify <i>CALR</i> mutations in B- and T-lymphocytes. <i>Leukemia and Lymphoma</i> , 2018, 59, 973-977.	1.3	15
139	Spontaneous T-cell responses against Arginase-1 in the chronic myeloproliferative neoplasms relative to disease stage and type of driver mutation. <i>Oncolmunology</i> , 2018, 7, e1468957.	4.6	15
140	Risk of Lymphoma and Solid Cancer among Patients with Rheumatoid Arthritis in a Primary Care Setting. <i>PLoS ONE</i> , 2014, 9, e99388.	2.5	15
141	The impact of ruxolitinib treatment on inflammation-mediated comorbidities in myelofibrosis and related neoplasms. <i>Clinical Case Reports (discontinued)</i> , 2015, 3, 499-503.	0.5	14
142	Whole-exome sequencing and genome-wide methylation analyses identify novel disease associated mutations and methylation patterns in idiopathic hypereosinophilic syndrome. <i>Oncotarget</i> , 2015, 6, 40588-40597.	1.8	14
143	Mediators of Inflammation in Myeloproliferative Neoplasms: State of the Art. <i>Mediators of Inflammation</i> , 2015, 2015, 1-3.	3.0	14
144	Optimal therapy for polycythemia vera and essential thrombocythemia: Preferred use of interferon therapy based on phase 2 trials. <i>Hematology</i> , 2016, 21, 387-391.	1.5	14

#	ARTICLE	IF	CITATIONS
145	Safety and Efficacy of Combination Therapy of Interferon-Alpha2 + JAK1-2 Inhibitor in the Philadelphia-Negative Chronic Myeloproliferative Neoplasms. Preliminary Results from the Danish Combi-Trial - an Open Label, Single Arm, Non-Randomized Multicenter Phase II Study. <i>Blood</i> , 2015, 126, 824-824.	1.4	14
146	Limited Efficacy of Hydroxyurea in Lowering of the JAK2 V617F Allele Burden.. <i>Blood</i> , 2008, 112, 1750-1750.	1.4	14
147	Transition of Myelofibrosis to Polycythaemia Vera. <i>Scandinavian Journal of Haematology</i> , 1983, 30, 161-166.	0.0	13
148	The JAK2V617F allele burden and STAT3- and STAT5 phosphorylation in myeloproliferative neoplasms: early prefibrotic myelofibrosis compared with essential thrombocythemia, polycythemia vera and myelofibrosis. <i>Apmis</i> , 2011, 119, 498-504.	2.0	13
149	High expression of carcinoembryonic antigen-related cell adhesion molecule (CEACAM) 6 and 8 in primary myelofibrosis. <i>Leukemia Research</i> , 2011, 35, 1330-1334.	0.8	13
150	Transcriptional Profiling of Whole Blood Identifies a Unique 5-Gene Signature for Myelofibrosis and Imminent Myelofibrosis Transformation. <i>PLoS ONE</i> , 2014, 9, e85567.	2.5	13
151	Interferon in polycythemia vera and related neoplasms. Can it become the treatment of choice without a randomized trial?. <i>Expert Review of Hematology</i> , 2015, 8, 439-445.	2.2	13
152	Ocular Manifestations in Patients with Philadelphia-Negative Myeloproliferative Neoplasms. <i>Cancers</i> , 2020, 12, 573.	3.7	13
153	A der(18)t(9;18)(p13;p11) and a der(9;18)(p10;q10) in polycythemia vera associated with a hyperproliferative phenotype in transformation to postpolycythemic myelofibrosis. <i>Cancer Genetics and Cytogenetics</i> , 2007, 172, 107-112.	1.0	12
154	Circulating YKL-40 in patients with essential thrombocythemia and polycythemia vera treated with the novel histone deacetylase inhibitor vorinostat. <i>Leukemia Research</i> , 2014, 38, 816-821.	0.8	12
155	Effects of rituximab and dexamethasone on regulatory and proinflammatory B cell subsets in patients with primary immune thrombocytopenia. <i>European Journal of Haematology</i> , 2018, 100, 45-52.	2.2	12
156	Evidence of immune elimination, immuno-editing and immune escape in patients with hematological cancer. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 315-324.	4.2	12
157	Fatal virus-associated hemophagocytic syndrome associated with coexistent chronic active hepatitis B and acute hepatitis C virus infection. , 1999, 61, 135-138.		11
158	Elevated soluble urokinase plasminogen activator receptor in plasma from patients with idiopathic myelofibrosis or polycythaemia vera. <i>European Journal of Haematology</i> , 2002, 69, 43-49.	2.2	11
159	Non-Hodgkin malignant lymphomas and Hodgkin's disease in first-degree relatives. <i>Scandinavian Journal of Haematology</i> , 1986, 36, 398-401.	0.0	11
160	Immunological recovery and dose evaluation in IFN- $\alpha$ treatment of hairy cell leukemia: Analysis of leukocyte differentiation antigens, NK and 2 $\beta$ 5 $\alpha$ oligoadenylate synthetase activity. <i>European Journal of Haematology</i> , 1989, 42, 50-59.	2.2	11
161	The Danish National Chronic Myeloid Neoplasia Registry. <i>Clinical Epidemiology</i> , 2016, Volume 8, 567-572.	3.0	11
162	Association of the blood eosinophil count with end-organ symptoms. <i>Annals of Medicine and Surgery</i> , 2019, 45, 11-18.	1.1	11

#	ARTICLE	IF	CITATIONS
163	Bridging blood cancers and inflammation: The reduced Cancitis model. <i>Journal of Theoretical Biology</i> , 2019, 465, 90-108.	1.7	11
164	Long-Term Use of Ropoginterferon Alpha-2b in Polycythemia Vera: 5-Year Results from a Randomized Controlled Study and Its Extension. <i>Blood</i> , 2020, 136, 33-33.	1.4	11
165	Spongy Lymphoid Myelofibrosis as a Predictor of Hairy Cell Leukaemia or a Variant of Hairy Cell Leukaemia without Hairy Cells?. <i>Scandinavian Journal of Haematology</i> , 1984, 32, 135-144.	0.0	10
166	Platelet-associated IgG and IgM in myelofibrosis. <i>Scandinavian Journal of Haematology</i> , 1984, 32, 488-492.	0.0	10
167	Is thrombocytosis a valid indicator of advanced stage and high mortality of gynecological cancer?. <i>Gynecologic Oncology</i> , 2015, 139, 312-318.	1.4	10
168	The JAK2V617F and CALR exon 9 mutations are shared immunogenic neoantigens in hematological malignancy. <i>Oncolmmunology</i> , 2017, 6, e1358334.	4.6	10
169	Effect of thrombopoietin-receptor agonists on circulating cytokine and chemokine levels in patients with primary immune thrombocytopenia (ITP). <i>Platelets</i> , 2017, 28, 478-483.	2.3	10
170	Whole Blood Gene Expression Profiling in patients undergoing colon cancer surgery identifies differential expression of genes involved in immune surveillance, inflammation and carcinogenesis. <i>Surgical Oncology</i> , 2018, 27, 208-215.	1.6	10
171	Time for revival of the red blood cell count and red cell mass in the differential diagnosis between essential thrombocythemia and polycythemia vera?. <i>Haematologica</i> , 2019, 104, 2119-2125.	3.5	10
172	Age-related prevalence and clinical significance of neutropenia –isolated or combined with other cytopenias: Real world data from 373%820 primary care individuals. <i>American Journal of Hematology</i> , 2020, 95, 521-528.	4.1	10
173	Patients with myeloproliferative neoplasms and high levels of systemic inflammation develop age-related macular degeneration. <i>EClinicalMedicine</i> , 2020, 26, 100526.	7.1	10
174	High Expression of Carcinoembryonic Antigen-Related Cell Adhesion Molecule(CEACAM) 6 In Primary Myelofibrosis. <i>Blood</i> , 2010, 116, 4116-4116.	1.4	10
175	Calreticulin mutant myeloproliferative neoplasms induce MHC-I skewing, which can be overcome by an optimized peptide cancer vaccine. <i>Science Translational Medicine</i> , 2022, 14, .	12.4	10
176	On the pathogenesis of angiogenesis in idiopathic myelofibrosis. <i>American Journal of Hematology</i> , 1990, 33, 151-151.	4.1	9
177	Collagen metabolism and enzymes of the urokinase plasminogen activator system in chronic myeloproliferative disorders: correlation between plasma-soluble urokinase plasminogen activator receptor and serum markers for collagen metabolism. <i>European Journal of Haematology</i> , 2003, 71, 276-282.	2.2	9
178	Eosinophilia in routine blood samples as a biomarker for solid tumor development – A study based on The Copenhagen Primary Care Differential Count (CopDiff) Database. <i>Acta Oncologica</i> , 2014, 53, 1245-1250.	1.8	9
179	A retrospective analysis of the impact of treatments and blood counts on survival and the risk of vascular events during the course of polycythaemia vera. <i>British Journal of Haematology</i> , 2017, 177, 800-805.	2.5	9
180	Pericardial haematopoiesis with tamponade in myelofibrosis. <i>Scandinavian Journal of Haematology</i> , 1985, 34, 270-273.	0.0	8

#	ARTICLE	IF	CITATIONS
181	Increased iron stores prolong the <sup>QT</sup> interval â€“ a general population study including 20Â261 individuals and metaâ€analysis of thalassaemia major. <i>British Journal of Haematology</i> , 2016, 174, 776-785.	2.5	8
182	A remarkable hematological and molecular response pattern in a patient with polycythemia vera during combination therapy with simvastatin and alendronate. <i>Leukemia Research Reports</i> , 2016, 6, 20-23.	0.4	8
183	A nationwide population-based cross-sectional survey of health-related quality of life in patients with myeloproliferative neoplasms in Denmark (MPNhealthSurvey): survey design and characteristics of respondents and nonrespondents. <i>Clinical Epidemiology</i> , 2017, Volume 9, 141-150.	3.0	8
184	Myeloproliferative Neoplasms in Danish Twins. <i>Acta Haematologica</i> , 2018, 139, 195-198.	1.4	8
185	The effectiveness of exercise-based rehabilitation to patients with myeloproliferative neoplasms-An explorative study. <i>European Journal of Cancer Care</i> , 2018, 27, e12865.	1.5	8
186	Methylation age as a correlate for allele burden, disease status, and clinical response in myeloproliferative neoplasm patients treated with vorinostat. <i>Experimental Hematology</i> , 2019, 79, 26-34.	0.4	8
187	Cytokine Profiling as a Novel Complementary Tool to Predict Prognosis in MPNs?. <i>HemaSphere</i> , 2020, 4, e407.	2.7	8
188	Myeloproliferative blood cancers as a human neuroinflammation model for development of Alzheimerâ€™s disease: evidences and perspectives. <i>Journal of Neuroinflammation</i> , 2020, 17, 248.	7.2	8
189	Elevated levels of oxidized nucleosides in individuals with the JAK2V617F mutation from a general population study. <i>Redox Biology</i> , 2021, 41, 101895.	9.0	8
190	Cardiovascular disease in chronic myelomonocytic leukemia: do monocytosis and chronic inflammation predispose to accelerated atherosclerosis?. <i>Annals of Hematology</i> , 2019, 98, 101-109.	1.8	7
191	Safety and efficacy of the combination of sonidegib and ruxolitinib in myelofibrosis: a phase 1b/2 dose-finding study. <i>Blood Advances</i> , 2020, 4, 3063-3071.	5.2	7
192	Response to pegylated interferon in a COVIDâ€19â€positive elderly woman with primary myelofibrosis treated with ruxolitinib. <i>Clinical Case Reports (discontinued)</i> , 2021, 9, 2228-2235.	0.5	7
193	Global dynamics of healthy and cancer cells competing in the hematopoietic system. <i>Mathematical Biosciences</i> , 2020, 326, 108372.	1.9	7
194	Ropeginterferon Alfaâ€2b: Efficacy and Safety in Different Age Groups. <i>HemaSphere</i> , 2020, 4, e485.	2.7	7
195	Urinary Free Cortisol During Pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1984, 63, 253-256.	2.8	6
196	The Mevalonate Pathway as a Therapeutic Target in the Ph-Negative Chronic Myeloproliferative Disorders. <i>Current Drug Targets</i> , 2007, 8, 247-256.	2.1	6
197	A novel immunohistochemical sequential multiâ€labelling and erasing technique enables epitope characterization of bone marrow pericytes in primary myelofibrosis. <i>Histopathology</i> , 2012, 60, 554-560.	2.9	6
198	Lack of somatic mutations in the catalytic domains of CREBBP and EP300 genes implies a role for histone deacetylase inhibition in myeloproliferative neoplasms. <i>Leukemia Research</i> , 2012, 36, 485-487.	0.8	6

#	ARTICLE	IF	CITATIONS
199	Bâ€cell frequencies and immunoregulatory phenotypes in myeloproliferative neoplasms: Influence of ruxolitinib, interferon-â€±2, or combination treatment. <i>European Journal of Haematology</i> , 2019, 103, 351-361.	2.2	6
200	Smoking impairs molecular response, and reduces overall survival in patients with chronic myeloproliferative neoplasms: A retrospective cohort study. <i>British Journal of Haematology</i> , 2021, 193, 83-92.	2.5	6
201	Dataâ€driven analysis of the kinetics of the <i>JAK2V617F</i> allele burden and blood cell counts during hydroxyurea treatment of patients with polycythemia vera, essential thrombocythemia, and primary myelofibrosis. <i>European Journal of Haematology</i> , 2021, 107, 624-633.	2.2	6
202	Significantly Upregulated Thrombo-Inflammatory Genes Are Normoregulated or Significantly Downregulated during Treatment with Interferon-Alpha2 in Patients with Philadelphia-Negative Chronic Myeloproliferative Neoplasms. <i>Blood</i> , 2019, 134, 2978-2978.	1.4	6
203	A 7-Gene Signature Depicts the Biochemical Profile of Early Prefibrotic Myelofibrosis. <i>PLoS ONE</i> , 2016, 11, e0161570.	2.5	6
204	Patients with MPNs and retinal drusen show signs of complement system dysregulation and a high degree of chronic low-grade inflammation. <i>EClinicalMedicine</i> , 2022, 43, 101248.	7.1	6
205	Retinal drusen in patients with chronic myeloproliferative blood cancers are associated with an increased proportion of senescent T cells and signs of an aging immune system. <i>Aging</i> , 2021, 13, 25763-25777.	3.1	6
206	Interferon-alpha2 treatment of patients with polycythemia vera and related neoplasms favorably impacts deregulation of oxidative stress genes and antioxidative defense mechanisms. <i>PLoS ONE</i> , 2022, 17, e0270669.	2.5	6
207	Alcohol Intolerance in the Hypereosinophilic Syndrome. <i>Alcoholism: Clinical and Experimental Research</i> , 1988, 12, 147-148.	2.4	5
208	Whole blood assay for NK activity in splenectomized and non-splenectomized hairy cell leukemia patients during IFN-â€±2b treatment. <i>Leukemia Research</i> , 1989, 13, 451-456.	0.8	5
209	Demonstrated Benefit of Continuous Interferon-Alpha-2b Therapy in Hairy Cell Leukemia. A Two-Year Follow-Up. <i>Leukemia and Lymphoma</i> , 1991, 5, 23-31.	1.3	5
210	Serum laminin P1 in idiopathic myelofibrosis and related diseases. <i>Leukemia Research</i> , 1994, 18, 623-628.	0.8	5
211	Extreme neutrophil granulocytosis in a patient with anaplastic large cell lymphoma of T-cell lineage.. <i>Apmis</i> , 2007, 115, 778-783.	2.0	5
212	Redâ€Cell Sensitization in Myelofibrosis. <i>Scandinavian Journal of Haematology</i> , 1984, 32, 179-182.	0.0	5
213	Anemia is present years before myelodysplastic syndrome diagnosis: Results from the preâ€diagnostic period. <i>American Journal of Hematology</i> , 2017, 92, E130-E132.	4.1	5
214	Ruxolitinib treatment reduces monocytic superoxide radical formation without affecting hydrogen peroxide formation or systemic oxidative nucleoside damage in myelofibrosis. <i>Leukemia and Lymphoma</i> , 2019, 60, 2549-2557.	1.3	5
215	The red blood cell count and the erythrocyte sedimentation rate in the diagnosis of polycythaemia vera. <i>European Journal of Haematology</i> , 2020, 104, 46-54.	2.2	5
216	Increased oxidative stress with substantial dysregulation of genes related to oxidative stress and DNA repair after laparoscopic colon cancer surgery. <i>Surgical Oncology</i> , 2020, 35, 71-78.	1.6	5

#	ARTICLE	IF	CITATIONS
217	Two-fold risk of pneumonia and respiratory mortality in individuals with myeloproliferative neoplasm: A population-based cohort study. <i>EClinicalMedicine</i> , 2020, 21, 100295.	7.1	5
218	Increased Expression of Proteasome-Related Genes In Patients with Primary Myelofibrosis. <i>Blood</i> , 2010, 116, 4117-4117.	1.4	5
219	Rapid Clearance Of JAK2 V617F Allele Burden In Patient With Advanced Polycythemia Vera (PV) During Combination Therapy With Ruxolitinib and Peg-Interferon Alpha-2a. <i>Blood</i> , 2013, 122, 5241-5241.	1.4	5
220	Coronary artery- and aortic valve calcifications in patients with Philadelphia-negative myeloproliferative neoplasms. <i>International Journal of Cardiology</i> , 2022, 364, 112-118.	1.7	5
221	Myeloproliferative neoplasms in five multiple sclerosis patients. <i>Leukemia Research Reports</i> , 2013, 2, 61-63.	0.4	4
222	<scp>WHO</scp> classification 2008 of myeloproliferative neoplasms: a workshop learning effect â€œ the Danish experience. <i>Apmis</i> , 2015, 123, 787-792.	2.0	4
223	Molecular profiling as a novel tool to predict response to interferonâ€²2 in MPNs: The proof of concept in early myelofibrosis. <i>Cancer</i> , 2017, 123, 2600-2603.	4.1	4
224	A Phase II Study of Vorinostat (MK-0683) in Patients with Polycythemia Vera and Essential Thrombocythemia. <i>Blood</i> , 2012, 120, 803-803.	1.4	4
225	Plasma fibronectin in idiopathic myelofibrosis and related chronic myeloproliferative disorders. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1987, 47, 429-433.	1.2	4
226	A possible role for STI571 in the treatment of idiopathic myelofibrosis. <i>American Journal of Hematology</i> , 2001, 68, 63-64.	4.1	3
227	Bone marrow histomorphology and JAK2 mutation status in essential thrombocythemia. <i>Apmis</i> , 2007, 115, 1267-1273.	2.0	3
228	Hairyâ€²cell leukaemia simulating connective tissue disease. <i>Scandinavian Journal of Haematology</i> , 1984, 32, 457-460.	0.0	3
229	FURTHER EVIDENCE OF THE EFFICACY OF INTERFERON FOR Tâ€²CELL HAIRY CELL LEUKAEMIA: <i>To the Editor</i>.. <i>European Journal of Haematology</i> , 1988, 40, 188-189.	2.2	3
230	Interferon-alfa2 Treatment of Patients with Polycythemia Vera and Related Neoplasms Impacts Deregulation of Oxidative Stress Genes and Antioxidative Defence Mechanisms. Potential Implications of IFN-Alfa Induced Changes in TP53, NRF2 and CXCR4 for Genomic Instability and CD34+ Mobilisation. <i>Blood</i> , 2018, 132, 4326-4326.	1.4	3
231	Imatinib Mesylate in Polycythemia Vera. A Heterogeneous Response Pattern but a Consistent Reduction in Phlebotomy Requirements.. <i>Blood</i> , 2004, 104, 4747-4747.	1.4	3
232	Glivec/STI571 Treatment Stimulates Megakaryopoiesis and Normalizes PDGF Receptor beta Kinase Expression in Thrombocytopenic Patients with Myeloid Metaplasia with Myelofibrosis.. <i>Blood</i> , 2005, 106, 2599-2599.	1.4	3
233	An Individual Patient Supply Program for Ruxolitinib for the Treatment of Patients with Primary Myelofibrosis (PMF), Post-Polycythemia Vera Myelofibrosis (PPV-MF), or Post-Essential Thrombocythemia Myelofibrosis (PET-MF).. <i>Blood</i> , 2012, 120, 2844-2844.	1.4	3
234	Urinary hydroxyproline excretion in the myelofibrosisâ€²osteomyelosclerosis syndrome and related diseases. <i>European Journal of Haematology</i> , 1987, 39, 447-451.	2.2	2

#	ARTICLE	IF	CITATIONS
235	Editorial [Hot Topic: Interferon Alpha2 in the Treatment of Hematological Malignancies. Status and Perspectives (Guest Editor: Hans Carl Hasselbalch)]. <i>Current Drug Targets</i> , 2011, 12, 387-391.	2.1	2
236	Neo-antigen specific memory T-cell responses in healthy individuals. <i>Oncolmmunology</i> , 2019, 8, e1599640.	4.6	2
237	Tocilizumab and soluble interleukin-6 receptor in JAK2V617F somatic mutation and myeloproliferative neoplasm. <i>EClinicalMedicine</i> , 2020, 22, 100337.	7.1	2
238	Tobacco use in the Myeloproliferative neoplasms: symptom burden, patient opinions, and care. <i>BMC Cancer</i> , 2021, 21, 691.	2.6	2
239	Response to pegylated interferon in a COVID-19 positive male with metastatic jejunal neuroendocrine tumor treated with everolimus. <i>Clinical Case Reports (discontinued)</i> , 2021, 9, e04218.	0.5	2
240	Dose-dependent mathematical modeling of interferon- $\alpha$ treatment for personalized treatment of myeloproliferative neoplasms. <i>Computational and Systems Oncology</i> , 2021, 1, .	1.5	2
241	Response: cancer risk in chronic myeloproliferative neoplasms. <i>Blood</i> , 2012, 119, 3862-3863.	1.4	1
242	Minimal Residual Disease and Normalization of the Bone Marrow after Long-Term Treatment with Alpha-Interferon2b in Polycythemia Vera. A Report on Seven Patients in Sustained Complete Hematological Remission with Major Molecular Responses.. <i>Blood</i> , 2008, 112, 1744-1744.	1.4	1
243	FLT3-Mediated MAPK Activation Participates in the Control of Megakaryopoiesis in Primary Myelofibrosis.. <i>Blood</i> , 2009, 114, 963-963.	1.4	1
244	No Development of Neutralizing Antibodies Against Recombinant Interferon-Alpha in Ph-Negative Myeloproliferative Neoplasms - a Prospective Study. <i>Blood</i> , 2015, 126, 5177-5177.	1.4	1
245	Increased Gene Expression of Histone Deacetylases In Patients with Philadelphia-Negative Chronic Myeloproliferative Neoplasms. <i>Blood</i> , 2010, 116, 4119-4119.	1.4	1
246	Risks of Eosinophil-Related End-Organ Damage, Hematological Malignancies and Death Are Significantly Increased Even below Consensus Threshold Criteria for Blood Eosinophilia. <i>Blood</i> , 2013, 122, 2831-2831.	1.4	1
247	Polycythemia Vera Patients Respond Better to Ropeginterferon Alfa-2b Than HU/BAT Irrespective of Pretreatment or Mutational Status; Results from 5 Years' Treatment in a Randomized, Controlled Setting in the PROUD-PV/Continuation-PV Trials. <i>Blood</i> , 2021, 138, 3660-3660.	1.4	1
248	Editorial [ Hot Topic: Highlights on Important Signaling Pathways as Drug Targets in Hematological Malignancies (Guest Editors: H. Serve and H.C. Hasselbalch) ]. <i>Current Drug Targets</i> , 2007, 8, 203-203.	2.1	0
249	Quantitative PCR Assessment of JAK2 Mutational Status in Philadelphia-Chromosome Negative Chronic Myeloproliferative Disorders - The JAK2 V617F Mutation Is an Event in an Early Stem Cell and the Clonal Involvement of Different Haematopoietic Cells Varies between Individual Patients.. <i>Blood</i> , 2006, 108, 3602-3602.	1.4	0
250	Darbepoetin Alfa for the Treatment of Anemia in Patients with Myelofibrosis with Myeloid Metaplasia (MMM). Results from a Danish Multicenter Study.. <i>Blood</i> , 2007, 110, 4641-4641.	1.4	0
251	The Importance of a Bone Marrow Biopsy to Distinguish Primary Immune Thrombocytopenia From Indolent Haematological Malignancies. <i>Blood</i> , 2010, 116, 4676-4676.	1.4	0
252	Enhanced Gene Expression of EZH2 In Patients with Primary Myelofibrosis. <i>Blood</i> , 2010, 116, 4118-4118.	1.4	0

#	ARTICLE	IF	CITATIONS
253	Gene Expression Profiling with Principal Component Analysis Depicts the Biological Continuum From Essential Thrombocythemia Over Polycythemia Vera to Myelofibrosis. <i>Blood</i> , 2010, 116, 4115-4115.	1.4	0
254	The Tetraspanin CD9 Is Involved in Primary Myelofibrosis Dysmegakaryopoiesis Through c-Myb Regulation and Stroma Interactions. <i>Blood</i> , 2011, 118, 3834-3834.	1.4	0
255	Polycythemia-Inducing Mutations In The Erythropoietin Receptor (EPOR): Mechanism and Function Elucidated By EGFR-Chimeras. <i>Blood</i> , 2013, 122, 2174-2174.	1.4	0
256	Prediagnostic Thrombocytosis Increases the Risk of Advanced Gynecological Cancer and Increases Mortality Independently of Cancer Stage – a Population-Based Study. <i>Blood</i> , 2014, 124, 2791-2791.	1.4	0
257	DNA Methylation Profiling of Sorted Cells from Myelofibrosis Patients reveals Aberrant Epigenetic Regulation of Immune Pathways and identifies Early MPN Driver Genes. <i>Blood</i> , 2014, 124, 4576-4576.	1.4	0
258	Are Chronic Myeloproliferative Neoplasms Associated with Age-Related Macular Degeneration?. <i>Blood</i> , 2015, 126, 4444-4444.	1.4	0
259	A Heterogeneous Response Pattern to Interferon-alpha2 with Induction of a Significant Decrease in the Calreticulin Mutant Allele Burden in a Subset of Patients with Essential Thrombocythemia and Primary Myelofibrosis. <i>Blood</i> , 2015, 126, 4057-4057.	1.4	0
260	The Impact of Interferon-alpha2 on HLA-Genes in Patients with Polycythemia Vera and Related Neoplasms. <i>Blood</i> , 2015, 126, 4097-4097.	1.4	0
261	Effects of Rituximab and Dexamethasone on Regulatory and Pro-Inflammatory B-Cell Subsets in Patients with Primary Immune Thrombocytopenia. <i>Blood</i> , 2016, 128, 1378-1378.	1.4	0
262	Labor Market Attachment in Patients with Myeloproliferative Neoplasms: A Nationwide Matched Cohort Study. <i>Blood</i> , 2021, 138, 3627-3627.	1.4	0
263	The Impact of Somatic Mutations upon the Response to Combination Therapy with Ruxolitinib and Interferon in MPN Patients. <i>Blood</i> , 2021, 138, 3589-3589.	1.4	0
264	Patients With Myeloproliferative Neoplasms Harbor High Frequencies of CD8 T Cell-Platelet Aggregates Associated With T Cell Suppression. <i>Frontiers in Immunology</i> , 2022, 13, .	4.8	0