

# Giovanni Lughezzani

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/9067100/giovanni-lughezzani-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161  
papers

4,803  
citations

41  
h-index

63  
g-index

231  
ext. papers

5,759  
ext. citations

4  
avg, IF

4.96  
L-index

#	Paper	IF	Citations
161	Prognostic factors in upper urinary tract urothelial carcinomas: a comprehensive review of the current literature. <i>European Urology</i> , <b>2012</b> , 62, 100-14	10.2	276
160	Age-adjusted incidence, mortality, and survival rates of stage-specific renal cell carcinoma in North America: a trend analysis. <i>European Urology</i> , <b>2011</b> , 59, 135-41	10.2	214
159	The European Network for the Study of Adrenal Tumors staging system is prognostically superior to the international union against cancer-staging system: a North American validation. <i>European Journal of Cancer</i> , <b>2010</b> , 46, 713-9	7.5	155
158	Serum isoform [-2]proPSA derivatives significantly improve prediction of prostate cancer at initial biopsy in a total PSA range of 2-10 ng/ml: a multicentric European study. <i>European Urology</i> , <b>2013</b> , 63, 986-94	10.2	149
157	Prostate-specific antigen (PSA) isoform p2PSA significantly improves the prediction of prostate cancer at initial extended prostate biopsies in patients with total PSA between 2.0 and 10 ng/ml: results of a prospective study in a clinical setting. <i>European Urology</i> , <b>2011</b> , 60, 214-22	10.2	138
156	Preoperative pelvic floor muscle exercise for early continence after radical prostatectomy: a randomised controlled study. <i>European Urology</i> , <b>2010</b> , 57, 1039-43	10.2	120
155	A critical appraisal of the value of lymph node dissection at nephroureterectomy for upper tract urothelial carcinoma. <i>Urology</i> , <b>2010</b> , 75, 118-24	1.6	118
154	Predictive and prognostic models in radical prostatectomy candidates: a critical analysis of the literature. <i>European Urology</i> , <b>2010</b> , 58, 687-700	10.2	118
153	Nephroureterectomy and segmental ureterectomy in the treatment of invasive upper tract urothelial carcinoma: a population-based study of 2299 patients. <i>European Journal of Cancer</i> , <b>2009</b> , 45, 3291-7	7.5	107
152	Preoperative prostate-specific antigen isoform p2PSA and its derivatives, %p2PSA and prostate health index, predict pathologic outcomes in patients undergoing radical prostatectomy for prostate cancer. <i>European Urology</i> , <b>2012</b> , 61, 455-66	10.2	90
151	Gender-related differences in patients with stage I to III upper tract urothelial carcinoma: results from the Surveillance, Epidemiology, and End Results database. <i>Urology</i> , <b>2010</b> , 75, 321-7	1.6	90
150	Location of the primary tumor is not an independent predictor of cancer specific mortality in patients with upper urinary tract urothelial carcinoma. <i>Journal of Urology</i> , <b>2009</b> , 182, 2177-81	2.5	86
149	Nephron-sparing surgery is equally effective to radical nephrectomy for T1BN0M0 renal cell carcinoma: a population-based assessment. <i>Urology</i> , <b>2010</b> , 75, 271-5	1.6	77
148	Clinical performance of serum prostate-specific antigen isoform [-2]proPSA (p2PSA) and its derivatives, %p2PSA and the prostate health index (PHI), in men with a family history of prostate cancer: results from a multicentre European study, the PROMetheUS project. <i>BJU International</i> , <b>2013</b> , 112, 313-21	5.6	75
147	Margin, ischemia, and complications (MIC) score in partial nephrectomy: a new system for evaluating achievement of optimal outcomes in nephron-sparing surgery. <i>European Urology</i> , <b>2012</b> , 62, 617-8	10.2	75
146	Treatment of metastatic renal cell carcinoma. <i>Nature Reviews Urology</i> , <b>2010</b> , 7, 327-38	5.5	75
145	Segmental ureterectomy can safely be performed in patients with transitional cell carcinoma of the ureter. <i>Journal of Urology</i> , <b>2010</b> , 183, 1324-9	2.5	75

144	Head-to-head comparison of prostate health index and urinary PCA3 for predicting cancer at initial or repeat biopsy. <i>Journal of Urology</i> , <b>2013</b> , 190, 496-501	2.5	72
143	A population-based assessment of perioperative mortality after nephroureterectomy for upper-tract urothelial carcinoma. <i>Urology</i> , <b>2010</b> , 75, 315-20	1.6	72
142	Biochemical recurrence after radical prostatectomy: multiplicative interaction between surgical margin status and pathological stage. <i>Journal of Urology</i> , <b>2010</b> , 184, 1341-6	2.5	68
141	Multicenter European external validation of a prostate health index-based nomogram for predicting prostate cancer at extended biopsy. <i>European Urology</i> , <b>2014</b> , 66, 906-12	10.2	65
140	Should bladder cuff excision remain the standard of care at nephroureterectomy in patients with urothelial carcinoma of the renal pelvis? A population-based study. <i>European Urology</i> , <b>2010</b> , 57, 956-62	10.2	65
139	Highly predictive survival nomogram after upper urinary tract urothelial carcinoma. <i>Cancer</i> , <b>2010</b> , 116, 3774-84	6.4	64
138	A population-based competing-risks analysis of the survival of patients treated with radical cystectomy for bladder cancer. <i>Cancer</i> , <b>2011</b> , 117, 103-9	6.4	62
137	Feasibility and preliminary clinical outcomes of robotic laparoendoscopic single-site (R-LESS) pyeloplasty using a new single-port platform. <i>European Urology</i> , <b>2012</b> , 62, 175-9	10.2	59
136	Oncologic results of laparoscopic renal cryoablation for clinical T1a tumors: 8 years of experience in a single institution. <i>Urology</i> , <b>2010</b> , 76, 624-9	1.6	59
135	Head-to-head comparison of the three most commonly used preoperative models for prediction of biochemical recurrence after radical prostatectomy. <i>European Urology</i> , <b>2010</b> , 57, 562-8	10.2	58
134	Preoperative Prostate-specific Antigen Isoform p2PSA and Its Derivatives, %p2PSA and Prostate Health Index, Predict Pathologic Outcomes in Patients Undergoing Radical Prostatectomy for Prostate Cancer: Results from a Multicentric European Prospective Study. <i>European Urology</i> , <b>2015</b> , 68, 132-8	10.2	56
133	Tumor size is a determinant of the rate of stage T1 renal cell cancer synchronous metastasis. <i>Journal of Urology</i> , <b>2009</b> , 182, 1287-93	2.5	56
132	Perioperative mortality is significantly greater in septuagenarian and octogenarian patients treated with radical cystectomy for urothelial carcinoma of the bladder. <i>Urology</i> , <b>2011</b> , 77, 660-6	1.6	55
131	Ga-PSMA Positron Emission Tomography/Computerized Tomography for Primary Diagnosis of Prostate Cancer in Men with Contraindications to or Negative Multiparametric Magnetic Resonance Imaging: A Prospective Observational Study. <i>Journal of Urology</i> , <b>2018</b> , 200, 95-103	2.5	53
130	A population-based comparison of cancer-control rates between radical and partial nephrectomy for T1A renal cell carcinoma. <i>Urology</i> , <b>2010</b> , 76, 883-8	1.6	53
129	The relationship between characteristics of inguinal lymph nodes and pelvic lymph node involvement in penile squamous cell carcinoma: a single institution experience. <i>Journal of Urology</i> , <b>2014</b> , 191, 977-82	2.5	51
128	A proposal for reclassification of the Fuhrman grading system in patients with clear cell renal cell carcinoma. <i>European Urology</i> , <b>2009</b> , 56, 775-81	10.2	51
127	Development and internal validation of a Prostate Health Index based nomogram for predicting prostate cancer at extended biopsy. <i>Journal of Urology</i> , <b>2012</b> , 188, 1144-50	2.5	49

126	Prognostic significance of lymph node invasion in patients with metastatic renal cell carcinoma: a population-based perspective. <i>Cancer</i> , <b>2009</b> , 115, 5680-7	6.4	49
125	Role of Restaging Transurethral Resection for T1 Non-muscle invasive Bladder Cancer: A Systematic Review and Meta-analysis. <i>European Urology Focus</i> , <b>2018</b> , 4, 558-567	5.1	48
124	Adenocarcinoma versus urothelial carcinoma of the urinary bladder: comparison between pathologic stage at radical cystectomy and cancer-specific mortality. <i>Urology</i> , <b>2010</b> , 75, 376-81	1.6	48
123	Serum index test %[-2]proPSA and Prostate Health Index are more accurate than prostate specific antigen and %fPSA in predicting a positive repeat prostate biopsy. <i>Journal of Urology</i> , <b>2012</b> , 188, 1137-43	3.5	46
122	Can renal mass biopsy assessment of tumor grade be safely substituted for by a predictive model?. <i>Journal of Urology</i> , <b>2009</b> , 182, 2585-9	2.5	43
121	Assessing the clinical benefit of nuclear matrix protein 22 in the surveillance of patients with nonmuscle-invasive bladder cancer and negative cytology: a decision-curve analysis. <i>Cancer</i> , <b>2011</b> , 117, 2892-7	6.4	42
120	"En Bloc" Resection of Nonmuscle Invasive Bladder Cancer: A Prospective Single-center Study. <i>Urology</i> , <b>2016</b> , 90, 126-30	1.6	41
119	Robot-assisted Surgery for Benign Ureteral Strictures: Experience and Outcomes from Four Tertiary Care Institutions. <i>European Urology</i> , <b>2017</b> , 71, 945-951	10.2	41
118	Application and Uses of Electronic Noses for Clinical Diagnosis on Urine Samples: A Review. <i>Sensors</i> , <b>2016</b> , 16,	3.8	41
117	A comparative population-based analysis of the rate of partial vs radical nephrectomy for clinically localized renal cell carcinoma. <i>BJU International</i> , <b>2010</b> , 105, 359-64	5.6	40
116	Margin, ischemia, and complications system to report perioperative outcomes of robotic partial nephrectomy: a European Multicenter Observational Study (EMOS project). <i>Urology</i> , <b>2015</b> , 85, 589-95	1.6	38
115	Long-term oncologic outcomes of laparoscopic renal cryoablation as primary treatment for small renal masses. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2015</b> , 33, 22.e1-22.e9	2.8	38
114	Comparison of the Diagnostic Accuracy of Micro-ultrasound and Magnetic Resonance Imaging/Ultrasound Fusion Targeted Biopsies for the Diagnosis of Clinically Significant Prostate Cancer. <i>European Urology Oncology</i> , <b>2019</b> , 2, 329-332	6.7	33
113	The Surgical Learning Curve for One-stage Anterior Urethroplasty: A Prospective Single-surgeon Study. <i>European Urology</i> , <b>2016</b> , 69, 686-690	10.2	32
112	Complications and quality of life after template-assisted transperineal prostate biopsy in patients eligible for focal therapy. <i>Urology</i> , <b>2013</b> , 81, 1291-6	1.6	32
111	Robot-assisted, single-site, dismembered pyeloplasty for ureteropelvic junction obstruction with the new da Vinci platform: a stage 2a study. <i>European Urology</i> , <b>2015</b> , 67, 151-156	10.2	31
110	Relationship of chronic histologic prostatic inflammation in biopsy specimens with serum isoform [-2]proPSA (p2PSA), %p2PSA, and prostate health index in men with a total prostate-specific antigen of 4-10 ng/ml and normal digital rectal examination. <i>Urology</i> , <b>2014</b> , 83, 606-12	1.6	31
109	Robot-assisted Partial Nephrectomy for Complex (PADUA Score $\geq 10$ ) Tumors: Techniques and Results from a Multicenter Experience at Four High-volume Centers. <i>European Urology</i> , <b>2020</b> , 77, 95-100	10.2	30

108	Radical cystectomy for patients with pT4 urothelial carcinoma in a large population-based study. <i>BJU International</i> , <b>2011</b> , 107, 905-11	5.6	29
107	Active Surveillance for Low Risk Nonmuscle Invasive Bladder Cancer: A Confirmatory and Resource Consumption Study from the BIAS Project. <i>Journal of Urology</i> , <b>2018</b> , 199, 401-406	2.5	27
106	Tumor grade improves the prognostic ability of American Joint Committee on Cancer stage in patients with penile carcinoma. <i>Journal of Urology</i> , <b>2011</b> , 185, 501-7	2.5	26
105	A contemporary population-based assessment of the rate of lymph node dissection for penile carcinoma. <i>Annals of Surgical Oncology</i> , <b>2011</b> , 18, 439-46	3.1	26
104	Clinical performance of serum isoform [-2]proPSA (p2PSA), and its derivatives %p2PSA and the Prostate Health Index, in men aged . <i>BJU International</i> , <b>2015</b> , 115, 913-20	5.6	25
103	Population-based external validation of a competing-risks nomogram for patients with localized renal cell carcinoma. <i>Journal of Clinical Oncology</i> , <b>2010</b> , 28, e299-300; author reply e301	2.2	25
102	Robot-assisted uretero-ureterostomy for iatrogenic lumbar and iliac ureteral stricture: technical details and preliminary clinical results. <i>European Urology</i> , <b>2011</b> , 60, 1221-5	10.2	23
101	Comparative study of inguinal hernia repair after radical prostatectomy, prostate biopsy, transurethral resection of the prostate or pelvic lymph node dissection. <i>Journal of Urology</i> , <b>2010</b> , 183, 970-5	2.5	23
100	A population-based analysis of the rate of cytoreductive nephrectomy for metastatic renal cell carcinoma in the United States. <i>Urology</i> , <b>2009</b> , 74, 837-41	1.6	23
99	Influence of obesity on tumour volume in patients with prostate cancer. <i>BJU International</i> , <b>2012</b> , 109, 678-84	5.6	22
98	Age-adjusted validation of the most stringent criteria for active surveillance in low-risk prostate cancer patients. <i>Cancer</i> , <b>2012</b> , 118, 973-80	6.4	22
97	Comparison of micro-ultrasound and multiparametric magnetic resonance imaging for prostate cancer: A multicenter, prospective analysis. <i>Canadian Urological Association Journal</i> , <b>2021</b> , 15, E11-E16	1.2	21
96	Active surveillance for low-risk non-muscle-invasive bladder cancer: mid-term results from the Bladder cancer Italian Active Surveillance (BIAS) project. <i>BJU International</i> , <b>2016</b> , 118, 935-939	5.6	21
95	Evaluation of positive surgical margins in patients undergoing robot-assisted and open radical prostatectomy according to preoperative risk groups. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2016</b> , 34, 57.e1-7	2.8	20
94	Comparison of renal function detriments after local tumor ablation or partial nephrectomy for renal cell carcinoma. <i>World Journal of Urology</i> , <b>2016</b> , 34, 383-9	4	20
93	Clinical performance of the Prostate Health Index (PHI) for the prediction of prostate cancer in obese men: data from the PROMetheuS project, a multicentre European prospective study. <i>BJU International</i> , <b>2015</b> , 115, 537-45	5.6	20
92	Radical prostatectomy represents an effective treatment in patients with specimen-confined high pathological Gleason score prostate cancer. <i>BJU International</i> , <b>2013</b> , 111, 723-30	5.6	20
91	Simplifying patient positioning and port placement during robotic-assisted laparoscopic prostatectomy. <i>European Urology</i> , <b>2010</b> , 57, 530-3	10.2	20

90	Managing chronic bladder diseases with the administration of exogenous glycosaminoglycans: an update on the evidence. <i>Therapeutic Advances in Urology</i> , <b>2016</b> , 8, 91-9	3.2	19
89	Relationship between lymph node ratio and cancer-specific survival in a contemporary series of patients with penile cancer and lymph node metastases. <i>BJU International</i> , <b>2015</b> , 116, 727-33	5.6	19
88	Clinical use of [-2]proPSA (p2PSA) and its derivatives (%p2PSA and Prostate Health Index) for the detection of prostate cancer: a review of the literature. <i>Korean Journal of Urology</i> , <b>2014</b> , 55, 436-45		19
87	Bladder cancer and urothelial impairment: the role of TRPV1 as potential drug target. <i>BioMed Research International</i> , <b>2014</b> , 2014, 987149	3	19
86	Unilateral prostate cancer cannot be accurately predicted in low-risk patients. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2010</b> , 77, 784-7	4	19
85	The Role of Intraoperative Indocyanine Green in Robot-assisted Partial Nephrectomy: Results from a Large, Multi-institutional Series. <i>European Urology</i> , <b>2020</b> , 78, 743-749	10.2	18
84	A population-based competing-risks analysis of survival after nephrectomy for renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2014</b> , 32, 46.e1-7	2.8	18
83	The novel nomogram of Gleason sum upgrade: possible application for the eligible criteria of low dose rate brachytherapy. <i>International Journal of Urology</i> , <b>2010</b> , 17, 862-8	2.3	18
82	Nodal involvement at nephrectomy is associated with worse survival: a stage-for-stage and grade-for-grade analysis. <i>International Journal of Urology</i> , <b>2013</b> , 20, 372-80	2.3	16
81	Temporal stage and grade migration in surgically treated patients with upper tract urothelial carcinoma. <i>BJU International</i> , <b>2010</b> , 105, 799-804	5.6	16
80	Evolution of Robot-assisted Partial Nephrectomy: Techniques and Outcomes from the Transatlantic Robotic Nephron-sparing Surgery Study Group. <i>European Urology</i> , <b>2019</b> , 76, 222-227	10.2	16
79	External validation of a nomogram predicting mortality in patients with adrenocortical carcinoma. <i>BJU International</i> , <b>2009</b> , 104, 1661-7	5.6	15
78	Clinical performance of prostate health index in men with tPSA>10ng/ml: Results from a multicentric European study. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2016</b> , 34, 415.e13-9	2.8	15
77	Surgery illustrated--Surgical Atlas. Robotic radical cystectomy in the male. <i>BJU International</i> , <b>2009</b> , 104, 726-45	5.6	14
76	Preoperative prostate health index is an independent predictor of early biochemical recurrence after radical prostatectomy: Results from a prospective single-center study. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2015</b> , 33, 337.e7-14	2.8	13
75	Limited prognostic value of tumor necrosis in patients with renal cell carcinoma. <i>Urology</i> , <b>2010</b> , 75, 1378-84		13
74	Comparative study of inguinal hernia repair rates after radical prostatectomy or external beam radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2010</b> , 78, 1307-13	4	13
73	Clinical performance of Xpert Bladder Cancer (BC) Monitor, a mRNA-based urine test, in active surveillance (AS) patients with recurrent non-muscle-invasive bladder cancer (NMIBC): results from the Bladder Cancer Italian Active Surveillance (BIAS) project. <i>World Journal of Urology</i> , <b>2020</b> , 38, 2215-2220	4	13

72	Diagnostic Accuracy of Microultrasound in Patients with a Suspicion of Prostate Cancer at Magnetic Resonance Imaging: A Single-institutional Prospective Study. <i>European Urology Focus</i> , <b>2021</b> , 7, 1019-1026	5.1	13
71	Prospective Evaluation of Ga-labeled Prostate-specific Membrane Antigen Ligand Positron Emission Tomography/Computed Tomography in Primary Prostate Cancer Diagnosis. <i>European Urology Focus</i> , <b>2021</b> , 7, 764-771	5.1	12
70	Oncological outcomes and complication rates after laparoscopic-assisted cryoablation: a European Registry for Renal Cryoablation (EuRECA) multi-institutional study. <i>BJU International</i> , <b>2017</b> , 119, 390-395	5.6	12
69	Endorectal multiparametric 3-tesla magnetic resonance imaging associated with systematic cognitive biopsies does not increase prostate cancer detection rate: a randomized prospective trial. <i>World Journal of Urology</i> , <b>2016</b> , 34, 797-803	4	11
68	Urethral lift for benign prostatic hyperplasia: a comprehensive review of the literature. <i>Current Urology Reports</i> , <b>2013</b> , 14, 620-7	2.9	11
67	The Use of Multiparametric Magnetic Resonance Imaging for Follow-up of Patients Included in Active Surveillance Protocol. Can PSA Density Discriminate Patients at Different Risk of Reclassification?. <i>Clinical Genitourinary Cancer</i> , <b>2020</b> , 18, e698-e704	3.3	10
66	Comparison of three different tools for prediction of seminal vesicle invasion at radical prostatectomy. <i>European Urology</i> , <b>2012</b> , 62, 590-6	10.2	10
65	The relationship between continence and perineal body tone before and after radical prostatectomy: a pilot study. <i>Neurourology and Urodynamics</i> , <b>2012</b> , 31, 513-6	2.3	10
64	Long-term outcomes of high-grade T1 bladder cancer treated with intravesical bacillus Calmette-Guérin: experience of a single center. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2018</b> , 70, 501-508	4.4	10
63	Effect of the number of biopsy cores on prostate cancer detection and staging. <i>Future Oncology</i> , <b>2010</b> , 6, 381-90	3.6	9
62	How Can the COVID-19 Pandemic Lead to Positive Changes in Urology Residency?. <i>Frontiers in Surgery</i> , <b>2020</b> , 7, 563006	2.3	9
61	PSMA-PET and micro-ultrasound potential in the diagnostic pathway of prostate cancer. <i>Clinical and Translational Oncology</i> , <b>2021</b> , 23, 172-178	3.6	8
60	Early Catheter Removal After Robot-assisted Radical Prostatectomy: Results from a Prospective Single-institutional Randomized Trial (Ripreca Study). <i>European Urology Focus</i> , <b>2020</b> , 6, 259-266	5.1	8
59	Assessing the Feasibility and Accuracy of High-resolution Microultrasound Imaging for Bladder Cancer Detection and Staging. <i>European Urology</i> , <b>2020</b> , 77, 727-732	10.2	8
58	Targeted 11C-choline PET-CT/TRUS software fusion-guided prostate biopsy in men with persistently elevated PSA and negative mpMRI after previous negative biopsy. <i>European Journal of Hybrid Imaging</i> , <b>2017</b> , 1, 9	1.7	7
57	The impact of surgical experience on total hospital charges for minimally invasive prostatectomy: a population-based study. <i>BJU International</i> , <b>2011</b> , 108, 888-93	5.6	7
56	Female robotic radical cystectomy. <i>BJU International</i> , <b>2009</b> , 104, 1024-35	5.6	7
55	Impact of chronic exposure to 5-alpha reductase inhibitors on the risk of hospitalization for COVID-19: a case-control study in male population from two COVID-19 regional centers of Lombardy (Italy). <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2021</b> , 73, 100-106	4.4	7

54	Gender-specific risk factors for renal cell carcinoma: a systematic review. <i>Current Opinion in Urology</i> , <b>2019</b> , 29, 272-278	2.8	7
53	Pathological Outcomes for Patients Who Failed To Remain Under Active Surveillance for Low-risk Non-muscle-invasive Bladder Cancer: Update and Results from the Bladder Cancer Italian Active Surveillance Project. <i>European Urology Oncology</i> , <b>2018</b> , 1, 437-442	6.7	7
52	Feasibility, safety, and efficacy of ultrasound-guided transperineal laser ablation for the treatment of benign prostatic hyperplasia: a single institutional experience. <i>World Journal of Urology</i> , <b>2021</b> , 39, 3867-3873	4	6
51	The use of 29 MHz transrectal micro-ultrasound to stratify the prostate cancer risk in patients with PI-RADS III lesions at multiparametric MRI: A single institutional analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2021</b> , 39, 832.e1-832.e7	2.8	6
50	Minimally Invasive Partial Nephrectomy Versus Laparoscopic Cryoablation for Patients Newly Diagnosed with a Single Small Renal Mass. <i>European Urology Focus</i> , <b>2015</b> , 1, 66-72	5.1	5
49	Reply to Sergey Tadtayev, Thomas A. McNicholas, and Gregory B. Boustead Letter to the Editor re: Giorgio Guazzoni, Massimo Lazzeri, Luciano Nava, et al. Preoperative Prostate-Specific Antigen Isoform p2PSA and Its Derivatives, %p2PSA and Prostate Health Index, Predict Pathologic Outcomes in Patients Undergoing Radical Prostatectomy for Prostate Cancer. <i>European Urology</i> , <b>2020</b> , 77, 100-101	10.2	5
48	Use of 29-MHz Micro-ultrasound for Local Staging of Prostate Cancer in Patients Scheduled for Radical Prostatectomy: A Feasibility Study. <i>European Urology Open Science</i> , <b>2020</b> , 19, 20-23	0.9	5
47	Diagnostic Pathway of Patients with a Clinical Suspicion of Prostate Cancer: Does One Size Fit All?. <i>European Urology</i> , <b>2018</b> , 74, 400-401	10.2	5
46	An observational study of the use of beclomethasone dipropionate suppositories in the treatment of lower urinary tract inflammation in men. <i>BMC Urology</i> , <b>2016</b> , 16, 25	2.2	4
45	Two-dimensional neovascular complexity is significantly higher in nontumor prostate tissue than in low-risk prostate cancer. <i>Korean Journal of Urology</i> , <b>2015</b> , 56, 435-42		4
44	The relationship between obesity and prostate cancer: from genetics to disease treatment and prevention. <i>BMC Medicine</i> , <b>2012</b> , 10, 109	11.4	4
43	Renal Function Loss After Cryoablation of Small Renal Masses in Solitary Kidneys: European Registry for Renal Cryoablation Multi-Institutional Study. <i>Journal of Endourology</i> , <b>2020</b> , 34, 233-239	2.7	4
42	Re: "trifecta" in partial nephrectomy: A. J. Hung, j. Cai, M. N. Simmons and I. S. Gill j Urol 2013; 189: 36-42. <i>Journal of Urology</i> , <b>2013</b> , 190, 810-1	2.5	3
41	Dose escalation of second-line sunitinib results in rapid partial remission of multiple hepatic metastases. <i>Canadian Urological Association Journal</i> , <b>2009</b> , 3, E92-3	1.2	3
40	The prognostic value of erythrocyte polyamine in the post-nephrectomy stratification of renal cell carcinoma specific mortality. <i>Journal of Urology</i> , <b>2010</b> , 183, 486-91	2.5	3
39	p2PSA for predicting biochemical recurrence of prostate cancer earlier than total prostate-specific antigen after radical prostatectomy: an observational prospective cohort study. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2019</b> , 71, 273-279	4.4	3
38	Optimization of prostate biopsy - Micro-Ultrasound versus MRI (OPTIMUM): A 3-arm randomized controlled trial evaluating the role of 29 MHz micro-ultrasound in guiding prostate biopsy in men with clinical suspicion of prostate cancer. <i>Contemporary Clinical Trials</i> , <b>2021</b> , 112, 106618	2.3	3
37	Midterm follow-up (3 years) confirms and extends short-term results of intravesical gemcitabine as bladder-preserving treatment for non-muscle-invasive bladder cancer after BCG failure. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2021</b> , 39, 195.e7-195.e13	2.8	3

36	Highly-trained dogs' olfactory system for detecting biochemical recurrence following radical prostatectomy. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2016</b> , 54, e67-70	5.9	2
35	Robotic assisted radical prostatectomy in morbidly obese patients: how to create a cost-effective adequate optical trocar. <i>Journal of Robotic Surgery</i> , <b>2013</b> , 7, 47-51	2.9	2
34	The prognostic value of erythrocyte polyamines in the preoperative evaluation of patients with renal cell carcinoma. <i>European Journal of Cancer</i> , <b>2010</b> , 46, 1927-35	7.5	2
33	How should we report incontinence after radical prostatectomy?. <i>Journal of Urology</i> , <b>2010</b> , 184, 829-30	2.5	2
32	Xpert Bladder Cancer Monitor May Avoid Cystoscopies in Patients Under "Active Surveillance" for Recurrent Bladder Cancer (BIAS Project): Longitudinal Cohort Study.. <i>Frontiers in Oncology</i> , <b>2022</b> , 12, 832835	5.3	2
31	The changing trends of image-guided biopsy of small renal masses before intervention-an analysis of European multinational prospective EuRECA registry.. <i>European Radiology</i> , <b>2022</b> , 1	8	2
30	Multiparametric magnetic resonance imaging and clinical variables: Which is the best combination to predict reclassification in active surveillance patients?. <i>Prostate International</i> , <b>2020</b> , 8, 167-172	3.4	2
29	Multi-institutional Retrospective Validation and Comparison of the Simplified PADUA RENal Nephrometry System for the Prediction of Surgical Success of Robot-assisted Partial Nephrectomy. <i>European Urology Focus</i> , <b>2021</b> , 7, 1100-1106	5.1	2
28	Long-term Follow-up After En Bloc Transurethral Resection of Non-muscle-invasive Bladder Cancer: Results from a Single-center Experience. <i>European Urology Open Science</i> , <b>2021</b> , 26, 64-71	0.9	2
27	Post-Biopsy Cell-Free DNA From Blood: An Open Window on Primary Prostate Cancer Genetics and Biology. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 654140	5.3	2
26	Long-term Follow-up and Factors Associated with Active Surveillance Failure for Patients with Non-muscle-invasive Bladder Cancer: The Bladder Cancer Italian Active Surveillance (BIAS) Experience. <i>European Urology Oncology</i> , <b>2021</b> ,	6.7	2
25	Safety and Feasibility of Salvage Endoscopic Combined Intrarenal Surgery in Embolized Kidney. <i>Journal of Endourology Case Reports</i> , <b>2016</b> , 2, 127-30	0.3	2
24	Re: Inherited DNA-Repair Gene Mutations in Men with Metastatic Prostate Cancer. <i>European Urology</i> , <b>2016</b> , 70, 703-704	10.2	2
23	Reply from Authors re: Monique J. Roobol. Prostate Cancer Biomarkers to Improve Risk Stratification: Is Our Knowledge of Prostate Cancer Sufficient to Spare Prostate Biopsies Safely? <i>Eur Urol</i> 2011;60:223B and re: Carvell T. Nguyen, Michael W. Kattan. How to Tell If a New Marker Improves Prediction. <i>Eur Urol</i> 2011;60:224B. <i>European Urology</i> , <b>2011</b> , 60, 228-230	10.2	1
22	Thirty-day mortality after transurethral resection of the prostate in patients treated with androgen deprivation therapy. <i>Journal of Endourology</i> , <b>2009</b> , 23, 1347-52	2.7	1
21	Head-to-Head Comparison between High-Resolution Microultrasound Imaging and Multiparametric MRI in Detecting and Local Staging of Bladder Cancer: The BUS-MISS Protocol. <i>Bladder Cancer</i> , <b>2022</b> , 1-9	1	1
20	Use of high-resolution micro-ultrasound to predict extraprostatic extension of prostate cancer prior to surgery: a prospective single-institutional study.. <i>World Journal of Urology</i> , <b>2022</b> , 1	4	1
19	Editorial Commentary referring to: "Is robot-assisted partial nephrectomy safe for highly complexity tumors?". <i>Translational Andrology and Urology</i> , <b>2020</b> , 9, 2323-2325	2.3	1

18	Impact of high-intensity local treatment on overall survival in stage IV upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2021</b> , 39, 436.e1-436.e10	2.8	1
17	Is Robotic Surgery Unnecessary for Adrenalectomy? Weighting the Pros and Cons of the Robotic Approach. <i>European Urology Focus</i> , <b>2016</b> , 1, 263-264	5.1	1
16	External Validation and Comparison of Two Nomograms Predicting the Probability of Lymph Node Involvement in Patients subjected to Robot-Assisted Radical Prostatectomy and Concomitant Lymph Node Dissection: A Single Tertiary Center Experience in the MRI-Era.. <i>Frontiers in Surgery</i> , <b>2022</b> , 9, 829515	2.3	1
15	Retrotrigonal muscular layer sling associated with total anatomical reconstruction in robot-assisted radical prostatectomy and early continence. <i>World Journal of Urology</i> , <b>2021</b> , 39, 2475-2481	4	0
14	Delayed Diagnosis of a Testicular Mass During COVID-19 Pandemic in Lombardy: A Case Report. <i>Research and Reports in Urology</i> , <b>2021</b> , 13, 41-44	1.3	0
13	Oncology and complications. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2021</b> , 93, 71-76	1.6	0
12	Combination of AST to ALT and neutrophils to lymphocytes ratios as predictors of locally advanced disease in patients with bladder cancer subjected to radical cystectomy: Results from a single-institutional series. <i>Urologia</i> , <b>2021</b> , 3915603211035191	1.2	0
11	Reply: To PMID 25733270. <i>Urology</i> , <b>2015</b> , 85, 595	1.6	
10	Re: comparative analysis of transperineal template saturation prostate biopsy versus magnetic resonance imaging targeted biopsy with magnetic resonance imaging-ultrasound fusion guidance. <i>European Urology</i> , <b>2015</b> , 68, 535-6	10.2	
9	Reply to Joan Palou, Ercar Rodríguez and Noel Clarke Letter to the Editor re: Umberto Capitanio, Shahrokh F. Shariat, Hendrik Isbarn, et al. Comparison of Oncologic Outcomes for Open and Laparoscopic Nephroureterectomy: A Multi-Institutional Analysis of 1249 Cases. <i>Eur Urol</i> 2009;56:15. <i>European Urology</i> , <b>2010</b> , 57, e36	10.2	
8	Case Report: Unclassified Renal Cell Carcinoma With Medullary Phenotype and Deficiency, Broadening the Spectrum of Medullary Carcinoma.. <i>Frontiers in Medicine</i> , <b>2022</b> , 9, 835599	4.9	
7	Robot-Assisted Pyeloplasty <b>2018</b> , 465-474		
6	Locally-advanced prostate cancer in the elderly: should we revisit our treatment paradigms?. <i>Asian Journal of Andrology</i> , <b>2015</b> , 17, 769-70	2.8	
5	Mid-term complications after placement of the male adjustable suburethral sling: a single center experience. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , <b>2011</b> , 37, 552-553 <sup>2</sup>		
4	In-vitro and in-vivo new evidence for Flexor Vue deflecting endoscopic system use: optimization of the stone free rate (SFR) after flexible ureteroscopy and Ho:YAG laser lithotripsy. <i>Urolithiasis</i> , <b>2021</b> , 49, 239-245	3.2	
3	New super-pulse thulium laser for the treatment of benign prostatic hyperplasia and bladder stones: our first experience. <i>Central European Journal of Urology</i> , <b>2021</b> , 74, 139	0.9	
2	B2B: Prostate Cancer. <i>Société Internationale Durologie Journal</i> , <b>2021</b> , 2, S30-S50	0.1	
1	Hope for Ostomates: A Carbon and Zeolite Impregnated Polyester Fabric Inhibits Urine Odor in Cancer Patients: A Randomized Experimental Study. <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2021</b> , 22, 2917-2921	1.7	

