

Giovanni Lughezzani

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9067100/giovanni-lughezzani-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161
papers

4,803
citations

41
h-index

63
g-index

231
ext. papers

5,759
ext. citations

4
avg, IF

4.96
L-index

#	Paper	IF	Citations
161	Xpert Bladder Cancer Monitor May Avoid Cystoscopies in Patients Under "Active Surveillance" for Recurrent Bladder Cancer (BIAS Project): Longitudinal Cohort Study.. <i>Frontiers in Oncology</i> , 2022 , 12, 832835	5.3	2
160	Head-to-Head Comparison between High-Resolution Microultrasound Imaging and Multiparametric MRI in Detecting and Local Staging of Bladder Cancer: The BUS-MISS Protocol. <i>Bladder Cancer</i> , 2022 , 1-9	1	1
159	Case Report: Unclassified Renal Cell Carcinoma With Medullary Phenotype and Deficiency, Broadening the Spectrum of Medullary Carcinoma.. <i>Frontiers in Medicine</i> , 2022 , 9, 835599	4.9	
158	The changing trends of image-guided biopsy of small renal masses before intervention-an analysis of European multinational prospective EuRECA registry.. <i>European Radiology</i> , 2022 , 1	8	2
157	Use of high-resolution micro-ultrasound to predict extraprostatic extension of prostate cancer prior to surgery: a prospective single-institutional study.. <i>World Journal of Urology</i> , 2022 , 1	4	1
156	External Validation and Comparison of Two Nomograms Predicting the Probability of Lymph Node Involvement in Patients subjected to Robot-Assisted Radical Prostatectomy and Concomitant Lymph Node Dissection: A Single Tertiary Center Experience in the MRI-Era.. <i>Frontiers in Surgery</i> , 2022 , 9, 829515	2.3	1
155	Prospective Evaluation of Ga-labeled Prostate-specific Membrane Antigen Ligand Positron Emission Tomography/Computed Tomography in Primary Prostate Cancer Diagnosis. <i>European Urology Focus</i> , 2021 , 7, 764-771	5.1	12
154	Impact of chronic exposure to 5-alpha reductase inhibitors on the risk of hospitalization for COVID-19: a case-control study in male population from two COVID-19 regional centers of Lombardy (Italy). <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2021	4.4	7
153	Optimization of prostate biopsy - Micro-Ultrasound versus MRI (OPTIMUM): A 3-arm randomized controlled trial evaluating the role of 29 MHz micro-ultrasound in guiding prostate biopsy in men with clinical suspicion of prostate cancer. <i>Contemporary Clinical Trials</i> , 2021 , 112, 106618	2.3	3
152	PSMA-PET and micro-ultrasound potential in the diagnostic pathway of prostate cancer. <i>Clinical and Translational Oncology</i> , 2021 , 23, 172-178	3.6	8
151	Diagnostic Accuracy of Microultrasound in Patients with a Suspicion of Prostate Cancer at Magnetic Resonance Imaging: A Single-institutional Prospective Study. <i>European Urology Focus</i> , 2021 , 7, 1019-1026	5.1	13
150	Multi-institutional Retrospective Validation and Comparison of the Simplified PADUA Renal Nephrometry System for the Prediction of Surgical Success of Robot-assisted Partial Nephrectomy. <i>European Urology Focus</i> , 2021 , 7, 1100-1106	5.1	2
149	Comparison of micro-ultrasound and multiparametric magnetic resonance imaging for prostate cancer: A multicenter, prospective analysis. <i>Canadian Urological Association Journal</i> , 2021 , 15, E11-E16	1.2	21
148	Retrotrigonal muscular layer sling associated with total anatomical reconstruction in robot-assisted radical prostatectomy and early continence. <i>World Journal of Urology</i> , 2021 , 39, 2475-2481	4	0
147	Feasibility, safety, and efficacy of ultrasound-guided transperineal laser ablation for the treatment of benign prostatic hyperplasia: a single institutional experience. <i>World Journal of Urology</i> , 2021 , 39, 3867-3873	4	6
146	Long-term Follow-up After En Bloc Transurethral Resection of Non-muscle-invasive Bladder Cancer: Results from a Single-center Experience. <i>European Urology Open Science</i> , 2021 , 26, 64-71	0.9	2
145	Post-Biopsy Cell-Free DNA From Blood: An Open Window on Primary Prostate Cancer Genetics and Biology. <i>Frontiers in Oncology</i> , 2021 , 11, 654140	5.3	2

144	Long-term Follow-up and Factors Associated with Active Surveillance Failure for Patients with Non-muscle-invasive Bladder Cancer: The Bladder Cancer Italian Active Surveillance (BIAS) Experience. <i>European Urology Oncology</i> , 2021 ,	6.7	2
143	The use of 29 MHz transrectal micro-ultrasound to stratify the prostate cancer risk in patients with PI-RADS III lesions at multiparametric MRI: A single institutional analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 832.e1-832.e7	2.8	6
142	Impact of high-intensity local treatment on overall survival in stage IV upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 436.e1-436.e10	2.8	1
141	In-vitro and in-vivo new evidence for Flexor [®] Vue [®] deflecting endoscopic system use: optimization of the stone free rate (SFR) after flexible ureteroscopy and Ho:YAG laser lithotripsy. <i>Urolithiasis</i> , 2021 , 49, 239-245	3.2	
140	Midterm follow-up (3 years) confirms and extends short-term results of intravesical gemcitabine as bladder-preserving treatment for non-muscle-invasive bladder cancer after BCG failure. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 195.e7-195.e13	2.8	3
139	Delayed Diagnosis of a Testicular Mass During COVID-19 Pandemic in Lombardy: A Case Report. <i>Research and Reports in Urology</i> , 2021 , 13, 41-44	1.3	0
138	New super-pulse thulium laser for the treatment of benign prostatic hyperplasia and bladder stones: our first experience. <i>Central European Journal of Urology</i> , 2021 , 74, 139	0.9	
137	Oncology and complications. <i>Archivio Italiano Di Urologia Andrologia</i> , 2021 , 93, 71-76	1.6	0
136	B2B: Prostate Cancer. <i>Société Internationale D'urologie Journal</i> , 2021 , 2, S30-S50	0.1	
135	Combination of AST to ALT and neutrophils to lymphocytes ratios as predictors of locally advanced disease in patients with bladder cancer subjected to radical cystectomy: Results from a single-institutional series. <i>Urologia</i> , 2021 , 3915603211035191	1.2	0
134	Hope for Ostomates: A Carbon and Zeolite Impregnated Polyester Fabric Inhibits Urine Odor in Cancer Patients: A Randomized Experimental Study. <i>Asian Pacific Journal of Cancer Prevention</i> , 2021 , 22, 2917-2921	1.7	
133	The Role of Intraoperative Indocyanine Green in Robot-assisted Partial Nephrectomy: Results from a Large, Multi-institutional Series. <i>European Urology</i> , 2020 , 78, 743-749	10.2	18
132	The Use of Multiparametric Magnetic Resonance Imaging for Follow-up of Patients Included in Active Surveillance Protocol. Can PSA Density Discriminate Patients at Different Risk of Reclassification?. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, e698-e704	3.3	10
131	Editorial Commentary referring to: "Is robot-assisted partial nephrectomy safe for highly complexity tumors?". <i>Translational Andrology and Urology</i> , 2020 , 9, 2323-2325	2.3	1
130	Clinical performance of Xpert Bladder Cancer (BC) Monitor, a mRNA-based urine test, in active surveillance (AS) patients with recurrent non-muscle-invasive bladder cancer (NMIBC): results from the Bladder Cancer Italian Active Surveillance (BIAS) project. <i>World Journal of Urology</i> , 2020 , 38, 2215-2220	4	13
129	Renal Function Loss After Cryoablation of Small Renal Masses in Solitary Kidneys: European Registry for Renal Cryoablation Multi-Institutional Study. <i>Journal of Endourology</i> , 2020 , 34, 233-239	2.7	4
128	Use of 29-MHz Micro-ultrasound for Local Staging of Prostate Cancer in Patients Scheduled for Radical Prostatectomy: A Feasibility Study. <i>European Urology Open Science</i> , 2020 , 19, 20-23	0.9	5
127	Multiparametric magnetic resonance imaging and clinical variables: Which is the best combination to predict reclassification in active surveillance patients?. <i>Prostate International</i> , 2020 , 8, 167-172	3.4	2

126	How Can the COVID-19 Pandemic Lead to Positive Changes in Urology Residency?. <i>Frontiers in Surgery</i> , 2020 , 7, 563006	2.3	9
125	Early Catheter Removal After Robot-assisted Radical Prostatectomy: Results from a Prospective Single-institutional Randomized Trial (Ripreca Study). <i>European Urology Focus</i> , 2020 , 6, 259-266	5.1	8
124	Assessing the Feasibility and Accuracy of High-resolution Microultrasound Imaging for Bladder Cancer Detection and Staging. <i>European Urology</i> , 2020 , 77, 727-732	10.2	8
123	Robot-assisted Partial Nephrectomy for Complex (PADUA Score ≥ 10) Tumors: Techniques and Results from a Multicenter Experience at Four High-volume Centers. <i>European Urology</i> , 2020 , 77, 95-100	10.2	30
122	p2PSA for predicting biochemical recurrence of prostate cancer earlier than total prostate-specific antigen after radical prostatectomy: an observational prospective cohort study. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 273-279	4.4	3
121	Comparison of the Diagnostic Accuracy of Micro-ultrasound and Magnetic Resonance Imaging/Ultrasound Fusion Targeted Biopsies for the Diagnosis of Clinically Significant Prostate Cancer. <i>European Urology Oncology</i> , 2019 , 2, 329-332	6.7	33
120	Gender-specific risk factors for renal cell carcinoma: a systematic review. <i>Current Opinion in Urology</i> , 2019 , 29, 272-278	2.8	7
119	Evolution of Robot-assisted Partial Nephrectomy: Techniques and Outcomes from the Transatlantic Robotic Nephron-sparing Surgery Study Group. <i>European Urology</i> , 2019 , 76, 222-227	10.2	16
118	Ga-PSMA Positron Emission Tomography/Computerized Tomography for Primary Diagnosis of Prostate Cancer in Men with Contraindications to or Negative Multiparametric Magnetic Resonance Imaging: A Prospective Observational Study. <i>Journal of Urology</i> , 2018 , 200, 95-103	2.5	53
117	Role of Restaging Transurethral Resection for T1 Non-muscle invasive Bladder Cancer: A Systematic Review and Meta-analysis. <i>European Urology Focus</i> , 2018 , 4, 558-567	5.1	48
116	Active Surveillance for Low Risk Nonmuscle Invasive Bladder Cancer: A Confirmatory and Resource Consumption Study from the BIAS Project. <i>Journal of Urology</i> , 2018 , 199, 401-406	2.5	27
115	Robot-Assisted Pyeloplasty 2018 , 465-474		
114	Long-term outcomes of high-grade T1 bladder cancer treated with intravesical bacillus Calmette-Guérin: experience of a single center. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2018 , 70, 501-508	4.4	10
113	Diagnostic Pathway of Patients with a Clinical Suspicion of Prostate Cancer: Does One Size Fit All?. <i>European Urology</i> , 2018 , 74, 400-401	10.2	5
112	Pathological Outcomes for Patients Who Failed To Remain Under Active Surveillance for Low-risk Non-muscle-invasive Bladder Cancer: Update and Results from the Bladder Cancer Italian Active Surveillance Project. <i>European Urology Oncology</i> , 2018 , 1, 437-442	6.7	7
111	Targeted 11C-choline PET-CT/TRUS software fusion-guided prostate biopsy in men with persistently elevated PSA and negative mpMRI after previous negative biopsy. <i>European Journal of Hybrid Imaging</i> , 2017 , 1, 9	1.7	7
110	Oncological outcomes and complication rates after laparoscopic-assisted cryoablation: a European Registry for Renal Cryoablation (EuRECA) multi-institutional study. <i>BJU International</i> , 2017 , 119, 390-395	5.6	12
109	Robot-assisted Surgery for Benign Ureteral Strictures: Experience and Outcomes from Four Tertiary Care Institutions. <i>European Urology</i> , 2017 , 71, 945-951	10.2	41

108	Evaluation of positive surgical margins in patients undergoing robot-assisted and open radical prostatectomy according to preoperative risk groups. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 57.e1-7	2.8	20
107	Comparison of renal function detriments after local tumor ablation or partial nephrectomy for renal cell carcinoma. <i>World Journal of Urology</i> , 2016 , 34, 383-9	4	20
106	An observational study of the use of beclomethasone dipropionate suppositories in the treatment of lower urinary tract inflammation in men. <i>BMC Urology</i> , 2016 , 16, 25	2.2	4
105	Highly-trained dogs' olfactory system for detecting biochemical recurrence following radical prostatectomy. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016 , 54, e67-70	5.9	2
104	Managing chronic bladder diseases with the administration of exogenous glycosaminoglycans: an update on the evidence. <i>Therapeutic Advances in Urology</i> , 2016 , 8, 91-9	3.2	19
103	"En Bloc" Resection of Nonmuscle Invasive Bladder Cancer: A Prospective Single-center Study. <i>Urology</i> , 2016 , 90, 126-30	1.6	41
102	The Surgical Learning Curve for One-stage Anterior Urethroplasty: A Prospective Single-surgeon Study. <i>European Urology</i> , 2016 , 69, 686-690	10.2	32
101	Endorectal multiparametric 3-tesla magnetic resonance imaging associated with systematic cognitive biopsies does not increase prostate cancer detection rate: a randomized prospective trial. <i>World Journal of Urology</i> , 2016 , 34, 797-803	4	11
100	Application and Uses of Electronic Noses for Clinical Diagnosis on Urine Samples: A Review. <i>Sensors</i> , 2016 , 16,	3.8	41
99	Active surveillance for low-risk non-muscle-invasive bladder cancer: mid-term results from the Bladder cancer Italian Active Surveillance (BIAS) project. <i>BJU International</i> , 2016 , 118, 935-939	5.6	21
98	Safety and Feasibility of Salvage Endoscopic Combined Intrarenal Surgery in Embolized Kidney. <i>Journal of Endourology Case Reports</i> , 2016 , 2, 127-30	0.3	2
97	Is Robotic Surgery Unnecessary for Adrenalectomy? Weighting the Pros and Cons of the Robotic Approach. <i>European Urology Focus</i> , 2016 , 1, 263-264	5.1	1
96	Clinical performance of prostate health index in men with tPSA>10ng/ml: Results from a multicentric European study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 415.e13-9	2.8	15
95	Re: Inherited DNA-Repair Gene Mutations in Men with Metastatic Prostate Cancer. <i>European Urology</i> , 2016 , 70, 703-704	10.2	2
94	Preoperative prostate health index is an independent predictor of early biochemical recurrence after radical prostatectomy: Results from a prospective single-center study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 337.e7-14	2.8	13
93	Clinical performance of serum isoform [-2]proPSA (p2PSA), and its derivatives %p2PSA and the Prostate Health Index, in men aged . <i>BJU International</i> , 2015 , 115, 913-20	5.6	25
92	Clinical performance of the Prostate Health Index (PHI) for the prediction of prostate cancer in obese men: data from the PROMETHEUS project, a multicentre European prospective study. <i>BJU International</i> , 2015 , 115, 537-45	5.6	20
91	Preoperative Prostate-specific Antigen Isoform p2PSA and Its Derivatives, %p2PSA and Prostate Health Index, Predict Pathologic Outcomes in Patients Undergoing Radical Prostatectomy for Prostate Cancer: Results from a Multicentric European Prospective Study. <i>European Urology</i> , 2015 , 68, 132-8	10.2	56

90	Reply: To PMID 25733270. <i>Urology</i> , 2015 , 85, 595	1.6	
89	Margin, ischemia, and complications system to report perioperative outcomes of robotic partial nephrectomy: a European Multicenter Observational Study (EMOS project). <i>Urology</i> , 2015 , 85, 589-95	1.6	38
88	Minimally Invasive Partial Nephrectomy Versus Laparoscopic Cryoablation for Patients Newly Diagnosed with a Single Small Renal Mass. <i>European Urology Focus</i> , 2015 , 1, 66-72	5.1	5
87	Re: comparative analysis of transperineal template saturation prostate biopsy versus magnetic resonance imaging targeted biopsy with magnetic resonance imaging-ultrasound fusion guidance. <i>European Urology</i> , 2015 , 68, 535-6	10.2	
86	Long-term oncologic outcomes of laparoscopic renal cryoablation as primary treatment for small renal masses. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 22.e1-22.e9	2.8	38
85	Robot-assisted, single-site, dismembered pyeloplasty for ureteropelvic junction obstruction with the new da Vinci platform: a stage 2a study. <i>European Urology</i> , 2015 , 67, 151-156	10.2	31
84	Relationship between lymph node ratio and cancer-specific survival in a contemporary series of patients with penile cancer and lymph node metastases. <i>BJU International</i> , 2015 , 116, 727-33	5.6	19
83	Two-dimensional neovascular complexity is significantly higher in nontumor prostate tissue than in low-risk prostate cancer. <i>Korean Journal of Urology</i> , 2015 , 56, 435-42		4
82	Locally-advanced prostate cancer in the elderly: should we revisit our treatment paradigms?. <i>Asian Journal of Andrology</i> , 2015 , 17, 769-70	2.8	
81	Relationship of chronic histologic prostatic inflammation in biopsy specimens with serum isoform [-2]proPSA (p2PSA), %p2PSA, and prostate health index in men with a total prostate-specific antigen of 4-10 ng/ml and normal digital rectal examination. <i>Urology</i> , 2014 , 83, 606-12	1.6	31
80	The relationship between characteristics of inguinal lymph nodes and pelvic lymph node involvement in penile squamous cell carcinoma: a single institution experience. <i>Journal of Urology</i> , 2014 , 191, 977-82	2.5	51
79	A population-based competing-risks analysis of survival after nephrectomy for renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 46.e1-7	2.8	18
78	Clinical use of [-2]proPSA (p2PSA) and its derivatives (%p2PSA and Prostate Health Index) for the detection of prostate cancer: a review of the literature. <i>Korean Journal of Urology</i> , 2014 , 55, 436-45		19
77	Bladder cancer and urothelial impairment: the role of TRPV1 as potential drug target. <i>BioMed Research International</i> , 2014 , 2014, 987149	3	19
76	Multicenter European external validation of a prostate health index-based nomogram for predicting prostate cancer at extended biopsy. <i>European Urology</i> , 2014 , 66, 906-12	10.2	65
75	Radical prostatectomy represents an effective treatment in patients with specimen-confined high pathological Gleason score prostate cancer. <i>BJU International</i> , 2013 , 111, 723-30	5.6	20
74	Urethral lift for benign prostatic hyperplasia: a comprehensive review of the literature. <i>Current Urology Reports</i> , 2013 , 14, 620-7	2.9	11
73	Clinical performance of serum prostate-specific antigen isoform [-2]proPSA (p2PSA) and its derivatives, %p2PSA and the prostate health index (PHI), in men with a family history of prostate cancer: results from a multicentre European study, the PROMetheus project. <i>BJU International</i> , 2013 , 112, 213-21	5.6	75

72	Robotic assisted radical prostatectomy in morbidly obese patients: how to create a cost-effective adequate optical trocar. <i>Journal of Robotic Surgery</i> , 2013 , 7, 47-51	2.9	2
71	Complications and quality of life after template-assisted transperineal prostate biopsy in patients eligible for focal therapy. <i>Urology</i> , 2013 , 81, 1291-6	1.6	32
70	Serum isoform [-2]proPSA derivatives significantly improve prediction of prostate cancer at initial biopsy in a total PSA range of 2-10 ng/ml: a multicentric European study. <i>European Urology</i> , 2013 , 63, 986-94	10.2	149
69	Head-to-head comparison of prostate health index and urinary PCA3 for predicting cancer at initial or repeat biopsy. <i>Journal of Urology</i> , 2013 , 190, 496-501	2.5	72
68	Re: "trifecta" in partial nephrectomy: A. J. Hung, j. Cai, M. N. Simmons and I. S. Gill <i>J Urol</i> 2013; 189: 36-42. <i>Journal of Urology</i> , 2013 , 190, 810-1	2.5	3
67	Nodal involvement at nephrectomy is associated with worse survival: a stage-for-stage and grade-for-grade analysis. <i>International Journal of Urology</i> , 2013 , 20, 372-80	2.3	16
66	Preoperative prostate-specific antigen isoform p2PSA and its derivatives, %p2PSA and prostate health index, predict pathologic outcomes in patients undergoing radical prostatectomy for prostate cancer. <i>European Urology</i> , 2012 , 61, 455-66	10.2	90
65	Prognostic factors in upper urinary tract urothelial carcinomas: a comprehensive review of the current literature. <i>European Urology</i> , 2012 , 62, 100-14	10.2	276
64	Feasibility and preliminary clinical outcomes of robotic laparoendoscopic single-site (R-LESS) pyeloplasty using a new single-port platform. <i>European Urology</i> , 2012 , 62, 175-9	10.2	59
63	Reply to Sergey Tadtayev, Thomas A. McNicholas, and Gregory B. Boustead Letter to the Editor re: Giorgio Guazzoni, Massimo Lazzeri, Luciano Nava, et al. Preoperative Prostate-Specific Antigen Isoform p2PSA and Its Derivatives, %p2PSA and Prostate Health Index, Predict Pathologic Outcomes in Patients Undergoing Radical Prostatectomy for Prostate Cancer. <i>Eur Urol</i>	10.2	5
62	Influence of obesity on tumour volume in patients with prostate cancer. <i>BJU International</i> , 2012 , 109, 678-84	5.6	22
61	Age-adjusted validation of the most stringent criteria for active surveillance in low-risk prostate cancer patients. <i>Cancer</i> , 2012 , 118, 973-80	6.4	22
60	Comparison of three different tools for prediction of seminal vesicle invasion at radical prostatectomy. <i>European Urology</i> , 2012 , 62, 590-6	10.2	10
59	Margin, ischemia, and complications (MIC) score in partial nephrectomy: a new system for evaluating achievement of optimal outcomes in nephron-sparing surgery. <i>European Urology</i> , 2012 , 62, 617-8	10.2	75
58	The relationship between obesity and prostate cancer: from genetics to disease treatment and prevention. <i>BMC Medicine</i> , 2012 , 10, 109	11.4	4
57	Serum index test %[-2]proPSA and Prostate Health Index are more accurate than prostate specific antigen and %fPSA in predicting a positive repeat prostate biopsy. <i>Journal of Urology</i> , 2012 , 188, 1137-43	2.5	46
56	Development and internal validation of a Prostate Health Index based nomogram for predicting prostate cancer at extended biopsy. <i>Journal of Urology</i> , 2012 , 188, 1144-50	2.5	49
55	The relationship between continence and perineal body tone before and after radical prostatectomy: a pilot study. <i>Neurourology and Urodynamics</i> , 2012 , 31, 513-6	2.3	10

54	Tumor grade improves the prognostic ability of American Joint Committee on Cancer stage in patients with penile carcinoma. <i>Journal of Urology</i> , 2011 , 185, 501-7	2.5	26
53	Perioperative mortality is significantly greater in septuagenarian and octogenarian patients treated with radical cystectomy for urothelial carcinoma of the bladder. <i>Urology</i> , 2011 , 77, 660-6	1.6	55
52	Radical cystectomy for patients with pT4 urothelial carcinoma in a large population-based study. <i>BJU International</i> , 2011 , 107, 905-11	5.6	29
51	The impact of surgical experience on total hospital charges for minimally invasive prostatectomy: a population-based study. <i>BJU International</i> , 2011 , 108, 888-93	5.6	7
50	Age-adjusted incidence, mortality, and survival rates of stage-specific renal cell carcinoma in North America: a trend analysis. <i>European Urology</i> , 2011 , 59, 135-41	10.2	214
49	Robot-assisted uretero-ureterostomy for iatrogenic lumbar and iliac ureteral stricture: technical details and preliminary clinical results. <i>European Urology</i> , 2011 , 60, 1221-5	10.2	23
48	Prostate-specific antigen (PSA) isoform p2PSA significantly improves the prediction of prostate cancer at initial extended prostate biopsies in patients with total PSA between 2.0 and 10 ng/ml: results of a prospective study in a clinical setting. <i>European Urology</i> , 2011 , 60, 214-22	10.2	138
47	Reply from Authors re: Monique J. Roobol. Prostate Cancer Biomarkers to Improve Risk Stratification: Is Our Knowledge of Prostate Cancer Sufficient to Spare Prostate Biopsies Safely? <i>Eur Urol</i> 2011;60:223B and re: Carvell T. Nguyen, Michael W. Kattan. How to Tell If a New Marker Improves Prediction. <i>Eur Urol</i> 2011;60:226B. <i>European Urology</i> , 2011 , 60, 226-230	10.2	1
46	A contemporary population-based assessment of the rate of lymph node dissection for penile carcinoma. <i>Annals of Surgical Oncology</i> , 2011 , 18, 439-46	3.1	26
45	A population-based competing-risks analysis of the survival of patients treated with radical cystectomy for bladder cancer. <i>Cancer</i> , 2011 , 117, 103-9	6.4	62
44	Assessing the clinical benefit of nuclear matrix protein 22 in the surveillance of patients with nonmuscle-invasive bladder cancer and negative cytology: a decision-curve analysis. <i>Cancer</i> , 2011 , 117, 2892-7	6.4	42
43	Mid-term complications after placement of the male adjustable suburethral sling: a single center experience. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2011 , 37, 552-553 ²		
42	A comparative population-based analysis of the rate of partial vs radical nephrectomy for clinically localized renal cell carcinoma. <i>BJU International</i> , 2010 , 105, 359-64	5.6	40
41	Temporal stage and grade migration in surgically treated patients with upper tract urothelial carcinoma. <i>BJU International</i> , 2010 , 105, 799-804	5.6	16
40	The novel nomogram of Gleason sum upgrade: possible application for the eligible criteria of low dose rate brachytherapy. <i>International Journal of Urology</i> , 2010 , 17, 862-8	2.3	18
39	Population-based external validation of a competing-risks nomogram for patients with localized renal cell carcinoma. <i>Journal of Clinical Oncology</i> , 2010 , 28, e299-300; author reply e301	2.2	25
38	Treatment of metastatic renal cell carcinoma. <i>Nature Reviews Urology</i> , 2010 , 7, 327-38	5.5	75
37	Effect of the number of biopsy cores on prostate cancer detection and staging. <i>Future Oncology</i> , 2010 , 6, 381-90	3.6	9

36	The prognostic value of erythrocyte polyamine in the post-nephrectomy stratification of renal cell carcinoma specific mortality. <i>Journal of Urology</i> , 2010 , 183, 486-91	2.5	3
35	Comparative study of inguinal hernia repair after radical prostatectomy, prostate biopsy, transurethral resection of the prostate or pelvic lymph node dissection. <i>Journal of Urology</i> , 2010 , 183, 970-5	2.5	23
34	Segmental ureterectomy can safely be performed in patients with transitional cell carcinoma of the ureter. <i>Journal of Urology</i> , 2010 , 183, 1324-9	2.5	75
33	The European Network for the Study of Adrenal Tumors staging system is prognostically superior to the international union against cancer-staging system: a North American validation. <i>European Journal of Cancer</i> , 2010 , 46, 713-9	7.5	155
32	The prognostic value of erythrocyte polyamines in the preoperative evaluation of patients with renal cell carcinoma. <i>European Journal of Cancer</i> , 2010 , 46, 1927-35	7.5	2
31	Nephron-sparing surgery is equally effective to radical nephrectomy for T1BN0M0 renal cell carcinoma: a population-based assessment. <i>Urology</i> , 2010 , 75, 271-5	1.6	77
30	Limited prognostic value of tumor necrosis in patients with renal cell carcinoma. <i>Urology</i> , 2010 , 75, 1378-84	1.6	13
29	A critical appraisal of the value of lymph node dissection at nephroureterectomy for upper tract urothelial carcinoma. <i>Urology</i> , 2010 , 75, 118-24	1.6	118
28	A population-based comparison of cancer-control rates between radical and partial nephrectomy for T1A renal cell carcinoma. <i>Urology</i> , 2010 , 76, 883-8	1.6	53
27	Gender-related differences in patients with stage I to III upper tract urothelial carcinoma: results from the Surveillance, Epidemiology, and End Results database. <i>Urology</i> , 2010 , 75, 321-7	1.6	90
26	A population-based assessment of perioperative mortality after nephroureterectomy for upper-tract urothelial carcinoma. <i>Urology</i> , 2010 , 75, 315-20	1.6	72
25	Adenocarcinoma versus urothelial carcinoma of the urinary bladder: comparison between pathologic stage at radical cystectomy and cancer-specific mortality. <i>Urology</i> , 2010 , 75, 376-81	1.6	48
24	Oncologic results of laparoscopic renal cryoablation for clinical T1a tumors: 8 years of experience in a single institution. <i>Urology</i> , 2010 , 76, 624-9	1.6	59
23	Biochemical recurrence after radical prostatectomy: multiplicative interaction between surgical margin status and pathological stage. <i>Journal of Urology</i> , 2010 , 184, 1341-6	2.5	68
22	How should we report incontinence after radical prostatectomy?. <i>Journal of Urology</i> , 2010 , 184, 829-30	2.5	2
21	Simplifying patient positioning and port placement during robotic-assisted laparoscopic prostatectomy. <i>European Urology</i> , 2010 , 57, 530-3	10.2	20
20	Should bladder cuff excision remain the standard of care at nephroureterectomy in patients with urothelial carcinoma of the renal pelvis? A population-based study. <i>European Urology</i> , 2010 , 57, 956-62	10.2	65
19	Head-to-head comparison of the three most commonly used preoperative models for prediction of biochemical recurrence after radical prostatectomy. <i>European Urology</i> , 2010 , 57, 562-8	10.2	58

18	Reply to Joan Palou, Ecar Rodríguez and Noel Clarke Letter to the Editor re: Umberto Capitanio, Shahrokh F. Shariat, Hendrik Isbarn, et al. Comparison of Oncologic Outcomes for Open and Laparoscopic Nephroureterectomy: A Multi-Institutional Analysis of 1249 Cases. <i>Eur Urol</i> 2009;56:19. <i>European Urology</i> , 2010, 57, e36	10.2	
17	Preoperative pelvic floor muscle exercise for early continence after radical prostatectomy: a randomised controlled study. <i>European Urology</i> , 2010, 57, 1039-43	10.2	120
16	Predictive and prognostic models in radical prostatectomy candidates: a critical analysis of the literature. <i>European Urology</i> , 2010, 58, 687-700	10.2	118
15	Highly predictive survival nomogram after upper urinary tract urothelial carcinoma. <i>Cancer</i> , 2010, 116, 3774-84	6.4	64
14	Unilateral prostate cancer cannot be accurately predicted in low-risk patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 77, 784-7	4	19
13	Comparative study of inguinal hernia repair rates after radical prostatectomy or external beam radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010, 78, 1307-13	4	13
12	Dose escalation of second-line sunitinib results in rapid partial remission of multiple hepatic metastases. <i>Canadian Urological Association Journal</i> , 2009, 3, E92-3	1.2	3
11	Thirty-day mortality after transurethral resection of the prostate in patients treated with androgen deprivation therapy. <i>Journal of Endourology</i> , 2009, 23, 1347-52	2.7	1
10	A proposal for reclassification of the Fuhrman grading system in patients with clear cell renal cell carcinoma. <i>European Urology</i> , 2009, 56, 775-81	10.2	51
9	Prognostic significance of lymph node invasion in patients with metastatic renal cell carcinoma: a population-based perspective. <i>Cancer</i> , 2009, 115, 5680-7	6.4	49
8	External validation of a nomogram predicting mortality in patients with adrenocortical carcinoma. <i>BJU International</i> , 2009, 104, 1661-7	5.6	15
7	Surgery illustrated--Surgical Atlas. Robotic radical cystectomy in the male. <i>BJU International</i> , 2009, 104, 726-45	5.6	14
6	Female robotic radical cystectomy. <i>BJU International</i> , 2009, 104, 1024-35	5.6	7
5	Nephroureterectomy and segmental ureterectomy in the treatment of invasive upper tract urothelial carcinoma: a population-based study of 2299 patients. <i>European Journal of Cancer</i> , 2009, 45, 3291-7	7.5	107
4	A population-based analysis of the rate of cytoreductive nephrectomy for metastatic renal cell carcinoma in the United States. <i>Urology</i> , 2009, 74, 837-41	1.6	23
3	Location of the primary tumor is not an independent predictor of cancer specific mortality in patients with upper urinary tract urothelial carcinoma. <i>Journal of Urology</i> , 2009, 182, 2177-81	2.5	86
2	Can renal mass biopsy assessment of tumor grade be safely substituted for by a predictive model?. <i>Journal of Urology</i> , 2009, 182, 2585-9	2.5	43
1	Tumor size is a determinant of the rate of stage T1 renal cell cancer synchronous metastasis. <i>Journal of Urology</i> , 2009, 182, 1287-93	2.5	56

