

Michael Hoch

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9068125/publications.pdf>

Version: 2024-02-01

20
papers

984
citations

623734

14
h-index

752698

20
g-index

20
all docs

20
docs citations

20
times ranked

1778
citing authors

#	ARTICLE	IF	CITATIONS
1	Unbalanced lipolysis results in lipotoxicity and mitochondrial damage in peroxisome-deficient <i>Pex19</i> mutants. <i>Molecular Biology of the Cell</i> , 2018, 29, 396-407.	2.1	40
2	Characterization of <i>Drosophila</i> saposin-related mutants as a model for lysosomal sphingolipid storage diseases. <i>DMM Disease Models and Mechanisms</i> , 2017, 10, 737-750.	2.4	13
3	The gap junction protein Innexin3 is required for eye disc growth in <i>Drosophila</i> . <i>Developmental Biology</i> , 2017, 425, 191-207.	2.0	8
4	Debris buster is a <i>Drosophila</i> scavenger receptor essential for airway physiology. <i>Developmental Biology</i> , 2017, 430, 52-68.	2.0	11
5	Antimicrobial peptides extend lifespan in <i>Drosophila</i> . <i>PLoS ONE</i> , 2017, 12, e0176689.	2.5	53
6	Nuclear <i>Drosophila</i> CerS Schlank regulates lipid homeostasis via the homeodomain, independent of the lag1p motif. <i>FEBS Letters</i> , 2016, 590, 971-981.	2.8	14
7	Ohgata, the Single <i>Drosophila</i> Ortholog of Human Cereblon, Regulates Insulin Signaling-dependent Organismic Growth. <i>Journal of Biological Chemistry</i> , 2016, 291, 25120-25132.	3.4	7
8	Ceramide Synthase 5 Is Essential to Maintain C16:0-Ceramide Pools and Contributes to the Development of Diet-induced Obesity. <i>Journal of Biological Chemistry</i> , 2016, 291, 6989-7003.	3.4	98
9	<i>Drosophila</i> eye size is determined by Innexin 2-dependent Decapentaplegic signalling. <i>Developmental Biology</i> , 2015, 408, 26-40.	2.0	26
10	Two different pathways of phosphatidylcholine synthesis, the Kennedy Pathway and the Lands Cycle, differentially regulate cellular triacylglycerol storage. <i>BMC Cell Biology</i> , 2014, 15, 43.	3.0	104
11	Murine Creld1 Controls Cardiac Development through Activation of Calcineurin/NFATc1 Signaling. <i>Developmental Cell</i> , 2014, 28, 711-726.	7.0	30
12	Forkhead, a new cross regulator of metabolism and innate immunity downstream of TOR in <i>Drosophila</i> . <i>Journal of Insect Physiology</i> , 2014, 69, 80-88.	2.0	41
13	Src tyrosine kinase signaling antagonizes nuclear localization of FOXO and inhibits its transcription factor activity. <i>Scientific Reports</i> , 2014, 4, 4048.	3.3	18
14	The PIKE Homolog Centaurin gamma Regulates Developmental Timing in <i>Drosophila</i> . <i>PLoS ONE</i> , 2014, 9, e97332.	2.5	6
15	Identification and Expression Analysis of the Zebrafish Homologs of the ceramide synthase Gene Family. <i>Developmental Dynamics</i> , 2013, 242, 189-200.	1.8	7
16	FOXO-dependent regulation of innate immune homeostasis. <i>Nature</i> , 2010, 463, 369-373.	27.8	314
17	Schlank, a member of the ceramide synthase family controls growth and body fat in <i>Drosophila</i> . <i>EMBO Journal</i> , 2009, 28, 3706-3716.	7.8	76
18	Identification of the novel evolutionary conserved obstructormultigene family in invertebrates. <i>FEBS Letters</i> , 2005, 579, 6827-6833.	2.8	70

#	ARTICLE	IF	CITATIONS
19	Cooperation of JAK/STAT and Notch signaling in the Drosophila foregut. <i>Developmental Biology</i> , 2004, 267, 181-189.	2.0	25
20	Gastrointestinal Development in the Drosophila Embryo Requires the Activity of Innexin Gap Junction Channel Proteins. <i>Cell Communication and Adhesion</i> , 2001, 8, 307-310.	1.0	23