Zuzana Kostalova

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9068194/publications.pdf

Version: 2024-02-01

840728 888047 16 593 11 17 citations h-index g-index papers 17 17 17 819 docs citations times ranked citing authors all docs

| # | Article | IF | Citations |
|----|--|------|-----------|
| 1 | Structural features of two heteroxylan polysaccharide fractions from wheat bran with anti-complementary and antioxidant activities. Carbohydrate Polymers, 2013, 93, 22-30. | 10.2 | 106 |
| 2 | Comparison of conventional and ultrasound-assisted extraction of phenolics-rich heteroxylans from wheat bran. Ultrasonics Sonochemistry, 2008, 15, 1062-1068. | 8.2 | 102 |
| 3 | Structural diversity of pectins isolated from the Styrian oil-pumpkin (Cucurbita pepo var. styriaca) fruit. Carbohydrate Polymers, 2013, 93, 163-171. | 10.2 | 83 |
| 4 | Structural characterisation of polysaccharides from roasted hazelnut skins. Food Chemistry, 2019, 286, 179-184. | 8.2 | 44 |
| 5 | Microwave-assisted extraction of pectin from unutilized pumpkin biomass. Chemical Engineering and Processing: Process Intensification, 2016, 102, 9-15. | 3.6 | 42 |
| 6 | Polysaccharides from the Styrian oil-pumpkin with antioxidant and complement-fixing activity. Industrial Crops and Products, 2013, 41, 127-133. | 5.2 | 33 |
| 7 | Isolation and characterization of pectic polysaccharides from the seeded fruit of oil pumpkin (Cucurbita pepo L. var. Styriaca). Industrial Crops and Products, 2010, 31, 370-377. | 5.2 | 32 |
| 8 | Non-cellulosic polysaccharides from the leaves of small balsam (Impatiens parviflora DC.). Carbohydrate Research, 2014, 389, 147-153. | 2.3 | 31 |
| 9 | Suppressive effect of pectic polysaccharides from Cucurbita pepo L. var. Styriaca on citric acid-induced cough reflex in guinea pigs. Fìtoterapìâ, 2011, 82, 357-364. | 2.2 | 27 |
| 10 | Bioactive hemicelluloses alkali-extracted from Fallopia sachalinensis leaves. Carbohydrate Research, 2014, 398, 19-24. | 2.3 | 27 |
| 11 | Chemical evaluation of seeded fruit biomass of oil pumpkin (Cucurbita pepo L. var. Styriaca). Chemical Papers, 2009, 63, . | 2.2 | 23 |
| 12 | (3, 2)D 1H, 13C BIRDr,X-HSQC-TOCSY for NMR structure elucidation of mixtures: application to complex carbohydrates. Journal of Biomolecular NMR, 2018, 70, 115-122. | 2.8 | 10 |
| 13 | Isolation, chemical characterization and antioxidant activity of Prunus spinosa L. fruit phenolic polysaccharide-proteins. Carbohydrate Research, 2022, 515, 108547. | 2.3 | 9 |
| 14 | Antioxidant Activity of Herbal Polysaccharides and Cough Reflex. Advances in Experimental Medicine and Biology, 2013, 788, 51-57. | 1.6 | 8 |
| 15 | Lactylated acidic exopolysaccharide produced by the cyanobacterium Nostoc cf. linckia. Carbohydrate Polymers, 2022, 276, 118801. | 10.2 | 8 |
| 16 | Antitussive Activity of Extracts from Fallopia Sachalinensis. Acta Medica Martiniana, 2012, 12, 24-30. | 0.3 | 1 |