Laurence Amar

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9068530/laurence-amar-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

10,670 132 52 102 h-index g-index citations papers 161 6.6 12,855 5.75 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
132	Feasibility of Imaging-Guided Adrenalectomy in Young Patients With Primary Aldosteronism. <i>Hypertension</i> , 2022 , 79, 187-195	8.5	O
131	Hypertension With Negative Metaiodobenzylguanidine Scintigraphy. <i>Hypertension</i> , 2021 , HYPERTENSIC	D ® ÆHÆ	A12118012
130	Targeted Metabolomics as a Tool in Discriminating Endocrine From Primary Hypertension. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, 1111-1128	5.6	6
129	Aetiological classification and prognosis in patients with heart failure with preserved ejection fraction. ESC Heart Failure, 2021,	3.7	3
128	Genetic investigation of fibromuscular dysplasia identifies risk loci and shared genetics with common cardiovascular diseases. <i>Nature Communications</i> , 2021 , 12, 6031	17.4	3
127	Recurrence-Free Survival Analysis in Locally Advanced Pheochromocytoma: First Appraisal. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, 2726-2737	5.6	1
126	International consensus on initial screening and follow-up of asymptomatic SDHx mutation carriers. Nature Reviews Endocrinology, 2021, 17, 435-444	15.2	12
125	Male Sex Is Associated With Cervical Artery Dissection in Patients With Fibromuscular Dysplasia. <i>Journal of the American Heart Association</i> , 2021 , 10, e018311	6	3
124	Renal Outcome and New-Onset Renal and Extrarenal Dissections in Patients With Nontrauma Renal Artery Dissection Associated With Renal Infarction. <i>Hypertension</i> , 2021 , 78, 51-61	8.5	2
123	The European/International Fibromuscular Dysplasia Registry and Initiative (FEIRI)-clinical phenotypes and their predictors based on a cohort of 1000 patients. <i>Cardiovascular Research</i> , 2021 , 117, 950-959	9.9	16
122	Acute Stress Cardiomyopathy: Heart of pheochromocytoma. <i>Annales Dr</i> E ndocrinologie, 2021 , 82, 201-20)51.7	4
121	Screening of a Large Cohort of Asymptomatic SDHx Mutation Carriers in Routine Practice. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e1301-e1315	5.6	1
120	Drug-resistant hypertension in primary aldosteronism patients undergoing adrenal vein sampling: the AVIS-2-RH study. <i>European Journal of Preventive Cardiology</i> , 2021 ,	3.9	4
119	Identification of Surgically Curable Primary Aldosteronism by Imaging in a Large, Multiethnic International Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e4340-e4349	5.6	4
118	Somatic mutations of GNA11 and GNAQ in CTNNB1-mutant aldosterone-producing adenomas presenting in puberty, pregnancy or menopause. <i>Nature Genetics</i> , 2021 , 53, 1360-1372	36.3	9
117	Colocalization of Wnt/Ecatenin and ACTH signaling pathways and paracrine regulation in aldosterone producing adenoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 ,	5.6	2
116	Beyond Atherosclerosis and Fibromuscular Dysplasia: Rare Causes of Renovascular Hypertension. <i>Hypertension</i> , 2021 , 78, 898-911	8.5	2

115	Genetic, Cellular, and Molecular Heterogeneity in Adrenals With Aldosterone-Producing Adenoma. <i>Hypertension</i> , 2020 , 75, 1034-1044	8.5	40
114	Glucocorticoid Excess in Patients with Pheochromocytoma Compared with Paraganglioma and Other Forms of Hypertension. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	11
113	Genetics, diagnosis, management and future directions of research of phaeochromocytoma and paraganglioma: a position statement and consensus of the Working Group on Endocrine Hypertension of the European Society of Hypertension. <i>Journal of Hypertension</i> , 2020 , 38, 1443-1456	1.9	62
112	Transcriptome Analysis of lncRNAs in Pheochromocytomas and Paragangliomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	10
111	Succinate detection using in vivo H-MR spectroscopy identifies germline and somatic SDHx mutations in paragangliomas. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 1510-1517	8.8	10
110	Aldosterone-Related Myocardial Extracellular Matrix Expansion in Hypertension in Humans: A Proof-of-Concept Study by Cardiac Magnetic Resonance. <i>JACC: Cardiovascular Imaging</i> , 2020 , 13, 2149-2	2 ⁸ 59	7
109	Genetics, prevalence, screening and confirmation of primary aldosteronism: a position statement and consensus of the Working Group on Endocrine Hypertension of The European Society of Hypertension. <i>Journal of Hypertension</i> , 2020 , 38, 1919-1928	1.9	42
108	Subtyping of Primary Aldosteronism in the AVIS-2 Study: Assessment of Selectivity and Lateralization. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	27
107	Clinical Outcomes of 1625 Patients With Primary Aldosteronism Subtyped With Adrenal Vein Sampling. <i>Hypertension</i> , 2019 , 74, 800-808	8.5	47
106	Targeted next-generation sequencing detects rare genetic events in pheochromocytoma and paraganglioma. <i>Journal of Medical Genetics</i> , 2019 , 56, 513-520	5.8	38
105	Positive Impact of Genetic Test on the Management and Outcome of Patients With Paraganglioma and/or Pheochromocytoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 1109-1118	5.6	54
104	Prognosis of Malignant Pheochromocytoma and Paraganglioma (MAPP-Prono Study): A European Network for the Study of Adrenal Tumors Retrospective Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 2367-2374	5.6	57
103	Value of Molecular Classification for Prognostic Assessment of Adrenocortical Carcinoma. <i>JAMA Oncology</i> , 2019 , 5, 1440-1447	13.4	31
102	Integrative multi-omics analysis identifies a prognostic miRNA signature and a targetable miR-21-3p/TSC2/mTOR axis in metastatic pheochromocytoma/paraganglioma. <i>Theranostics</i> , 2019 , 9, 4946-4958	12.1	30
101	Retinoic acid receptor las a novel contributor to adrenal cortex structure and function through interactions with Wnt and Vegfa signalling. <i>Scientific Reports</i> , 2019 , 9, 14677	4.9	5
100	SAT-012 Urinary Aldosterone Assay Using LC-MS/MS Could Improve Primary Aldosteronism Screening. <i>Journal of the Endocrine Society</i> , 2019 , 3,	0.4	78
99	Pheochromocytoma/Paraganglioma: Management, Genetics, and Follow-up 2019 , 469-477		
98	Telomerase Activation and ATRX Mutations Are Independent Risk Factors for Metastatic Pheochromocytoma and Paraganglioma. <i>Clinical Cancer Research</i> , 2019 , 25, 760-770	12.9	54

97	Usefulness of Magnetic Resonance Imaging in the Diagnosis of Juxtaglomerular Cell Tumors: A Report of 10 Cases and Review of the Literature. <i>American Journal of Kidney Diseases</i> , 2019 , 73, 566-57	1 ^{7.4}	7
96	Criteria for diagnosing primary aldosteronism on the basis of liquid chromatography-tandem mass spectrometry determinations of plasma aldosterone concentration. <i>Journal of Hypertension</i> , 2018 , 36, 1592-1601	1.9	13
95	Germline Mutations in the Mitochondrial 2-Oxoglutarate/Malate Carrier Gene Confer a Predisposition to Metastatic Paragangliomas. <i>Cancer Research</i> , 2018 , 78, 1914-1922	10.1	71
94	A gain-of-function mutation in the CLCN2 chloride channel gene causes primary aldosteronism. <i>Nature Genetics</i> , 2018 , 50, 355-361	36.3	102
93	Macrolides for KCNJ5-mutated aldosterone-producing adenoma (MAPA): design of a study for personalized diagnosis of primary aldosteronism. <i>Blood Pressure</i> , 2018 , 27, 200-205	1.7	18
92	Sex differences in antihypertensive treatment in France among 17 856 patients in a tertiary hypertension unit. <i>Journal of Hypertension</i> , 2018 , 36, 939-946	1.9	8
91	Arterial stiffness evaluated by pulse wave velocity is not predictive of the improvement in hypertension after adrenal surgery for primary aldosteronism: A multicentre study from the French European Society of Hypertension Excellence Centres. <i>Archives of Cardiovascular Diseases</i> , 2018 , 111, 564-572	2.7	2
90	Cause of renal infarction: a retrospective analysis of 186 consecutive cases. <i>Journal of Hypertension</i> , 2018 , 36, 634-640	1.9	20
89	Role of MDH2 pathogenic variant in pheochromocytoma and paraganglioma patients. <i>Genetics in Medicine</i> , 2018 , 20, 1652-1662	8.1	33
88	Pheochromocytoma: When to search a germline defect?. <i>Presse Medicale</i> , 2018 , 47, e109-e118	2.2	6
87	MicroRNA-204 Is Necessary for Aldosterone-Stimulated T-Type Calcium Channel Expression in Cardiomyocytes. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	7
86	Resistant Hypertension 2018 , 398-408		О
85	Comprehensive Molecular Characterization of Pheochromocytoma and Paraganglioma. <i>Cancer Cell</i> , 2017 , 31, 181-193	24.3	350
84	Case of Primary Aldosteronism With Discordant Hormonal and Computed Tomographic Findings. <i>Hypertension</i> , 2017 , 69, 529-535	8.5	О
83	Case of Asymptomatic Carotid Artery Stenosis in a Hypertensive Patient. <i>Hypertension</i> , 2017 , 69, 985-9	91 8.5	2
82	Awareness of Individual Cardiovascular Risk Factors and Self-Perception of Cardiovascular Risk in Women. <i>American Journal of the Medical Sciences</i> , 2017 , 354, 240-245	2.2	2
81	Outcomes after adrenalectomy for unilateral primary aldosteronism: an international consensus on outcome measures and analysis of remission rates in an international cohort. <i>Lancet Diabetes and Endocrinology,the</i> , 2017 , 5, 689-699	18.1	355
80	Risk assessment of maternally inherited SDHD paraganglioma and phaeochromocytoma. <i>Journal of Medical Genetics</i> , 2017 , 54, 125-133	5.8	25

(2015-2017)

79	High Prevalence of Multiple Arterial Bed Lesions in Patients With Fibromuscular Dysplasia: The ARCADIA Registry (Assessment of Renal and Cervical Artery Dysplasia). <i>Hypertension</i> , 2017 , 70, 652-658	3 ^{8.5}	76
78	DNA Methylation Is an Independent Prognostic Marker of Survival in Adrenocortical Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 923-932	5.6	35
77	In Vivo Detection of Succinate by Magnetic Resonance Spectroscopy as a Hallmark of SDHx Mutations in Paraganglioma. <i>Clinical Cancer Research</i> , 2016 , 22, 1120-9	12.9	43
76	SFE/SFHTA/AFCE primary aldosteronism consensus: Introduction and handbook. <i>Annales Dr</i> £ indocrinologie, 2016 , 77, 179-86	1.7	25
75	SFE/SFHTA/AFCE consensus on primary aldosteronism, part 3: Confirmatory testing. <i>Annales Dr</i> andocrinologie, 2016 , 77, 202-7	1.7	21
74	SFE/SFHTA/AFCE consensus on primary aldosteronism, part 6: Adrenal surgery. <i>Annales Dr</i> Endocrinologie, 2016 , 77, 220-5	1.7	16
73	ArtEiopathie athEomateuse des artEes rEiales 2016 , 221-225		
72	Diagnostic criteria for adrenal venous sampling. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2016 , 23, 218-24	4	6
71	The MITF, p.E318K Variant, as a Risk Factor for Pheochromocytoma and Paraganglioma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 4764-4768	5.6	12
70	European Society of Endocrinology Clinical Practice Guideline for long-term follow-up of patients operated on for a phaeochromocytoma or a paraganglioma. <i>European Journal of Endocrinology</i> , 2016 , 174, G1-G10	6.5	230
69	Primary aldosteronism and pregnancy. Annales Drandocrinologie, 2016, 77, 148-60	1.7	29
68	MANAGEMENT OF ENDOCRINE DISEASE: Recurrence or new tumors after complete resection of pheochromocytomas and paragangliomas: a systematic review and meta-analysis. <i>European Journal of Endocrinology</i> , 2016 , 175, R135-45	6.5	35
67	Adherence to Antihypertensive Treatment and the Blood Pressure-Lowering Effects of Renal Denervation in the Renal Denervation for Hypertension (DENERHTN) Trial. <i>Circulation</i> , 2016 , 134, 847-5	57 ^{16.7}	98
66	Suppression of Aldosterone Secretion After Recumbent Saline Infusion Does Not Exclude Lateralized Primary Aldosteronism. <i>Hypertension</i> , 2016 , 68, 989-94	8.5	15
65	CACNA1H Mutations Are Associated With Different Forms of Primary Aldosteronism. <i>EBioMedicine</i> , 2016 , 13, 225-236	8.8	83
64	Diagnosing phaeochromocytoma/paraganglioma in a patient presenting with critical illness: biochemistry versus imaging. <i>Clinical Endocrinology</i> , 2015 , 83, 298-302	3.4	25
63	Functional histopathological markers of aldosterone producing adenoma and somatic KCNJ5 mutations. <i>Molecular and Cellular Endocrinology</i> , 2015 , 408, 220-6	4.4	22
62	Outcomes of drug-based and surgical treatments for primary aldosteronism. <i>Advances in Chronic Kidney Disease</i> , 2015 , 22, 196-203	4.7	17

61	Progress in primary aldosteronism. Mineralocorticoid antagonist treatment for aldosterone-producing adenoma. <i>European Journal of Endocrinology</i> , 2015 , 172, R125-9	6.5	12
60	Different Somatic Mutations in Multinodular Adrenals With Aldosterone-Producing Adenoma. <i>Hypertension</i> , 2015 , 66, 1014-22	8.5	48
59	Multi-omics analysis defines core genomic alterations in pheochromocytomas and paragangliomas. <i>Nature Communications</i> , 2015 , 6, 6044	17.4	120
58	Mast cell hyperplasia is associated with aldosterone hypersecretion in a subset of aldosterone-producing adenomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, E550-60	5.6	27
57	Deciphering the Role of Vasopressin in Primary Aldosteronism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 3297-303	5.6	7
56	Paraganglioma and phaeochromocytoma: from genetics to personalized medicine. <i>Nature Reviews Endocrinology</i> , 2015 , 11, 101-11	15.2	311
55	LB01.11. Journal of Hypertension, 2015 , 33, e47	1.9	21
54	Influence of diagnostic criteria on the interpretation of adrenal vein sampling. <i>Hypertension</i> , 2015 , 65, 849-54	8.5	35
53	SDHD immunohistochemistry: a new tool to validate SDHx mutations in pheochromocytoma/paraganglioma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, E287-9	9§.6	39
52	Optimum and stepped care standardised antihypertensive treatment with or without renal denervation for resistant hypertension (DENERHTN): a multicentre, open-label, randomised controlled trial. <i>Lancet, The</i> , 2015 , 385, 1957-65	40	356
51	Statut tensionnel, philotype sürlloire et potentiel milastatique chez les patients porteurs de philotype sur de paragangliome : donnils gilliques et physio-pathologiques rilentes. Bulletin De Linacademie Nationale De Medecine, 2015, 199, 313-319	0.1	
50	Integrated genomic characterization of adrenocortical carcinoma. <i>Nature Genetics</i> , 2014 , 46, 607-12	36.3	423
49	Germline mutations in FH confer predisposition to malignant pheochromocytomas and paragangliomas. <i>Human Molecular Genetics</i> , 2014 , 23, 2440-6	5.6	261
48	Genetic spectrum and clinical correlates of somatic mutations in aldosterone-producing adenoma. <i>Hypertension</i> , 2014 , 64, 354-61	8.5	211
47	WNT/Etatenin signalling is activated in aldosterone-producing adenomas and controls aldosterone production. <i>Human Molecular Genetics</i> , 2014 , 23, 889-905	5.6	130
46	Peritoneal implantation of pheochromocytoma following tumor capsule rupture during surgery. Journal of Clinical Endocrinology and Metabolism, 2014 , 99, E2681-5	5.6	29
45	SDHB mutations are associated with response to temozolomide in patients with metastatic pheochromocytoma or paraganglioma. <i>International Journal of Cancer</i> , 2014 , 135, 2711-20	7.5	110
44	KCNJ5 mutations in aldosterone producing adenoma and relationship with adrenal cortex remodeling. <i>Molecular and Cellular Endocrinology</i> , 2013 , 371, 221-7	4.4	33

43	Aldosterone synthase inhibition in humans. Nephrology Dialysis Transplantation, 2013, 28, 36-43	4.3	66
42	Somatic mutations in ATP1A1 and ATP2B3 lead to aldosterone-producing adenomas and secondary hypertension. <i>Nature Genetics</i> , 2013 , 45, 440-4, 444e1-2	36.3	375
41	SDH mutations establish a hypermethylator phenotype in paraganglioma. <i>Cancer Cell</i> , 2013 , 23, 739-52	24.3	492
40	One-year progression-free survival of therapy-naive patients with malignant pheochromocytoma and paraganglioma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 4006-12	5.6	75
39	Imaging work-up for screening of paraganglioma and pheochromocytoma in SDHx mutation carriers: a multicenter prospective study from the PGL.EVA Investigators. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, E162-73	5.6	106
38	Cardiovascular complications associated with primary aldosteronism: a controlled cross-sectional study. <i>Hypertension</i> , 2013 , 62, 331-6	8.5	312
37	Acute catecholamine cardiomyopathy in patients with phaeochromocytoma or functional paraganglioma. <i>Heart</i> , 2013 , 99, 1438-44	5.1	78
36	Sequential comparison of aldosterone synthase inhibition and mineralocorticoid blockade in patients with primary aldosteronism. <i>Journal of Hypertension</i> , 2013 , 31, 624-9; discussion 629	1.9	30
35	The Adrenal Vein Sampling International Study (AVIS) for identifying the major subtypes of primary aldosteronism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 1606-14	5.6	243
34	Prevalence, clinical, and molecular correlates of KCNJ5 mutations in primary aldosteronism. <i>Hypertension</i> , 2012 , 59, 592-8	8.5	206
33	Rationale for anti-angiogenic therapy in pheochromocytoma and paraganglioma. <i>Endocrine Pathology</i> , 2012 , 23, 34-42	4.2	60
32	Ectopic hormone-secreting pheochromocytoma: a francophone observational study. <i>World Journal of Surgery</i> , 2012 , 36, 1382-8	3.3	22
31	Primary adrenal angiosarcoma and functioning adrenocortical adenoma: an exceptional combined tumor. <i>European Journal of Endocrinology</i> , 2012 , 166, 131-5	6.5	17
30	Outcomes of adrenalectomy in patients with unilateral primary aldosteronism: a review. <i>Hormone and Metabolic Research</i> , 2012 , 44, 221-7	3.1	8o
29	Epithelial to mesenchymal transition is activated in metastatic pheochromocytomas and paragangliomas caused by SDHB gene mutations. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, E954-62	5.6	69
28	KCNJ5 mutations in European families with nonglucocorticoid remediable familial hyperaldosteronism. <i>Hypertension</i> , 2012 , 59, 235-40	8.5	145
27	Somatic NF1 inactivation is a frequent event in sporadic pheochromocytoma. <i>Human Molecular Genetics</i> , 2012 , 21, 5397-405	5.6	111
26	Long-term postoperative follow-up in patients with apparently benign pheochromocytoma and paraganglioma. <i>Hormone and Metabolic Research</i> , 2012 , 44, 385-9	3.1	48

25	MAX mutations cause hereditary and sporadic pheochromocytoma and paraganglioma. <i>Clinical Cancer Research</i> , 2012 , 18, 2828-37	12.9	226
24	A clinical prediction score to diagnose unilateral primary aldosteronism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 3530-7	5.6	112
23	Integrative genomic analysis reveals somatic mutations in pheochromocytoma and paraganglioma. <i>Human Molecular Genetics</i> , 2011 , 20, 3974-85	5.6	221
22	Aldosterone-producing adenoma formation in the adrenal cortex involves expression of stem/progenitor cell markers. <i>Endocrinology</i> , 2011 , 152, 4753-63	4.8	72
21	Inactivation of the APC gene is constant in adrenocortical tumors from patients with familial adenomatous polyposis but not frequent in sporadic adrenocortical cancers. <i>Clinical Cancer Research</i> , 2010 , 16, 5133-41	12.9	87
20	Aldosterone synthase inhibition with LCI699: a proof-of-concept study in patients with primary aldosteronism. <i>Hypertension</i> , 2010 , 56, 831-8	8.5	139
19	Adrenal cortex remodeling and functional zona glomerulosa hyperplasia in primary aldosteronism. <i>Hypertension</i> , 2010 , 56, 885-92	8.5	109
18	Primary stenting for atherosclerotic renal artery stenosis. <i>Journal of Vascular Surgery</i> , 2010 , 51, 1574-1	5805e1	11
17	Aldosterone-producing adenoma and other surgically correctable forms of primary aldosteronism. <i>Orphanet Journal of Rare Diseases</i> , 2010 , 5, 9	4.2	43
16	Phaeochromocytomas and functional paragangliomas: clinical management. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2010 , 24, 933-41	6.5	17
15	The Warburg effect is genetically determined in inherited pheochromocytomas. <i>PLoS ONE</i> , 2009 , 4, e70	09,47	179
14	Fasting plasma glucose and serum lipids in patients with primary aldosteronism: a controlled cross-sectional study. <i>Hypertension</i> , 2009 , 53, 605-10	8.5	93
13	The succinate dehydrogenase genetic testing in a large prospective series of patients with paragangliomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 2817-27	5.6	304
12	An immunohistochemical procedure to detect patients with paraganglioma and phaeochromocytoma with germline SDHB, SDHC, or SDHD gene mutations: a retrospective and prospective analysis. <i>Lancet Oncology, The</i> , 2009 , 10, 764-71	21.7	405
11	Recent advances in the genetics of phaeochromocytoma and functional paraganglioma. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2008 , 35, 376-9	3	53
10	Selection of patients for surgery for primary aldosteronism. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2008 , 35, 522-5	3	2
9	Blood pressure outcome of adrenalectomy in patients with primary hyperaldosteronism with or without unilateral adenoma. <i>Journal of Hypertension</i> , 2008 , 26, 1816-23	1.9	105
8	Apports de COMETE lla gfilfique du phbchromocytome. <i>Bulletin De Ln</i> Academie Nationale De Medecine, 2008 , 192, 105-116	0.1	

LIST OF PUBLICATIONS

7	Succinate dehydrogenase B gene mutations predict survival in patients with malignant pheochromocytomas or paragangliomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 38	32 2- 8	332	
6	Changes in urinary total metanephrine excretion in recurrent and malignant pheochromocytomas and secreting paragangliomas. <i>Annals of the New York Academy of Sciences</i> , 2006 , 1073, 383-91	6.5	18	
5	Year of diagnosis, features at presentation, and risk of recurrence in patients with pheochromocytoma or secreting paraganglioma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 2110-6	5.6	254	
4	Genetic testing in pheochromocytoma or functional paraganglioma. <i>Journal of Clinical Oncology</i> , 2005 , 23, 8812-8	2.2	529	
3	Hereditary paraganglioma/pheochromocytoma and inherited succinate dehydrogenase deficiency. <i>Hormone Research in Paediatrics</i> , 2005 , 63, 171-9	3.3	43	
2	Video-assisted thoracoscopic surgery as a first-line treatment for mediastinal parathyroid adenomas: strategic value of imaging. <i>European Journal of Endocrinology</i> , 2004 , 150, 141-7	6.5	18	
1	Hereditary angio-oedema: effective treatment with the progestogen-only pill in a young woman. British Journal of Dermatology, 2004, 151, 713-4	4	10	